

Anders Troelsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7244406/publications.pdf>

Version: 2024-02-01

174
papers

5,959
citations

94433

37
h-index

91884

69
g-index

185
all docs

185
docs citations

185
times ranked

4954
citing authors

#	ARTICLE	IF	CITATIONS
1	No difference in whole-blood metal ions between 32-mm and 36- to 44-mm femoral heads in metal-on-polyethylene total hip arthroplasty: a 2-year report from a randomised control trial. <i>HIP International</i> , 2023, 33, 184-192.	1.7	4
2	High-dose steroids in high pain responders undergoing total knee arthroplasty: a randomised double-blind trial. <i>British Journal of Anaesthesia</i> , 2022, 128, 150-158.	3.4	31
3	Rare SLC13A1 variants associate with intervertebral disc disorder highlighting role of sulfate in disc pathology. <i>Nature Communications</i> , 2022, 13, 634.	12.8	21
4	The Copenhagen Achilles Length Measurement performed at time of acute Achilles tendon rupture is correlated to tendon elongation after one year.. <i>Journal of Foot and Ankle Surgery</i> , 2022, , .	1.0	3
5	Surgical Treatment of Metastatic Bone Disease in the Appendicular Skeleton: A Population-Based Study. <i>Cancers</i> , 2022, 14, 1258.	3.7	2
6	A genome-wide meta-analysis identifies 50 genetic loci associated with carpal tunnel syndrome. <i>Nature Communications</i> , 2022, 13, 1598.	12.8	8
7	Preoperative Severe Acute Respiratory Syndrome Coronavirus 2 Polymerase Chain Reaction Test at Between 48 and 72 Hours Preoperatively is Safe for Patients Undergoing Primary and Revision Hip and Knee Arthroplasty: A Multicentre International Study. <i>Journal of Arthroplasty</i> , 2022, , .	3.1	1
8	Optimized medial unicompartmental knee arthroplasty outcome: learning from 20 years of propensity score matched registry data. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 390-396.	3.3	11
9	Opioid and Analgesic Use Before and After Revision Knee Arthroplasty for the Indications "Pain Without Loosening" Versus "Aseptic Loosening" A Danish Nationwide Study. <i>Journal of Arthroplasty</i> , 2022, 37, 1618-1625.e3.	3.1	3
10	Knee-extensor strength, symptoms, and need for surgery after two, four, or six exercise sessions/week using a home-based one-exercise program: a randomized dose-response trial of knee-extensor resistance exercise in patients eligible for knee replacement (the QUADX-1 trial). <i>Osteoarthritis and Cartilage</i> , 2022, 30, 973-986.	1.3	6
11	Surgical treatment of displaced isolated lateral malleolar fractures: incidence of adverse events requiring revision: a retrospective cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 252.	2.3	0
12	Comparing surgical strategies for end-stage anteromedial osteoarthritis. <i>Bone & Joint Open</i> , 2022, 3, 441-447.	2.6	10
13	Are functional outcomes and early pain affected by discharge on the day of surgery following total hip and knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 62-66.	3.3	10
14	Do Knee Osteoarthritis Patterns Affect Patient-Reported Outcomes in Total Knee Arthroplasty? Results From an International Multicenter Prospective Study With 3-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2021, 36, 507-513.	3.1	6
15	Which Oxford Knee Score level represents a satisfactory symptom state after undergoing a total knee replacement?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 85-90.	3.3	23
16	Categorization of changes in the Oxford Knee Score after total knee replacement: an interpretive tool developed from a data set of 46,094 replacements. <i>Journal of Clinical Epidemiology</i> , 2021, 132, 18-25.	5.0	9
17	Length of Stay and 90-Day Readmission/Complication Rates in Unicompartmental Versus Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1063-1071.	3.0	21
18	Population pharmacokinetics of ropivacaine used for local infiltration anaesthesia during primary total unilateral and simultaneous bilateral knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2021, 126, 872-880.	3.4	11

#	ARTICLE	IF	CITATIONS
19	Neither operative nor nonoperative approach is superior for treating displaced midshaft clavicle fractures: a partially blinded randomized controlled clinical trial. <i>Bone and Joint Journal</i> , 2021, 103-B, 762-768.	4.4	13
20	No increase in postoperative contacts with the healthcare system following outpatient total hip and knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 557-561.	3.3	2
21	What is the effect of supervised rehabilitation regime vs. self-management instruction following unicompartmental knee arthroplasty? "a pilot study in two cohorts. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 38.	1.8	2
22	Does the use of the largest possible metal head increase the wear of vitamin E-doped cross-linked polyethylene? Two-year results from a randomized controlled trial. <i>Bone and Joint Journal</i> , 2021, 103-B, 1206-1214.	4.4	11
23	Assessing the utility of deep neural networks in predicting postoperative surgical complications: a retrospective study. <i>The Lancet Digital Health</i> , 2021, 3, e471-e485.	12.3	41
24	Influence of body mass index and age on day-of-surgery discharge, prolonged admission, and 90-day readmission after fast-track unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 722-727.	3.3	6
25	Harris Hip Score and SF-36 following metal-on-metal total hip arthroplasty and hip resurfacing - a randomized controlled trial with 5-years follow up including 75 patients. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 781.	1.9	10
26	Treatment of osteoarthritis with autologous, micro-fragmented adipose tissue: a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 748.	1.6	5
27	Postoperative complications: an observational study of trends in the United States from 2012 to 2018. <i>BMC Surgery</i> , 2021, 21, 393.	1.3	37
28	External Validation of Achieving the Patient Acceptable Symptom State for the EuroQol-5 Dimension 1 Year After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, e5.	3.0	9
29	Disentangling treatment pathways for knee osteoarthritis: a study protocol for the TREATright study including a prospective cohort study, a qualitative study and a cost-effectiveness study. <i>BMJ Open</i> , 2021, 11, e048411.	1.9	0
30	Prosthesis survival after revision knee arthroplasty for "œpain without loosening" versus "œaseptic loosening" a Danish nationwide study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, , 1-7.	3.3	2
31	Patients report inferior quality of care for knee osteoarthritis prior to assessment for knee replacement surgery " a cross-sectional study of 517 patients in Denmark. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 82-87.	3.3	27
32	Efficacy of early controlled motion of the ankle compared with immobilisation in non-operative treatment of patients with an acute Achilles tendon rupture: an assessor-blinded, randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 719-724.	6.7	37
33	Changes in Patient Satisfaction Following Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 32-38.	3.1	39
34	The Patient Acceptable Symptom State for the Harris Hip Score Following Total Hip Arthroplasty: Validated Thresholds at 3-Month, 1-, 3-, 5-, and 7-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, 145-152.e2.	3.1	27
35	Outpatient total hip or knee arthroplasty in ambulatory surgery center versus arthroplasty ward: a randomized controlled trial. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 42-47.	3.3	21
36	Regional differences between the US, Scandinavia, and South Korea in patient demographics and patient-reported outcomes for primary total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 93-108.	2.4	7

#	ARTICLE	IF	CITATIONS
37	Has the Use of Fixation Techniques in THA Changed in This Decade? The Uncemented Paradox Revisited. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 697-704.	1.5	42
38	Risk of reoperation within 12 months following osteosynthesis of a displaced femoral neck fracture is linked mainly to initial fracture displacement while risk of death may be linked to bone quality: a cohort study from Danish Fracture Database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 1-75.	3.3	21
39	20-year trends of distal femoral, patellar, and proximal tibial fractures: a Danish nationwide cohort study of 60,823 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 109-114.	3.3	20
40	Introduction of a New Treatment Algorithm Reduces the Number of Periprosthetic Femoral Fractures After Primary Total Hip Arthroplasty in Elderly Females. <i>Journal of Arthroplasty</i> , 2020, 35, 3613-3620.	3.1	3
41	Unicompartmental knee arthroplasty undertaken using a fast-track protocol. <i>Bone and Joint Journal</i> , 2020, 102-B, 1167-1175.	4.4	19
42	Knee Fracture Increases TKA Risk After Initial Fracture Treatment and Throughout Life. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 2036-2044.	1.5	9
43	Safety of vitamin E-infused highwall liners for routine use in primary total hip arthroplasty: single centre, short-term follow-up of 1221 cases. <i>HIP International</i> , 2020, , 112070002096964.	1.7	1
44	The Use of Porous Titanium Coating and the Largest Possible Head Do Not Affect Early Cup Fixation. <i>JBJS Open Access</i> , 2020, 5, e20.00107-e20.00107.	1.5	3
45	Risk of Deep Vein Thrombosis After Acute Achilles Tendon Rupture: A Secondary Analysis of a Randomized Controlled Trial Comparing Early Controlled Motion of the Ankle Versus Immobilization. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712091590.	1.7	10
46	Which Preoperative Factors are Associated with Not Attaining Acceptable Levels of Pain and Function After TKA? Findings from an International Multicenter Study. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1019-1028.	1.5	25
47	Preoperative high-dose Steroids in Total Knee and Hip Arthroplasty – Protocols for three randomized controlled trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1350-1356.	1.6	6
48	Patient-acceptable symptom state for the Oxford Hip Score and Forgotten Joint Score at 3 months, 1 year, and 2 years following total hip arthroplasty: a registry-based study of 597 cases. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 372-377.	3.3	27
49	Clinical outcome of bi-unicompartmental knee arthroplasty for both medial and lateral femorotibial arthritis: a systematic review – is there proof of concept?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1503-1513.	2.4	12
50	Does cup position differ between trabecular metal and titanium cups? A radiographic propensity score matched study of 300 hips. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 682-686.	3.3	1
51	Patients with anteromedial osteoarthritis achieve the greatest improvement in patient reported outcome after total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 517-525.	2.4	5
52	Are There Differences in Micromotion on Radiostereometric Analysis Between Bicruciate and Cruciate-retaining Designs in TKA? A Randomized Controlled Trial. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 2045-2053.	1.5	9
53	Why are patients still in hospital after fast-track, unilateral unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 433-438.	3.3	9
54	Perceived facilitators and barriers among physical therapists and orthopedic surgeons to pre-operative home-based exercise with one exercise-only in patients eligible for knee replacement: A qualitative interview study nested in the QUADX-1 trial. <i>PLoS ONE</i> , 2020, 15, e0241175.	2.5	5

#	ARTICLE	IF	CITATIONS
55	Early clinical outcome and learning curve following unilateral primary total knee arthroplasty after introduction of a novel total knee arthroplasty system. <i>World Journal of Orthopedics</i> , 2020, 11, 431-441.	1.8	1
56	Patient-reported outcomes of 7133 distal femoral, patellar, and proximal tibial fracture patients: A national cross-sectional study with one-, three-, and five-year follow-up. <i>Knee</i> , 2020, 27, 1310-1324.	1.6	2
57	Title is missing!. , 2020, 15, e0241175.		0
58	Title is missing!. , 2020, 15, e0241175.		0
59	Title is missing!. , 2020, 15, e0241175.		0
60	Title is missing!. , 2020, 15, e0241175.		0
61	Improved Patient-Reported Quality of Life and Hip Function After Cementless 1-Stage Revision of Chronic Periprosthetic Hip Joint Infection. <i>Journal of Arthroplasty</i> , 2019, 34, 2763-2769.e1.	3.1	4
62	Varying but reduced use of postoperative mobilization restrictions after primary total hip arthroplasty in Nordic countries: a questionnaire-based study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 143-147.	3.3	8
63	Medial unicompartmental knee arthroplasty: increasingly uniform patient demographics despite differences in surgical volume and usage—a descriptive study of 8,501 cases from the Danish Knee Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 354-359.	3.3	22
64	Complications and readmissions following outpatient total hip and knee arthroplasty: a prospective 2-center study with matched controls. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 281-285.	3.3	64
65	13 Deep vein thrombosis after acute achilles tendon rupture. An RCT comparing early controlled motion of the ankle with no motion. , 2019, , .		0
66	14 Individual treatment selection for acute achilles tendon rupture based on the copenhagen achilles length measurements (CALM). , 2019, , .		0
67	The problem is not necessarily the data, it is the interpretation. <i>Bone and Joint Journal</i> , 2019, 101-B, 1177-1178.	4.4	3
68	Tissue Adhesive for Wound Closure Reduces Immediate Postoperative Wound Dressing Changes After Primary TKA: A Randomized Controlled Study in Simultaneous Bilateral TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 2032-2038.	1.5	16
69	Patient Acceptable Symptom State at 1 and 3 Years After Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 995-1003.	3.0	60
70	Persistent morbidity after Medial Patellofemoral Ligament Reconstruction — A registry study with an eight-year follow-up on a nationwide cohort from 1996 to 2014. <i>Knee</i> , 2019, 26, 20-25.	1.6	9
71	Sensitivity and specificity of post-operative interference gap assessment on plain radiographs after cementless primary THA. <i>Clinical Imaging</i> , 2019, 54, 103-107.	1.5	0
72	Incidence of surgical interventions for metastatic bone disease in the extremities: a population-based cohort study. <i>Acta Oncologica</i> , 2019, 58, 456-462.	1.8	9

#	ARTICLE	IF	CITATIONS
73	Acceptable Success Rate in Patients With Periprosthetic Knee Joint Infection Treated With Debridement, Antibiotics, and Implant Retention. <i>Journal of Arthroplasty</i> , 2019, 34, 365-368.	3.1	45
74	Weight affects survival of primary total knee arthroplasty: study based on the Danish Knee Arthroplasty Register with 67,810 patients and a median follow-up time of 5 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 60-66.	3.3	12
75	Similar postoperative patient-reported outcome in both second generation patellofemoral arthroplasty and total knee arthroplasty for treatment of isolated patellofemoral osteoarthritis: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2226-2237.	4.2	34
76	High incidence of acute and recurrent patellar dislocations: a retrospective nationwide epidemiological study involving 24.154 primary dislocations. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1204-1209.	4.2	61
77	Hip malformation is a very common finding in young patients scheduled for total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 581-589.	2.4	10
78	Avoidable 30-day mortality analysis and failure to rescue in dysvascular lower extremity amputees. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 246-250.	3.3	4
79	Medial Overhang of the Tibial Component Is Associated With Higher Risk of Inferior Knee Injury and Osteoarthritis Outcome Score Pain After Knee Replacement. <i>Journal of Arthroplasty</i> , 2018, 33, 1394-1398.	3.1	28
80	Cementless One-Stage Revision in Chronic Periprosthetic Hip Joint Infection. Ninety-One Percent Infection Free Survival in 56 Patients at Minimum 2-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 1160-1165.e1.	3.1	36
81	Osteosynthesis with Parallel Implants in the Treatment of Femoral Neck Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1682-1690.	3.0	27
82	Knee replacement. <i>Lancet, The</i> , 2018, 392, 1672-1682.	13.7	449
83	Efficacy of pre-operative quadriceps strength training on knee-extensor strength before and shortly following total knee arthroplasty: protocol for a randomized, dose-response trial (The QUADX-1) Tj ETQq1 1 0.784314 rgBT / Overlock	3.1	10
84	Time-driven activity-based cost of outpatient total hip and knee arthroplasty in different set-ups. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 515-521.	3.3	44
85	Minimal important change values for the Oxford Knee Score and the Forgotten Joint Score at 1 year after total knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 541-547.	3.3	59
86	Does ethnicity and education influence preoperative disability and expectations in patients undergoing total knee arthroplasty?. <i>World Journal of Orthopedics</i> , 2018, 9, 220-228.	1.8	4
87	Severe Functional Debilitations After Complications Associated With Acute Achilles Tendon Rupture With 9 Years of Follow-Up. <i>Journal of Foot and Ankle Surgery</i> , 2017, 56, 440-444.	1.0	14
88	Can Surgeons Reduce the Risk for Dislocation After Primary Total Hip Arthroplasty Performed Using the Posterolateral Approach?. <i>Journal of Arthroplasty</i> , 2017, 32, 3141-3146.	3.1	20
89	No association between surgical delay and mortality following distal femoral fractures. A study from the danish fracture database collaborators. <i>Injury</i> , 2017, 48, 2833-2837.	1.7	14
90	Total Blood Loss After Transfemoral Amputations Is Twice the Intraoperative Loss: An Observational Cohort Study of 81 Nontraumatic Amputations. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2017, 8, 123-127.	1.4	6

#	ARTICLE	IF	CITATIONS
91	Low Risk of Thromboembolic Events After Routine Administration of Tranexamic Acid in Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1298-1303.	3.1	27
92	No Effect of a Bipolar Sealer on Total Blood Loss or Blood Transfusion in Nonseptic Revision Knee Arthroplasty—A Prospective Study With Matched Retrospective Controls. <i>Journal of Arthroplasty</i> , 2017, 32, 177-182.	3.1	19
93	Acetabular cup position and risk of dislocation in primary total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 10-17.	3.3	163
94	Tourniquets do not increase the total blood loss or re-amputation risk in transtibial amputations. <i>World Journal of Orthopedics</i> , 2017, 8, 62.	1.8	12
95	Functional rehabilitation of patients with acute Achilles tendon rupture: a meta-analysis of current evidence. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1852-1859.	4.2	58
96	3-Year Follow-up of a Long-Term Registry-Based Multicentre Study on Vitamin E Diffused Polyethylene in Total Hip Replacement. <i>HIP International</i> , 2016, 26, 97-103.	1.7	23
97	Efficacy of early controlled motion of the ankle compared with no motion after non-operative treatment of an acute Achilles tendon rupture: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 564.	1.6	10
98	High inter-rater reliability, agreement, and convergent validity of Constant score in patients with clavicle fractures. <i>Journal of Shoulder and Elbow Surgery</i> , 2016, 25, 1577-1582.	2.6	14
99	Combined Intra-Articular and Intravenous Tranexamic Acid Reduces Blood Loss in Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 835-841.	3.0	106
100	Lacking evidence for performance of implants used for proximal femoral fractures – A systematic review. <i>Injury</i> , 2016, 47, 586-594.	1.7	17
101	Good validity and reliability of the forgotten joint score in evaluating the outcome of total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 280-285.	3.3	95
102	Does knee awareness differ between different knee arthroplasty prostheses? A matched, case-control, cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 141.	1.9	18
103	Thirteen-Year Evaluation of Highly Cross-Linked Polyethylene Articulating With Either 28-mm or 36-mm Femoral Heads Using Radiostereometric Analysis and Computerized Tomography. <i>Journal of Arthroplasty</i> , 2016, 31, 269-276.	3.1	25
104	Overtreatment of displaced midshaft clavicle fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 541-545.	3.3	25
105	Clinical Faceoff: Where Are We Going With Femoral Stem Fixation in THA?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2349-2353.	1.5	0
106	Increasing incidence of acute Achilles tendon rupture and a noticeable decline in surgical treatment from 1994 to 2013. A nationwide registry study of 33,160 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3730-3737.	4.2	238
107	Achilles tendon Total Rupture Score at 3 Months can predict patients' ability to return to sport 1 year after injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1365-1371.	4.2	31
108	Acetabular Dysplasia and Surgical Approaches Other Than Direct Anterior Increases Risk for Malpositioning of the Acetabular Component in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 835-841.	3.1	14

#	ARTICLE	IF	CITATIONS
109	Stable Fixation of a Cementless, Proximally Coated, Double Wedged, Double Tapered Femoral Stem in Total Hip Arthroplasty: A 5-Year Radiostereometric Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 1267-1274.	3.1	15
110	Risk profile of patients developing nonunion of the clavicle and outcome of treatmentâ€”analysis of fifty five nonunions in seven hundred and twenty nine consecutive fractures. <i>International Orthopaedics</i> , 2016, 40, 587-593.	1.9	23
111	Five-Year Experience of Vitamin Eâ€”Diffused Highly Cross-Linked Polyethylene Wear in Total Hip Arthroplasty Assessed by Radiostereometric Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 1251-1255.	3.1	29
112	Does post-operative knee awareness differ between knees in bilateral simultaneous total knee arthroplasty? Predictors of high or low knee awareness. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3352-3358.	4.2	9
113	Morbidity and mortality after bilateral simultaneous total knee arthroplasty in a fast-track setting. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 286-290.	3.3	13
114	Chronic Periprosthetic Hip Joint Infection. A Retrospective, Observational Study on the Treatment Strategy and Prognosis in 130 Non-Selected Patients. <i>PLoS ONE</i> , 2016, 11, e0163457.	2.5	22
115	Surgical appgar score predicts early complication in transfemoral amputees: Retrospective study of 170 major amputations. <i>World Journal of Orthopedics</i> , 2016, 7, 832.	1.8	19
116	Knee awareness and functionality after simultaneous bilateral<i>vs</i>unilateral total knee arthroplasty. <i>World Journal of Orthopedics</i> , 2016, 7, 195.	1.8	19
117	Do Hip Prosthesis Related Infection Codes in Administrative Discharge Registers Correctly Classify Periprosthetic Hip Joint Infection?. <i>HIP International</i> , 2015, 25, 568-573.	1.7	10
118	Risk factors for the need of hip arthroscopy following periacetabular osteotomy. <i>Journal of Hip Preservation Surgery</i> , 2015, 2, hnv053.	1.3	30
119	Nonoperative, Dynamic Treatment of Acute Achilles Tendon Rupture: Influence of Early Weightbearing on Biomechanical Properties of the Plantar Flexor Muscleâ€”Tendon Complexâ€”A Blinded, Randomized, Controlled Trial. <i>Journal of Foot and Ankle Surgery</i> , 2015, 54, 220-226.	1.0	26
120	Predictors of not regaining basic mobility after hip fracture surgery. <i>Disability and Rehabilitation</i> , 2015, 37, 1739-1744.	1.8	61
121	Validation of a novel ultrasound measurement of achilles tendon length. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3398-3406.	4.2	43
122	Alternative Outcome Measures in Young Total Hip Arthroplasty Patients: A Prospective Cohort Study. <i>HIP International</i> , 2015, 25, 152-159.	1.7	5
123	Three Year RSA Evaluation of Vitamin E Diffused Highly Cross-linked Polyethylene Liners and Cup Stability. <i>Journal of Arthroplasty</i> , 2015, 30, 1260-1264.	3.1	32
124	The next critical role of orthopedic registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 3-4.	3.3	35
125	Low manipulation prevalence following fast-track total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 86-91.	3.3	21
126	Do Rerevision Rates Differ After First-time Revision of Primary THA With a Cemented and Cementless Femoral Component?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3391-3398.	1.5	23

#	ARTICLE	IF	CITATIONS
127	Removal of restrictions following primary THA with posterolateral approach does not increase the risk of early dislocation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 463-468.	3.3	40
128	Time to Surgery Is Associated with Thirty-Day and Ninety-Day Mortality After Proximal Femoral Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1333-1339.	3.0	160
129	A Novel Method for Assessment of Polyethylene Liner Wear in Radiopaque Tantalum Acetabular Cups: Clinical Validation in Patients Enrolled in a Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2015, 30, 2354-2359.	3.1	4
130	Fast-track pathway for reduction of dislocated hip arthroplasty reduces surgical delay and length of stay. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 335-338.	3.3	10
131	The risk of manipulation under anesthesia due to unsatisfactory knee flexion after fast-track total knee arthroplasty. <i>Knee</i> , 2015, 22, 419-423.	1.6	10
132	Higher rate of compensation after surgical treatment versus conservative treatment for acute Achilles tendon rupture. <i>Danish Medical Journal</i> , 2015, 62, A5046.	0.5	4
133	Cam deformity and hip degeneration are common after fixation of a slipped capital femoral epiphysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 585-591.	3.3	22
134	Periacetabular Osteotomy: Sporting, Social and Sexual Activity 9-12 Years Post Surgery. <i>HIP International</i> , 2014, 24, 27-31.	1.7	20
135	Does bony hip morphology affect the outcome of treatment for patients with adductor-related groin pain? Outcome 10 years after baseline assessment. <i>British Journal of Sports Medicine</i> , 2014, 48, 1240-1244.	6.7	22
136	What is the optimal alignment of the tibial and femoral components in knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 480-487.	3.3	190
137	Nonoperative Dynamic Treatment of Acute Achilles Tendon Rupture: The Influence of Early Weight-Bearing on Clinical Outcome. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1497-1503.	3.0	100
138	Regional Differences Between US and Europe in Radiological Osteoarthritis and Self Assessed Quality of Life in Patients Undergoing Total Hip Arthroplasty Surgery. <i>Journal of Arthroplasty</i> , 2014, 29, 2078-2083.	3.1	9
139	Predictors associated with nonunion and symptomatic malunion following non-operative treatment of displaced midshaft clavicle fractures—a systematic review of the literature. <i>International Orthopaedics</i> , 2014, 38, 2543-2549.	1.9	36
140	Traditions and myths in hip and knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 548-555.	3.3	61
141	Total Knee Arthroplasty in Younger Patients Evaluated by Alternative Outcome Measures. <i>Journal of Arthroplasty</i> , 2014, 29, 912-917.	3.1	45
142	Is Cup Positioning Challenged in Hips Previously Treated With Periacetabular Osteotomy?. <i>Journal of Arthroplasty</i> , 2014, 29, 763-768.	3.1	28
143	Implementing, Adapting, and Validating an Evidence-Based Algorithm for Hip Fracture Surgery. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, e21-e26.	1.4	10
144	Do patients care about higher flexion in total knee arthroplasty? A randomized, controlled, double-blinded trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 127.	1.9	45

#	ARTICLE	IF	CITATIONS
145	A Review of Current Fixation Use and Registry Outcomes in Total Hip Arthroplasty: The Uncemented Paradox. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2052-2059.	1.5	172
146	Locking plate osteosynthesis of clavicle fractures: complication and reoperation rates in one hundred and five consecutive cases. <i>International Orthopaedics</i> , 2013, 37, 689-692.	1.9	39
147	Validity and Reliability of the Achilles Tendon Total Rupture Score. <i>Journal of Foot and Ankle Surgery</i> , 2013, 52, 736-739.	1.0	57
148	The role of the acetabular labrum in hip dysplasia. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 60-64.	3.3	53
149	Treatment of Acute Achilles Tendon Rupture in Scandinavia Does Not Adhere to Evidence-based Guidelines: A Cross-sectional Questionnaire-based Study of 138 Departments. <i>Journal of Foot and Ankle Surgery</i> , 2013, 52, 629-633.	1.0	37
150	No effect of fibrin sealant on drain output or functional recovery following simultaneous bilateral total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 153-158.	3.3	31
151	Standardised test protocol (Constant Score) for evaluation of functionality in patients with shoulder disorders. <i>Danish Medical Journal</i> , 2013, 60, A4608.	0.5	30
152	Outcome of An Uncemented Hydroxyapatite Coated Hemiarthroplasty for Displaced Femoral Neck Fractures: A Clinical and Radiographic 2-Year Follow-Up Study. <i>HIP International</i> , 2012, 22, 574-579.	1.7	7
153	Periprosthetic Vancouver type B1 and C fractures treated by locking-plate osteosynthesis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 648-652.	3.3	50
154	Circumferential wires as a supplement to intramedullary nailing in unstable trochanteric hip fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 240-243.	3.3	42
155	What Factors Predict Failure 4 to 12 Years After Periacetabular Osteotomy?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 2978-2987.	1.5	120
156	Chronic infections in hip arthroplasties: comparing risk of reinfection following one-stage and two-stage revision: a systematic review and meta-analysis. <i>Clinical Epidemiology</i> , 2012, 4, 57.	3.0	137
157	Advances in PAO Surgery: The Minimally Invasive Approach. , 2012, , 189-199.		0
158	Assessment of adult hip dysplasia and the outcome of surgical treatment. <i>Danish Medical Journal</i> , 2012, 59, B4450.	0.5	11
159	Clavicle fractures may be conservatively treated with acceptable results - a systematic review. <i>Danish Medical Journal</i> , 2012, 59, A4457.	0.5	14
160	Opinions among Danish knee surgeons about indications to perform total knee replacement showed considerable variation. <i>Danish Medical Journal</i> , 2012, 59, A4490.	0.5	8
161	The Prevalence of Predisposing Deformity in Osteoarthritic Hip Joints. <i>HIP International</i> , 2011, 21, 537-541.	1.7	17
162	Why still in hospital after fast-track hip and knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 679-684.	3.3	332

#	ARTICLE	IF	CITATIONS
163	Cartilage Thickness in the Hip Measured by MRI and Stereology Before and After Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1884-1890.	1.5	19
164	Can Introduction of an Uncemented, Hydroxyapatite Coated Hemiarthroplasty for Displaced Femoral Neck Fractures be Recommended?. <i>HIP International</i> , 2010, 20, 109-114.	1.7	13
165	Assessment of hip dysplasia and osteoarthritis: Variability of different methods. <i>Acta Radiologica</i> , 2010, 51, 187-193.	1.1	34
166	Prevalence of Malformations of the Hip Joint and Their Relationship to Sex, Groin Pain, and Risk of Osteoarthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1162-1169.	3.0	344
167	Cranial acetabular retroversion is common in developmental dysplasia of the hip as assessed by the weight bearing position. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 436-441.	3.3	25
168	Medium-Term Outcome of Periacetabular Osteotomy and Predictors of Conversion to Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 2169-2179.	3.0	156
169	What is the role of clinical tests and ultrasound in acetabular labral tear diagnostics?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 314-318.	3.3	94
170	Surgical advances in periacetabular osteotomy for treatment of hip dysplasia in adults. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 1-33.	3.3	41
171	Reliable Angle Assessment During Periacetabular Osteotomy with a Novel Device. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1169-1176.	1.5	15
172	Weightbearing Anteroposterior Pelvic Radiographs are Recommended in DDH Assessment. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 813-819.	1.5	77
173	Comparison of the minimally invasive and ilioinguinal approaches for periacetabular osteotomy 263 single-surgeon procedures in well-defined study groups. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 777-784.	3.3	42
174	Interpretation threshold values for the Oxford Knee Score in patients undergoing unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 634-642.	3.3	6