## Amit K Ghosh

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7245036/publications.pdf

Version: 2024-02-01

1163117 1199594 23 163 8 12 citations h-index g-index papers 23 23 23 133 all docs docs citations times ranked citing authors

#	ARTICLE	IF	CITATIONS
1	Facies analysis and paleoenvironmental interpretation of Piacenzian carbonate deposits from the Guitar Formation of Car Nicobar Island, India. Geoscience Frontiers, 2013, 4, 755-764.	8.4	23
2	Leaf galls onDicroidium hughesii(Feistmantel) Lele from the Triassic of India—a new record. Alcheringa, 2015, 39, 92-98.	1.2	15
3	Evaluation of coralline algal diversity from the Serravallian carbonate sediments of Little Andaman Island (Hut Bay), India. Carbonates and Evaporites, 2015, 30, 13-24.	1.0	12
4	Coralline algae and benthic foraminifera from the long formation (middle Miocene) of the Little Andaman Island, India: Biofacies analysis, systematics and palaeoenvironmental implications. Journal of the Geological Society of India, 2016, 87, 69-84.	1.1	12
5	Podospermum gen. et sp. nov., an Acmopyle-like dispersed silicified ovule/seed from Lower Cretaceous intertrappean beds of the Rajmahal Basin, India. Cretaceous Research, 2006, 27, 707-711.	1.4	11
6	Coral bleaching a nemesis for the Andaman reefs: Building an improved conservation paradigm. Ocean and Coastal Management, 2013, 71, 153-162.	4.4	11
7	Ocean upwelling and intense monsoonal activity based on late Miocene diatom assemblages from Neil Island, Andaman and Nicobar Islands, India. Marine Micropaleontology, 2016, 127, 26-41.	1.2	11
8	Palaeoecological implications of corallinacean red algae and halimedacean green algae from the prang formation of south shillong plateau, meghalaya. Journal of the Geological Society of India, 2013, 81, 531-542.	1.1	10
9	First record of Coralline Red Algae from the Kopili Formation (late Eocene) of Meghalaya, N-E India. The National Academy of Sciences, India, 2014, 37, 503-507.	1.3	9
10	First record of <i>Reduviasporonites</i> from the Permianâ€"Triassic transition (Gondwana) Tj ETQq0 0 0 rgBT /C	Overlock 10 1.2	O Tf 50 382 To
11	Record of the Miocene Climate Optimum in the northeast Indian Ocean: evidence from the microfossils. Palaeobiodiversity and Palaeoenvironments, 2019, 99, 159-175.	1.5	7
12	Diversification of the Family Sporolithaceae: A Case of Successful Survival in the Perspective of Cretaceous–Tertiary Mass Extinctions in India. The National Academy of Sciences, India, 2013, 36, 215-224.	1.3	6
13	Plant remains from the Tharumsa Formation of Ladakh, India. Journal of the Geological Society of India, 2014, 83, 647-652.	1.1	6
14	Podocarpospermum, a replacement name for the Acmopyle-like ovule/seed Podospermum Banerji and Ghosh from Lower Cretaceous intertrappean beds of the Rajmahal Basin, India. Cretaceous Research, 2008, 29, 561-562.	1.4	5
15	Two New Conifers from the Early Cretaceous of the Rajmahal Basin, India: Implications on Palaeoecology and Palaeogeography. Ameghiniana, 2018, 55, 437-450.	0.7	5
16	Neogene calcareous nannofossil biostratigraphy of the northern Indian Ocean: Implications for palaeoceanography and palaeoecology. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 579, 110583.	2.3	5
17	Facies analysis of Pleistocene limestones from Neil West Coast Formation, Neil Island, Ritchie's archipelago of South Andaman, India. Journal of the Geological Society of India, 2017, 90, 428-436.	1.1	3
	Early Pliocene Low Primary Productivity: Evidence from Car Nicobar Island, Northern Indian Ocean.		

#	Article	IF	CITATIONS
19	Late Pliocene to Early Pleistocene Planktonic Foraminifera from Northern Indian Ocean (Andaman and) Tj ETQq1 1	0.784314 0.5	314 rgBT /Ove 1
	Research, 2021, 51, 115-138.	0.5	
20	New insights into the earliest occurrence, possible evolutionary lineage, palaeogeography and palaeoclimatic implications of Nicklithus amplificus: Evidence from the Adriatic Sea, Indian Ocean and Paratethys. Marine Micropaleontology, 2022, 172, 102111.	1.2	1
21	Potential of Coralline Algae in Palaeoclimate Reconstruction: Need for Suitable Exploitation in India. The National Academy of Sciences, India, 2012, 35, 531-533.	1.3	o
22	Radiation of Flora in the Early Triassic Succeeding the End Permian Crisis: Evidences from the Gondwana Supergroup of Peninsular India. Society of Earth Scientists Series, 2021, , 87-113.	0.3	0
23	Tidal variation of phytoplankton in the coastal waters of South Andaman, India. Journal of Environmental Biology, 2015, 36, 207-14.	0.5	O