
Kevin P Plucknett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7245067/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	New Insight into Agarose Gel Mechanical Properties. Biomacromolecules, 2000, 1, 730-738.	5.4	454
2	Microstructural Design of Silicon Nitride with Improved Fracture Toughness: I, Effects of Grain Shape and Size. Journal of the American Ceramic Society, 1998, 81, 2821-2830.	3.8	382
3	Dense high-entropy boride ceramics with ultra-high hardness. Scripta Materialia, 2019, 164, 135-139.	5.2	177
4	Influence of thermal history on the structural and mechanical properties of agarose gels. Biopolymers, 2001, 59, 131-144.	2.4	171
5	Microstructure and mechanical properties of high-entropy borides derived from boro/carbothermal reduction. Journal of the European Ceramic Society, 2019, 39, 3920-3924.	5.7	127
6	Friction stir processing of Al/SiC composites fabricated by powder metallurgy. Journal of Materials Processing Technology, 2013, 213, 1900-1907.	6.3	107
7	Effect of sucrose on agarose gels mechanical behaviour. Carbohydrate Polymers, 2003, 54, 83-95.	10.2	66
8	Measurements of Interdiffusion Coefficients of Transition Metals in Layered Li–Ni–Mn–Co Oxide Core–Shell Materials during Sintering. Chemistry of Materials, 2015, 27, 7765-7773.	6.7	61
9	Processing of Tape-Cast Laminates Prepared from Fine Alumina/Zirconia Powders. Journal of the American Ceramic Society, 1994, 77, 2145-2153.	3.8	57
10	Tape Casting of Fine Alumina/Zirconia Powders for Composite Fabrication. Journal of the American Ceramic Society, 1994, 77, 2137-2144.	3.8	53
11	Resistance Growth in Lithium-Ion Pouch Cells with LiNi _{0.80} Co _{0.15} Al _{0.05} O ₂ Positive Electrodes and Proposed Mechanism for Voltage Dependent Charge-Transfer Resistance. Journal of the Electrochemical Society, 2019, 166, A1779-A1784.	2.9	50
12	Reciprocating wear behaviour of TiC-stainless steel cermets. Tribology International, 2017, 105, 250-263.	5.9	49
13	Kinetics of Iron Ore Reduction by Methane for Chemical Looping Combustion. Energy & Fuels, 2014, 28, 1387-1395.	5.1	48
14	The sliding wear of TiC and Ti(C,N) cermets prepared with a stoichiometric Ni3Al binder. Wear, 2014, 318, 153-167.	3.1	48
15	The reciprocating wear behaviour of TiC–304L stainless steel composites prepared by melt infiltration. Wear, 2013, 303, 321-333.	3.1	43
16	Microstructure instability in TiC-316L stainless steel cermets. International Journal of Refractory Metals and Hard Materials, 2016, 58, 74-83.	3.8	43
17	Properties of Ni3Al-bonded Titanium Carbide Ceramics. Journal of the European Ceramic Society, 1998, 18, 395-400.	5.7	42
18	In Situ XRD Studies During Synthesis of Single-Crystal LiNiO ₂ , LiNi _{0.975} Mg _{0.025} O ₂ , and LiNi _{0.95} Al _{0.05} O ₂ Cathode Materials. Journal of the Electrochemical Society, 2020, 167, 100501.	2.9	41

#	Article	IF	CITATIONS
19	Processing and Microstructure Development of Titanium Carbide–Nickel Aluminide Composites Prepared by Melt Infiltration/Sintering (MIS). Journal of the American Ceramic Society, 2001, 84, 55-61.	3.8	40
20	Flexure Strength of Meltâ€Infiltrationâ€Processed Titanium Carbide/Nickel Aluminide Composites. Journal of the American Ceramic Society, 1998, 81, 1839-1844.	3.8	39
21	Microstructural development in porous β-Si3N4 ceramics prepared with low volume RE2O3–MgO–(CaO) additions (RE=La, Nd, Y, Yb). Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 489, 337-350.	5.6	37
22	The effects of TiC grain size and steel binder content on the reciprocating wear behaviour of TiC-316L stainless steel cermets. Wear, 2016, 350-351, 116-129.	3.1	37
23	The reciprocating wear behaviour of TiC–Ni3Al cermets. International Journal of Refractory Metals and Hard Materials, 2012, 33, 44-52.	3.8	34
24	Effect of carbon content on the microstructure and mechanical properties of high-entropy (Ti0.2Zr0.2Nb0.2Ta0.2Mo0.2)Cx ceramics. Journal of the European Ceramic Society, 2022, 42, 336-343.	5.7	31
25	Effect of starch filler content and sintering temperature on the processing of porous 3Y–ZrO2 ceramics. Journal of Materials Processing Technology, 2009, 209, 590-598.	6.3	30
26	The effects of Mo2C additions on the microstructure and sliding wear of TiCO.3NO.7–Ni3Al cermets. International Journal of Refractory Metals and Hard Materials, 2015, 50, 227-239.	3.8	30
27	Fine-grained dual-phase high-entropy ceramics derived from boro/carbothermal reduction. Journal of the European Ceramic Society, 2021, 41, 3189-3195.	5.7	30
28	Melt-infiltration processing of TiC/Ni3Al composites. Journal of Materials Research, 1997, 12, 2515-2517.	2.6	29
29	Plane stress essential work of fracture of â€~pseudo-ductile' gelatin/maltodextrin biopolymer gel composites. Polymer, 2000, 41, 6833-6841.	3.8	29
30	â€~Ductile' mixed biopolymer gel composites. Polymer, 2000, 41, 2319-2323.	3.8	29
31	Low-temperature densification of high-entropy (Ti,Zr,Nb,Ta,Mo)C—Co composites with high hardness and high toughness. Journal of Advanced Ceramics, 2022, 11, 805-813.	17.4	29
32	Environmental ageing effects in a silicon carbide fibreâ€reinforced glassâ€ceramic matrix composite. Journal of Microscopy, 1995, 177, 251-263.	1.8	28
33	Processing of porous yttria-stabilized zirconia by tape-casting. Ceramics International, 2008, 34, 1983-1988.	4.8	28
34	The effects of metal binder content and carbide grain size on the aqueous corrosion behaviour of TiC–316L stainless steel cermets. International Journal of Refractory Metals and Hard Materials, 2014, 44, 129-141.	3.8	25
35	Effects of zirconia additions on the superplasticity of aluminazirconia composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1996, 221, 102-112.	5.6	24
36	Inâ€situ SEM observation of the fracture behaviour of titanium carbide/nickel aluminide composites. Journal of Microscopy, 1997, 185, 206-216.	1.8	24

#	Article	IF	CITATIONS
37	A comparison of Ti–Ni and Ti-Sn binary alloys processed using powder metallurgy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2015, 644, 392-404.	5.6	24
38	Processing of porous yttria-stabilized zirconia tapes: Influence of starch content and sintering temperature. Ceramics International, 2009, 35, 1783-1791.	4.8	21
39	Spherical indentation damage in TiC–Ni3Al composites. International Journal of Refractory Metals and Hard Materials, 2012, 30, 188-195.	3.8	21
40	Densification behaviour and microstructural evolution of Ti-48Al consolidated by spark plasma sintering. Journal of Materials Science, 2017, 52, 613-627.	3.7	21
41	Textured and toughened high-entropy (Ti0.2Zr0.2Hf0.2Nb0.2Ta0.2)C-SiCw ceramics. Journal of Materials Science and Technology, 2021, 94, 99-103.	10.7	21
42	Titanium aluminide (Ti-48Al) powder synthesis, size refinement and sintering. Advanced Powder Technology, 2017, 28, 314-323.	4.1	20
43	A comparison of the colloidal stabilization of aqueous titanium carbide suspensions using anionic and cationic dispersants. International Journal of Refractory Metals and Hard Materials, 2011, 29, 298-305.	3.8	19
44	The effects of microstructure on Vickers indentation damage in TiC-316L stainless steel cermets. International Journal of Refractory Metals and Hard Materials, 2016, 61, 151-161.	3.8	19
45	The influence of Ni3Al binder content on the aqueous corrosion response of TiC and Ti(C,N) cermets. International Journal of Refractory Metals and Hard Materials, 2017, 64, 113-121.	3.8	18
46	Microstructural damage following reciprocating wear of TiC-stainless steel cermets. Tribology International, 2017, 105, 201-218.	5.9	18
47	Sintering Silicon Nitride Ceramics in Air. Journal of the American Ceramic Society, 2005, 88, 3538-3541.	3.8	17
48	High temperature mechanical and thermal stability of silicate matrix composites. Composites Part B: Engineering, 1995, 5, 1367-1378.	0.6	16
49	Large deformation mechanical behavior of gelatin-maltodextrin composite gels. Journal of Applied Polymer Science, 2001, 82, 124-135.	2.6	16
50	Thermal conductivity of tunable lamellar aluminum oxide/polymethyl methacrylate hybrid composites. Journal of Materials Research, 2012, 27, 1869-1876.	2.6	16
51	Continuous and symmetric graded Si3N4 ceramics designed by spark plasma sintering at 15â€ [–] MPa. Ceramics International, 2019, 45, 16703-16706.	4.8	16
52	Microstructural characterization of a microwave-sintered silicon nitride based ceramic. Journal of Materials Research, 1995, 10, 1387-1396.	2.6	15
53	The effects of C:N ratio on the aqueous corrosion response of TiC and Ti(C,N) cermets with a Ni 3 Al-based binder. International Journal of Refractory Metals and Hard Materials, 2016, 61, 162-172.	3.8	14
54	Influence of starch type on characteristics of porous 3Y-ZrO2 prepared from a direct consolidation casting method. Materials Research, 2011, 14, 39-45.	1.3	13

#	Article	IF	CITATIONS
55	Understanding the elastic and thermal response in TiC-based ceramic-metal composite systems: First-principles and mechanical studies. Journal of Alloys and Compounds, 2019, 789, 712-719.	5.5	13
56	Failure mode analysis of lithium ion batteries operated for low Earth orbit CubeSat applications. Journal of Energy Storage, 2020, 31, 101561.	8.1	13
57	Influence of starch content and sintering temperature on the microstructure of porous yttria-stabilized zirconia tapes. Journal of Materials Science, 2009, 44, 2581-2589.	3.7	11
58	A simple method for synthesis of acicular β-Si3N4 seed crystals. Ceramics International, 2009, 35, 1357-1362.	4.8	11
59	The effects of graphene nano-platelet additions on the sliding wear of TiC-Ni3Al cermets. Tribology International, 2019, 130, 119-132.	5.9	11
60	Reaction mechanisms of nano-sized AlN powders synthesized from dicyandiamide and its optical property. Materials Chemistry and Physics, 2020, 253, 123376.	4.0	11
61	Effects of the joining process on the microstructure and properties of liquid-phase-sintered SiC-SiC joints formed with Ti foil. Journal of the European Ceramic Society, 2021, 41, 225-232.	5.7	11
62	Fabrication and properties of pressure-sintered reaction-bonded Si3N4 ceramics with addition of Eu2O3–MgO–Y2O3. Ceramics International, 2021, 47, 935-942.	4.8	11
63	Improved toughness of spark-plasma-sintered Si3N4 ceramics by adding HfB2. Ceramics International, 2021, 47, 8717-8721.	4.8	11
64	Reciprocating wear response of Ti(C,N)–Ni ₃ Al cermets. Canadian Metallurgical Quarterly, 2013, 52, 69-80.	1.2	10
65	The effects of Mo 2 C additions on the sintering response of TiC 0.3 N 0.7 –Ni 3 Al cermets. International Journal of Refractory Metals and Hard Materials, 2016, 61, 98-106.	3.8	10
66	Mechanical alloying assisted spark plasma sintering of Tungsten diboride ceramics. Materials Chemistry and Physics, 2019, 237, 121848.	4.0	10
67	Geometry and surface characteristics of H13 hot-work tool steel manufactured using laser-directed energy deposition. International Journal of Advanced Manufacturing Technology, 2021, 116, 699-718.	3.0	10
68	Title is missing!. Journal of Materials Science Letters, 2001, 20, 1553-1557.	0.5	9
69	Aqueous Colloidal Characterization and Forming of Multimodal Barium Titanate Powders. Journal of the American Ceramic Society, 2009, 92, 2537-2543.	3.8	9
70	Agar-Based Aqueous Gel Casting of Barium Titanate Ceramics. International Journal of Applied Ceramic Technology, 2011, 8, 597-609.	2.1	9
71	Aqueous corrosion behaviour of TiC-304L stainless steel cermets in a 3.5 wt% NaCl solution. International Journal of Refractory Metals and Hard Materials, 2017, 66, 234-243.	3.8	9
72	Comparison of sintering behavior and reinforcing mechanisms between 3Y-TZP/Al2O3(w) and 12Ce-TZP/Al2O3(w) composites: Combined effects of lanthanide stabilizer and Al2O3 whisker length. Journal of the European Ceramic Society, 2021, 41, 706-718.	5.7	9

#	Article	IF	CITATIONS
73	Title is missing!. Journal of Materials Science Letters, 1998, 17, 1987-1990.	0.5	8
74	Fabrication and modelling of Si3N4 ceramics with radial grain alignment generated through centripetal sinter-forging. Journal of Materials Science and Technology, 2022, 126, 1-14.	10.7	8
75	Correlating the mechanical strength of positive electrode material particles to their capacity retention. Cell Reports Physical Science, 2022, 3, 100714.	5.6	7
76	Joining Si ₃ N ₄ â€Based Ceramics with Oxidationâ€Formed Surface Layers. Journal of the American Ceramic Society, 2000, 83, 2925-2928.	3.8	6
77	Hertzian indentation response of TiC-316L stainless steel cermets. International Journal of Refractory Metals and Hard Materials, 2018, 72, 172-182.	3.8	6
78	Cermets and Hardmetals. Metals, 2018, 8, 963.	2.3	6
79	The Aqueous Electrochemical Response of TiC–Stainless Steel Cermets. Metals, 2018, 8, 398.	2.3	6
80	Precipitation hardenable TiC-Steel cermets. Wear, 2021, 477, 203804.	3.1	6
81	Microstructural aspects of superplastic deformation of Al2O3/ZrO2 laminate composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1996, 219, 148-155.	5.6	5
82	Factors influencing the aqueous electrochemical response of TiC–Ni3Al cermets. Journal of Materials Research, 2017, 32, 3333-3343.	2.6	5
83	The influence of Mo 2 C additions on the microstructural development and sintering response of TiN-Ni 3 Al cermets. International Journal of Refractory Metals and Hard Materials, 2018, 71, 262-272.	3.8	5
84	Tape Cast Al2O3/ZrO2 Composite Laminates. Ceramic Engineering and Science Proceedings, 0, , 873-880.	0.1	5
85	Microstructural Characterisation of Microwave Sintered Silicon Nitride Ceramics. Materials Research Society Symposia Proceedings, 1992, 287, 289.	0.1	4
86	Impact of Test Conditions While Screening Lithium-Ion Batteries for Capacity Degradation in Low Earth Orbit CubeSat Space Applications. Batteries, 2021, 7, 20.	4.5	4
87	Low-Temperature Oxidation Embrittlement of SiC (Nicalon?)/CAS Ceramic Matrix Composites. Journal of the American Ceramic Society, 2007, 90, 070922001254001-???.	3.8	3
88	Sintering Behavior and Microstructure Development of Porous Silicon Nitride Ceramics Prepared in an Air Atmosphere Furnace. International Journal of Applied Ceramic Technology, 2009, 6, 702-716.	2.1	3
89	Densification and Phase Transformation in Multi-Layered Graded Si3N4–TiN Components Produced by Field-Assisted Sintering. Materials, 2019, 12, 2900.	2.9	3
90	Biopolymerâ€Based Gel Casting of Ferroelectric Ceramics. Advanced Engineering Materials, 2014, 16, 684-698.	3.5	2

#	Article	IF	CITATIONS
91	The effects of Ni ₃ Al binder content on the electrochemical response of melt-infiltration processed TiC–Ni ₃ Al cermets. Canadian Metallurgical Quarterly, 2016, 55, 138-146.	1.2	2
92	Microstructure and Oxidation Behaviour of Hiped Silicon Nitride. Ceramic Engineering and Science Proceedings, 0, , 991-999.	0.1	2
93	Effect of processing variables on production of powder metallurgical titanium. Canadian Metallurgical Quarterly, 2013, 52, 39-50.	1.2	1
94	The Sliding Wear Response of High-Performance Cermets. , 2018, , 1-42.		1
95	Microstructural Development of PorousÎ ² -Si3N4 Ceramics Prepared by Pressureless-Sintering Compositions in the Si-Re-O-N Quaternary Systems (Re=La, Nd, Sm, Y, Yb). , 0, , 41-48.		1
96	Compositional Design of PorousβSi3N4 Prepared by Pressureless-Sintering Compositions in the Si-Y-Mg-(Ca)-O-N System. , 0, , 49-56.		1
97	Porousβ-Si3N4 Ceramics Prepared with Fugitive Graphite Filler. Ceramic Engineering and Science Proceedings, 0, , 281-289.	0.1	1
98	Tape Casting Using Fine Ceramic Powders. Materials Research Society Symposia Proceedings, 1991, 249, 305.	0.1	0
99	Transient Viscous Phase Reaction Sintered (Tvprs) Silicon Oxynitride Ceramics Materials Research Society Symposia Proceedings, 1992, 287, 381.	0.1	0
100	The Sliding Wear Response of High-Performance Cermets. , 2019, , 2249-2290.		0
101	(Hf0.99Ta0.01)B2-based ceramics prepared by pressureless sintering with boron additive. Ceramics International, 2022, 48, 8605-8611.	4.8	0
102	Toughening and Strengthening Response in Ni ₃ Al-Bonded Titanium Carbide Cermets. International Journal of Materials Research, 2022, 92, 995-999.	0.3	0