

Mian Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/724557/publications.pdf>

Version: 2024-02-01

86
papers

1,553
citations

394421

19
h-index

395702

33
g-index

87
all docs

87
docs citations

87
times ranked

1952
citing authors

#	ARTICLE	IF	CITATIONS
1	Individual and Combined Cardiometabolic Morbidities and the Subsequent Risk of Cardiovascular Events in Chinese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e84-e94.	3.6	6
2	Causal Associations of Obesity With Chronic Kidney Disease and Arterial Stiffness: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e825-e835.	3.6	11
3	Metabolomics study reveals systematic metabolic dysregulation and early detection markers associated with incident pancreatic cancer. <i>International Journal of Cancer</i> , 2022, 150, 1091-1100.	5.1	12
4	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100350.	2.9	15
5	Interaction between smoking and diabetes in relation to subsequent risk of cardiovascular events. <i>Cardiovascular Diabetology</i> , 2022, 21, 14.	6.8	22
6	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study. <i>European Journal of Nutrition</i> , 2022, 61, 1609-1620.	3.9	3
7	Panâ€risk factor for a comprehensive cardiovascular health management. <i>Journal of Diabetes</i> , 2022, 14, 179-191.	1.8	2
8	Impact of visitâ€toâ€visit fasting plasma glucose variability on the development of diabetes: The mediation by insulin resistance. <i>Journal of Diabetes</i> , 2022, 14, 205-215.	1.8	4
9	Negative Risk Markers for Cardiovascular Risk Evaluation in Chinese Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 800671.	2.4	0
10	Changes in adiposity modulate the APOA5 genetic effect on blood lipids: A longitudinal cohort study. <i>Atherosclerosis</i> , 2022, 350, 1-8.	0.8	0
11	New clusters of serum electrolytes aid in stratification of diabetes and metabolic risk. <i>Journal of Diabetes</i> , 2022, 14, 121-133.	1.8	4
12	Association between the Neutrophil-to-lymphocyte Ratio and New-onset Subclinical Macrovascular and Microvascular Diseases in the Chinese Population.. <i>Biomedical and Environmental Sciences</i> , 2022, 35, 4-12.	0.2	1
13	New definition of metabolic dysfunction-associated fatty liver disease with elevated brachial-ankle pulse wave velocity and albuminuria: a prospective cohort study. <i>Frontiers of Medicine</i> , 2022, 16, 714-722.	3.4	4
14	The Causal Effect of Systolic Blood Pressure Lowering on Vascular Outcomes in Diabetes: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 2616-2625.	3.6	7
15	Association Between Insulin Resistance and Cardiovascular Disease Risk Varies According to Glucose Tolerance Status: A Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1863-1872.	8.6	30
16	Comprehensive risk profiles of family history and lifestyle and metabolic risk factors in relation to diabetes: A prospective cohort study. <i>Journal of Diabetes</i> , 2022, 14, 414-424.	1.8	2
17	Diabesity phenotype and the risks of cardiovascular disease and subclinical atherosclerosis: A prospective cohort study. <i>Obesity</i> , 2022, 30, 1681-1690.	3.0	6
18	Effect of exercise on hepatic steatosis: Are benefits seen without dietary intervention? A systematic review and <sc>metaâ€analysis</sc>. <i>Journal of Diabetes</i> , 2021, 13, 63-77.	1.8	25

#	ARTICLE	IF	CITATIONS
19	Age at menarche, ideal cardiovascular health metrics, and risk of diabetes in adulthood: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 458-468.	1.8	10
20	The association of low-grade albuminuria with incident nonalcoholic fatty liver disease and noninvasive markers of liver fibrosis by glycemic status. <i>Liver International</i> , 2021, 41, 422-423.	3.9	3
21	The association of low-grade albuminuria with incident nonalcoholic fatty liver disease and noninvasive markers of liver fibrosis by glycaemia status. <i>Liver International</i> , 2021, 41, 101-109.	3.9	5
22	Visit-to-visit blood pressure variability is associated with arterial stiffness in Chinese adults: A prospective analysis. <i>Journal of Clinical Hypertension</i> , 2021, 23, 802-812.	2.0	10
23	Chinese Adults Are More Susceptible to Effects of Overall Obesity and Fat Distribution on Cardiometabolic Risk Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2775-e2788.	3.6	9
24	Type 2 diabetes RCTs in mainland China: insights from a systematic review. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 64-66.	11.4	2
25	Fat mass to fat-free mass ratio and the risk of non-alcoholic fatty liver disease and fibrosis in non-obese and obese individuals. <i>Nutrition and Metabolism</i> , 2021, 18, 21.	3.0	16
26	The 2017 ACC/AHA stage 1 hypertension is associated with arterial stiffness: a prospective analysis. <i>Aging</i> , 2021, 13, 10075-10086.	3.1	2
27	Urinary albumin-to-creatinine ratio levels are associated with subclinical atherosclerosis and predict CVD events and all-cause deaths: a prospective analysis. <i>BMJ Open</i> , 2021, 11, e040890.	1.9	9
28	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 927-937.	6.1	9
29	Associations between parity, pregnancy loss, and breastfeeding duration and risk of maternal type 2 diabetes: An observational cohort study. <i>Journal of Diabetes</i> , 2021, 13, 857-867.	1.8	7
30	Genetic susceptibility, family history of diabetes and healthy lifestyle factors in relation to diabetes: A gene-environment interaction analysis in Chinese adults. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2089-2098.	2.4	8
31	Association of early adulthood weight and subsequent weight change with cardiovascular diseases: Findings from REACTION study. <i>International Journal of Cardiology</i> , 2021, 332, 209-215.	1.7	7
32	New Nonalcoholic Fatty Liver Disease and Fibrosis Progression Associate With the Risk of Incident Chronic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3957-e3968.	3.6	10
33	The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , 2021, 13, 987-997.	1.8	2
34	The progression and regression of metabolic dysfunction-associated fatty liver disease are associated with the development of subclinical atherosclerosis: A prospective analysis. <i>Metabolism: Clinical and Experimental</i> , 2021, 120, 154779.	3.4	23
35	Impact of diabetes on subclinical atherosclerosis and major cardiovascular events in individuals with and without non-alcoholic fatty liver disease. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108873.	2.8	9
36	Task-wise Split Gradient Boosting Trees for Multi-center Diabetes Prediction. , 2021, , .		6

#	ARTICLE	IF	CITATIONS
37	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2551-2560.	4.4	10
38	Long-Term Glycemic Variability Is Associated With Arterial Stiffness in Chinese Adults. <i>Frontiers in Endocrinology</i> , 2021, 12, 711540.	3.5	4
39	Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 17, 100277.	2.9	31
40	Gestational hyperglycemia and the risk of cardiovascular diseases among elderly Chinese women: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 949-959.	1.8	2
41	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154874.	3.4	20
42	Fruit intake, genetic risk and type 2 diabetes: a population-based gene-diet interaction analysis. <i>European Journal of Nutrition</i> , 2021, 60, 2769-2779.	3.9	12
43	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021, 44, 499-510.	8.6	40
44	Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 717069.	3.5	14
45	Novel Subgroups and Chronic Complications of Diabetes in Middle-Aged and Elderly Chinese: A Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 802114.	3.5	7
46	Individual and Combined Associations of Glucose Metabolic Components With Cognitive Function Modified by Obesity. <i>Frontiers in Endocrinology</i> , 2021, 12, 769120.	3.5	6
47	Associations of body shapes with insulin resistance and cardiometabolic risk in middle-aged and elderly Chinese. <i>Nutrition and Metabolism</i> , 2021, 18, 103.	3.0	5
48	Discordance between the triglyceride glucose index and HOMA-IR in incident albuminuria: a cohort study from China. <i>Lipids in Health and Disease</i> , 2021, 20, 176.	3.0	10
49	Inverted U-Shaped Associations between Glycemic Indices and Serum Uric Acid Levels in the General Chinese Population: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Biomedical and Environmental Sciences</i> , 2021, 34, 9-18.	0.2	1
50	Association of Visit-to-Visit Variabilities in Metabolic Factors with Chronic Kidney Disease in Chinese Adults Living in Shanghai. <i>Biomedical and Environmental Sciences</i> , 2021, 34, 761-772.	0.2	1
51	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020, 12, 10-20.	1.8	12
52	Association of insulin resistance and β -cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 115-124.	11.4	127
53	Serum lipoprotein (a) associates with a higher risk of reduced renal function: a prospective investigation. <i>Journal of Lipid Research</i> , 2020, 61, 1320-1327.	4.2	17
54	A comparative analysis of current blood pressure management guidelines in people with and without diabetes. <i>Journal of Diabetes</i> , 2020, 12, 781-790.	1.8	3

#	ARTICLE	IF	CITATIONS
55	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020, 43, 1929-1936.	8.6	36
56	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020, 43, 1902-1909.	8.6	36
57	Early life famine exposure, adulthood obesity patterns and the risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 2694-2705.	3.9	18
58	Bisphenol A exposure in relation to altered lipid profile and dyslipidemia among Chinese adults: A repeated measures study. <i>Environmental Research</i> , 2020, 184, 109382.	7.5	24
59	Glycemic Measures and Development and Resolution of Nonalcoholic Fatty Liver Disease in Nondiabetic Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1416-1426.	3.6	17
60	Serum total bile acids associate with risk of incident type 2 diabetes and longitudinal changes in glucose-related metabolic traits. <i>Journal of Diabetes</i> , 2020, 12, 616-625.	1.8	11
61	Detection of diabetes and prediabetes using glycosylated hemoglobin in Chinese adults living in Shanghai: A prospective analysis. <i>Journal of Diabetes</i> , 2020, 12, 573-582.	1.8	2
62	Transition of metabolic phenotypes and risk of subclinical atherosclerosis according to BMI: a prospective study. <i>Diabetologia</i> , 2020, 63, 1312-1323.	6.3	48
63	Association of bedtime with the risk of nonalcoholic fatty liver disease among middle-aged and elderly Chinese adults with prediabetes and diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3322.	4.0	11
64	Serum Dickkopf-3 Level Is Inversely Associated with Significant Coronary Stenosis in an Asymptomatic Chinese Cohort. <i>International Heart Journal</i> , 2020, 61, 1107-1113.	1.0	2
65	The Association and Predictive Ability of ECG Abnormalities with Cardiovascular Diseases: A Prospective Analysis. <i>Global Heart</i> , 2020, 15, 59.	2.3	5
66	Association of QTc Interval with Risk of Cardiovascular Diseases and Related Vascular Traits: A Prospective and Longitudinal Analysis. <i>Global Heart</i> , 2020, 15, 13.	2.3	9
67	Peripheral Artery Disease and Risk of Fibrosis Deterioration in Nonalcoholic Fatty Liver Disease: A Prospective Investigation. <i>Biomedical and Environmental Sciences</i> , 2020, 33, 217-226.	0.2	4
68	Serum lipoprotein (a) is associated with increased risk of stroke in Chinese adults: A prospective study. <i>Atherosclerosis</i> , 2019, 289, 8-13.	0.8	14
69	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , 2019, 4, 874.	6.1	70
70	High-Coverage Targeted Lipidomics Reveals Novel Serum Lipid Predictors and Lipid Pathway Dysregulation Antecedent to Type 2 Diabetes Onset in Normoglycemic Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 2117-2126.	8.6	100
71	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A1c on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 1539-1548.	8.6	102
72	Urinary bisphenol A concentration and glucose homeostasis in non-diabetic adults: a repeated-measures, longitudinal study. <i>Diabetologia</i> , 2019, 62, 1591-1600.	6.3	35

#	ARTICLE	IF	CITATIONS
73	Resting heart rate is associated with metabolic syndrome and predicted 10-year risk of cardiovascular disease: a cross-sectional study. <i>Journal of Diabetes</i> , 2019, 11, 884-894.	1.8	19
74	Association between mid-upper arm circumference and cardiometabolic risk in Chinese population: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e028904.	1.9	21
75	Ideal Cardiovascular Health is Inversely Associated with Subclinical Atherosclerosis: A Prospective Analysis. <i>Biomedical and Environmental Sciences</i> , 2019, 32, 260-271.	0.2	12
76	Urinary bisphenol A concentration and the risk of central obesity in Chinese adults: A prospective study. <i>Journal of Diabetes</i> , 2018, 10, 442-448.	1.8	36
77	Association between smoking and glycemic control in diabetic patients: results from the risk evaluation of centers in Chinese diabetic individuals: ACTION longitudinal (REACTION) study. <i>Journal of Diabetes</i> , 2018, 10, 408-418.	1.8	24
78	Carotid intima-media thickness and plaques are associated with indicators of peripheral artery diseases in patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 245-251.	2.8	3
79	Association of branched chain amino acids related variant rs1440581 with risk of incident diabetes and longitudinal changes in insulin resistance in Chinese. <i>Acta Diabetologica</i> , 2018, 55, 901-908.	2.5	8
80	Ideal Cardiovascular Health Is Inversely Associated with Nonalcoholic Fatty Liver Disease: A Prospective Analysis. <i>American Journal of Medicine</i> , 2018, 131, 1515.e1-1515.e10.	1.5	26
81	Glycemic status and chronic kidney disease in Chinese adults: findings from the REACTION study. <i>Journal of Diabetes</i> , 2017, 9, 837-845.	1.8	6
82	Serum potassium level is associated with metabolic syndrome: A population-based study. <i>Clinical Nutrition</i> , 2014, 33, 521-527.	5.0	25
83	Low-grade albuminuria is associated with peripheral artery disease in Chinese diabetic patients. <i>Atherosclerosis</i> , 2014, 232, 285-288.	0.8	19
84	Association of bisphenol a exposure with circulating sex hormone concentrations in men and postmenopausal women. <i>Biomedical and Environmental Sciences</i> , 2014, 27, 633-6.	0.2	1
85	Association between Nonalcoholic Fatty Liver Disease (NAFLD) and Osteoporotic Fracture in Middle-Aged and Elderly Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2033-2038.	3.6	123
86	Exposure to bisphenol A is associated with low-grade albuminuria in Chinese adults. <i>Kidney International</i> , 2012, 81, 1131-1139.	5.2	63