Deborah J Good

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7245931/publications.pdf

Version: 2024-02-01

686830 580395 34 664 13 25 citations h-index g-index papers 34 34 34 616 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Inactivating NHLH2 variants cause idiopathic hypogonadotropic hypogonadism and obesity in humans. Human Genetics, 2022, 141, 295-304.	1.8	5
2	Dietary Conjugated Linoleic Acid Reduces Body Weight and Fat in Snord116m+/pâ^' and Snord116mâ^'/pâ^' Mouse Models of Praderâ€"Willi Syndrome. Nutrients, 2022, 14, 860.	1.7	1
3	New gene targets in the study of hypogonadotropic hypogonadism. Molecular and Cellular Endocrinology, 2021, 520, 111077.	1.6	4
4	Snord116 Post-transcriptionally Increases Nhlh2 mRNA Stability: Implications for Human Prader-Willi Syndrome. Human Molecular Genetics, 2021, 30, 1101-1110.	1.4	13
5	Self-perceptions of critical thinking skills in university students are associated with BMI and exercise. Journal of American College Health, 2020, , 1-7.	0.8	4
6	Pro-opiomelanocortin Neurons and the Transcriptional Regulation of Motivated Exercise. Exercise and Sport Sciences Reviews, 2020, 48, 74-82.	1.6	5
7	A lowâ€cost, in silico nutritional genomics courseâ€based undergraduate research experience applicable to multiple disciplines. Biochemistry and Molecular Biology Education, 2020, 48, 320-328.	0.5	1
8	Transcriptional Regulation of Hypothalamic Energy Balance Genes., 2018,, 55-73.		1
9	Increased body weight affects academic performance in university students. Preventive Medicine Reports, 2017, 5, 220-223.	0.8	37
10	Phylogenetic Analysis of the SNORD116 Locus. Genes, 2017, 8, 358.	1.0	9
11	Conjugated linoleic acid (CLA) influences muscle metabolism via stimulating mitochondrial biogenesis signaling in adultâ€onset inactivity induced obese mice. European Journal of Lipid Science and Technology, 2016, 118, 1305-1316.	1.0	9
12	A molecular conundrum involving hypothalamic responses to and roles of long non-coding RNAs following food deprivation. Molecular and Cellular Endocrinology, 2016, 438, 52-60.	1.6	7
13	A Genetic Basis for Motivated Exercise. Exercise and Sport Sciences Reviews, 2015, 43, 231-237.	1.6	23
14	Effects of Postweaning Administration of Conjugated Linoleic Acid on Development of Obesity in Nescient Basic Helix–Loop–Helix 2 Knockout Mice. Journal of Agricultural and Food Chemistry, 2015, 63, 5212-5223.	2.4	8
15	Use of Journal Clubs Within Senior Capstone Courses: Analysis of Perceived Gains in Reviewing Scientific Literature. Journal of Nutrition Education and Behavior, 2015, 47, 477-479.e1.	0.3	11
16	Characterization of the hypothalamic transcriptome in response to food deprivation reveals global changes in long noncoding RNA, and cell cycle response genes. Genes and Nutrition, 2015, 10, 48.	1.2	15
17	Leptin signaling regulates hypothalamic expression of nescient helix-loop-helix 2 (Nhlh2) through signal transducer and activator 3 (Stat3). Molecular and Cellular Endocrinology, 2014, 384, 134-142.	1.6	17
18	Dietary conjugated nonadecadienoic acid prevents adult-onset obesity in nescient basic helix–loop–helix 2 knockout mice. Journal of Nutritional Biochemistry, 2013, 24, 556-566.	1.9	9

#	Article	IF	CITATIONS
19	NHLH2: at the intersection of obesity and fertility. Trends in Endocrinology and Metabolism, 2013, 24, 385-390.	3.1	15
20	Two single nucleotide polymorphisms in the human nescient helix-loop-helix 2 (NHLH2) gene reduce mRNA stability and DNA binding. Gene, 2013, 512, 134-142.	1.0	11
21	Extending the Reach of Exendin-4: New Pathways in the Control of Body Weight and Glucose Homeostasis. Endocrinology, 2012, 153, 2051-2053.	1.4	2
22	Preventive effects of conjugated linoleic acid on obesity by improved physical activity in nescient basic helix-loop-helix 2 knockout mice during growth period. Food and Function, 2012, 3, 1280.	2.1	9
23	Melanocortin 4 receptor is a transcriptional target of nescient helix-loop-helix-2. Molecular and Cellular Endocrinology, 2011, 341, 39-47.	1.6	25
24	Comparison of hypothalamic mRNA levels in mice euthanized by CO2 inhalation and focused-beam microwave irradiation. Lab Animal, 2011, 40, 313-318.	0.2	6
25	Deletion of Nhlh2 Results in a Defective Torpor Response and Reduced Beta Adrenergic Receptor Expression in Adipose Tissue. PLoS ONE, 2010, 5, e12324.	1.1	17
26	Neonatal administration of monosodium glutamate (MSG) to induce Typeâ€2 diabetes in prepubertal pigs. FASEB Journal, 2010, 24, 327.1.	0.2	0
27	Effects of <i>trans </i> -10, <i>cis </i> -12 Conjugated Linoleic Acid on Body Composition in Genetically Obese Mice. Journal of Medicinal Food, 2009, 12, 56-63.	0.8	12
28	Nescient Helix-Loop-Helix 2 Interacts with Signal Transducer and Activator of Transcription 3 to Regulate Transcription of Prohormone Convertase 1/3. Molecular Endocrinology, 2008, 22, 1438-1448.	3.7	35
29	Nhlh2. Exercise and Sport Sciences Reviews, 2008, 36, 187-192.	1.6	33
30	Energy balance pathways converging on the Nhlh2 transcription factor. Frontiers in Bioscience - Landmark, 2007, 12, 3983.	3.0	22
31	Deletion of the Nhlh2 Transcription Factor Decreases the Levels of the Anorexigenic Peptides $\hat{l}\pm$ Melanocyte-Stimulating Hormone and Thyrotropin-Releasing Hormone and Implicates Prohormone Convertases I and II in Obesity. Endocrinology, 2004, 145, 1503-1513.	1.4	79
32	The Nhlh2 transcription factor is required for female sexual behavior and reproductive longevity. Hormones and Behavior, 2004, 46, 420-427.	1.0	15
33	Reduced voluntary activity precedes adult-onset obesity in Nhlh2 knockout mice. Physiology and Behavior, 2002, 77, 387-402.	1.0	53
34	Hypogonadism and obesity in mice with a targeted deletion of the Nhlh2 gene. Nature Genetics, 1997, 15, 397-401.	9.4	151