

Nguan Soon Tan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7246244/nguan-soon-tan-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

10,118
citations

53
h-index

95
g-index

203
ext. papers

11,473
ext. citations

8.3
avg, IF

6.03
L-index

#	Paper	IF	Citations
188	Antiapoptotic role of PPARbeta in keratinocytes via transcriptional control of the Akt1 signaling pathway. <i>Molecular Cell</i> , 2002 , 10, 721-33	17.6	542
187	Characterization of the fasting-induced adipose factor FIAF, a novel peroxisome proliferator-activated receptor target gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28488-93	5.4	404
186	Selective cooperation between fatty acid binding proteins and peroxisome proliferator-activated receptors in regulating transcription. <i>Molecular and Cellular Biology</i> , 2002 , 22, 5114-27	4.8	400
185	Impaired skin wound healing in peroxisome proliferator-activated receptor (PPAR)alpha and PPARbeta mutant mice. <i>Journal of Cell Biology</i> , 2001 , 154, 799-814	7.3	354
184	Critical roles of PPAR beta/delta in keratinocyte response to inflammation. <i>Genes and Development</i> , 2001 , 15, 3263-77	12.6	328
183	Titanium dioxide nanomaterials cause endothelial cell leakiness by disrupting the homophilic interaction of VE-cadherin. <i>Nature Communications</i> , 2013 , 4, 1673	17.4	326
182	Reciprocal regulation of brain and muscle Arnt-like protein 1 and peroxisome proliferator-activated receptor alpha defines a novel positive feedback loop in the rodent liver circadian clock. <i>Molecular Endocrinology</i> , 2006 , 20, 1715-27		259
181	Biocompatible, Uniform, and Redispersible Mesoporous Silica Nanoparticles for Cancer-Targeted Drug Delivery In Vivo. <i>Advanced Functional Materials</i> , 2014 , 24, 2450-2461	15.6	212
180	The direct peroxisome proliferator-activated receptor target fasting-induced adipose factor (FIAF/PGAR/ANGPTL4) is present in blood plasma as a truncated protein that is increased by fenofibrate treatment. <i>Journal of Biological Chemistry</i> , 2004 , 279, 34411-20	5.4	207
179	Angiopoietin-like 4 protein elevates the prosurvival intracellular O ₂ (-):H ₂ O ₂ ratio and confers anoikis resistance to tumors. <i>Cancer Cell</i> , 2011 , 19, 401-15	24.3	193
178	PPAR β governs glycerol metabolism. <i>Journal of Clinical Investigation</i> , 2004 , 114, 94-103	15.9	184
177	Respiratory protein-generated reactive oxygen species as an antimicrobial strategy. <i>Nature Immunology</i> , 2007 , 8, 1114-22	19.1	182
176	Angptl4 protects against severe proinflammatory effects of saturated fat by inhibiting fatty acid uptake into mesenteric lymph node macrophages. <i>Cell Metabolism</i> , 2010 , 12, 580-92	24.6	178
175	The G0/G1 switch gene 2 is a novel PPAR target gene. <i>Biochemical Journal</i> , 2005 , 392, 313-24	3.8	176
174	Angiopoietin-like 4: a decade of research. <i>Bioscience Reports</i> , 2012 , 32, 211-9	4.1	171
173	Differentiation of trophoblast giant cells and their metabolic functions are dependent on peroxisome proliferator-activated receptor beta/delta. <i>Molecular and Cellular Biology</i> , 2006 , 26, 3266-81	4.8	165
172	In vivo activation of PPAR target genes by RXR homodimers. <i>EMBO Journal</i> , 2004 , 23, 2083-91	13	159

171	ANGPTL4 modulates vascular junction integrity by integrin signaling and disruption of intercellular VE-cadherin and claudin-5 clusters. <i>Blood</i> , 2011 , 118, 3990-4002	2.2	157
170	Micropatterned matrix directs differentiation of human mesenchymal stem cells towards myocardial lineage. <i>Experimental Cell Research</i> , 2010 , 316, 1159-68	4.2	133
169	Cancer-associated fibroblasts in tumor microenvironment - Accomplices in tumor malignancy. <i>Cellular Immunology</i> , 2019 , 343, 103729	4.4	126
168	Reactive oxygen species: a volatile driver of field cancerization and metastasis. <i>Molecular Cancer</i> , 2019 , 18, 65	42.1	123
167	Emerging roles of angiopoietin-like 4 in human cancer. <i>Molecular Cancer Research</i> , 2012 , 10, 677-88	6.6	114
166	Hyaluronan Receptor LYVE-1-Expressing Macrophages Maintain Arterial Tone through Hyaluronan-Mediated Regulation of Smooth Muscle Cell Collagen. <i>Immunity</i> , 2018 , 49, 326-341.e7	32.3	111
165	Multiple expression control mechanisms of peroxisome proliferator-activated receptors and their target genes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2005 , 93, 99-105	5.1	110
164	C-reactive protein collaborates with plasma lectins to boost immune response against bacteria. <i>EMBO Journal</i> , 2007 , 26, 3431-40	13	105
163	Smad3 deficiency in mice protects against insulin resistance and obesity induced by a high-fat diet. <i>Diabetes</i> , 2011 , 60, 464-76	0.9	101
162	Angiopoietin-like 4 interacts with matrix proteins to modulate wound healing. <i>Journal of Biological Chemistry</i> , 2010 , 285, 32999-33009	5.4	94
161	Matricellular proteins: a sticky affair with cancers. <i>Journal of Oncology</i> , 2012 , 2012, 351089	4.5	93
160	PPARalpha governs glycerol metabolism. <i>Journal of Clinical Investigation</i> , 2004 , 114, 94-103	15.9	93
159	Angiopoietin-like 4 interacts with integrins beta1 and beta5 to modulate keratinocyte migration. <i>American Journal of Pathology</i> , 2010 , 177, 2791-803	5.8	92
158	Definition of endotoxin binding sites in horseshoe crab factor C recombinant sushi proteins and neutralization of endotoxin by sushi peptides. <i>FASEB Journal</i> , 2000 , 14, 1801-13	0.9	92
157	Klf2 is an essential factor that sustains ground state pluripotency. <i>Cell Stem Cell</i> , 2014 , 14, 864-72	18	90
156	Fatty acid-inducible ANGPTL4 governs lipid metabolic response to exercise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1043-52	11.5	90
155	Regulation of epithelial-mesenchymal IL-1 signaling by PPARbeta/delta is essential for skin homeostasis and wound healing. <i>Journal of Cell Biology</i> , 2009 , 184, 817-31	7.3	85
154	Perylene-derived single-component organic nanoparticles with tunable emission: efficient anticancer drug carriers with real-time monitoring of drug release. <i>ACS Nano</i> , 2014 , 8, 5939-52	16.7	83

153	Exploration and Development of PPAR Modulators in Health and Disease: An Update of Clinical Evidence. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	81
152	Evidence for the ancient origin of the NF-kappaB/IkappaB cascade: its archaic role in pathogen infection and immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4204-9	11.5	81
151	Three-Dimensional Graphene Composite Macroscopic Structures for Capture of Cancer Cells. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300043	4.6	77
150	Culturing fibroblasts in 3D human hair keratin hydrogels. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 5187-98	9.5	71
149	Smad3 signaling is required for satellite cell function and myogenic differentiation of myoblasts. <i>Cell Research</i> , 2011 , 21, 1591-604	24.7	70
148	Essential role of Smad3 in the inhibition of inflammation-induced PPARbeta/delta expression. <i>EMBO Journal</i> , 2004 , 23, 4211-21	13	69
147	Cancer-associated fibroblasts enact field cancerization by promoting extratumoral oxidative stress. <i>Cell Death and Disease</i> , 2017 , 8, e2562	9.8	66
146	Natural IgG antibodies provide innate protection against ficolin-opsonized bacteria. <i>EMBO Journal</i> , 2013 , 32, 2905-19	13	63
145	Overexpression of angiopoietin-like protein 4 protects against atherosclerosis development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1529-37	9.4	63
144	The anti-apoptotic role of PPARbeta contributes to efficient skin wound healing. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 85, 257-65	5.1	63
143	Angiopoietin-like 4 stimulates STAT3-mediated iNOS expression and enhances angiogenesis to accelerate wound healing in diabetic mice. <i>Molecular Therapy</i> , 2014 , 22, 1593-604	11.7	62
142	Polymer-Enriched 3D Graphene Foams for Biomedical Applications. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8275-83	9.5	61
141	Supramolecular nanoparticle carriers self-assembled from cyclodextrin- and adamantane-functionalized polyacrylates for tumor-targeted drug delivery. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 1879-1890	7.3	59
140	Glycogen synthase 2 is a novel target gene of peroxisome proliferator-activated receptors. <i>Cellular and Molecular Life Sciences</i> , 2007 , 64, 1145-57	10.3	56
139	Epithelium-mesenchyme interactions control the activity of peroxisome proliferator-activated receptor beta/delta during hair follicle development. <i>Molecular and Cellular Biology</i> , 2005 , 25, 1696-712	4.8	55
138	Obesity-associated inflammation promotes angiogenesis and breast cancer via angiopoietin-like 4. <i>Oncogene</i> , 2019 , 38, 2351-2363	9.2	54
137	Nanoparticles of Short Cationic Peptidopolysaccharide Self-Assembled by Hydrogen Bonding with Antibacterial Effect against Multidrug-Resistant Bacteria. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 38288-38303	9.5	53
136	Getting Smad3 about obesity and diabetes. <i>Nutrition and Diabetes</i> , 2012 , 2, e29	4.7	53

135	T-cell death following immune activation is mediated by mitochondria-localized SARM. <i>Cell Death and Differentiation</i> , 2013 , 20, 478-89	12.7	53
134	The nuclear hormone receptor peroxisome proliferator-activated receptor beta/delta potentiates cell chemotactism, polarization, and migration. <i>Molecular and Cellular Biology</i> , 2007 , 27, 7161-75	4.8	53
133	High-affinity LPS binding domain(s) in recombinant factor C of a horseshoe crab neutralizes LPS-induced lethality. <i>FASEB Journal</i> , 2000 , 14, 859-70	0.9	53
132	The Interleukin-1 receptor antagonist is a direct target gene of PPARalpha in liver. <i>Journal of Hepatology</i> , 2007 , 46, 869-77	13.4	52
131	Bio-inspired micropatterned platform to steer stem cell differentiation. <i>Small</i> , 2011 , 7, 1416-21	11	51
130	Anti-cAngptl4 Ab-conjugated N-TiO(2) /NaYF(4) :Yb,Tm nanocomposite for near infrared-triggered drug release and enhanced targeted cancer cell ablation. <i>Advanced Healthcare Materials</i> , 2012 , 1, 470-4	10.1	50
129	Human and mouse monocytes display distinct signalling and cytokine profiles upon stimulation with FFAR2/FFAR3 short-chain fatty acid receptor agonists. <i>Scientific Reports</i> , 2016 , 6, 34145	4.9	49
128	Transcriptional control of physiological and pathological processes by the nuclear receptor PPAR α <i>Progress in Lipid Research</i> , 2016 , 64, 98-122	14.3	45
127	Multiplex Surface-Enhanced Raman Scattering Identification and Quantification of Urine Metabolites in Patient Samples within 30 min. <i>ACS Nano</i> , 2020 , 14, 2542-2552	16.7	44
126	SMAD3 deficiency promotes inflammatory aortic aneurysms in angiotensin II-infused mice via activation of iNOS. <i>Journal of the American Heart Association</i> , 2013 , 2, e000269	6	41
125	Bio-inspired micropatterned hydrogel to direct and deconstruct hierarchical processing of geometry-force signals by human mesenchymal stem cells during smooth muscle cell differentiation. <i>NPG Asia Materials</i> , 2015 , 7, e199-e199	10.3	40
124	Mechanoregulation of stem cell fate via micro-/nano-scale manipulation for regenerative medicine. <i>Nanomedicine</i> , 2013 , 8, 623-38	5.6	40
123	Secreted M-ficolin anchors onto monocyte transmembrane G protein-coupled receptor 43 and cross talks with plasma C-reactive protein to mediate immune signaling and regulate host defense. <i>Journal of Immunology</i> , 2010 , 185, 6899-910	5.3	40
122	Temperature dependence of estrogen binding: importance of a subzone in the ligand binding domain of a novel piscine estrogen receptor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999 , 1452, 103-20	4.9	40
121	Targeting nuclear receptors in cancer-associated fibroblasts as concurrent therapy to inhibit development of chemoresistant tumors. <i>Oncogene</i> , 2018 , 37, 160-173	9.2	39
120	A STAT3-based gene signature stratifies glioma patients for targeted therapy. <i>Nature Communications</i> , 2019 , 10, 3601	17.4	38
119	Angiopietin-like 4 Increases Pulmonary Tissue Leakiness and Damage during Influenza Pneumonia. <i>Cell Reports</i> , 2015 , 10, 654-663	10.6	38
118	High therapeutic index of factor C Sushi peptides: potent antimicrobials against <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 2820-5	5.9	38

117	Novel method to improve vascularization of tissue engineered constructs with biodegradable fibers. <i>Biofabrication</i> , 2016 , 8, 015004	10.5	37
116	A 3D biomimetic model of tissue stiffness interface for cancer drug testing. <i>Molecular Pharmaceutics</i> , 2014 , 11, 2016-21	5.6	37
115	A novel piscine vitellogenin gene: structural and functional analyses of estrogen-inducible promoter. <i>Molecular and Cellular Endocrinology</i> , 1998 , 146, 103-20	4.4	37
114	Critical roles of the nuclear receptor PPARbeta (peroxisome-proliferator-activated receptor beta) in skin wound healing. <i>Biochemical Society Transactions</i> , 2004 , 32, 97-102	5.1	37
113	Nanomechanically Visualizing Drug-Cell Interaction at the Early Stage of Chemotherapy. <i>ACS Nano</i> , 2017 , 11, 6996-7005	16.7	35
112	Early controlled release of peroxisome proliferator-activated receptor γ agonist GW501516 improves diabetic wound healing through redox modulation of wound microenvironment. <i>Journal of Controlled Release</i> , 2015 , 197, 138-47	11.7	35
111	An aPPARent Functional Consequence in Skeletal Muscle Physiology via Peroxisome Proliferator-Activated Receptors. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	35
110	Fish scale-derived collagen patch promotes growth of blood and lymphatic vessels in vivo. <i>Acta Biomaterialia</i> , 2017 , 63, 246-260	10.8	35
109	Src is activated by the nuclear receptor peroxisome proliferator-activated receptor γ in ultraviolet radiation-induced skin cancer. <i>EMBO Molecular Medicine</i> , 2014 , 6, 80-98	12	35
108	Loss of TAK1 increases cell traction force in a ROS-dependent manner to drive epithelial-mesenchymal transition of cancer cells. <i>Cell Death and Disease</i> , 2013 , 4, e848	9.8	35
107	Supercritical carbon dioxide extracted extracellular matrix material from adipose tissue. <i>Materials Science and Engineering C</i> , 2017 , 75, 349-358	8.3	34
106	Hydrogel Effects Rapid Biofilm Debridement with ex situ Contact-Kill to Eliminate Multidrug Resistant Bacteria in vivo. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 20356-20367	9.5	34
105	Peroxisome proliferator-activated receptor-beta as a target for wound healing drugs. <i>Expert Opinion on Therapeutic Targets</i> , 2004 , 8, 39-48	6.4	33
104	The first contiguous estrogen receptor gene from a fish, <i>Oreochromis aureus</i> : evidence for multiple transcripts. <i>Molecular and Cellular Endocrinology</i> , 1996 , 120, 177-92	4.4	33
103	ST3GAL1-Associated Transcriptomic Program in Glioblastoma Tumor Growth, Invasion, and Prognosis. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	32
102	Genetic- or transforming growth factor-beta 1-induced changes in epidermal peroxisome proliferator-activated receptor beta/delta expression dictate wound repair kinetics. <i>Journal of Biological Chemistry</i> , 2005 , 280, 18163-70	5.4	32
101	Altered growth in male peroxisome proliferator-activated receptor gamma (PPARgamma) heterozygous mice: involvement of PPARgamma in a negative feedback regulation of growth hormone action. <i>Molecular Endocrinology</i> , 2004 , 18, 2363-77		32
100	Exploiting vulnerabilities of cancer by targeting nuclear receptors of stromal cells in tumor microenvironment. <i>Molecular Cancer</i> , 2019 , 18, 51	42.1	31

99	Peroxisome proliferator-activated receptor (PPAR)-beta as a target for wound healing drugs: what is possible?. <i>American Journal of Clinical Dermatology</i> , 2003 , 4, 523-30	7.1	30
98	Melanoma-initiating cells exploit M2 macrophage TGFβ and arginase pathway for survival and proliferation. <i>Oncotarget</i> , 2014 , 5, 12027-42	3.3	30
97	Insights into the Role of PPARγ in NAFLD. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	29
96	Fabrication and drug release study of double-layered microparticles of various sizes. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 2787-97	3.9	29
95	Delivery of doxorubicin and paclitaxel from double-layered microparticles: The effects of layer thickness and dual-drug vs. single-drug loading. <i>Acta Biomaterialia</i> , 2015 , 27, 53-65	10.8	28
94	Fabrication and characterization of a novel crosslinked human keratin-alginate sponge. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 2590-2602	4.4	27
93	ANGPTL4 is produced by entero-endocrine cells in the human intestinal tract. <i>Histochemistry and Cell Biology</i> , 2014 , 141, 383-91	2.4	27
92	Angiopoietin-like 4 regulates epidermal differentiation. <i>PLoS ONE</i> , 2011 , 6, e25377	3.7	27
91	Soft Material Approach to Induce Oxidative Stress in Mesenchymal Stem Cells for Functional Tissue Repair. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 26591-26599	9.5	27
90	Mechanoregulation of Cancer-Associated Fibroblast Phenotype in Three-Dimensional Interpenetrating Hydrogel Networks. <i>Langmuir</i> , 2019 , 35, 7487-7495	4	25
89	Endothelial cell thrombogenicity is reduced by ATRP-mediated grafting of gelatin onto PCL surfaces. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 485-493	7.3	24
88	CD163 and IgG codefend against cytotoxic hemoglobin via autocrine and paracrine mechanisms. <i>Journal of Immunology</i> , 2013 , 190, 5267-78	5.3	24
87	Nox4-dependent ROS modulation by amino endoperoxides to induce apoptosis in cancer cells. <i>Cell Death and Disease</i> , 2013 , 4, e552	9.8	24
86	TAK1 regulates SCF expression to modulate PKB activity that protects keratinocytes from ROS-induced apoptosis. <i>Cell Death and Differentiation</i> , 2011 , 18, 1120-9	12.7	24
85	Recellularization of decellularized adipose tissue-derived stem cells: role of the cell-secreted extracellular matrix in cellular differentiation. <i>Biomaterials Science</i> , 2017 , 6, 168-178	7.4	24
84	Elevation of adenylate energy charge by angiopoietin-like 4 enhances epithelial-mesenchymal transition by inducing 14-3-3 expression. <i>Oncogene</i> , 2017 , 36, 6408-6419	9.2	23
83	Cutting Edge: Synchronization of IRF1, JunB, and C/EBPβ Activities during TLR3-TLR7 Cross-Talk Orchestrates Timely Cytokine Synergy in the Proinflammatory Response. <i>Journal of Immunology</i> , 2015 , 195, 801-5	5.3	22
82	Imparting electroactivity to polycaprolactone fibers with heparin-doped polypyrrole: Modulation of hemocompatibility and inflammatory responses. <i>Acta Biomaterialia</i> , 2015 , 23, 240-249	10.8	22

81	Materials Stiffness-Dependent Redox Metabolic Reprogramming of Mesenchymal Stem Cells for Secretome-Based Therapeutic Angiogenesis. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1900929	10.1	22
80	How can we better predict the risk of spontaneous miscarriage among women experiencing threatened miscarriage?. <i>Gynecological Endocrinology</i> , 2015 , 31, 647-51	2.4	22
79	Validation of serum progesterone . <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 78	3.2	21
78	A Periosteum-Inspired 3D Hydrogel-Bioceramic Composite for Enhanced Bone Regeneration . <i>Macromolecular Bioscience</i> , 2016 , 16, 276-87	5.5	20
77	Angiopoietin-like 4 Mediates Colonic Inflammation by Regulating Chemokine Transcript Stability via Tristetraprolin. <i>Scientific Reports</i> , 2017 , 7, 44351	4.9	20
76	Regulation of cell proliferation and migration by TAK1 via transcriptional control of von Hippel-Lindau tumor suppressor. <i>Journal of Biological Chemistry</i> , 2009 , 284, 18047-58	5.4	20
75	Comparative study of adipose-derived stem cells and bone marrow-derived stem cells in similar microenvironmental conditions. <i>Experimental Cell Research</i> , 2016 , 348, 155-164	4.2	20
74	Inhibition of 3-D tumor spheroids by timed-released hydrophilic and hydrophobic drugs from multilayered polymeric microparticles. <i>Small</i> , 2014 , 10, 3986-96	11	19
73	Myostatin-null mice exhibit delayed skin wound healing through the blockade of transforming growth factor- β signaling by decorin. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 302, C1213-25	5.4	19
72	Modular arrangement and secretion of a multidomain serine protease. Evidence for involvement of proline-rich region and N-glycans in the secretion pathway. <i>Journal of Biological Chemistry</i> , 2002 , 277, 36363-72	5.4	19
71	Epithelial-mesenchymal transition of cancer cells using bioengineered hybrid scaffold composed of hydrogel/3D-fibrous framework. <i>Scientific Reports</i> , 2019 , 9, 8997	4.9	18
70	Studying Wound Repair in the Mouse. <i>Current Protocols in Mouse Biology</i> , 2013 , 3, 171-85	1.1	18
69	Promoter rearrangements cause species-specific hepatic regulation of the glyoxylate reductase/hydroxypyruvate reductase gene by the peroxisome proliferator-activated receptor alpha. <i>Journal of Biological Chemistry</i> , 2005 , 280, 24143-52	5.4	18
68	Serum progesterone distribution in normal pregnancies compared to pregnancies complicated by threatened miscarriage from 5 to 13 weeks gestation: a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 360	3.2	18
67	Selective deletion of PPAR γ in fibroblasts causes dermal fibrosis by attenuated LRG1 expression. <i>Cell Discovery</i> , 2018 , 4, 15	22.3	17
66	Controlled-release nanoencapsulating microcapsules to combat inflammatory diseases. <i>Drug Design, Development and Therapy</i> , 2017 , 11, 1707-1717	4.4	17
65	Migration and Phenotype Control of Human Dermal Fibroblasts by Electrospun Fibrous Substrates. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1801378	10.1	16
64	Engineering a novel secretion signal for cross-host recombinant protein expression. <i>Protein Engineering, Design and Selection</i> , 2002 , 15, 337-45	1.9	16

63	Collaborative Regulation of LRG1 by TGF- β 1 and PPAR- γ Modulates Chronic Pressure Overload-Induced Cardiac Fibrosis. <i>Circulation: Heart Failure</i> , 2019 , 12, e005962	7.6	16
62	Angiotensin-like 4 induces a β -catenin-mediated upregulation of ID3 in fibroblasts to reduce scar collagen expression. <i>Scientific Reports</i> , 2017 , 7, 6303	4.9	15
61	Highly selective anti-cancer properties of ester functionalized enantiopure dinuclear gold(I)-diphosphine. <i>European Journal of Medicinal Chemistry</i> , 2015 , 98, 250-5	6.8	14
60	Surface modification of PVDF using non-mammalian sources of collagen for enhancement of endothelial cell functionality. <i>Journal of Materials Science: Materials in Medicine</i> , 2016 , 27, 45	4.5	14
59	Multi-Drug-Loaded Microcapsules with Controlled Release for Management of Parkinson's Disease. <i>Small</i> , 2016 , 12, 3712-22	11	14
58	Feeding mice fat promotes foam cell formation in mesenteric lymph nodes without leading to ascites. <i>Journal of Lipid Research</i> , 2017 , 58, 1100-1113	6.3	13
57	Comparative Study of Adipose-Derived Stem Cells From Abdomen and Breast. <i>Annals of Plastic Surgery</i> , 2016 , 76, 569-75	1.7	13
56	Conditional knock out of N-WASP in keratinocytes causes skin barrier defects and atopic dermatitis-like inflammation. <i>Scientific Reports</i> , 2017 , 7, 7311	4.9	12
55	An Approach to the Efficient Syntheses of Chiral Phosphino- Carboxylic Acid Esters. <i>Advanced Synthesis and Catalysis</i> , 2015 , 357, 3297-3302	5.6	12
54	Nuclear receptor peroxisome proliferator activated receptor (PPAR) γ in skin wound healing and cancer. <i>European Journal of Dermatology</i> , 2015 , 25 Suppl 1, 4-11	0.8	12
53	Noninvasive and Point-of-Care Surface-Enhanced Raman Scattering (SERS)-Based Breathalyzer for Mass Screening of Coronavirus Disease 2019 (COVID-19) under 5 min.. <i>ACS Nano</i> , 2022 ,	16.7	11
52	Downregulation of oncogenic RAS and c-Myc expression in MOLT-4 leukaemia cells by a salicylaldehyde semicarbazone copper(II) complex. <i>Scientific Reports</i> , 2016 , 6, 36868	4.9	10
51	Nuclear hormone receptors and mouse skin homeostasis: implication of PPARbeta. <i>Hormone Research in Paediatrics</i> , 2000 , 54, 263-8	3.3	10
50	Synergistic effects of nuclear factors--GATA, VBP and ER in potentiating vitellogenin gene transcription. <i>FEBS Letters</i> , 1999 , 459, 57-63	3.8	10
49	Potent-By-Design: Amino Acids Mimicking Porous Nanotherapeutics with Intrinsic Anticancer Targeting Properties. <i>Small</i> , 2020 , 16, e2003757	11	10
48	Targeting metabolic flexibility via angiotensin-like 4 protein sensitizes metastatic cancer cells to chemotherapy drugs. <i>Molecular Cancer</i> , 2018 , 17, 152	42.1	10
47	From flab to fab: transforming surgical waste into an effective bioactive coating material. <i>Advanced Healthcare Materials</i> , 2015 , 4, 613-20	10.1	9
46	Characterisation of serum progesterone and progesterone-induced blocking factor (PIBF) levels across trimesters in healthy pregnant women. <i>Scientific Reports</i> , 2020 , 10, 3840	4.9	9

45	Bioactivated protein-based porous microcarriers for tissue engineering applications. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 7795-7803	7.3	9
44	Molecular cloning and sequencing of the hormone-binding domain of <i>Oreochromis aureus</i> estrogen receptor gene. <i>DNA Sequence</i> , 1995 , 5, 359-70		9
43	Antibody Treatment against Angiopoietin-Like 4 Reduces Pulmonary Edema and Injury in Secondary Pneumococcal Pneumonia. <i>MBio</i> , 2019 , 10,	7.8	8
42	Palladacycle promoted base controlled regio- and enantioselective hydrophosphination of 2-pyridylacrylate/amide and the cytotoxicity of their gold complexes. <i>Dalton Transactions</i> , 2015 , 44, 17557-64	4.3	8
41	ROS release by PPAR γ null fibroblasts reduces tumor load through epithelial antioxidant response. <i>Oncogene</i> , 2018 , 37, 2067-2078	9.2	8
40	Interpenetrating Network of Alginate-Human Adipose Extracellular Matrix Hydrogel for Islet Cells Encapsulation. <i>Macromolecular Rapid Communications</i> , 2020 , 41, e2000275	4.8	8
39	A 3D physio-mimetic interpenetrating network-based platform to decode the pro and anti-tumorigenic properties of cancer-associated fibroblasts. <i>Acta Biomaterialia</i> , 2021 , 132, 448-460	10.8	8
38	ANGPTL4 T266M variant is associated with reduced cancer invasiveness. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017 , 1864, 1525-1536	4.9	7
37	The emerging role of Nrf2 in dermatotoxicology. <i>EMBO Molecular Medicine</i> , 2014 , 6, 431-3	12	7
36	Impact of Mixture Effects between Emerging Organic Contaminants on Cytotoxicity: A Systems Biological Understanding of Synergism between Tris(1,3-dichloro-2-propyl)phosphate and Triphenyl Phosphate. <i>Environmental Science & Technology</i> , 2020 , 54, 10722-10734	10.3	7
35	Spontaneous miscarriage in first trimester pregnancy is associated with altered urinary metabolite profile. <i>BBA Clinical</i> , 2017 , 8, 48-55		6
34	Transcription regulatory signals in the 5S and 3S regions of <i>Oreochromis aureus</i> ER gene. <i>Molecular and Cellular Endocrinology</i> , 1996 , 123, 149-61	4.4	6
33	Conditional knockout of N-WASP in mouse fibroblast caused keratinocyte hyper proliferation and enhanced wound closure. <i>Scientific Reports</i> , 2016 , 6, 38109	4.9	6
32	ANGPTL4 exacerbates pancreatitis by augmenting acinar cell injury through upregulation of C5a. <i>EMBO Molecular Medicine</i> , 2020 , 12, e11222	12	5
31	Photocurable platelet rich plasma bioadhesives. <i>Acta Biomaterialia</i> , 2020 , 117, 133-141	10.8	5
30	PPARs and Tumor Microenvironment: The Emerging Roles of the Metabolic Master Regulators in Tumor Stromal-Epithelial Crosstalk and Carcinogenesis. <i>Cancers</i> , 2021 , 13,	6.6	5
29	Depletion of Gram-Positive Bacteria Impacts Hepatic Biological Functions During the Light Phase. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
28	Mobilization efficiency is critically regulated by fat via marrow PPAR α . <i>Haematologica</i> , 2021 , 106, 1671-1683	6.3	5

27	Deficiency in fibroblast PPAR γ reduces nonmelanoma skin cancers in mice. <i>Cell Death and Differentiation</i> , 2020 , 27, 2668-2680	12.7	4
26	The hormone-binding domain of <i>Oreochromis aureus</i> estrogen receptor gene: homology comparison with other steroid binding receptors. <i>DNA Sequence</i> , 1995 , 5, 371-9		4
25	Peroxisome proliferator-activated receptor- δ is a target for wound healing drugs		4
24	Sustained-releasing hollow microparticles with dual-anticancer drugs elicit greater shrinkage of tumor spheroids. <i>Oncotarget</i> , 2017 , 8, 80841-80852	3.3	4
23	GREB1: An evolutionarily conserved protein with a glycosyltransferase domain links ER β glycosylation and stability to cancer. <i>Science Advances</i> , 2021 , 7,	14.3	4
22	Novel approach using serum progesterone as a triage to guide management of patients with threatened miscarriage: a prospective cohort study. <i>Scientific Reports</i> , 2020 , 10, 9153	4.9	3
21	PPAR γ Agonism Upregulates Forkhead Box A2 to Reduce Inflammation in C2C12 Myoblasts and in Skeletal Muscle. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
20	Investigating the Role of PPAR γ in Retinal Vascular Remodeling Using γ -Deficient Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
19	Probing for protein-protein interactions during cell migration: limitations and challenges. <i>Histology and Histopathology</i> , 2014 , 29, 965-76	1.4	3
18	The Polyamine Putrescine Promotes Human Epidermal Melanogenesis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2032-2040.e1	4.3	2
17	The Potential of the FSP1 ^{cre} - Mouse Model for Studying Juvenile NAFLD. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	2
16	Selective Cooperation between Fatty Acid Binding Proteins and Peroxisome Proliferator-Activated Receptors in Regulating Transcription. <i>Molecular and Cellular Biology</i> , 2002 , 22, 6318-6318	4.8	2
15	Catalytic Asymmetric Hydrophosphination as a Valuable Tool to Access Dihydrophosphinated Curcumin and Its Derivatives. <i>Organometallics</i> , 2021 , 40, 3454-3461	3.8	2
14	Chelating Phosphine-N-Heterocyclic Carbene Platinum Complexes via Catalytic Asymmetric Hydrophosphination and Their Cytotoxicity Toward MKN74 and MCF7 Cancer Cell Lines. <i>Inorganic Chemistry</i> , 2021 , 60, 17276-17287	5.1	2
13	A PDZ Protein GIPC3 Positively Modulates Hedgehog Signaling and Melanoma Growth. <i>Journal of Investigative Dermatology</i> , 2021 ,	4.3	2
12	High Glucose Restraint of Acetylcholine-Induced Keratinocyte Epithelial-Mesenchymal Transition Is Mitigated by p38 Inhibition. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1438-1449.e9	4.3	2
11	Kinomic profile in patient-derived glioma cells during hypoxia reveals c-MET-PI3K dependency for adaptation. <i>Theranostics</i> , 2021 , 11, 5127-5142	12.1	2
10	Bioinspired short peptide hydrogel for versatile encapsulation and controlled release of growth factor therapeutics. <i>Acta Biomaterialia</i> , 2021 , 136, 111-123	10.8	2

9	Nuclear Hormone Receptors and Epidermal Differentiation 2015 , 91-106		1
8	Gestational age-specific normative values and determinants of serum progesterone through the first trimester of pregnancy. <i>Scientific Reports</i> , 2021 , 11, 4161	4.9	1
7	Destabilization of Cell FIT2 by saturated fatty acids alter lipid droplet numbers and contribute to ER stress and diabetes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2113074119	11.5	1
6	Modulated TRPC1 Expression Predicts Sensitivity of Breast Cancer to Doxorubicin and Magnetic Field Therapy: Segue Towards a Precision Medicine Approach.. <i>Frontiers in Oncology</i> , 2021 , 11, 783803	5.3	0
5	Single-cell analysis of skin immune cells reveals an Angptl4-ifi20b axis that regulates monocyte differentiation during wound healing.. <i>Cell Death and Disease</i> , 2022 , 13, 180	9.8	0
4	Endothelial-immune crosstalk contributes to vasculopathy in nonalcoholic fatty liver disease.. <i>EMBO Reports</i> , 2022 , e54271	6.5	0
3	PPARs: Nuclear Hormone Receptors Involved in the Control of Inflammation419-435		
2	Regulation of epithelialmesenchymal IL-1 signaling by PPAR γ is essential for skin homeostasis and wound healing. <i>Journal of Experimental Medicine</i> , 2009 , 206, i6-i6	16.6	
1	Considerations in using human pluripotent stem cell-derived pancreatic beta cells to treat type 1 diabetes 2021 , 173-203		