

Sami Pirkola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7246986/publications.pdf>

Version: 2024-02-01

24
papers

654
citations

840119

11
h-index

610482

24
g-index

26
all docs

26
docs citations

26
times ranked

1026
citing authors

#	ARTICLE	IF	CITATIONS
1	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The</i> , 2009, 373, 147-153.	6.3	148
2	Mental disorders and long-term labour market outcomes: nationwide cohort study of 2055720 individuals. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 371-381.	2.2	97
3	Prevalence and correlates of major depressive disorder and dysthymia in an eleven-year follow-up – Results from the Finnish Health 2011 Survey. <i>Journal of Affective Disorders</i> , 2015, 173, 73-80.	2.0	67
4	Reductions in Postdischarge Suicide After Deinstitutionalization and Decentralization: A Nationwide Register Study in Finland. <i>Psychiatric Services</i> , 2007, 58, 221-226.	1.1	59
5	An evaluation of the absolute and relative stability of alexithymia over 11 years in a Finnish general population. <i>Journal of Psychosomatic Research</i> , 2017, 95, 81-87.	1.2	49
6	Employment Status and Personal Income Before and After Onset of a Severe Mental Disorder: A Case-Control Study. <i>Psychiatric Services</i> , 2020, 71, 250-255.	1.1	42
7	A Comparison of Mental Health Care Systems in Northern and Southern Europe: A Service Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1133.	1.2	40
8	Excess Mortality in Patients with Severe Mental Disorders in 1996-2010 in Finland. <i>PLoS ONE</i> , 2016, 11, e0152223.	1.1	36
9	Association of Income With the Incidence Rates of First Psychiatric Hospital Admissions in Finland, 1996-2014. <i>JAMA Psychiatry</i> , 2020, 77, 274.	6.0	19
10	The importance of clinical and labour market histories in psychiatric disability retirement: analysis of the comprehensive Finnish national-level RETIRE data. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1011-1020.	1.6	15
11	Socioeconomic factors in disability retirement due to mental disorders in Finland. <i>European Journal of Public Health</i> , 2020, 30, 1218-1224.	0.1	12
12	Use of psychiatric medications in schizophrenia and other psychoses in a general population sample. <i>Psychiatry Research</i> , 2016, 235, 160-168.	1.7	11
13	Distinctive use of newer and older antidepressants in major geographical areas: A nationally representative register-based study. <i>Journal of Affective Disorders</i> , 2018, 229, 358-363.	2.0	11
14	Contextual and mental health service factors in mental disorder-based disability pensioning in Finland – a regional comparison. <i>BMC Health Services Research</i> , 2021, 21, 1081.	0.9	11
15	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1204.	1.2	7
16	Factors behind a remarkable increase in adolescent psychiatric inpatient treatment between 1980 and 2010 – a nationwide register study. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 120-128.	0.7	6
17	Total and cause-specific mortality of Finnish military personnel following service in international peacekeeping operations 1990–2010: a comprehensive register-based cohort study. <i>BMJ Open</i> , 2016, 6, e012146.	0.8	4
18	Childhood adversities are associated with shorter leukocyte telomere length at adult age in a population-based study. <i>Psychoneuroendocrinology</i> , 2021, 130, 105276.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Tanning dependence and seasonal affective disorder are frequent among sunbathers but are not associated. <i>Psychiatry Research</i> , 2019, 272, 387-391.	1.7	3
20	Factors associated with returning to work after long term absence due to mental disorders. <i>Humanities and Social Sciences Communications</i> , 2021, 8, .	1.3	3
21	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 137-147.	1.2	3
22	The association of psychological factors and healthcare use with the discrepancy between subjective and objective respiratory-health complaints in the general population. <i>Psychological Medicine</i> , 2019, 49, 121-131.	2.7	2
23	Poor respiratory health outcomes associated with high illness worry and alexithymia: Eleven-year prospective cohort study among the working-age population. <i>Journal of Psychosomatic Research</i> , 2022, 155, 110751.	1.2	2
24	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	0.8	1