

Sami Pirkola

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7246986/sami-pirkola-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23
papers

410
citations

9
h-index

20
g-index

26
ext. papers

532
ext. citations

6.2
avg, IF

3.36
L-index

#	Paper	IF	Citations
23	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221075016	3	0
22	Poor respiratory health outcomes associated with high illness worry and alexithymia: Eleven-year prospective cohort study among the working-age population.. <i>Journal of Psychosomatic Research</i> , 2022 , 155, 110751	4.1	0
21	Contextual and mental health service factors in mental disorder-based disability pensioning in Finland - a regional comparison. <i>BMC Health Services Research</i> , 2021 , 21, 1081	2.9	0
20	Factors behind a remarkable increase in adolescent psychiatric inpatient treatment between 1980 and 2010 - a nationwide register study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	1
19	Childhood adversities are associated with shorter leukocyte telomere length at adult age in a population-based study. <i>Psychoneuroendocrinology</i> , 2021 , 130, 105276	5	1
18	Association of Income With the Incidence Rates of First Psychiatric Hospital Admissions in Finland, 1996-2014. <i>JAMA Psychiatry</i> , 2020 , 77, 274-284	14.5	9
17	Employment Status and Personal Income Before and After Onset of a Severe Mental Disorder: A Case-Control Study. <i>Psychiatric Services</i> , 2020 , 71, 250-255	3.3	18
16	The importance of clinical and labour market histories in psychiatric disability retirement: analysis of the comprehensive Finnish national-level RETIRE data. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1011-1020	4.5	5
15	Socioeconomic factors in disability retirement due to mental disorders in Finland. <i>European Journal of Public Health</i> , 2020 , 30, 1218-1224	2.1	3
14	Mental disorders and long-term labour market outcomes: nationwide cohort study of 2055720 individuals. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 371-381	6.5	37
13	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032119	3	1
12	Tanning dependence and seasonal affective disorder are frequent among sunbathers but are not associated. <i>Psychiatry Research</i> , 2019 , 272, 387-391	9.9	1
11	The association of psychological factors and healthcare use with the discrepancy between subjective and objective respiratory-health complaints in the general population. <i>Psychological Medicine</i> , 2019 , 49, 121-131	6.9	1
10	Distinctive use of newer and older antidepressants in major geographical areas: A nationally representative register-based study. <i>Journal of Affective Disorders</i> , 2018 , 229, 358-363	6.6	7
9	A Comparison of Mental Health Care Systems in Northern and Southern Europe: A Service Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	20
8	An evaluation of the absolute and relative stability of alexithymia over 11years in a Finnish general population. <i>Journal of Psychosomatic Research</i> , 2017 , 95, 81-87	4.1	33
7	Total and cause-specific mortality of Finnish military personnel following service in international peacekeeping operations 1990-2010: a comprehensive register-based cohort study. <i>BMJ Open</i> , 2016 , 6, e012146	3	3

6	Use of psychiatric medications in schizophrenia and other psychoses in a general population sample. <i>Psychiatry Research</i> , 2016 , 235, 160-8	9.9	11
5	Excess Mortality in Patients with Severe Mental Disorders in 1996-2010 in Finland. <i>PLoS ONE</i> , 2016 , 11, e0152223	3.7	31
4	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
3	Prevalence and correlates of major depressive disorder and dysthymia in an eleven-year follow-up--results from the Finnish Health 2011 Survey. <i>Journal of Affective Disorders</i> , 2015 , 173, 73-80	6.6	50
2	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The</i> , 2009 , 373, 147-53	4.0	123
1	Reductions in postdischarge suicide after deinstitutionalization and decentralization: a nationwide register study in Finland. <i>Psychiatric Services</i> , 2007 , 58, 221-6	3.3	49