## M Azharul Islam

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7247076/m-azharul-islam-publications-by-citations.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 46 2,250 21 g-index h-index papers citations 2,658 46 6.3 5.38 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
46	Photocatalytic degradation using design of experiments: a review and example of the Congo red degradation. <i>Journal of Hazardous Materials</i> , <b>2010</b> , 175, 33-44	12.8	242
45	Calcium alginateBentoniteBctivated carbon composite beads as highly effective adsorbent for methylene blue. <i>Chemical Engineering Journal</i> , <b>2015</b> , 270, 621-630	14.7	209
44	Mesoporous activated coconut shell-derived hydrochar prepared via hydrothermal carbonization-NaOH activation for methylene blue adsorption. <i>Journal of Environmental Management</i> , <b>2017</b> , 203, 237-244	7.9	187
43	Mesoporous activated carbon prepared from NaOH activation of rattan (Lacosperma secundiflorum) hydrochar for methylene blue removal. <i>Ecotoxicology and Environmental Safety</i> , <b>2017</b> , 138, 279-285	7	166
42	Mesoporous and adsorptive properties of palm date seed activated carbon prepared via sequential hydrothermal carbonization and sodium hydroxide activation. <i>Chemical Engineering Journal</i> , <b>2015</b> , 270, 187-195	14.7	138
41	Human hair-derived high surface area porous carbon material for the adsorption isotherm and kinetics of tetracycline antibiotics. <i>Bioresource Technology</i> , <b>2017</b> , 243, 778-784	11	113
40	Nanoporous activated carbon prepared from karanj (Pongamia pinnata) fruit hulls for methylene blue adsorption. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , <b>2017</b> , 74, 96-104	5.3	111
39	Methylene blue adsorption on factory-rejected tea activated carbon prepared by conjunction of hydrothermal carbonization and sodium hydroxide activation processes. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , <b>2015</b> , 52, 57-64	5.3	111
38	Preparation of activated carbons from agricultural residues for pesticide adsorption. <i>Chemosphere</i> , <b>2010</b> , 80, 1328-36	8.4	108
37	Application of statistical design of experiment with desirability function for the removal of organophosphorus pesticide from aqueous solution by low-cost material. <i>Journal of Hazardous Materials</i> , <b>2009</b> , 170, 230-8	12.8	85
36	Pyrolysis kinetics of raw and hydrothermally carbonized Karanj (Pongamia pinnata) fruit hulls via thermogravimetric analysis. <i>Bioresource Technology</i> , <b>2015</b> , 179, 227-233	11	78
35	A thermogravimetric analysis of the combustion kinetics of karanja (Pongamia pinnata) fruit hulls char. <i>Bioresource Technology</i> , <b>2016</b> , 200, 335-41	11	77
34	Utilization of sky fruit husk agricultural waste to produce high quality activated carbon for the herbicide bentazon adsorption. <i>Chemical Engineering Journal</i> , <b>2014</b> , 251, 183-191	14.7	69
33	Preparation of mesoporous activated carbon from coconut frond for the adsorption of carbofuran insecticide. <i>Journal of Analytical and Applied Pyrolysis</i> , <b>2014</b> , 110, 172-180	6	66
32	Adsorption of 2,4-dichlorophenoxyacetic acid by mesoporous activated carbon prepared from H3PO4-activated langsat empty fruit bunch. <i>Journal of Environmental Management</i> , <b>2015</b> , 154, 138-44	7.9	60
31	Combustion kinetics of hydrochar produced from hydrothermal carbonisation of Karanj (Pongamia pinnata) fruit hulls via thermogravimetric analysis. <i>Bioresource Technology</i> , <b>2015</b> , 194, 14-20	11	59
30	Adsorption of carbon dioxide by sodium hydroxide-modified granular coconut shell activated carbon in a fixed bed. <i>Energy</i> , <b>2014</b> , 77, 926-931	7.9	49

## (2010-2017)

29	Cross-linked chitosan thin film coated onto glass plate as an effective adsorbent for adsorption of reactive orange 16. <i>International Journal of Biological Macromolecules</i> , <b>2017</b> , 95, 743-749	7.9	46
28	Multiresponse optimization based on statistical response surface methodology and desirability function for the production of particleboard. <i>Composites Part B: Engineering</i> , <b>2012</b> , 43, 861-868	10	37
27	TiO2/H2O2 mediated photocatalytic transformation of UV filter 4-methylbenzylidene camphor (4-MBC) in aqueous phase: Statistical optimization and photoproduct analysis. <i>Applied Catalysis B: Environmental</i> , <b>2009</b> , 90, 526-534	21.8	36
26	Insights into the modeling, characterization and adsorption performance of mesoporous activated carbon from corn cob residue via microwave-assisted H3PO4 activation. <i>Surfaces and Interfaces</i> , <b>2020</b> , 21, 100688	4.1	33
25	Efficiency of TiO2 photocatalytic degradation of HHCB (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta []-2-benzopyran) in natural aqueous solutions by nested experimental design and mechanism of degradation. <i>Applied Catalysis B:</i>	21.8	17
24	Environmental, 2010, 99, 314-320 Adsorption of direct yellow 27 from water by poorly crystalline hydroxyapatite prepared via precipitation method. <i>Desalination and Water Treatment</i> , 2012, 41, 170-178		16
23	Characterization of solid biofuel produced from banana stalk via hydrothermal carbonization. <i>Biomass Conversion and Biorefinery</i> , <b>2019</b> , 9, 651-658	2.3	15
22	Adsorption of methylene blue onto betel nut husk-based activated carbon prepared by sodium hydroxide activation process. <i>Water Science and Technology</i> , <b>2020</b> , 82, 1932-1949	2.2	15
21	Statistical optimisation by combination of response surface methodology and desirability function for removal of azo dye from aqueous solution. <i>International Journal of Environmental Analytical Chemistry</i> , <b>2010</b> , 90, 497-509	1.8	13
20	ChitosanBleaching earth clay composite as an efficient adsorbent for carbon dioxide adsorption: Process optimization. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2018</b> , 554, 9-15	5.1	11
19	NaOH-Activated Betel Nut Husk Hydrochar for Efficient Adsorption of Methylene Blue Dye. <i>Water, Air, and Soil Pollution</i> , <b>2020</b> , 231, 1	2.6	11
18	Trace elements in rice grain and agricultural soils: assessment of health risk of inhabitants near a former secondary lead smelter in Khulna, Bangladesh. <i>Environmental Geochemistry and Health</i> , <b>2019</b> , 41, 2521-2532	4.7	10
17	Nitrate contamination of water in dug wells and associated health risks of rural communities in southwest Bangladesh. <i>Environmental Monitoring and Assessment</i> , <b>2020</b> , 192, 163	3.1	9
16	Chromium Contamination from Tanning Industries and Phytoremediation Potential of Native Plants: A Study of Savar Tannery Industrial Estate in Dhaka, Bangladesh. <i>Bulletin of Environmental Contamination and Toxicology</i> , <b>2021</b> , 106, 1024-1032	2.7	9
15	Evaluation of harvested rainwater quality at primary schools of southwest coastal Bangladesh. Environmental Monitoring and Assessment, <b>2019</b> , 191, 80	3.1	8
14	Hydrochar-based soil amendments for agriculture: a review of recent progress. <i>Arabian Journal of Geosciences</i> , <b>2021</b> , 14, 1	1.8	7
13	Potential ecological risk of metal pollution in lead smelter-contaminated agricultural soils in Khulna, Bangladesh. <i>Environmental Monitoring and Assessment</i> , <b>2019</b> , 191, 351	3.1	6
12	Adsorption-desorption study of bromophos methyl and quinalphos in Greek soils. <i>International Journal of Environmental Analytical Chemistry</i> , <b>2010</b> , 90, 357-368	1.8	4

11	Physical and Mechanical Properties of UF Bonded and Without Binding Agent Bagasse MDF. <i>Asian Journal of Applied Sciences</i> , <b>2013</b> , 7, 45-50	0.4	4
10	Optimization of thermally-compressed wood of Trewia nudiflora species using statistical Box <b>B</b> ehnken design and desirability function. <i>Journal of the Indian Academy of Wood Science</i> , <b>2014</b> , 11, 5-14	0.8	3
9	Manufacture and Properties of Particleboard from Dhaincha (Sesbania aculeata). <i>Journal of Biological Sciences</i> , <b>2006</b> , 6, 417-419	0.4	3
8	Chemical modification of betel nut husk prepared by sodium hydroxide for methylene blue adsorption. <i>Applied Water Science</i> , <b>2021</b> , 11, 1	5	3
7	Production of mahogany sawdust reinforced LDPE woodplastic composites using statistical response surface methodology. <i>Journal of Forestry Research</i> , <b>2015</b> , 26, 487-494	2	2
6	Conversion of chicken feather waste via hydrothermal carbonization: process optimization and the effect of hydrochar on seed germination of Acacia auriculiformis. <i>Journal of Material Cycles and Waste Management</i> , <b>2021</b> , 23, 1177-1188	3.4	2
5	Hybrid particleboard from kadam (Anthocephalus chinensis) reinforced with dhaincha (Sesbania aculeata): effects of particle mixing ratio on physical and mechanical properties. <i>Journal of the Indian Academy of Wood Science</i> , <b>2017</b> , 14, 115-121	0.8	1
4	Flat pressed Pongamia pinnata wood-flour/polypropylene composite loaded with talc: a statistical optimization. <i>Journal of the Indian Academy of Wood Science</i> , <b>2016</b> , 13, 91-100	0.8	1
3	Adsorption of Phosphate Ions on Chicken Feather Hydrochar and Hydrochar-Soil Mixtures. <i>Water, Air, and Soil Pollution</i> , <b>2021</b> , 232, 1	2.6	О
2	Multi-response optimization for the production of Albizia saman bark hydrochar through hydrothermal carbonization: characterization and pyrolysis kinetic study. <i>Biomass Conversion and Biorefinery</i> ,1	2.3	O
1	Pyrolysis kinetic study on waste particle residue from particle board industry. <i>Journal of the Indian Academy of Wood Science</i> , <b>2019</b> , 16, 58-66	0.8	