

Weihui Zeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7248351/publications.pdf>

Version: 2024-02-01

21
papers

351
citations

759233

12
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

564
citing authors

#	ARTICLE	IF	CITATIONS
1	Cold atmospheric plasma induces apoptosis of melanoma cells via Sestrin2-mediated nitric oxide synthase signaling. <i>Journal of Biophotonics</i> , 2019, 12, e201800046.	2.3	52
2	TWEAK/Fn14 signaling in tumors. <i>Tumor Biology</i> , 2017, 39, 101042831771462.	1.8	37
3	Long noncoding RNA ZFAS1 promotes tumorigenesis through regulation of miR-150-5p/RAB9A in melanoma. <i>Melanoma Research</i> , 2019, 29, 569-581.	1.2	35
4	Gambogic Acid Inhibits Melanoma through Regulation of miR-199a-3p/ZEB1 Signalling. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 692-703.	2.5	24
5	TWEAK/Fn14 Signals Mediate Burn Wound Repair. <i>Journal of Investigative Dermatology</i> , 2019, 139, 224-234.	0.7	23
6	TWEAK/Fn14 axis is an important player in fibrosis. <i>Journal of Cellular Physiology</i> , 2021, 236, 3304-3316.	4.1	23
7	Rasch analysis holds no brief for the use of the Dermatology Life Quality Index (DLQI) in Chinese neurodermatitis patients. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 17.	2.4	19
8	Increased expression of long noncoding RNA GAS6 promotes proliferation and inhibits apoptosis of melanoma cells via upregulating GAS6 expression. <i>IUBMB Life</i> , 2019, 71, 1503-1514.	3.4	16
9	Topical TWEAK Accelerates Healing of Experimental Burn Wounds in Mice. <i>Frontiers in Pharmacology</i> , 2018, 9, 660.	3.5	15
10	Knockdown of FOXM1 inhibits activation of keloid fibroblasts and extracellular matrix production via inhibition of TGF- β 1/Smad pathway. <i>Life Sciences</i> , 2019, 232, 116637.	4.3	14
11	TWEAK/Fn14 Interaction Confers Aggressive Properties to Cutaneous Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2019, 139, 796-806.	0.7	14
12	Long Noncoding RNA LINC00173 Promotes the Malignancy of Melanoma by Promoting the Expression of IRS4 Through Competitive Binding to microRNA-493. <i>Cancer Management and Research</i> , 2020, Volume 12, 3131-3144.	1.9	13
13	A retrospective analysis of the clinical efficacies and recurrence of Q-switched Nd:YAG laser treatment of nevus of Ota in 224 Chinese patients. <i>Journal of Cosmetic and Laser Therapy</i> , 2018, 20, 410-414.	0.9	12
14	The long-term effect of 1550-nm erbium:glass fractional laser in acne vulgaris. <i>Lasers in Medical Science</i> , 2016, 31, 453-457.	2.1	11
15	LincRNA TINCR facilitates excessive proliferation and inflammation in post-burn skin fibroblasts by directly binding with SND1 protein and inducing SND1-mediated TGF- β 1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 903-910.	2.1	8
16	A retrospective study on the characteristics of treating nevus of ota by 1064-nm q-switched neodymium-doped yttrium aluminum garnet laser. <i>Indian Journal of Dermatology</i> , 2016, 61, 347.	0.3	8
17	A prospective, randomized, split-face study of concomitant administration of low-dose oral isotretinoin with 30% salicylic acid chemical peeling for the treatment of acne vulgaris in Asian population. <i>International Journal of Dermatology</i> , 2022, , .	1.0	7
18	Glucagonoma syndrome with atypical necrolytic migratory erythema. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2021, 87, 49-53.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Participation of interferons in psoriatic inflammation. <i>Cytokine and Growth Factor Reviews</i> , 2022, 64, 12-20.	7.2	6
20	Blockade of anti-dsDNA ameliorates systemic lupus erythematosus in MRL/Fas ^{lpr} mice through ameliorating inflammation via the PKC δ -NLRC4 axis. <i>Biochemistry and Cell Biology</i> , 2021, 99, 313-321.	2.0	5
21	TWEAK Promotes the Proliferation of Squamous Cell Carcinoma Cells Through Activating cIAP1 Signals. <i>Frontiers in Oncology</i> , 2020, 10, 439.	2.8	3