

# Zhiwei Luo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7249598/zhiwei-luo-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51  
papers

499  
citations

12  
h-index

20  
g-index

51  
ext. papers

715  
ext. citations

4  
avg, IF

4.11  
L-index

#	Paper	IF	Citations
51	Crystallization kinetics and optical properties of transparent glass-ceramics embedding ZnGa <sub>2</sub> O <sub>4</sub> nanocrystals with enhanced defect luminescence. <i>Journal of Non-Crystalline Solids</i> , <b>2022</b> , 576, 121255	3.9	1
50	Preparation, crystallization kinetics, and optical temperature sensing properties of Er <sup>3+</sup> -Yb <sup>3+</sup> -co-doped fluorosilicate glass-ceramics containing ZnAl <sub>2</sub> O <sub>4</sub> crystals. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 895, 162673	5.7	1
49	Effect of sintering temperature and holding time on the crystal phase, microstructure, and ionic conductivity of NASICON-type 33Na <sub>2</sub> O-40ZrO <sub>2</sub> -40SiO <sub>2</sub> -10P <sub>2</sub> O <sub>5</sub> solid electrolytes. <i>Applied Physics A: Materials Science and Processing</i> , <b>2022</b> , 128, 1	2.6	0
48	Crystallization kinetics and blue-light fluorescence characteristics of transparent ZnO-Ga <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass-ceramics containing ZnGa <sub>2</sub> O <sub>4</sub> nanocrystals. <i>Optical Materials</i> , <b>2022</b> , 128, 112382	3.3	0
47	Preparation and photocatalytic properties of dual-crystalline glass-ceramics containing NASICON-type KTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> and anatase-type TiO <sub>2</sub> . <i>Journal of Non-Crystalline Solids</i> , <b>2022</b> , 589, 121661	3.9	
46	Enhanced defect emission of TiO <sub>2</sub> -doped transparent glass-ceramics embedding ZnO quantum dots with optimized heat-treatment schedule. <i>Ceramics International</i> , <b>2021</b> , 48, 5609-5609	5.1	1
45	The role and stabilization behavior of heavy metal ions in eco-friendly porous semi-vitrified ceramics for construction application. <i>Journal of Cleaner Production</i> , <b>2021</b> , 292, 125855	10.3	5
44	Er <sup>3+</sup> /Yb <sup>3+</sup> -co-doped SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> -CaO-CaF <sub>2</sub> glass: Structure, J-O analysis and fluorescent properties. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2021</b> , 264, 114919	3.1	8
43	Thermal, structural and electrical properties of fluorine-doped Li <sub>3.6</sub> Al <sub>0.8</sub> Ti <sub>4.0</sub> P <sub>7.6</sub> O <sub>30</sub> -/2F (x=0, 0.5, 1, 2) glass-ceramic electrolytes. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 853, 157191	5.7	9
42	Preparation and broadband white emission of Ce <sup>3+</sup> -doped transparent glass-ceramics containing ZnO nanocrystals for WLEDs applications. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 875, 159979	5.7	7
41	Color tunable up-conversion luminescence characteristics of Yb <sup>3+</sup> -Er <sup>3+</sup> -Tm <sup>3+</sup> tri-doped fluorosilicate glass potentially used in WLED field. <i>Optical Materials</i> , <b>2021</b> , 119, 111320	3.3	0
40	ZrO <sub>2</sub> -doped transparent glass-ceramics embedding ZnO nano-crystalline with enhanced defect emission for potential yellow-light emitter applications. <i>Ceramics International</i> , <b>2021</b> ,	5.1	4
39	Effect of Tb <sup>3+</sup> ion concentration on the up-conversion and down-conversion luminescence properties of the Yb <sup>3+</sup> /Ho <sup>3+</sup> /Tb <sup>3+</sup> tri-doped SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> -NaF-CaF <sub>2</sub> glasses. <i>Optical Materials</i> , <b>2021</b> , 121, 111567	3.3	1
38	Characterization of structure and properties of MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> -Cr <sub>2</sub> O <sub>3</sub> glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2020</b> , 543, 120154	3.9	17
37	Improving sealing properties of CaO-SrO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass and glass-ceramics for solid oxide fuel cells: Effect of La <sub>2</sub> O <sub>3</sub> addition. <i>Ceramics International</i> , <b>2020</b> , 46, 17698-17706	5.1	8
36	Crystal structure refinement, microstructure and ionic conductivity of ATi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> (A=Li, Na, K) solid electrolytes. <i>Ceramics International</i> , <b>2020</b> , 46, 15613-15620	5.1	7
35	Effect of F/O ratio on up-conversion and down-conversion luminescence properties of Er <sup>3+</sup> /Yb <sup>3+</sup> -co-doped SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> -LiF <sub>3</sub> -Gd <sub>2</sub> O <sub>3</sub> -Na <sub>2</sub> O glass. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 827, 154274	5.7	8

34	Structure and properties of Fe <sub>2</sub> O <sub>3</sub> -doped 50Li <sub>2</sub> O-10B <sub>2</sub> O <sub>3</sub> -40P <sub>2</sub> O <sub>5</sub> glass and glass-ceramic electrolytes. <i>Solid State Ionics</i> , <b>2020</b> , 345, 115177	3.3	8
33	Effects of a dual doping strategy on the structure and ionic conductivity of garnet-type electrolyte. <i>Solid State Ionics</i> , <b>2020</b> , 356, 115427	3.3	8
32	Use of steel slag and quartz sand-tailing for the preparation of an eco-friendly permeable brick. <i>International Journal of Applied Ceramic Technology</i> , <b>2020</b> , 17, 94-104	2	5
31	Preparation and properties of Li <sub>2</sub> O-La <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> -P <sub>2</sub> O <sub>5</sub> glass ceramics for potential solid electrolyte applications. <i>Solid State Ionics</i> , <b>2019</b> , 332, 77-85	3.3	10
30	Effect of Fe <sub>2</sub> O <sub>3</sub> substitution for Al <sub>2</sub> O <sub>3</sub> on the structure and properties of Na-Fe-Al-P-O-N oxynitride glasses. <i>Journal of Non-Crystalline Solids</i> , <b>2019</b> , 512, 132-139	3.9	5
29	Crystallization kinetics and phase formation of Li <sub>2</sub> O-SiO <sub>2</sub> -Si <sub>3</sub> N <sub>4</sub> glass-ceramics with P <sub>2</sub> O <sub>5</sub> nucleating agent. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 786, 688-697	5.7	2
28	Crystallization kinetics and the dielectric properties of SrO-BaO-Nb <sub>2</sub> O <sub>5</sub> -B <sub>2</sub> O <sub>3</sub> glass-ceramics. <i>Journal of Electroceramics</i> , <b>2019</b> , 43, 10-19	1.5	2
27	Sr <sup>2+</sup> /Y <sup>3+</sup> co-doped MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -based glasses and transparent glass-ceramics: Crystallization, structure and properties. <i>Ceramics International</i> , <b>2019</b> , 45, 2036-2043	5.1	21
26	Sintering behavior, microstructures and mechanical properties of porous CaO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -Si <sub>3</sub> N <sub>4</sub> glass-ceramics. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 773, 71-77	5.7	7
25	Glass forming, crystallization, and physical properties of MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> glass-ceramics modified by ZnO replacing MgO. <i>Journal of the European Ceramic Society</i> , <b>2019</b> , 39, 1397-1410	6	59
24	La <sub>2</sub> O <sub>3</sub> -added lithium-ion conducting silicate oxynitride glasses. <i>Solid State Ionics</i> , <b>2018</b> , 317, 76-82	3.3	6
23	Effect of Y/Al ratio on crystallization, microstructures and mechanical properties of Y-Si-Al-O-N-F glass-ceramics. <i>Ceramics International</i> , <b>2018</b> , 44, 8242-8248	5.1	1
22	CoO-doped MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -colored transparent glass-ceramics with high crystallinity. <i>Applied Physics A: Materials Science and Processing</i> , <b>2018</b> , 124, 1	2.6	4
21	Microstructures and energy storage properties of BSN ceramics with crystallizable glass addition. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 5934-5943	2.1	8
20	Crystallization, structure and characterization of MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -P <sub>2</sub> O <sub>5</sub> transparent glass-ceramics with high crystallinity. <i>Journal of Non-Crystalline Solids</i> , <b>2018</b> , 481, 123-131	3.9	48
19	Synthesis and properties of AlN/MAS/Si <sub>3</sub> N <sub>4</sub> ternary glass-ceramic composites with in-situ grown rod-like Si <sub>3</sub> N <sub>4</sub> crystals. <i>Ceramics International</i> , <b>2018</b> , 44, 1875-1880	5.1	4
18	Controllable preparation and high ionic conductivity of Fe <sub>2</sub> O <sub>3</sub> -doped 46Li <sub>2</sub> O-4Al <sub>2</sub> O <sub>3</sub> -50P <sub>2</sub> O <sub>5</sub> glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2018</b> , 500, 401-409	3.9	6
17	Crystallization, structure and properties of MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> highly crystalline transparent glass-ceramics nucleated by multiple nucleating agents. <i>Journal of the European Ceramic Society</i> , <b>2018</b> , 38, 4533-4542	6	37

16	The Effects of Co <sub>2</sub> O <sub>3</sub> Addition on Crystallization, Microstructure and Properties of Cordierite-Based Glass-Ceramics. <i>Silicon</i> , <b>2018</b> , 10, 2123-2128	2.4	1
15	Synthesis and characterizations of ultra-low sintering temperature BaTiO <sub>3</sub> /BaO <sub>x</sub> N <sub>y</sub> O <sub>z</sub> Bi <sub>2</sub> O <sub>3</sub> B <sub>2</sub> O <sub>3</sub> glass ceramic composite. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 16062-16070	2.1	
14	In situ synthesis and properties of self-reinforced (h <sub>3</sub> Si h <sub>4</sub> N)textendash h <sub>2</sub> SiO h <sub>3</sub> Al h <sub>3</sub> O)textendash h <sub>2</sub> Y h <sub>3</sub> O (h <sub>2</sub> La h <sub>3</sub> O) glass ceramic composites. <i>Bulletin of Materials Science</i> , <b>2017</b> , 40, 683-690	1.7	1
13	La <sub>2</sub> O <sub>3</sub> substitution in Li-Al-P-O-N glasses for potential solid electrolytes applications. <i>Solid State Ionics</i> , <b>2016</b> , 295, 104-110	3.3	12
12	Preparation and characterization of glass ceramic foams with waste quartz sand and coal gangue in different proportions. <i>Journal of Porous Materials</i> , <b>2016</b> , 23, 231-238	2.4	33
11	ZnBr mixing in the Y-sialon glass: Formation, properties and ballistic resistance. <i>Journal of Non-Crystalline Solids</i> , <b>2015</b> , 421, 41-47	3.9	9
10	Preparation and properties of transparent cordierite-based glass-ceramics with high crystallinity. <i>Ceramics International</i> , <b>2015</b> , 41, 14130-14136	5.1	27
9	MgO-doping in the Li <sub>2</sub> O <sub>x</sub> N <sub>y</sub> O <sub>z</sub> Al <sub>2</sub> O <sub>3</sub> BiO <sub>2</sub> glass-ceramics for better sealing with steel. <i>Journal of Non-Crystalline Solids</i> , <b>2014</b> , 405, 170-175	3.9	17
8	Sintering behavior, microstructure and mechanical properties of various fluorine-containing Y-SIALON glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2014</b> , 388, 62-67	3.9	9
7	The preparation and properties of zirconia-doped YBiAlON oxynitride glasses and glass-ceramics. <i>Ceramics International</i> , <b>2013</b> , 39, 8885-8892	5.1	12
6	Synthesis, crystallization behavior, microstructure and mechanical properties of oxynitride glass-ceramics with fluorine addition. <i>Journal of Non-Crystalline Solids</i> , <b>2013</b> , 362, 207-215	3.9	13
5	Transparent oxynitride glasses: Synthesis, microstructure, optical transmittance and ballistic resistance. <i>Journal of Non-Crystalline Solids</i> , <b>2013</b> , 378, 45-49	3.9	15
4	Effects of nitrogen on phase formation, microstructure and mechanical properties of YCaBiAlON oxynitride glass ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2013</b> , 368, 79-85	3.9	10
3	Effects of nitrogen and lanthanum on the preparation and properties of LaCaBiAlON oxynitride glasses. <i>Journal of Non-Crystalline Solids</i> , <b>2013</b> , 361, 17-25	3.9	17
2	Effects of MO (M = Mg, Ca, Ba) on crystallization and flexural strength of semi-transparent lithium disilicate glass-ceramics. <i>Bulletin of Materials Science</i> , <b>2011</b> , 34, 1511-1516	1.7	5
1	Effects of Ce <sup>3+</sup> Ions on Physicochemical and Optical Properties of Gd <sub>2</sub> O <sub>3</sub> -Ga <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -Na <sub>2</sub> O Glass. <i>Silicon</i> , <b>2011</b> , 3, 1-5	2.4	0