## Hirofumi Taki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7250306/publications.pdf

Version: 2024-02-01

1478505 1281871 11 159 11 6 citations h-index g-index papers 11 11 11 293 citing authors docs citations times ranked all docs

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 1  | Interleukin-1? and tumor necrosis factor? synergistically stimulate prostaglandin E2-dependent production of interleukin-11 in rheumatoid synovial fibroblasts. Arthritis and Rheumatism, 1998, 41, 2004-2013.  | 6.7          | 57        |
| 2  | Monoclonal Antibody Against Citrullinated Peptides Obtained From Rheumatoid Arthritis Patients Reacts With Numerous Citrullinated Microbial and Food Proteins. Arthritis and Rheumatology, 2015, 67, 2020-2031.   | 5 <b>.</b> 6 | 29        |
| 3  | Recurrence of IgG4-related disease following treatment with rituximab. Modern Rheumatology, 2013, 23, 1226-1230.  | 1.8          | 18        |
| 4  | Intravenous Infusion of Tridihomo- $\langle i \rangle \hat{1}^3 \langle j \rangle$ -Linolenoyl-Glycerol Reduces Leukotriene B4 Production in the Rat and Rabbit. Clinical Science, 1993, 84, 511-516.   | 4.3          | 13        |
| 5  | Intravenous injection of tridihomo- $\hat{l}^3$ -linolenoyl-glycerol into mice and its effects on delayed-type hypersensitivity. Lipids, 1993, 28, 873-876.   | 1.7          | 10        |
| 6  | Hereditary angioedema with a de novo mutation of exon 8 in the C1 inhibitor gene showing recurrent edema of the hands around the peripheral joints: Importance for the differential diagnosis of joint swelling. Arthritis and Rheumatism, 2001, 44, 974-977. | 6.7          | 9         |
| 7  | Autoantibodies reactive to PEP08 are clinically related with morbidity and severity of interstitial lung disease in connective tissue diseases. European Journal of Immunology, 2018, 48, 1717-1727.  | 2.9          | 6         |
| 8  | Physiologic Target, Molecular Evolution, and Pathogenic Functions of a Monoclonal<br>Anti–Citrullinated Protein Antibody Obtained From a Patient With Rheumatoid Arthritis. Arthritis and<br>Rheumatology, 2020, 72, 2040-2049.                               | <b>5.</b> 6  | 6         |
| 9  | Effect of eicosapentaenoic acid ethyl ester on proteinuria of streptozotocin-induced diabetes mellitus in rats. Lipids, 1989, 24, 765-768.  | 1.7          | 5         |
| 10 | Interleukin- $\hat{l}$ and tumor necrosis factor $\hat{l}$ synergistically stimulate prostaglandin E2-dependent production of interleukin- $11$ in rheumatoid synovial fibroblasts. Arthritis and Rheumatism, 1998, 41, 2004-2013.                            | 6.7          | 4         |
| 11 | Exacerbation of symptoms in Blau syndrome/early-onset sarcoidosis following delivery. European Journal of Dermatology, 2015, 25, 620-622.   | 0.6          | 2         |