

Souvik Roy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7250848/publications.pdf>

Version: 2024-02-01

38
papers

1,570
citations

304602

22
h-index

377752

34
g-index

41
all docs

41
docs citations

41
times ranked

2136
citing authors

#	ARTICLE	IF	CITATIONS
1	Editorial: Light-Assisted Molecular and Hybrid Systems for Artificial Photosynthesis. <i>Frontiers in Chemistry</i> , 2022, 10, 868373.	1.8	0
2	Electrocatalytic and Solar-Driven Reduction of Aqueous CO ₂ with Molecular Cobalt Phthalocyanine-Metal Oxide Hybrid Materials. <i>ACS Catalysis</i> , 2021, 11, 1868-1876.	5.5	59
3	Visible-Light Promoted C=O Bond Formation with an Integrated Carbon Nitride-Nickel Heterogeneous Photocatalyst. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 8494-8499.	7.2	61
4	Visible-Light Promoted C=O Bond Formation with an Integrated Carbon Nitride-Nickel Heterogeneous Photocatalyst. <i>Angewandte Chemie</i> , 2021, 133, 8575-8580.	1.6	2
5	Automated and Continuous-Flow Platform to Analyze Semiconductor-Metal Complex Hybrid Systems for Photocatalytic CO ₂ Reduction. <i>ACS Catalysis</i> , 2021, 11, 11266-11277.	5.5	19
6	Hydrophobic Shape-Memory Biocomposites from Tung-Oil-Based Bioresin and Onion-Skin-Derived Nanocellulose Networks. <i>Polymers</i> , 2020, 12, 2470.	2.0	9
7	A Precious-Metal-Free Hybrid Electrolyzer for Alcohol Oxidation Coupled to CO ₂ to Syngas Conversion. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15633-15641.	7.2	62
8	A Precious-Metal-Free Hybrid Electrolyzer for Alcohol Oxidation Coupled to CO ₂ to Syngas Conversion. <i>Angewandte Chemie</i> , 2020, 132, 15763-15771.	1.6	17
9	Visible-Light-Driven CO ₂ Reduction by Mesoporous Carbon Nitride Modified with Polymeric Cobalt Phthalocyanine. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12180-12184.	7.2	135
10	Visible-Light-Driven CO ₂ Reduction by Mesoporous Carbon Nitride Modified with Polymeric Cobalt Phthalocyanine. <i>Angewandte Chemie</i> , 2019, 131, 12308-12312.	1.6	48
11	Electrocatalytic Hydrogen Evolution from a Cobaloxime-Based Metal-Organic Framework Thin Film. <i>Journal of the American Chemical Society</i> , 2019, 141, 15942-15950.	6.6	135
12	Beyond artificial photosynthesis: general discussion. <i>Faraday Discussions</i> , 2019, 215, 422-438.	1.6	0
13	Biological approaches to artificial photosynthesis: general discussion. <i>Faraday Discussions</i> , 2019, 215, 66-83.	1.6	0
14	Synthetic approaches to artificial photosynthesis: general discussion. <i>Faraday Discussions</i> , 2019, 215, 242-281.	1.6	5
15	Bioinspired Artificial [FeFe]-Hydrogenase with a Synthetic H-Cluster. <i>ACS Catalysis</i> , 2019, 9, 4495-4501.	5.5	17
16	Redox-Rich Metallocene Tetrazene Complexes: Synthesis, Structure, Electrochemistry, and Catalysis. <i>Organometallics</i> , 2019, 38, 1361-1371.	1.1	16
17	Spectroscopic investigations of a semi-synthetic [FeFe] hydrogenase with propane di-selenol as bridging ligand in the binuclear subsite: comparison to the wild type and propane di-thiol variants. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 481-491.	1.1	13
18	Light-driven hydrogen evolution catalyzed by a cobaloxime catalyst incorporated in a MIL-101(Cr) metal-organic framework. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1148-1152.	2.5	36

#	ARTICLE	IF	CITATIONS
19	A noble metal-free photocatalytic system based on a novel cobalt tetrapyrridyl catalyst for hydrogen production in fully aqueous medium. <i>Sustainable Energy and Fuels</i> , 2018, 2, 553-557.	2.5	37
20	Catalyst accessibility to chemical reductants in metal-organic frameworks. <i>Chemical Communications</i> , 2017, 53, 3257-3260.	2.2	42
21	Molecular Cobalt Complexes with Pendant Amines for Selective Electrocatalytic Reduction of Carbon Dioxide to Formic Acid. <i>Journal of the American Chemical Society</i> , 2017, 139, 3685-3696.	6.6	256
22	[FeFe] Hydrogenase active site model chemistry in a UiO-66 metal-organic framework. <i>Chemical Communications</i> , 2017, 53, 5227-5230.	2.2	27
23	Synthesis and Electrocatalytic Activity of [FeFe]-Hydrogenase Model Complexes with Non-Innocent Chelating Nitrogen-Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 2941-2941.	1.0	0
24	Structural and functional characterization of the hydrogenase-maturation HydF protein. <i>Nature Chemical Biology</i> , 2017, 13, 779-784.	3.9	38
25	Evaluation of two- and three-dimensional electrode platforms for the electrochemical characterization of organometallic catalysts incorporated in non-conducting metal-organic frameworks. <i>Dalton Transactions</i> , 2017, 46, 4907-4911.	1.6	17
26	Synthesis and Electrocatalytic Activity of [FeFe]-Hydrogenase Model Complexes with Non-Innocent Chelating Nitrogen-Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 2942-2950.	1.0	18
27	Chemical assembly of multiple metal cofactors: The heterologously expressed multidomain [FeFe]-hydrogenase from <i>Megasphaera elsdenii</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1734-1740.	0.5	26
28	Reactivity of the Excited States of the H-Cluster of FeFe Hydrogenases. <i>Journal of the American Chemical Society</i> , 2016, 138, 13612-13618.	6.6	25
29	A Systematic Comparative Study of Hydrogen-Evolving Molecular Catalysts in Aqueous Solutions. <i>ChemSusChem</i> , 2015, 8, 3632-3638.	3.6	52
30	Artificial hydrogenases: biohybrid and supramolecular systems for catalytic hydrogen production or uptake. <i>Current Opinion in Chemical Biology</i> , 2015, 25, 36-47.	2.8	71
31	Biomimetic peptide-based models of [FeFe]-hydrogenases: utilization of phosphine-containing peptides. <i>Dalton Transactions</i> , 2015, 44, 14865-14876.	1.6	39
32	From Enzyme Maturation to Synthetic Chemistry: The Case of Hydrogenases. <i>Accounts of Chemical Research</i> , 2015, 48, 2380-2387.	7.6	63
33	Spectroscopic Characterization of the Bridging Amine in the Active Site of [FeFe] Hydrogenase Using Isotopologues of the H-Cluster. <i>Journal of the American Chemical Society</i> , 2015, 137, 12744-12747.	6.6	64
34	Catalytic Hydrogen Evolution by Fe(II) Carbonyls Featuring a Dithiolate and a Chelating Phosphine. <i>Inorganic Chemistry</i> , 2014, 53, 8919-8929.	1.9	39
35	Cutting out the middleman. <i>Nature Chemical Biology</i> , 2013, 9, 603-605.	3.9	6
36	Biomimetic model for [FeFe]-hydrogenase: asymmetrically disubstituted diiron complex with a redox-active 2,2'-bipyridyl ligand. <i>Dalton Transactions</i> , 2013, 42, 3843.	1.6	60

#	ARTICLE	IF	CITATIONS
37	Sequential Oxidations of Thiolates and the Cobalt Metallocenter in a Synthetic Metallopeptide: Implications for the Biosynthesis of Nitrile Hydratase. <i>Inorganic Chemistry</i> , 2013, 52, 5236-5245.	1.9	16
38	Artificial [FeFe]-Hydrogenase: On Resin Modification of an Amino Acid to Anchor a Hexacarbonyliron Cluster in a Peptide Framework. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1050-1055.	1.0	40