## Ian D Cameron

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7251108/publications.pdf

Version: 2024-02-01

275 papers 9,481 citations

43973 48 h-index 83 g-index

281 all docs

281 docs citations

times ranked

281

9721 citing authors

#	Article	IF	CITATIONS
1	Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2012, 12, CD005465.	1.5	422
2	A Randomized, Controlled Trial of Quadriceps Resistance Exercise and Vitamin D in Frail Older People: The Frailty Interventions Trial in Elderly Subjects (FITNESS). Journal of the American Geriatrics Society, 2003, 51, 291-299.	1.3	392
3	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. BMC Medicine, 2013, 11, 65.	2.3	315
4	Interventions for preventing falls in older people in nursing care facilities and hospitals. , 2010, , CD005465.		290
5	4: Rehabilitation after traumatic brain injury. Medical Journal of Australia, 2003, 178, 290-295.	0.8	265
6	Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2020, 2020, CD005465.	1.5	243
7	Associations Between Drug Burden Index and Falls in Older People in Residential Aged Care. Journal of the American Geriatrics Society, 2011, 59, 875-880.	1.3	183
8	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. BMJ: British Medical Journal, 2008, 336, 758-760.	2.4	181
9	Evidence for the Optimal Management of Acute and Chronic Phantom Pain: A Systematic Review. Clinical Journal of Pain, 2002, 18, 84-92.	0.8	180
10	Epidemiology of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. Journal of the American Medical Directors Association, 2012, 13, 187.e1-187.e6.	1.2	165
11	Evidenceâ€based guidelines for the management of hip fractures in older persons: an update. Medical Journal of Australia, 2010, 192, 37-41.	0.8	161
12	Multidisciplinary rehabilitation for older people with hip fractures. The Cochrane Library, 2009, , CD007125.	1.5	150
13	A Critical Review of the Pathophysiology of Dysautonomia Following Traumatic Brain Injury. Neurocritical Care, 2008, 8, 293-300.	1.2	149
14	Differing Risk Factors for Falls in Nursing Home and Intermediate-Care Residents Who Can and Cannot Stand Unaided. Journal of the American Geriatrics Society, 2003, 51, 1645-1650.	1.3	142
15	Standard set of health outcome measures for older persons. BMC Geriatrics, 2018, 18, 36.	1.1	130
16	Frailty Intervention Trial (FIT). BMC Geriatrics, 2008, 8, 27.	1.1	127
17	Treating frailty-a practical guide. BMC Medicine, 2011, 9, 83.	2.3	126
18	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. BMC Medicine, 2012, 10, 120.	2.3	122

#	Article	IF	CITATIONS
19	Dysautonomia and heart rate variability following severe traumatic brain injury. Brain Injury, 2006, 20, 437-444.	0.6	121
20	Atypical Antipsychotic Medications and Risk of Falls in Residents of Aged Care Facilities. Journal of the American Geriatrics Society, 2005, 53, 1290-1295.	1.3	113
21	Pharmacological management of Dysautonomia following traumatic brain injury. Brain Injury, 2004, 18, 409-417.	0.6	106
22	Maximising functional recovery following hip fracture in frail seniors. Best Practice and Research in Clinical Rheumatology, 2013, 27, 771-788.	1.4	105
23	Economic Evaluation of a Multifactorial, Interdisciplinary Intervention Versus Usual Care to Reduce Frailty in Frail Older People. Journal of the American Medical Directors Association, 2015, 16, 41-48.	1.2	103
24	Management of Frailty: A Systematic Review and Network Meta-analysis of Randomized Controlled Trials. Journal of the American Medical Directors Association, 2019, 20, 1190-1198.	1.2	102
25	Rehabilitation interventions for improving physical and psychosocial functioning after hip fracture in older people. The Cochrane Library, 2010, , CD007624.	1.5	100
26	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. Age and Ageing, 2014, 43, 616-622.	0.7	94
27	Accelerated rehabilitation after proximal femoral fracture: a randomized controlled trial. Disability and Rehabilitation, 1993, 15, 29-34.	0.9	92
28	High Bone Turnover Is an Independent Predictor of Mortality in the Frail Elderly. Journal of Bone and Mineral Research, 2006, 21, 549-555.	3.1	86
29	Evidenceâ€based guidelines for fixing broken hips: an update. Medical Journal of Australia, 2003, 179, 489-493.	0.8	83
30	Temporal relationship between handgrip strength and cognitive performance in oldest old people. Age and Ageing, 2012, 41, 506-512.	0.7	77
31	Hip fracture causes excess mortality owing to cardiovascular and infectious disease in institutionalized older people: A prospective 5-year study. Journal of Bone and Mineral Research, 2010, 25, 866-872.	3.1	75
32	Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. Brain Impairment, 2005, 6, 75-89.	0.5	72
33	Mobility training after hip fracture: a randomised controlled trial. Age and Ageing, 2008, 38, 74-80.	0.7	71
34	The World Health Organization Disability Assessment Scale, WHODAS II: Reliability and validity in the measurement of activity and participation in a spinal cord injury population. Journal of Rehabilitation Medicine, 2012, 44, 747-755.	0.8	71
35	Understanding the effect of compensation on recovery from severe motor vehicle crash injuries: a qualitative study. Injury Prevention, 2011, 17, 222-227.	1.2	69
36	Cost effectiveness of accelerated rehabilitation after proximal femoral fracture. Journal of Clinical Epidemiology, 1994, 47, 1307-1313.	2.4	67

#	Article	IF	CITATIONS
37	Effect of Age-Related Chronic Immobility on Markers of Bone Turnover. Journal of Bone and Mineral Research, 2005, 21, 324-331.	3.1	64
38	The Consequences of Falls in Acute and Subacute Hospitals in Australia That Cause Proximal Femoral Fractures. Journal of the American Geriatrics Society, 2007, 55, 577-582.	1.3	61
39	The Effect of Financial Compensation on Health Outcomes following Musculoskeletal Injury: Systematic Review. PLoS ONE, 2015, 10, e0117597.	1.1	60
40	Predictors of Serious Consequences of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. Journal of the American Medical Directors Association, 2014, 15, 559-563.	1.2	58
41	Pain Characteristics and Their Association With Quality of Life and Self-concept in Children With Hemiplegic Cerebral Palsy Identified From a Population Register. Clinical Journal of Pain, 2008, 24, 335-342.	0.8	57
42	Epidemiology of hospitalised traumatic brain injury in the state of New South Wales, Australia: a populationâ€based study. Australian and New Zealand Journal of Public Health, 2019, 43, 382-388.	0.8	57
43	Severe traumatic brain injury in New South Wales: comparable outcomes for rural and urban residents. Medical Journal of Australia, 2004, 181, 130-134.	0.8	56
44	Psychological Distress, Quality of Life, and Burden in Caregivers During Community Reintegration After Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1312-1319.	0.5	56
45	HypovitaminosisÂD and parathyroid hormone response in the elderly: effects on bone turnover and mortality. Clinical Endocrinology, 2008, 68, 290-298.	1.2	55
46	Prognostic indicators of social outcomes in persons who sustained an injury in a road traffic crash. Injury, 2015, 46, 909-917.	0.7	53
47	Vitamin D deficiency is common in frail institutionalised older people in northern Sydney. Medical Journal of Australia, 2002, 176, 560-560.	0.8	52
48	Associations between drug burden index and physical function in older people in residential aged care facilities. Age and Ageing, 2010, 39, 503-507.	0.7	52
49	Prevalence and Predictors of Sub-Acute Phase Disability after Injury among Hospitalised and Non-Hospitalised Groups: A Longitudinal Cohort Study. PLoS ONE, 2012, 7, e44909.	1.1	51
50	Elder abuse: prevalence, intervention and outcomes in patients referred to four Aged Care Assessment Teams. Medical Journal of Australia, 1997, 166, 119-122.	0.8	50
51	Legislative Change Is Associated With Improved Health Status in People With Whiplash. Spine, 2008, 33, 250-254.	1.0	50
52	Investigating consumers' and informal carers' views and preferences for consumer directed care: A discrete choice experiment. Social Science and Medicine, 2015, 140, 81-94.	1.8	49
53	Geriatric Rehabilitation—State of the Art and Future Priorities. Journal of the American Medical Directors Association, 2019, 20, 396-398.	1.2	48
54	Risk factors for hip fracture among institutionalised older people. Age and Ageing, 2009, 38, 429-434.	0.7	47

#	Article	IF	Citations
55	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007091-e007091.	0.8	47
56	External hip protectors: likely non-compliance among high risk elderly people living in the community. Archives of Gerontology and Geriatrics, 1994, 19, 273-281.	1.4	44
57	Development and validation of fall risk screening tools for use in residential aged care facilities. Medical Journal of Australia, 2008, 189, 193-196.	0.8	43
58	How best to fix a broken hip. Medical Journal of Australia, 1999, 171, 330-331.	0.8	41
59	Femoral fracture rates in people with and without disability. Age and Ageing, 2012, 41, 653-658.	0.7	41
60	Overview of findings from a 2-year study of claimants who had sustained a mild or moderate injury in a road traffic crash: prospective study. BMC Research Notes, 2017, 10, 76.	0.6	41
61	Risk Factors for Fracture Following a Fall Among Older People in Residential Care Facilities in Australia. Journal of the American Geriatrics Society, 2008, 56, 2020-2026.	1.3	40
62	Prevalence and psychometric screening for the detection of major depressive disorder and post-traumatic stress disorder in adults injured in a motor vehicle crash who are engaged in compensation. BMC Psychology, 2018, 6, 4.	0.9	40
63	Coordinated multidisciplinary rehabilitation after hip fracture. Disability and Rehabilitation, 2005, 27, 1081-1090.	0.9	39
64	Predictors of return to work following motor vehicle related orthopaedic trauma. BMC Musculoskeletal Disorders, 2016, 17, 171.	0.8	39
65	1: Rehabilitation and older people. Medical Journal of Australia, 2002, 177, 387-391.	0.8	38
66	Disability in older Australians: projections for 2006–2031. Medical Journal of Australia, 2003, 179, 130-133.	0.8	38
67	Associations between Drug Burden Index and Mortality in Older People in Residential Aged Care Facilities. Drugs and Aging, 2012, 29, 157-165.	1.3	36
68	Sunlight and health: Attitudes of older people living in intermediate care facilities in southern Australia. Archives of Gerontology and Geriatrics, 2010, 51, e94-e99.	1.4	35
69	Should we provide outreach rehabilitation to very old people living in Nursing Care Facilities after a hip fracture? A randomised controlled trial. Age and Ageing, 2019, 48, 373-380.	0.7	35
70	Promoting Activity in Geriatric Rehabilitation: A Randomized Controlled Trial of Accelerometry. PLoS ONE, 2016, 11, e0160906.	1.1	35
71	BMI: a simple, rapid and clinically meaningful index of under-nutrition in the oldest old?. British Journal of Nutrition, 2009, 101, 1300.	1.2	34
72	Differences in perceived fairness and health outcomes in two injury compensation systems: a comparative study. BMC Public Health, 2016, 16, 658.	1.2	34

#	Article	IF	Citations
73	Do men and women differ in their course following traumatic brain injury? A preliminary prospective investigation of early outcome. Brain Injury, 2008, 22, 183-191.	0.6	33
74	The distribution of health services for older people in Australia: where does transition care fit?. Australian Health Review, 2009, 33, 572.	0.5	33
75	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. Age and Ageing, 2011, 40, 666-674.	0.7	33
76	Functioning and health-related quality of life following injury in older people: a systematic review. Injury Prevention, 2017, 23, 403-411.	1.2	33
77	Rehabilitation in dementia care. Age and Ageing, 2018, 47, 171-174.	0.7	33
78	Course of recovery for whiplash associated disorders in a compensation setting. Injury, 2015, 46, 2118-2129.	0.7	32
79	Consumer Directed Care in <scp>A</scp> ustralia: early perceptions and experiences of staff, clients and carers. Health and Social Care in the Community, 2017, 25, 478-491.	0.7	32
80	Reduction of Femoral Fractures in Long-Term Care Facilities: The Bavarian Fracture Prevention Study. PLoS ONE, 2011, 6, e24311.	1.1	32
81	The perils of pet ownership: a new fallâ€injury risk factor. Medical Journal of Australia, 2004, 181, 682-683.	0.8	31
82	A Comparison of Health Outcomes in Older versus Younger Adults following a Road Traffic Crash Injury: A Cohort Study. PLoS ONE, 2015, 10, e0122732.	1.1	31
83	Does one size fit all? Assessing the preferences of older and younger people for attributes of quality of life. Quality of Life Research, 2017, 26, 299-309.	1.5	31
84	Multidisciplinary rehabilitation for older people with hip fractures. The Cochrane Library, 2021, 2021, CD007125.	1.5	31
85	Important features of home-based support services for older Australians and their informal carers. Health and Social Care in the Community, 2015, 23, 654-664.	0.7	30
86	Factors that challenge health for people involved in the compensation process following a motor vehicle crash: a longitudinal study. BMC Public Health, 2015, 15, 339.	1.2	30
87	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq $1\ 1\ 0.7$	78 <b>4</b> 3114 rg	BT\$ <b>©</b> verlock
88	Issues and Challenges for Development of a Sustainable Service Model for People With Spinal Cord Injury Living in Rural Regions. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1941-1947.	0.5	29
89	Self-esteem in carers of frail older people: Resentment predicts anxiety and depression. Aging and Mental Health, 2011, 15, 671-678.	1.5	29
90	Not just about costs: the role of health economics in facilitating decision making in aged care. Age and Ageing, 2010, 39, 426-429.	0.7	28

#	Article	IF	Citations
91	An empirical comparison of the OPQoL-Brief, EQ-5D-3ÂL and ASCOT in a community dwelling population of older people. Health and Quality of Life Outcomes, 2015, 13, 164.	1.0	28
92	Elder abuse â€" an Australian case series. Medical Journal of Australia, 1991, 155, 150-153.	0.8	27
93	Improving Adherence With the Use of Hip Protectors Among Older People Living in Nursing Care Facilities: AÂCluster Randomized Trial. Journal of the American Medical Directors Association, 2011, 12, 50-57.	1.2	27
94	A Randomized Trial Comparing Acupuncture and Simulated Acupuncture for Subacute and Chronic Whiplash. Spine, 2011, 36, E1659-E1665.	1.0	27
95	Factors influencing social and health outcomes after motor vehicle crash injury: an inception cohort study protocol. BMC Public Health, 2014, 14, 199.	1.2	27
96	Occupational Therapy Predischarge Home Visits in Acute Hospital Care: A Randomized Trial. Journal of the American Geriatrics Society, 2016, 64, 2019-2026.	1.3	27
97	How do clients in Australia experience Consumer Directed Care?. BMC Geriatrics, 2018, 18, 148.	1.1	27
98	Identifying predictors of early non-recovery in a compensation setting: The Whiplash Outcome Study. Injury, 2011, 42, 25-32.	0.7	26
99	Predicting employment status at 2 years' postdischarge from spinal cord injury rehabilitation Rehabilitation Psychology, 2011, 56, 251-256.	0.7	26
100	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. Journal of Physiotherapy, 2017, 63, 40-44.	0.7	26
101	The effect of compensation on health care utilisation in a trauma cohort. Medical Journal of Australia, 2009, 190, 619-622.	0.8	25
102	Discharge planning from hospital. The Cochrane Library, 2022, 2022, CD000313.	1.5	25
103	Calcium metabolism in the frail elderly. Clinical Rheumatology, 2005, 24, 576-582.	1.0	24
104	Inpatient multidisciplinary rehabilitation after hip fracture for residents of nursing homes: A randomised trial. Australasian Journal on Ageing, 2008, 27, 43-44.	0.4	24
105	Transition care: will it deliver?. Medical Journal of Australia, 2008, 188, 251-253.	0.8	24
106	Recovery of Impairments After Severe Traumatic Brain Injury: Findings From a Prospective, Multicentre Study. Brain Impairment, 2006, 7, 1-15.	0.5	23
107	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. Age and Ageing, 2014, 43, 31-37.	0.7	23
108	An initial loading-dose vitamin D versus placebo after hip fracture surgery: randomized trial. BMC Musculoskeletal Disorders, 2016, 17, 336.	0.8	23

#	Article	IF	CITATIONS
109	Psychological distress following a motor vehicle crash: A systematic review of preventative interventions. Injury, 2016, 47, 2415-2423.	0.7	23
110	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. Trials, 2016, 17, 131.	0.7	23
111	Electrical stimulation for treating pressure ulcers. The Cochrane Library, 2020, 1, CD012196.	1.5	23
112	Associations with duration of compensation following whiplash sustained in a motor vehicle crash. Injury, 2015, 46, 1848-1855.	0.7	22
113	Walking aid use after discharge following hip fracture is rarely reviewed and often inappropriate: an observational study. Journal of Physiotherapy, 2010, 56, 267-272.	0.7	21
114	Effectiveness of Oral Nutritional Supplementation for Older Women after a Fracture: Rationale, Design and Study of the Feasibility of a Randomized Controlled Study. BMC Geriatrics, 2011, 11, 32.	1.1	21
115	Outcomes of rehabilitation in older people ââ,¬â€œ functioning and cognition are the most important predictors: An inception cohort study. Journal of Rehabilitation Medicine, 2012, 44, 24-30.	0.8	21
116	Recruiting older people at nutritional risk for clinical trials: what have we learned?. BMC Research Notes, 2015, 8, 151.	0.6	21
117	A survey of rehabilitation services in Australia. Australian Health Review, 2008, 32, 392.	0.5	20
118	Implementing falls prevention research into policy and practice in Australia: Past, present and future. Journal of Safety Research, 2011, 42, 517-520.	1.7	20
119	The perceptions and experiences of people injured in motor vehicle crashes in a compensation scheme setting: a qualitative study. BMC Public Health, 2015, 15, 423.	1.2	20
120	Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Nonâ€Inferiority Trial. Journal of the American Geriatrics Society, 2021, 69, 2598-2604.	1.3	20
121	Individual nutrition therapy and exercise regime: A controlled trial of injured, vulnerable elderly (INTERACTIVE trial). BMC Geriatrics, 2008, 8, 4.	1.1	19
122	Fracture risk assessment in frail older people using clinical risk factors. Age and Ageing, 2008, 37, 536-541.	0.7	19
123	Frailty and Rehabilitation. Interdisciplinary Topics in Gerontology and Geriatrics, 2015, 41, 137-150.	2.6	19
124	Health-related quality of life 24Âmonths after sustaining a minor musculoskeletal injury in a road traffic crash: A prospective cohort study. Traffic Injury Prevention, 2017, 18, 251-256.	0.6	19
125	Traumatic brain injurysupport for injured people and their carers. Australian Family Physician, 2014, 43, 758-63.	0.5	19
126	Measuring community integration after spinal cord injury: validation of the Sydney psychosocial reintegration scale and community integration measure. Quality of Life Research, 2010, 19, 1185-1193.	1.5	18

#	Article	IF	CITATIONS
127	A longitudinal study of support needs after severe traumatic brain injury. Brain Injury, 2020, 34, 991-1000.	0.6	18
128	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. Journal of General Internal Medicine, 2020, 35, 2907-2916.	1.3	18
129	Determinants of Heterotopic Ossification after Total Hip Replacement Surgery. HIP International, 2009, 19, 41-46.	0.9	17
130	The association between seeking financial compensation and injury recovery following motor vehicle related orthopaedic trauma. BMC Musculoskeletal Disorders, 2016, 17, 282.	0.8	17
131	Effectiveness of Hip Protectors to Reduce Risk for Hip Fracture from Falls in Long-Term Care. Journal of the American Medical Directors Association, 2019, 20, 1397-1403.e1.	1.2	17
132	Appendicular skeletal muscle in hospitalised hip-fracture patients: development and cross-validation of anthropometric prediction equations against dual-energy X-ray absorptiometry. Age and Ageing, 2014, 43, 857-862.	0.7	16
133	Restriction in functioning and quality of life is common in people 2Âmonths after compensable motor vehicle crashes: prospective cohort study. Injury Epidemiology, 2015, 2, 8.	0.8	16
134	Innovation and <scp>C</scp> onsumer <scp>D</scp> irected <scp>C</scp> are: Identifying the challenges. Australasian Journal on Ageing, 2015, 34, 265-268.	0.4	16
135	Developing Interventions for Frailty. Advances in Geriatrics, 2015, 2015, 1-7.	1.6	16
136	Community-based InterVentions to prevent serious Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. BMJ Open, 2016, 6, e010350.	0.8	16
137	Positive recovery for low-risk injuries screened by the short form - Örebro musculoskeletal pain screening questionnaire following road traffic injury: evidence from an inception cohort study in New South Wales, Australia. BMC Musculoskeletal Disorders, 2019, 20, 531.	0.8	16
138	Using audit and feedback to increase clinician adherence to clinical practice guidelines in brain injury rehabilitation: A before and after study. PLoS ONE, 2019, 14, e0213525.	1.1	16
139	Heat exhaustion in The Sunâ€Herald City to Surf fun run. Medical Journal of Australia, 1994, 161, 361-365.	0.8	16
140	Restricted weight bearing after hip fracture surgery in the elderly: economic costs and health outcomes. Journal of Evaluation in Clinical Practice, 2009, 15, 217-219.	0.9	15
141	Body composition in older community-dwelling adults with hip fracture: portable field methods validated by dual-energy X-ray absorptiometry. British Journal of Nutrition, 2013, 109, 1219-1229.	1.2	15
142	Management of frailty: a protocol of a network meta-analysis of randomized controlled trials. Systematic Reviews, 2017, 6, 130.	2.5	15
143	Spatiotemporal Gait Analysis and Lower Limb Functioning in Foot Dystonia Treated with Botulinum Toxin. Toxins, 2018, 10, 532.	1.5	15
144	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. Clinical Rehabilitation, 2010, 24, 565-573.	1.0	14

#	Article	IF	CITATIONS
145	Models of rehabilitation $\hat{a}\in$ " commonalities of interventions that work and of those that do not. Disability and Rehabilitation, 2010, 32, 1051-1058.	0.9	14
146	Increasing adherence with the use of hip protectors for older people living in the community. Osteoporosis International, 2011, 22, 617-626.	1.3	14
147	Development and relative validity of a new field instrument for detection of geriatric cachexia: preliminary analysis in hip fracture patients. Journal of Cachexia, Sarcopenia and Muscle, 2013, 4, 209-216.	2.9	14
148	Prevalence of poor outcomes soon after injury and their association with the severity of the injury. Injury Prevention, 2014, 20, 57-61.	1.2	14
149	Describing and comparing the characteristics of injured bicyclists and other injured road users: a prospective cohort study. BMC Public Health, 2016, 16, 324.	1.2	14
150	Psychological distress following a motor vehicle crash: evidence from a statewide retrospective study examining settlement times and costs of compensation claims. BMJ Open, 2017, 7, e017515.	0.8	14
151	Patterns and Predictors of Failed and Sustained Return-to-Work in Transport Injury Insurance Claimants. Journal of Occupational Rehabilitation, 2018, 28, 740-748.	1.2	14
152	Supporting at-risk older adults transitioning from hospital to home: who benefits from an evidence-based patient-centered discharge planning intervention? Post-hoc analysis from a randomized trial. BMC Geriatrics, 2020, 20, 84.	1.1	14
153	Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionals' views. Disability and Rehabilitation, 2021, 43, 834-845.	0.9	14
154	Proxy assessment of health-related quality of life in the frail elderly. Age and Ageing, 2003, 32, 459-459.	0.7	13
155	Low-trauma fractures indicate increased risk of hip fracture in frail older people. Journal of Bone and Mineral Research, 2011, 26, 428-433.	3.1	13
156	Changing insurance company claims handling processes improves some outcomes for people injured in road traffic crashes. BMC Public Health, 2012, 12, 36.	1.2	13
157	Cost-effectiveness of individualized nutrition and exercise therapy for rehabilitation following hip fracture. Journal of Rehabilitation Medicine, 2016, 48, 378-385.	0.8	13
158	Differential Predictors of Pain Severity Over 12 Months Following Noncatastrophic Injury Sustained in a Road Traffic Crash. Journal of Pain, 2019, 20, 676-684.	0.7	13
159	Factors associated with graduated return to work following injury in a road traffic crash. Journal of Transport and Health, 2018, 10, 167-177.	1.1	12
160	Adoption and use of guidelines for whiplash: an audit of insurer and health professional practice in New South Wales, Australia. BMC Health Services Research, 2018, 18, 622.	0.9	12
161	Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. Physical Therapy, 2019, 99, 276-285.	1.1	12
162	Determining return to work in a compensation setting: A review of New South Wales workplace rehabilitation service provider referrals over 5 years. Work, 2014, 48, 11-20.	0.6	11

#	Article	IF	Citations
163	Associations with legal representation in a compensation setting 12 months after injury. Injury, 2015, 46, 918-925.	0.7	11
164	Comparison of health outcomes between hospitalised and non-hospitalised persons with minor injuries sustained in a road traffic crash in Australia: a prospective cohort study. BMJ Open, 2015, 5, e009303.	0.8	11
165	Process outcomes of a multifaceted, interdisciplinary knowledge translation intervention in aged care: results from the vitamin D implementation (ViDAus) study. BMC Geriatrics, 2019, 19, 177.	1.1	11
166	People living in nursing care facilities who are ambulant and fracture their hips: description of usual care and an alternative rehabilitation pathway. BMC Geriatrics, 2020, 20, 128.	1.1	11
167	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. Spinal Cord, 2021, 59, 649-658.	0.9	11
168	A selection strategy was developed for fracture reduction programs in frail older people. Journal of Clinical Epidemiology, 2010, 63, 679-685.	2.4	10
169	The effect of testosterone and a nutritional supplement on hospital admissions in under-nourished, older people. BMC Geriatrics, 2011, 11, 66.	1.1	10
170	Geriatric consultation services-are wards more effective than teams?. BMC Medicine, 2013, 11, 49.	2.3	10
171	A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. Clinical Rehabilitation, 2018, 32, 919-929.	1.0	10
172	Burden and Preparedness amongst Informal Caregivers of Adults with Moderate to Severe Traumatic Brain Injury. International Journal of Environmental Research and Public Health, 2020, 17, 6386.	1.2	10
173	Impacts of injury severity on long-term outcomes following motor vehicle crashes. BMC Public Health, 2021, 21, 602.	1.2	10
174	Orthopaedic physiotherapists' perceptions of mechanisms for observed variation in the implementation of physiotherapy practices in the early postoperative phase after hip fracture: a UK qualitative study. Age and Ageing, 2021, 50, 1961-1970.	0.7	10
175	Mobility training for increasing mobility and functioning in older people with frailty. The Cochrane Library, 2022, 2022, .	1.5	10
176	Residential respite care is associated with family carers experiencing financial strain. Australasian Journal on Ageing, 2014, 33, 93-98.	0.4	9
177	Costs and advance directives at the end of life: a case of the †Coaching Older Adults and Carers to have their preferences Heard (COACH)' trial. BMC Health Services Research, 2015, 15, 545.	0.9	9
178	Subsequent Injury Study (SInS): Improving outcomes for injured New Zealanders. Injury Prevention, 2017, 23, 429-429.	1.2	9
179	Health care professionals' attitudes towards evidence-based medicine in the workers' compensation setting: a cohort study. BMC Medical Informatics and Decision Making, 2017, 17, 64.	1.5	9
180	Measuring functional ability in hospitalized older adults: a validation study. Disability and Rehabilitation, 2018, 40, 1972-1978.	0.9	9

#	Article	IF	Citations
181	Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. BMC Health Services Research, 2019, 19, 806.	0.9	9
182	An early investigation of individual budget expenditures in the era of consumerâ€directed care. Australasian Journal on Ageing, 2020, 39, e145-e152.	0.4	9
183	Predictors of health-related quality of life after non-catastrophic injury sustained in a road traffic crash. Annals of Physical and Rehabilitation Medicine, 2020, 63, 280-287.	1.1	9
184	How to manage musculoskeletal conditions: when is  Rehabilitation' appropriate?. Best Practice and Research in Clinical Rheumatology, 2004, 18, 573-586.	1.4	8
185	Co-ordinated multidisciplinary approaches for inpatient rehabilitation of older patients with proximal femoral fractures. The Cochrane Library, 2010, 2010, CD000106.	1.5	8
186	Factors influencing adherence with therapeutic sunlight exposure in older people in intermediate care facilities. Archives of Gerontology and Geriatrics, 2012, 54, e234-e241.	1.4	8
187	Medical and moral considerations regarding complex medical decisions in older patients with multimorbidity: a compact deliberation framework. BMC Geriatrics, 2018, 18, 25.	1.1	8
188	Health and return to work in the first two years following road traffic injury: a comparison of outcomes between compensation claimants in Victoria and New South Wales, Australia. Injury, 2020, 51, 2199-2208.	0.7	8
189	Trends in calcium and vitamin D usage among older people in nursing care facilities in Australia: still falling short of the guidelines. International Journal of Rheumatic Diseases, 2008, 11, 430-434.	0.9	7
190	RELATIONSHIP BETWEEN HIP FRACTURE SUBTYPES, SURGICAL PROCEDURE, AND ANALGESIA USE. Journal of the American Geriatrics Society, 2009, 57, 2378-2380.	1.3	7
191	ORAL VITAMIN D REPLACEMENT AFTER HIP FRACTURE: A COMPARATIVE REVIEW. Journal of the American Geriatrics Society, 2010, 58, 382-383.	1.3	7
192	A Prospective Review of Hip Fracture Subtypes, Surgical Procedure, Cognitive Status, and Analgesia Use Across 4 Australian Hospitals. Geriatric Orthopaedic Surgery and Rehabilitation, 2011, 2, 45-50.	0.6	7
193	Improving Mobility and Reducing Disability in Older People Through Early High-Dose Vitamin D Replacement Following Hip Fracture: A Protocol for a Randomized Controlled Trial and Economic Evaluation. Geriatric Orthopaedic Surgery and Rehabilitation, 2011, 2, 94-99.	0.6	7
194	A health economic model for the development and evaluation of innovations in aged care: an application to consumer-directed care-study protocol. BMJ Open, 2014, 4, e005788-e005788.	0.8	7
195	Predictors of time to claim closure following a non-catastrophic injury sustained in a motor vehicle crash: a prospective cohort study. BMC Public Health, 2016, 16, 421.	1.2	7
196	A surveillance study to determine the accuracy of mild traumatic brain injury diagnosis in an emergency department: protocol for a retrospective cohort study. BMJ Open, 2017, 7, e016222.	0.8	7
197	Assessing the impact of care pathways on potentially preventable complications and costs for spinal trauma patients: protocol for a data linkage study using cohort study and administrative data. BMJ Open, 2018, 8, e023785.	0.8	7
198	Increasing the uptake of vitamin D supplement use in Australian residential aged care facilities: results from the vitamin D implementation (ViDAus) study. BMC Geriatrics, 2020, 20, 383.	1.1	7

#	Article	IF	CITATIONS
199	The role of stress reactivity and pre-injury psychosocial vulnerability to psychological and physical health immediately after traumatic injury. Psychoneuroendocrinology, 2021, 127, 105190.	1.3	7
200	Healthcare resource use in patients of the Australian Transition Care Program. Australian Health Review, 2015, 39, 411.	0.5	6
201	Identifying baby boomer service expectations for future aged care community services in Australia. Health and Social Care in the Community, 2022, 30, 726-734.	0.7	6
202	Understanding in the Australian aged care sector of reablement interventions for people living with dementia: a qualitative content analysis. BMC Health Services Research, 2020, 20, 140.	0.9	6
203	Comparison of physical and psychological health outcomes for motorcyclists and other road users after land transport crashes: an inception cohort study. BMC Public Health, 2021, 21, 1983.	1.2	6
204	Transition Care: what is it and what are its outcomes?. Medical Journal of Australia, 2007, 187, 197-198.	0.8	5
205	Wearing hip protectors does not reduce health-related quality of life in older people. Age and Ageing, 2012, 41, 121-125.	0.7	5
206	Retrospective cohort study of accident outcomes for individuals who have successfully undergone driver assessment following stroke. Australian Occupational Therapy Journal, 2012, 59, 56-62.	0.6	5
207	Predictors of seeking financial compensation following motor vehicle trauma: inception cohort with moderate to severe musculoskeletal injuries. BMC Musculoskeletal Disorders, 2017, 18, 177.	0.8	5
208	Determinants of staff commitment to hip protectors in long-term care: A cross-sectional survey. International Journal of Nursing Studies, 2018, 82, 139-148.	2.5	5
209	Impact of further injury on participation in work and activities among those previously injured: results from a New Zealand prospective cohort study. Quality of Life Research, 2018, 27, 3167-3178.	1.5	5
210	Agents of change: establishing quality improvement collaboratives to improve adherence to Australian clinical guidelines for dementia care. Implementation Science, 2018, 13, 123.	2.5	5
211	Psychological distress following a motor vehicle crash: preliminary results of a randomised controlled trial investigating brief psychological interventions. Trials, 2018, 19, 343.	0.7	5
212	Impact of preâ€surgery hospital transfer on time to surgery and 30â€day mortality for people with hip fractures. Medical Journal of Australia, 2021, 215, 87-88.	0.8	5
213	Designing clinical indicators for common residential aged care conditions and processes of care: the CareTrack Aged development and validation study. International Journal for Quality in Health Care, 2022, 34, .	0.9	5
214	Endâ€ofâ€life issues: Case 1. Medical Journal of Australia, 2001, 175, 424-425.	0.8	4
215	EBM in practice: aged care. Medical Journal of Australia, 2001, 175, 37-38.	0.8	4
216	Meeting rehabilitation service needs in rural and remote Australia: A focus group workshop with rehabilitation service health care providers. Australian Journal of Rural Health, 2009, 17, 109-110.	0.7	4

#	Article	IF	CITATIONS
217	Qualitative Triadic Study of the Relational Factors Influencing the Formation of Quality in a Community-Based Aged Health Care Service Network. Health Marketing Quarterly, 2011, 28, 155-173.	0.6	4
218	Femoral fracture rates after discharge from the hospital to the community. Journal of Bone and Mineral Research, 2013, 28, 821-827.	3.1	4
219	Mild traumatic brain injury and motor vehicle crashes: Limitations to our understanding. Injury, 2015, 46, 1871-1874.	0.7	4
220	Prevention of the development of psychological distress following a motor vehicle crash: study protocol for a randomized controlled trial. Trials, 2016, 17, 317.	0.7	4
221	Validation and psychometric properties of the commitment to hip protectors (C-HiP) index in long-term care providers of British Columbia, Canada: a cross-sectional survey. BMC Geriatrics, 2017, 17, 103.	1.1	4
222	Prevalence of vitamin D supplement use in Australian residential aged care facilities in November 2014. BMC Research Notes, 2017, 10, 385.	0.6	4
223	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based InterVentions to prevent serious Complications following spinal cord injury in Bangladesh. BMJ Open, 2018, 8, e024226.	0.8	4
224	Benefits of Vitamin D supplementation in older people living in nursing care facilities. Age and Ageing, 2019, 48, 761-762.	0.7	4
225	<i>CareTrack Aged</i> : the appropriateness of care delivered to Australians living in residential aged care facilities: a study protocol. BMJ Open, 2019, 9, e030988.	0.8	4
226	Functional and employment outcomes following road traffic crashes in Queensland, Australia: Protocol for a prospective cohort study Journal of Transport and Health, 2019, 15, 100678.	1.1	4
227	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. Spinal Cord, 2020, 58, 1166-1175.	0.9	4
228	Effect of Individual Nutrition Therapy and Exercise Regime on Gait Speed, Physical Function, Strength and Balance, Body Composition, Energy and Protein, in Injured, Vulnerable Elderly: A Multisite Randomized Controlled Trial (INTERACTIVE). Nutrients, 2021, 13, 3182.	1.7	4
229	Life expectancy of older people living in aged care facilities after a hip fracture. Scientific Reports, 2021, 11, 20266.	1.6	4
230	Rehabilitation medicine. Medical Journal of Australia, 2002, 177, 385-386.	0.8	3
231	ASSESSING ADHERENCE TO USE OF HIP PROTECTORS: AUTOMATED MONITORING IS FEASIBLE. Journal of the American Geriatrics Society, 2011, 59, 1766-1767.	1.3	3
232	Mobility training for increasing mobility and functioning in older people with frailty. The Cochrane Library, 0, , .	1.5	3
233	Outdoor areas of Australian residential aged care facilities do not facilitate appropriate sun exposure. Australian Health Review, 2015, 39, 406.	0.5	3
234	Translating reablement research for dementia practice: development of a handbook using implementation science. Disability and Rehabilitation, 2022, 44, 1524-1536.	0.9	3

#	Article	IF	CITATIONS
235	l've got to be independent': views of older people on recovery following road traffic injury in New South Wales, Australia. BMC Public Health, 2020, 20, 1294.	1.2	3
236	Supporting communityâ€dwelling older people with cognitive impairment to stay at home: A modelled cost analysis. Australasian Journal on Ageing, 2020, 39, e506-e514.	0.4	3
237	<scp>COVID</scp> â€19: planning for the aftermath to manage the aftershocks. Medical Journal of Australia, 2020, 213, 60.	0.8	3
238	Twelve-month health outcomes for bicyclists and car occupants after a non-catastrophic traffic crash injury. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101368.	1.1	3
239	Patient and hospital factors influencing discharge destination following hip fracture. Australasian Journal on Ageing, 2021, 40, e234-e243.	0.4	3
240	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Örebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 207-215.	1.7	3
241	Inability of the Mini-Mental State Exam (MMSE) and high-contrast visual acuity to identify unsafe drivers. Accident Analysis and Prevention, 2022, 168, 106595.	3.0	3
242	Whither Transition Care. Australasian Journal on Ageing, 2010, 29, 147-149.	0.4	2
243	Contemporary Pain Management in Elderly Patients After Hip Fracture Surgery. Clinical Journal of Pain, 2015, 31, 788-793.	0.8	2
244	Making Sense of Data Analytic Techniques used in a Cochrane Systematic Review. Brain Impairment, 2018, 19, 81-90.	0.5	2
245	Clinical advances – from bench to bedside. Best Practice and Research in Clinical Rheumatology, 2020, 34, 101598.	1.4	2
246	Beyond symptom resolution: insurance case manager's perspective on predicting recovery after motor vehicle crash. Disability and Rehabilitation, 2021, 43, 498-506.	0.9	2
247	A neuro-cardiac self-regulation therapy to improve autonomic and neural function after SCI: a randomized controlled trial protocol. BMC Neurology, 2021, 21, 329.	0.8	2
248	Challenges and Opportunities for Academic Journals to Serve the Older Population in Western Pacific Region. Annals of Geriatric Medicine and Research, 2021, , .	0.7	2
249	Improved survival rates after hip fracture surgery in New South Wales, 2011–2018. Medical Journal of Australia, 2022, 216, 420-421.	0.8	2
250	Activity, Participation, and Goal Awareness After Acquired Brain Injury: A Prospective Observational Study of Inpatient Rehabilitation. Annals of Rehabilitation Medicine, 2021, 45, 413-421.	0.6	2
251	Long-term effect of additional rehabilitation following botulinum toxin-A on upper limb activity in chronic stroke: the InTENSE randomised trial. BMC Neurology, 2022, 22, 154.	0.8	2
252	Exploring barriers to, and enablers of, evidence-informed hip fracture care in five low- middle-income countries: China, India, Thailand, the Philippines and Vietnam. Health Policy and Planning, 2022, 37, 1000-1011.	1.0	2

#	Article	IF	Citations
253	Health literacy and recovery following a non-catastrophic road traffic injury. BMC Public Health, 2022, 22, .	1.2	2
254	Recruiting older people for clinical trials and health promotion programs. Medical Journal of Australia, 1997, 167, 441-441.	0.8	1
255	Evidenceâ€based guidelines for fixing broken hips. Medical Journal of Australia, 2004, 180, 254-255.	0.8	1
256	Fall-related sub-acute and non-acute care and hospitalised rehabilitation episodes of care: what is the injury burden?. Australian Health Review, 2013, 37, 348.	0.5	1
257	Exploring Client Adherence Factors Related to Clinical Outcomes. Australasian Marketing Journal, 2014, 22, 197-204.	3 <b>.</b> 5	1
258	Association between head injury and concussion with retinal vessel caliber. PLoS ONE, 2018, 13, e0200441.	1.1	1
259	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. Spinal Cord, 2021, 59, 833-841.	0.9	1
260	Has consumerâ€directed care improved the quality of life of older Australians? An exploratory empirical assessment. Australasian Journal on Ageing, 2021, , .	0.4	1
261	A new model of care and inâ€house general practitioners for residential aged care facilities. Medical Journal of Australia, 2021, 215, 44.	0.8	1
262	The future of rehabilitation for older Australians. Medical Journal of Australia, 2021, 215, 169-170.	0.8	1
263	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. Brazilian Journal of Physical Therapy, 2021, 25, 471-480.	1.1	1
264	Predictors of subsequent injury at work: findings from a prospective cohort of injured workers in New Zealand. Occupational and Environmental Medicine, 2020, 77, 839-846.	1.3	1
265	Rehabilitation from a broader health service perspective: an Australian viewpoint. Journal of Allied Health, 2009, 38, 121-3.	0.2	1
266	Frailty in older people: Rehabilitation Treatment Research Examining Separate Settings (FORTRESS): protocol for a hybrid type II stepped wedge, cluster, randomised trial. BMC Geriatrics, 2022, 22, .	1.1	1
267	Endâ€ofâ€ife issues. Medical Journal of Australia, 2002, 177, 54-55.	0.8	0
268	RESPONSE LETTER TO DR. AMIR ET AL Journal of the American Geriatrics Society, 2008, 56, 364-365.	1.3	0
269	Commentary on "Evaluating inpatient public rehabilitation in Australia using a utilization review tool developed in North America". Journal of Rehabilitation Medicine, 2010, 42, 282-283.	0.8	0
270	Improving the osteoporosis care gap in elderly patients following hip fractures: For the ICHIBAN initiative. Journal of Orthopaedics, 2013, 10, 99-104.	0.6	0

#	Article	IF	CITATIONS
271	Testing the effect of discharge destination on outcomes for people with isolated lower limb fractures. Medical Journal of Australia, 2020, 212, 255-256.	0.8	O
272	Factors influencing duration of compensation following road traffic crash injury in older vs younger adults. Australasian Journal on Ageing, 2021, 40, e13-e21.	0.4	0
273	Exercise with Older People who have Activity Limitations. Journal of the American Medical Directors Association, 2021, 22, 731-732.	1.2	O
274	Incidence, severity and time course of pressure injuries over the first two years following discharge from hospital in people with spinal cord injuries in Bangladesh. Spinal Cord, 2022, , .	0.9	0
275	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study. BMC Musculoskeletal Disorders, 2022, 23, 395.	0.8	0