

Ian D Cameron

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7251108/ian-d-cameron-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

259
papers

7,095
citations

45
h-index

74
g-index

281
ext. papers

8,237
ext. citations

3.5
avg, IF

5.85
L-index

#	Paper	IF	Citations
259	A randomized, controlled trial of quadriceps resistance exercise and vitamin D in frail older people: the Frailty Interventions Trial in Elderly Subjects (FITNESS). <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 291-9	5.6	329
258	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2012 , 12, CD005465	5.2	246
257	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. <i>BMC Medicine</i> , 2013 , 11, 65	11.4	231
256	4: Rehabilitation after traumatic brain injury. <i>Medical Journal of Australia</i> , 2003 , 178, 290-5	4	224
255	Interventions for preventing falls in older people in nursing care facilities and hospitals. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD005465		213
254	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ, The</i> , 2008 , 336, 758-60	5.9	161
253	Associations between drug burden index and falls in older people in residential aged care. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 875-80	5.6	156
252	Evidence for the optimal management of acute and chronic phantom pain: a systematic review. <i>Clinical Journal of Pain</i> , 2002 , 18, 84-92	3.5	150
251	Evidence-based guidelines for the management of hip fractures in older persons: an update. <i>Medical Journal of Australia</i> , 2010 , 192, 37-41	4	134
250	Differing risk factors for falls in nursing home and intermediate-care residents who can and cannot stand unaided. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1645-50	5.6	130
249	Epidemiology of falls in residential aged care: analysis of more than 70,000 falls from residents of bavarian nursing homes. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 187.e1-6	5.9	126
248	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2018 , 9, CD005465	5.2	126
247	A critical review of the pathophysiology of dysautonomia following traumatic brain injury. <i>Neurocritical Care</i> , 2008 , 8, 293-300	3.3	117
246	Multidisciplinary rehabilitation for older people with hip fractures. <i>The Cochrane Library</i> , 2009 , CD007125	5.2	105
245	Frailty Intervention Trial (FIT). <i>BMC Geriatrics</i> , 2008 , 8, 27	4.1	104
244	Treating frailty--a practical guide. <i>BMC Medicine</i> , 2011 , 9, 83	11.4	100
243	Dysautonomia and heart rate variability following severe traumatic brain injury. <i>Brain Injury</i> , 2006 , 20, 437-44	2.1	99

242	Atypical antipsychotic medications and risk of falls in residents of aged care facilities. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1290-5	5.6	95
241	Pharmacological management of Dysautonomia following traumatic brain injury. <i>Brain Injury</i> , 2004 , 18, 409-17	2.1	89
240	Maximising functional recovery following hip fracture in frail seniors. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 771-88	5.3	85
239	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. <i>BMC Medicine</i> , 2012 , 10, 120	11.4	83
238	Accelerated rehabilitation after proximal femoral fracture: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 1993 , 15, 29-34	2.4	80
237	Rehabilitation interventions for improving physical and psychosocial functioning after hip fracture in older people. <i>The Cochrane Library</i> , 2010 , CD007624	5.2	79
236	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018 , 18, 36	4.1	76
235	Economic evaluation of a multifactorial, interdisciplinary intervention versus usual care to reduce frailty in frail older people. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 41-8	5.9	73
234	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. <i>Age and Ageing</i> , 2014 , 43, 616-22	3	73
233	High bone turnover is an independent predictor of mortality in the frail elderly. <i>Journal of Bone and Mineral Research</i> , 2006 , 21, 549-55	6.3	70
232	Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. <i>Brain Impairment</i> , 2005 , 6, 75-89	1	65
231	Evidence-based guidelines for fixing broken hips: an update. <i>Medical Journal of Australia</i> , 2003 , 179, 489-93	7.3	64
230	Cost effectiveness of accelerated rehabilitation after proximal femoral fracture. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 1307-13	5.7	60
229	Hip fracture causes excess mortality owing to cardiovascular and infectious disease in institutionalized older people: a prospective 5-year study. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 866-72	6.3	59
228	Mobility training after hip fracture: a randomised controlled trial. <i>Age and Ageing</i> , 2009 , 38, 74-80	3	58
227	The World Health Organization Disability Assessment Scale, WHODAS II: reliability and validity in the measurement of activity and participation in a spinal cord injury population. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 747-55	3.4	57
226	Understanding the effect of compensation on recovery from severe motor vehicle crash injuries: a qualitative study. <i>Injury Prevention</i> , 2011 , 17, 222-7	3.2	57
225	The consequences of falls in acute and subacute hospitals in Australia that cause proximal femoral fractures. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 577-82	5.6	57

224	Temporal relationship between handgrip strength and cognitive performance in oldest old people. <i>Age and Ageing</i> , 2012 , 41, 506-12	3	55
223	Effect of age-related chronic immobility on markers of bone turnover. <i>Journal of Bone and Mineral Research</i> , 2006 , 21, 324-31	6.3	52
222	Management of Frailty: A Systematic Review and Network Meta-analysis of Randomized Controlled Trials. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1190-1198	5.9	51
221	Prevalence and predictors of sub-acute phase disability after injury among hospitalised and non-hospitalised groups: a longitudinal cohort study. <i>PLoS ONE</i> , 2012 , 7, e44909	3.7	48
220	Vitamin D deficiency is common in frail institutionalised older people in northern Sydney. <i>Medical Journal of Australia</i> , 2002 , 176, 560	4	48
219	The effect of financial compensation on health outcomes following musculoskeletal injury: systematic review. <i>PLoS ONE</i> , 2015 , 10, e0117597	3.7	47
218	Elder abuse: prevalence, intervention and outcomes in patients referred to four Aged Care Assessment Teams. <i>Medical Journal of Australia</i> , 1997 , 166, 119-22	4	45
217	Hypovitaminosis D and parathyroid hormone response in the elderly: effects on bone turnover and mortality. <i>Clinical Endocrinology</i> , 2008 , 68, 290-8	3.4	45
216	Pain characteristics and their association with quality of life and self-concept in children with hemiplegic cerebral palsy identified from a population register. <i>Clinical Journal of Pain</i> , 2008 , 24, 335-42	3.5	45
215	Severe traumatic brain injury in New South Wales: comparable outcomes for rural and urban residents. <i>Medical Journal of Australia</i> , 2004 , 181, 130-4	4	45
214	Legislative change is associated with improved health status in people with whiplash. <i>Spine</i> , 2008 , 33, 250-4	3.3	43
213	Associations between drug burden index and physical function in older people in residential aged care facilities. <i>Age and Ageing</i> , 2010 , 39, 503-7	3	42
212	Predictors of serious consequences of falls in residential aged care: analysis of more than 70,000 falls from residents of Bavarian nursing homes. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 559-63	5.9	41
211	Risk factors for hip fracture among institutionalised older people. <i>Age and Ageing</i> , 2009 , 38, 429-34	3	41
210	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e007091	3	39
209	Psychological distress, quality of life, and burden in caregivers during community reintegration after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1312-9	2.8	38
208	How best to fix a broken hip. <i>Medical Journal of Australia</i> , 1999 , 171, 330-331	4	38
207	Investigating consumers' and informal carers' views and preferences for consumer directed care: A discrete choice experiment. <i>Social Science and Medicine</i> , 2015 , 140, 81-94	5.1	37

206	Development and validation of fall risk screening tools for use in residential aged care facilities. <i>Medical Journal of Australia</i> , 2008 , 189, 193-6	4	37
205	Prognostic indicators of social outcomes in persons who sustained an injury in a road traffic crash. <i>Injury</i> , 2015 , 46, 909-17	2.5	36
204	Risk factors for fracture following a fall among older people in residential care facilities in Australia. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 2020-6	5.6	36
203	External hip protectors: likely non-compliance among high risk elderly people living in the community. <i>Archives of Gerontology and Geriatrics</i> , 1994 , 19, 273-81	4	36
202	Femoral fracture rates in people with and without disability. <i>Age and Ageing</i> , 2012 , 41, 653-8	3	35
201	Coordinated multidisciplinary rehabilitation after hip fracture. <i>Disability and Rehabilitation</i> , 2005 , 27, 1081-90	2.4	34
200	Associations between drug burden index and mortality in older people in residential aged care facilities. <i>Drugs and Aging</i> , 2012 , 29, 157-65	4.7	33
199	Disability in older Australians: projections for 2006-2031. <i>Medical Journal of Australia</i> , 2003 , 179, 130-3	4	31
198	1: Rehabilitation and older people. <i>Medical Journal of Australia</i> , 2002 , 177, 387-91	4	31
197	Sunlight and health: attitudes of older people living in intermediate care facilities in southern Australia. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 51, e94-9	4	30
196	Do exercise interventions designed to prevent falls affect participation in life roles? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2011 , 40, 666-74	3	29
195	Do men and women differ in their course following traumatic brain injury? A preliminary prospective investigation of early outcome. <i>Brain Injury</i> , 2008 , 22, 183-91	2.1	29
194	Course of recovery for whiplash associated disorders in a compensation setting. <i>Injury</i> , 2015 , 46, 2118-29	2.5	28
193	Prevalence and psychometric screening for the detection of major depressive disorder and post-traumatic stress disorder in adults injured in a motor vehicle crash who are engaged in compensation. <i>BMC Psychology</i> , 2018 , 6, 4	2.8	27
192	Overview of findings from a 2-year study of claimants who had sustained a mild or moderate injury in a road traffic crash: prospective study. <i>BMC Research Notes</i> , 2017 , 10, 76	2.3	27
191	A comparison of health outcomes in older versus younger adults following a road traffic crash injury: a cohort study. <i>PLoS ONE</i> , 2015 , 10, e0122732	3.7	27
190	BMI: a simple, rapid and clinically meaningful index of under-nutrition in the oldest old?. <i>British Journal of Nutrition</i> , 2009 , 101, 1300-5	3.6	27
189	Should we provide outreach rehabilitation to very old people living in Nursing Care Facilities after a hip fracture? A randomised controlled trial. <i>Age and Ageing</i> , 2019 , 48, 373-380	3	26

188	Self-esteem in carers of frail older people: resentment predicts anxiety and depression. <i>Aging and Mental Health</i> , 2011 , 15, 671-8	3.5	26
187	Factors that challenge health for people involved in the compensation process following a motor vehicle crash: a longitudinal study. <i>BMC Public Health</i> , 2015 , 15, 339	4.1	25
186	Important features of home-based support services for older Australians and their informal carers. <i>Health and Social Care in the Community</i> , 2015 , 23, 654-64	2.6	25
185	The distribution of health services for older people in Australia: where does transition care fit?. <i>Australian Health Review</i> , 2009 , 33, 572-82	1.8	25
184	Reduction of femoral fractures in long-term care facilities: the Bavarian fracture prevention study. <i>PLoS ONE</i> , 2011 , 6, e24311	3.7	25
183	Consumer Directed Care in Australia: early perceptions and experiences of staff, clients and carers. <i>Health and Social Care in the Community</i> , 2017 , 25, 478-491	2.6	24
182	Differences in perceived fairness and health outcomes in two injury compensation systems: a comparative study. <i>BMC Public Health</i> , 2016 , 16, 658	4.1	24
181	Predictors of return to work following motor vehicle related orthopaedic trauma. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 171	2.8	24
180	Identifying predictors of early non-recovery in a compensation setting: The Whiplash Outcome Study. <i>Injury</i> , 2011 , 42, 25-32	2.5	24
179	Issues and challenges for development of a sustainable service model for people with spinal cord injury living in rural regions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1941-7	2.8	24
178	The perils of pet ownership: a new fall-injury risk factor. <i>Medical Journal of Australia</i> , 2004 , 181, 682-3	4	24
177	Elder abuse--an Australian case series. <i>Medical Journal of Australia</i> , 1991 , 155, 150-3	4	24
176	Not just about costs: the role of health economics in facilitating decision making in aged care. <i>Age and Ageing</i> , 2010 , 39, 426-9	3	23
175	Calcium metabolism in the frail elderly. <i>Clinical Rheumatology</i> , 2005 , 24, 576-82	3.9	23
174	Factors influencing social and health outcomes after motor vehicle crash injury: an inception cohort study protocol. <i>BMC Public Health</i> , 2014 , 14, 199	4.1	22
173	Transition care: will it deliver?. <i>Medical Journal of Australia</i> , 2008 , 188, 251-3	4	22
172	Functioning and health-related quality of life following injury in older people: a systematic review. <i>Injury Prevention</i> , 2017 , 23, 403-411	3.2	21
171	Epidemiology of hospitalised traumatic brain injury in the state of New South Wales, Australia: a population-based study. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 382-388	2.3	21

170	A randomized trial comparing acupuncture and simulated acupuncture for subacute and chronic whiplash. <i>Spine</i> , 2011 , 36, E1659-65	3.3	21
169	Predicting employment status at 2 years postdischarge from spinal cord injury rehabilitation. <i>Rehabilitation Psychology</i> , 2011 , 56, 251-256	2.7	21
168	The effect of compensation on health care utilisation in a trauma cohort. <i>Medical Journal of Australia</i> , 2009 , 190, 619-22	4	21
167	Psychological distress following a motor vehicle crash: A systematic review of preventative interventions. <i>Injury</i> , 2016 , 47, 2415-2423	2.5	21
166	Occupational Therapy Pre-discharge Home Visits in Acute Hospital Care: A Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2019-2026	5.6	20
165	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and STepping On after R fracture) randomised controlled trial. <i>BMC Geriatrics</i> , 2016 , 16, 34	4.1	20
164	Does one size fit all? Assessing the preferences of older and younger people for attributes of quality of life. <i>Quality of Life Research</i> , 2017 , 26, 299-309	3.7	20
163	Improving adherence with the use of hip protectors among older people living in nursing care facilities: a cluster randomized trial. <i>Journal of the American Medical Directors Association</i> , 2011 , 12, 50-75.9	5.9	20
162	Walking aid use after discharge following hip fracture is rarely reviewed and often inappropriate: an observational study. <i>Journal of Physiotherapy</i> , 2010 , 56, 267-72	2.9	20
161	Inpatient multidisciplinary rehabilitation after hip fracture for residents of nursing homes: a randomised trial. <i>Australasian Journal on Ageing</i> , 2008 , 27, 43-4	1.5	20
160	Recovery of Impairments After Severe Traumatic Brain Injury: Findings From a Prospective, Multicentre Study. <i>Brain Impairment</i> , 2006 , 7, 1-15	1	20
159	Promoting Activity in Geriatric Rehabilitation: A Randomized Controlled Trial of Accelerometry. <i>PLoS ONE</i> , 2016 , 11, e0160906	3.7	20
158	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. <i>Trials</i> , 2016 , 17, 131	2.8	19
157	Associations with duration of compensation following whiplash sustained in a motor vehicle crash. <i>Injury</i> , 2015 , 46, 1848-55	2.5	18
156	Recruiting older people at nutritional risk for clinical trials: what have we learned?. <i>BMC Research Notes</i> , 2015 , 8, 151	2.3	18
155	How do clients in Australia experience Consumer Directed Care?. <i>BMC Geriatrics</i> , 2018 , 18, 148	4.1	18
154	An empirical comparison of the OPQoL-Brief, EQ-5D-3L and ASCOT in a community dwelling population of older people. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 164	3	18
153	The perceptions and experiences of people injured in motor vehicle crashes in a compensation scheme setting: a qualitative study. <i>BMC Public Health</i> , 2015 , 15, 423	4.1	18

152	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2017 , 63, 40-44	2.9	17
151	Rehabilitation in dementia care. <i>Age and Ageing</i> , 2018 , 47, 171-174	3	17
150	Effectiveness of oral nutritional supplementation for older women after a fracture: rationale, design and study of the feasibility of a randomized controlled study. <i>BMC Geriatrics</i> , 2011 , 11, 32	4.1	17
149	A survey of rehabilitation services in Australia. <i>Australian Health Review</i> , 2008 , 32, 392-9	1.8	17
148	Outcomes of rehabilitation in older people--functioning and cognition are the most important predictors: an inception cohort study. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 24-30	3.4	16
147	Measuring community integration after spinal cord injury: validation of the Sydney psychosocial reintegration scale and community integration measure. <i>Quality of Life Research</i> , 2010 , 19, 1185-93	3.7	16
146	Determinants of heterotopic ossification after total hip replacement surgery. <i>HIP International</i> , 2009 , 19, 41-6	1.7	16
145	Heat exhaustion in The Sun-Herald City to Surf fun run. <i>Medical Journal of Australia</i> , 1994 , 161, 361-5	4	16
144	Developing Interventions for Frailty 2015 , 2015, 1-7		15
143	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. <i>Age and Ageing</i> , 2014 , 43, 31-7	3	15
142	Fracture risk assessment in frail older people using clinical risk factors. <i>Age and Ageing</i> , 2008 , 37, 536-41	3	15
141	Traumatic brain injury--support for injured people and their carers. <i>Australian Family Physician</i> , 2014 , 43, 758-63		15
140	Individual nutrition therapy and exercise regime: a controlled trial of injured, vulnerable elderly (INTERACTIVE trial). <i>BMC Geriatrics</i> , 2008 , 8, 4	4.1	14
139	An initial loading-dose vitamin D versus placebo after hip fracture surgery: randomized trial. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 336	2.8	14
138	Frailty and Rehabilitation. <i>Interdisciplinary Topics in Gerontology and Geriatrics</i> , 2015 , 41, 137-50	3	13
137	Health-related quality of life 24 months after sustaining a minor musculoskeletal injury in a road traffic crash: A prospective cohort study. <i>Traffic Injury Prevention</i> , 2017 , 18, 251-256	1.8	13
136	Restriction in functioning and quality of life is common in people 2 months after compensable motor vehicle crashes: prospective cohort study. <i>Injury Epidemiology</i> , 2015 , 2, 8	1.7	13
135	Innovation and Consumer Directed Care: Identifying the challenges. <i>Australasian Journal on Ageing</i> , 2015 , 34, 265-8	1.5	13

134	Implementing falls prevention research into policy and practice in Australia: past, present and future. <i>Journal of Safety Research</i> , 2011 , 42, 517-20	4	13
133	Restricted weight bearing after hip fracture surgery in the elderly: economic costs and health outcomes. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 217-9	2.5	13
132	Management of frailty: a protocol of a network meta-analysis of randomized controlled trials. <i>Systematic Reviews</i> , 2017 , 6, 130	3	12
131	Prevalence of poor outcomes soon after injury and their association with the severity of the injury. <i>Injury Prevention</i> , 2014 , 20, 57-61	3.2	12
130	Changing insurance company claims handling processes improves some outcomes for people injured in road traffic crashes. <i>BMC Public Health</i> , 2012 , 12, 36	4.1	12
129	Psychological distress following a motor vehicle crash: evidence from a statewide retrospective study examining settlement times and costs of compensation claims. <i>BMJ Open</i> , 2017 , 7, e017515	3	12
128	Increasing adherence with the use of hip protectors for older people living in the community. <i>Osteoporosis International</i> , 2011 , 22, 617-26	5.3	12
127	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. <i>Clinical Rehabilitation</i> , 2010 , 24, 565-73	3.3	12
126	Proxy assessment of health-related quality of life in the frail elderly. <i>Age and Ageing</i> , 2003 , 32, 459-61	3	12
125	The association between seeking financial compensation and injury recovery following motor vehicle related orthopaedic trauma. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 282	2.8	12
124	Community-based InterVentions to prevent serlous Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e010350	3	11
123	Describing and comparing the characteristics of injured bicyclists and other injured road users: a prospective cohort study. <i>BMC Public Health</i> , 2016 , 16, 324	4.1	11
122	Development and relative validity of a new field instrument for detection of geriatric cachexia: preliminary analysis in hip fracture patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2013 , 4, 209-16	10.3	11
121	Low-trauma fractures indicate increased risk of hip fracture in frail older people. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 428-33	6.3	11
120	Cost-effectiveness of individualized nutrition and exercise therapy for rehabilitation following hip fracture. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 378-85	3.4	11
119	Patterns and Predictors of Failed and Sustained Return-to-Work in Transport Injury Insurance Claimants. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 740-748	3.6	10
118	Effectiveness of Hip Protectors to Reduce Risk for Hip Fracture from Falls in Long-Term Care. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1397-1403.e1	5.9	10
117	Determining return to work in a compensation setting: a review of New South Wales workplace rehabilitation service provider referrals over 5 years. <i>Work</i> , 2014 , 48, 11-20	1.6	10

116	Body composition in older community-dwelling adults with hip fracture: portable field methods validated by dual-energy X-ray absorptiometry. <i>British Journal of Nutrition</i> , 2013 , 109, 1219-29	3.6	10
115	A selection strategy was developed for fracture reduction programs in frail older people. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 679-85	5.7	10
114	Spatiotemporal Gait Analysis and Lower Limb Functioning in Foot Dystonia Treated with Botulinum Toxin. <i>Toxins</i> , 2018 , 10,	4.9	10
113	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2907-2916	4	9
112	Adoption and use of guidelines for whiplash: an audit of insurer and health professional practice in New South Wales, Australia. <i>BMC Health Services Research</i> , 2018 , 18, 622	2.9	9
111	Appendicular skeletal muscle in hospitalised hip-fracture patients: development and cross-validation of anthropometric prediction equations against dual-energy X-ray absorptiometry. <i>Age and Ageing</i> , 2014 , 43, 857-62	3	9
110	Health care professionals' Attitudes towards evidence-based medicine in the workers' compensation setting: a cohort study. <i>BMC Medical Informatics and Decision Making</i> , 2017 , 17, 64	3.6	9
109	The effect of testosterone and a nutritional supplement on hospital admissions in under-nourished, older people. <i>BMC Geriatrics</i> , 2011 , 11, 66	4.1	9
108	Models of rehabilitation - commonalities of interventions that work and of those that do not. <i>Disability and Rehabilitation</i> , 2010 , 32, 1051-8	2.4	9
107	Associations with legal representation in a compensation setting 12 months after injury. <i>Injury</i> , 2015 , 46, 918-25	2.5	8
106	Comparison of health outcomes between hospitalised and non-hospitalised persons with minor injuries sustained in a road traffic crash in Australia: a prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e009303	3	8
105	Factors associated with graduated return to work following injury in a road traffic crash. <i>Journal of Transport and Health</i> , 2018 , 10, 167-177	3	8
104	Costs and advance directives at the end of life: a case of the Coaching Older Adults and Carers to have their preferences Heard (COACH) Trial. <i>BMC Health Services Research</i> , 2015 , 15, 545	2.9	8
103	Residential respite care is associated with family carers experiencing financial strain. <i>Australasian Journal on Ageing</i> , 2014 , 33, 93-8	1.5	8
102	Differential Predictors of Pain Severity Over 12 Months Following Noncatastrophic Injury Sustained in a Road Traffic Crash. <i>Journal of Pain</i> , 2019 , 20, 676-684	5.2	8
101	Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionals' views. <i>Disability and Rehabilitation</i> , 2021 , 43, 834-845	2.4	8
100	Electrical stimulation for treating pressure ulcers. <i>The Cochrane Library</i> , 2020 , 1, CD012196	5.2	7
99	Positive recovery for low-risk injuries screened by the short form - fibro musculoskeletal pain screening questionnaire following road traffic injury: evidence from an inception cohort study in New South Wales, Australia. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 531	2.8	7

98	Factors influencing adherence with therapeutic sunlight exposure in older people in intermediate care facilities. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, e234-41	4	7
97	Trends in calcium and vitamin D usage among older people in nursing care facilities in Australia: still falling short of the guidelines. <i>International Journal of Rheumatic Diseases</i> , 2008 , 11, 430-434	2.3	7
96	Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. <i>Physical Therapy</i> , 2019 , 99, 276-285	3.3	6
95	Using audit and feedback to increase clinician adherence to clinical practice guidelines in brain injury rehabilitation: A before and after study. <i>PLoS ONE</i> , 2019 , 14, e0213525	3.7	6
94	A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 919-929	3.3	6
93	Measuring functional ability in hospitalized older adults: a validation study. <i>Disability and Rehabilitation</i> , 2018 , 40, 1972-1978	2.4	6
92	Predictors of time to claim closure following a non-catastrophic injury sustained in a motor vehicle crash: a prospective cohort study. <i>BMC Public Health</i> , 2016 , 16, 421	4.1	6
91	Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. <i>BMC Health Services Research</i> , 2019 , 19, 806	2.9	6
90	Geriatric consultation services-are wards more effective than teams?. <i>BMC Medicine</i> , 2013 , 11, 49	11.4	6
89	Healthcare resource use in patients of the Australian Transition Care Program. <i>Australian Health Review</i> , 2015 , 39, 411-416	1.8	6
88	A health economic model for the development and evaluation of innovations in aged care: an application to consumer-directed care-study protocol. <i>BMJ Open</i> , 2014 , 4, e005788	3	6
87	How to manage musculoskeletal conditions: when is Rehabilitation appropriate?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004 , 18, 573-86	5.3	6
86	Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Non-Inferiority Trial. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2598-2604	5.6	6
85	People living in nursing care facilities who are ambulant and fracture their hips: description of usual care and an alternative rehabilitation pathway. <i>BMC Geriatrics</i> , 2020 , 20, 128	4.1	6
84	Process outcomes of a multifaceted, interdisciplinary knowledge translation intervention in aged care: results from the vitamin D implementation (ViDAus) study. <i>BMC Geriatrics</i> , 2019 , 19, 177	4.1	5
83	Medical and moral considerations regarding complex medical decisions in older patients with multimorbidity: a compact deliberation framework. <i>BMC Geriatrics</i> , 2018 , 18, 25	4.1	5
82	Relationship between hip fracture subtypes, surgical procedure, and analgesia use. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2378-80	5.6	5
81	Improving mobility and reducing disability in older people through early high-dose vitamin d replacement following hip fracture: a protocol for a randomized controlled trial and economic evaluation. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2011 , 2, 94-9	2	5

80	Wearing hip protectors does not reduce health-related quality of life in older people. <i>Age and Ageing</i> , 2012 , 41, 121-5	3	5
79	Oral vitamin D replacement after hip fracture: a comparative review. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 382-3	5.6	5
78	Subsequent Injury Study (SiNS): Improving outcomes for injured New Zealanders. <i>Injury Prevention</i> , 2017 , 23, 429	3.2	4
77	A surveillance study to determine the accuracy of mild traumatic brain injury diagnosis in an emergency department: protocol for a retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e016222	3	4
76	Femoral fracture rates after discharge from the hospital to the community. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 821-7	6.3	4
75	Meeting rehabilitation service needs in rural and remote Australia: a focus group workshop with rehabilitation service health care providers. <i>Australian Journal of Rural Health</i> , 2009 , 17, 109-10	1.3	4
74	A prospective review of hip fracture subtypes, surgical procedure, cognitive status, and analgesia use across 4 Australian hospitals. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2011 , 2, 45-50	2	4
73	Transition Care: what is it and what are its outcomes?. <i>Medical Journal of Australia</i> , 2007 , 187, 197-8	4	4
72	End-of-life issues: case 1. <i>Medical Journal of Australia</i> , 2001 , 175, 424-5	4	4
71	EBM in practice: aged care. <i>Medical Journal of Australia</i> , 2001 , 175, 37-8	4	4
70	Burden and Preparedness amongst Informal Caregivers of Adults with Moderate to Severe Traumatic Brain Injury. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
69	Prevention of the development of psychological distress following a motor vehicle crash: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 317	2.8	4
68	An early investigation of individual budget expenditures in the era of consumer-directed care. <i>Australasian Journal on Ageing</i> , 2020 , 39, e145-e152	1.5	4
67	Impact of further injury on participation in work and activities among those previously injured: results from a New Zealand prospective cohort study. <i>Quality of Life Research</i> , 2018 , 27, 3167-3178	3.7	4
66	Assessing the impact of care pathways on potentially preventable complications and costs for spinal trauma patients: protocol for a data linkage study using cohort study and administrative data. <i>BMJ Open</i> , 2018 , 8, e023785	3	4
65	Agents of change: establishing quality improvement collaboratives to improve adherence to Australian clinical guidelines for dementia care. <i>Implementation Science</i> , 2018 , 13, 123	8.4	4
64	Supporting at-risk older adults transitioning from hospital to home: who benefits from an evidence-based patient-centered discharge planning intervention? Post-hoc analysis from a randomized trial. <i>BMC Geriatrics</i> , 2020 , 20, 84	4.1	3
63	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. <i>Spinal Cord</i> , 2020 , 58, 1166-1175	2.7	3

62	Prevalence of vitamin D supplement use in Australian residential aged care facilities in November 2014. <i>BMC Research Notes</i> , 2017 , 10, 385	2.3	3
61	Psychological distress following a motor vehicle crash: preliminary results of a randomised controlled trial investigating brief psychological interventions. <i>Trials</i> , 2018 , 19, 343	2.8	3
60	Validation and psychometric properties of the commitment to hip protectors (C-HiP) index in long-term care providers of British Columbia, Canada: a cross-sectional survey. <i>BMC Geriatrics</i> , 2017 , 17, 103	4.1	3
59	Predictors of seeking financial compensation following motor vehicle trauma: inception cohort with moderate to severe musculoskeletal injuries. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 177	2.8	3
58	A longitudinal study of support needs after severe traumatic brain injury. <i>Brain Injury</i> , 2020 , 34, 991-1000.	0.1	3
57	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021 , 59, 649-658	2.7	3
56	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based Interventions to prevent serious Complications following spinal cord injury in Bangladesh. <i>BMJ Open</i> , 2018 , 8, e024226	3	3
55	COVID-19: planning for the aftermath to manage the aftershocks. <i>Medical Journal of Australia</i> , 2020 , 213, 60-61.e1	4	2
54	Determinants of staff commitment to hip protectors in long-term care: A cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2018 , 82, 139-148	5.8	2
53	Benefits of Vitamin D supplementation in older people living in nursing care facilities. <i>Age and Ageing</i> , 2019 , 48, 761-762	3	2
52	: the appropriateness of care delivered to Australians living in residential aged care facilities: a study protocol. <i>BMJ Open</i> , 2019 , 9, e030988	3	2
51	Retrospective cohort study of accident outcomes for individuals who have successfully undergone driver assessment following stroke. <i>Australian Occupational Therapy Journal</i> , 2012 , 59, 56-62	1.7	2
50	Outdoor areas of Australian residential aged care facilities do not facilitate appropriate sun exposure. <i>Australian Health Review</i> , 2015 , 39, 406-410	1.8	2
49	Assessing adherence to use of hip protectors: automated monitoring is feasible. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1766-7	5.6	2
48	Qualitative triadic study of the relational factors influencing the formation of quality in a community-based aged health care service network. <i>Health Marketing Quarterly</i> , 2011 , 28, 155-73	1.1	2
47	Rehabilitation medicine. <i>Medical Journal of Australia</i> , 2002 , 177, 385-6	4	2
46	Multidisciplinary rehabilitation for older people with hip fractures. <i>The Cochrane Library</i> , 2021 , 11, CD007125	1.25	2
45	Predictors of health-related quality of life after non-catastrophic injury sustained in a road traffic crash. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020 , 63, 280-287	3.8	2

44	Health and return to work in the first two years following road traffic injury: a comparison of outcomes between compensation claimants in Victoria and New South Wales, Australia. <i>Injury</i> , 2020 , 51, 2199-2208	2.5	2
43	ITe got to be independentT views of older people on recovery following road traffic injury in New South Wales, Australia. <i>BMC Public Health</i> , 2020 , 20, 1294	4.1	2
42	Impacts of injury severity on long-term outcomes following motor vehicle crashes. <i>BMC Public Health</i> , 2021 , 21, 602	4.1	2
41	Understanding in the Australian aged care sector of reablement interventions for people living with dementia: a qualitative content analysis. <i>BMC Health Services Research</i> , 2020 , 20, 140	2.9	1
40	Making Sense of Data Analytic Techniques used in a Cochrane Systematic Review. <i>Brain Impairment</i> , 2018 , 19, 81-90	1	1
39	Contemporary Pain Management in Elderly Patients After Hip Fracture Surgery: Cross-sectional Analyses at Baseline of a Randomized Controlled Trial. <i>Clinical Journal of Pain</i> , 2015 , 31, 788-793	3.5	1
38	Exploring Client Adherence Factors Related to Clinical Outcomes. <i>Australasian Marketing Journal</i> , 2014 , 22, 197-204	5	1
37	Mobility training for increasing mobility and functioning in older people with frailty. <i>The Cochrane Library</i> , 2013 ,	5.2	1
36	Fall-related sub-acute and non-acute care and hospitalised rehabilitation episodes of care: what is the injury burden?. <i>Australian Health Review</i> , 2013 , 37, 348-55	1.8	1
35	Recruiting older people for clinical trials and health promotion programs. <i>Medical Journal of Australia</i> , 1997 , 167, 441	4	1
34	Evidence-based guidelines for fixing broken hips. <i>Medical Journal of Australia</i> , 2004 , 180, 254-255	4	1
33	Comparison of physical and psychological health outcomes for motorcyclists and other road users after land transport crashes: an inception cohort study. <i>BMC Public Health</i> , 2021 , 21, 1983	4.1	1
32	Identifying baby boomer service expectations for future aged care community services in Australia. <i>Health and Social Care in the Community</i> , 2020 ,	2.6	1
31	Clinical advances - from bench to bedside. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020 , 34, 101598	5.3	1
30	Translating reablement research for dementia practice: development of a handbook using implementation science. <i>Disability and Rehabilitation</i> , 2020 , 1-13	2.4	1
29	Increasing the uptake of vitamin D supplement use in Australian residential aged care facilities: results from the vitamin D implementation (ViDAus) study. <i>BMC Geriatrics</i> , 2020 , 20, 383	4.1	1
28	Supporting community-dwelling older people with cognitive impairment to stay at home: A modelled cost analysis. <i>Australasian Journal on Ageing</i> , 2020 , 39, e506-e514	1.5	1
27	Impact of pre-surgery hospital transfer on time to surgery and 30-day mortality for people with hip fractures. <i>Medical Journal of Australia</i> , 2021 , 215, 87-88	4	1

26	The role of stress reactivity and pre-injury psychosocial vulnerability to psychological and physical health immediately after traumatic injury. <i>Psychoneuroendocrinology</i> , 2021 , 127, 105190	5	1
25	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Bebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 207-215	4.2	1
24	Orthopaedic physiotherapists' perceptions of mechanisms for observed variation in the implementation of physiotherapy practices in the early postoperative phase after hip fracture: a UK qualitative study. <i>Age and Ageing</i> , 2021 , 50, 1961-1970	3	1
23	Twelve-month health outcomes for bicyclists and car occupants after a non-catastrophic traffic crash injury. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101368	3.8	1
22	Beyond symptom resolution: insurance case manager's perspective on predicting recovery after motor vehicle crash. <i>Disability and Rehabilitation</i> , 2021 , 43, 498-506	2.4	1
21	Discharge planning from hospital.. <i>The Cochrane Library</i> , 2022 , 2, CD000313	5.2	1
20	Designing Clinical Indicators for Common Residential Aged Care Conditions and Processes of Care: The CareTrack Aged Development and Validation Study.. <i>International Journal for Quality in Health Care</i> , 2022 ,	1.9	1
19	Long-term effect of additional rehabilitation following botulinum toxin-A on upper limb activity in chronic stroke: the InTENSE randomised trial.. <i>BMC Neurology</i> , 2022 , 22, 154	3.1	1
18	Association between head injury and concussion with retinal vessel caliber. <i>PLoS ONE</i> , 2018 , 13, e0200441	4.7	0
17	Life expectancy of older people living in aged care facilities after a hip fracture. <i>Scientific Reports</i> , 2021 , 11, 20266	4.9	0
16	Predictors of subsequent injury at work: findings from a prospective cohort of injured workers in New Zealand. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 839-846	2.1	0
15	A new model of care and in-house general practitioners for residential aged care facilities. <i>Medical Journal of Australia</i> , 2021 , 215, 44-44.e1	4	0
14	Patient and hospital factors influencing discharge destination following hip fracture. <i>Australasian Journal on Ageing</i> , 2021 , 40, e234-e243	1.5	0
13	A neuro-cardiac self-regulation therapy to improve autonomic and neural function after SCI: a randomized controlled trial protocol. <i>BMC Neurology</i> , 2021 , 21, 329	3.1	0
12	Improved survival rates after hip fracture surgery in New South Wales, 2011-2018.. <i>Medical Journal of Australia</i> , 2022 ,	4	0
11	Inability of the Mini-Mental State Exam (MMSE) and high-contrast visual acuity to identify unsafe drivers.. <i>Accident Analysis and Prevention</i> , 2022 , 168, 106595	6.1	0
10	Improving the osteoporosis care gap in elderly patients following hip fractures: For the ICHIBAN initiative. <i>Journal of Orthopaedics</i> , 2013 , 10, 99-104	1.6	
9	Commentary on "Evaluating inpatient public rehabilitation in Australia using a utilization review tool developed in North America". <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 282-3	3.4	

8	RESPONSE LETTER TO DR. AMIR ET AL.. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 364-365	5.6
7	End-of-life issues. <i>Medical Journal of Australia</i> , 2002 , 177, 54-55	4
6	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 471-480	3.7
5	Functional and employment outcomes following road traffic crashes in Queensland, Australia: Protocol for a prospective cohort study.. <i>Journal of Transport and Health</i> , 2019 , 15, 100678	3
4	Factors influencing duration of compensation following road traffic crash injury in older vs younger adults. <i>Australasian Journal on Ageing</i> , 2021 , 40, e13-e21	1.5
3	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021 , 59, 833-841	2.7
2	Activity, Participation, and Goal Awareness After Acquired Brain Injury: A Prospective Observational Study of Inpatient Rehabilitation.. <i>Annals of Rehabilitation Medicine</i> , 2021 , 45, 413-421	1.7
1	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 395	2.8