## **Panagiotis Mililis**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7251143/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Safety of smartwatches and their chargers in patients with cardiac implantable electronic devices. Europace, 2021, 23, 99-103.	1.7	6
2	Safety of catheter ablation of atrial fibrillation without pre―or periâ€procedural imaging for the detection of left atrial thrombus in the era of uninterrupted anticoagulation. Journal of Arrhythmia, 2021, 37, 28-32.	1.2	1
3	Use of high-density activation and voltage mapping in combination with entrainment to delineate gap-related atrial tachycardias post atrial fibrillation ablation. Europace, 2021, 23, 1052-1062.	1.7	9
4	KCNE2 gene mutation and Brugada syndrome. Journal of Electrocardiology, 2021, 65, 143-145.	0.9	2
5	Atrial substrate characterization in patients with atrial fibrillation and hypertrophic cardiomyopathy: Evidence for an extensive fibrotic disease. Journal of Electrocardiology, 2021, 69, 87-92.	0.9	7
6	The RV1-V3 transition ratio: A novel electrocardiographic criterion for the differentiation of right versus left outflow tract premature ventricular complexes. Heart Rhythm O2, 2021, 2, 521-528.	1.7	11
7	Right ventricular outflow tract electroanatomical abnormalities in asymptomatic and highâ€risk symptomatic patients with Brugada syndrome: Evidence for a new risk stratification tool?. Journal of Cardiovascular Electrophysiology, 2021, 32, 2997-3007.	1.7	11
8	RBM20 mutation and ventricular arrhythmias in a young patient with dilated cardiomyopathy: a case report. American Journal of Cardiovascular Disease, 2021, 11, 398-403.	0.5	1
9	Restitution metrics in Brugada syndrome: a systematic review and meta-analysis. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 319-327.	1.3	2
10	Highâ€density mapping of de novo focal atrial tachycardias using a new software: Protected lowâ€voltage areas by zones of conduction delay. Journal of Arrhythmia, 2020, 36, 785-788.	1.2	0
11	Incorporating Latent Variables Using Nonnegative Matrix Factorization Improves Risk Stratification in Brugada Syndrome. Journal of the American Heart Association, 2020, 9, e012714.	3.7	28
12	The aortic cusps are the predominant successful ablation site of idiopathic outflow-tract ventricular arrhythmias. Journal of Electrocardiology, 2020, 61, 63-65.	0.9	2
13	Fasciculoventricular bypass tracts: Electrocardiographic and electrophysiologic features. Journal of Arrhythmia, 2020, 36, 537-541.	1.2	2
14	Reel syndrome—An uncommon etiology of ICD dysfunction. Clinical Case Reports (discontinued), 2020, 8, 582-583.	0.5	3
15	QRS Morphology Shift Following Catheter Ablation of Idiopathic Outflow Tract Ventricular Tachycardia. Journal of Innovations in Cardiac Rhythm Management, 2020, 11, 4334-4336.	0.5	0
16	Electrophysiologic study and catheter ablation of a supraventricular tachycardia in a patient with inferior vena cava congenital anomaly. American Journal of Cardiovascular Disease, 2020, 10, 405-408.	0.5	0
17	Right ventricular outflow tract lowâ€voltage areas identify the site of origin of idiopathic ventricular arrhythmias: A highâ€density mapping study. Journal of Cardiovascular Electrophysiology, 2019, 30, 2362-2369.	1.7	14
18	Clinical characteristics and long-term clinical course of patients with Brugada syndrome without previous cardiac arrest: a multiparametric risk stratification approach. Europace, 2019, 21, 1911-1918.	1.7	13

#	Article	IF	CITATIONS
19	Ventricular septal rupture following myocardial infarction: A potentially fatal complication. Clinical Case Reports (discontinued), 2019, 7, 397-400.	0.5	2
20	The J-waves of hypothermia. Journal of Thoracic Disease, 2018, 10, 529-530.	1.4	3