

# Maryse Guerin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7252608/maryse-guerin-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25  
papers

669  
citations

13  
h-index

25  
g-index

25  
ext. papers

757  
ext. citations

4.9  
avg, IF

3.05  
L-index

#	Paper	IF	Citations
25	Action of atorvastatin in combined hyperlipidemia : preferential reduction of cholesteryl ester transfer from HDL to VLDL1 particles. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2000</b> , 20, 189-97	9.4	204
24	Torcetrapib differentially modulates the biological activities of HDL2 and HDL3 particles in the reverse cholesterol transport pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2009</b> , 29, 268-75	9.4	62
23	Atheroprotective reverse cholesterol transport pathway is defective in familial hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 1675-81	9.4	58
22	Cholesteryl ester flux from HDL to VLDL-1 is preferentially enhanced in type IIB hyperlipidemia in the postprandial state. <i>Journal of Lipid Research</i> , <b>2002</b> , 43, 1652-60	6.3	50
21	Adipocyte ATP-binding cassette G1 promotes triglyceride storage, fat mass growth, and human obesity. <i>Diabetes</i> , <b>2015</b> , 64, 840-55	0.9	43
20	Association of Serum Cholesterol Efflux Capacity With Mortality in Patients With ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 3259-3269	15.1	36
19	Atorvastatin reduces postprandial accumulation and cholesteryl ester transfer protein-mediated remodeling of triglyceride-rich lipoprotein subspecies in type IIb hyperlipidemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 4991-5000	5.6	33
18	Functionality of postprandial larger HDL2 particles is enhanced following CETP inhibition therapy. <i>Atherosclerosis</i> , <b>2012</b> , 221, 160-8	3.1	31
17	Association of Cholesterol Efflux Capacity With Clinical Features of Metabolic Syndrome: Relevance to Atherosclerosis. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	30
16	Extended-Release Niacin/Laropiprant Improves Overall Efficacy of Postprandial Reverse Cholesterol Transport. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2016</b> , 36, 285-94	9.4	16
15	Comparative Analyses of QTLs Influencing Obesity and Metabolic Phenotypes in Pigs and Humans. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137356	3.7	15
14	Plasma cholesterol efflux capacity from human THP-1 macrophages is reduced in HIV-infected patients: impact of HAART. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 692-702	6.3	13
13	A serum protein factor mediates maturation and apoB-association of HCV particles in the extracellular milieu. <i>Journal of Hepatology</i> , <b>2019</b> , 70, 626-638	13.4	13
12	Evidence for a cholesteryl ester donor activity of LDL particles during alimentary lipemia in normolipidemic subjects. <i>Atherosclerosis</i> , <b>1999</b> , 147, 41-8	3.1	12
11	Endogenous CETP activity as a predictor of cardiovascular risk: determination of the optimal range. <i>Atherosclerosis</i> , <b>2013</b> , 227, 165-71	3.1	9
10	Hypoalphalipoproteinemia and BRAF Mutation Are Major Predictors of Aortic Infiltration in the Erdheim-Chester Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2018</b> , 38, 1913-1925	9.4	8
9	Improved plasma cholesterol efflux capacity from human macrophages in patients with hyperalphalipoproteinemia. <i>Atherosclerosis</i> , <b>2014</b> , 234, 193-9	3.1	8

8	Reduced CETP glycosylation and activity in patients with homozygous B4GALT1 mutations. <i>Journal of Inherited Metabolic Disease</i> , <b>2020</b> , 43, 611-617	5.4	7
7	Reduced Reverse Cholesterol Transport Efficacy in Healthy Men with Undesirable Postprandial Triglyceride Response. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	5
6	Epigenetic and Transcriptomic Characterization of Pure Adipocyte Fractions From Obese Pigs Identifies Candidate Pathways Controlling Metabolism. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 1268	4.5	4
5	Identification of the first Tangier disease patient in Lebanon carrying a new pathogenic variant in ABCA1. <i>Journal of Clinical Lipidology</i> , <b>2018</b> , 12, 1374-1382	4.9	4
4	Interleukin-1 $\beta$ and Risk of Premature Death in Patients With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 1763-1773	15.1	3
3	Inclusion of endophenotypes in a standard GWAS facilitate a detailed mechanistic understanding of genetic elements that control blood lipid levels. <i>Scientific Reports</i> , <b>2020</b> , 10, 18434	4.9	3
2	Distinct Postprandial Bile Acids Responses to a High-Calorie Diet in Men Volunteers Underscore Metabolically Healthy and Unhealthy Phenotypes. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	1
1	Modulation of cholesterol efflux capacity in patients with myocardial infarction. <i>Current Opinion in Cardiology</i> , <b>2019</b> , 34, 714-720	2.1	1