

JÃ©rÃ© My Coquart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/725271/publications.pdf>

Version: 2024-02-01

78
papers

1,203
citations

394421

19
h-index

454955

30
g-index

90
all docs

90
docs citations

90
times ranked

1381
citing authors

#	ARTICLE	IF	CITATIONS
1	Greater effects of high- compared with moderate-intensity interval training on cardio-metabolic variables, blood leptin concentration and ratings of perceived exertion in obese adolescent females. <i>Biology of Sport</i> , 2016, 33, 145-152.	3.2	106
2	Plyometric exercise combined with high-intensity interval training improves metabolic abnormalities in young obese females more so than interval training alone. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 103-109.	1.9	81
3	Prediction of Maximal or Peak Oxygen Uptake from Ratings of Perceived Exertion. <i>Sports Medicine</i> , 2014, 44, 563-578.	6.5	68
4	Intermittent versus Continuous Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1546-1553.	0.4	61
5	Time-motion, tactical and technical analysis in top-level karatekas according to gender, match outcome and weight categories. <i>Journal of Sports Sciences</i> , 2015, 33, 841-849.	2.0	46
6	Physiological and Perceived Exertion Responses during International Karate Kumite Competition. <i>Asian Journal of Sports Medicine</i> , 2013, 4, 263-71.	0.3	42
7	Six-minute stepper test: a valid clinical exercise tolerance test for COPD patients. <i>International Journal of COPD</i> , 2016, 11, 657.	2.3	40
8	Reproducibility and Sensitivity of the 6-Minute Stepper Test in Patients with COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015, 12, 533-538.	1.6	37
9	Emergency reversal of anticoagulation: The real use of prothrombin complex concentrates. <i>Thrombosis Research</i> , 2012, 130, e178-e183.	1.7	36
10	Influence of successive bouts of fatiguing exercise on perceptual and physiological markers during an incremental exercise test. <i>Psychophysiology</i> , 2009, 46, 209-216.	2.4	33
11	Prediction of peak oxygen uptake from sub-maximal ratings of perceived exertion elicited during a graded exercise test in obese women. <i>Psychophysiology</i> , 2009, 46, 1150-1153.	2.4	29
12	Real-life feasibility and effectiveness of home-based pulmonary rehabilitation in chronic obstructive pulmonary disease requiring medical equipment. <i>International Journal of COPD</i> , 2017, Volume 12, 3549-3556.	2.3	29
13	Planning Training Workload in Football Using Small-Sided Games' Density. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 2801-2811.	2.1	28
14	Mixed Martial Arts Induces Significant Fatigue and Muscle Damage Up to 24 Hours Post-combat. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1570-1579.	2.1	28
15	Validity and Reliability of a New Karate-Specific Aerobic Field Test for Karatekas. <i>International Journal of Sports Physiology and Performance</i> , 2014, 9, 953-958.	2.3	27
16	Relevance of the measure of perceived exertion for the rehabilitation of obese patients. <i>Annals of Physical and Rehabilitation Medicine</i> , 2012, 55, 623-640.	2.3	25
17	Home-based neuromuscular electrical stimulation improves exercise tolerance and health-related quality of life in patients with COPD. <i>International Journal of COPD</i> , 2016, 11, 1189.	2.3	23
18	Hemodynamic adjustments during breath-holding in trained divers. <i>European Journal of Applied Physiology</i> , 2013, 113, 2523-2529.	2.5	21

#	ARTICLE	IF	CITATIONS
19	Cold Water Immersion Enhanced Athletesâ€™ Wellness and 10-m Short Sprint Performance 24-h After a Simulated Mixed Martial Arts Combat. <i>Frontiers in Physiology</i> , 2018, 9, 1542.	2.8	21
20	The oxygen-conserving potential of the diving response: A kinetic-based analysis. <i>Journal of Sports Sciences</i> , 2017, 35, 678-687.	2.0	20
21	Validity and Reliability of Perceptually-Based Scales during Exhausting Runs in Trained Male Runners. <i>Perceptual and Motor Skills</i> , 2007, 104, 254-266.	1.3	18
22	Submaximal, Perceptually Regulated Exercise Testing Predicts Maximal Oxygen Uptake: A Meta-Analysis Study. <i>Sports Medicine</i> , 2016, 46, 885-897.	6.5	18
23	A specific prediction equation is necessary to estimate peak oxygen uptake in obese patients with metabolic syndrome. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 635-642.	3.3	18
24	Multidirectional Plyometric Training: Very Efficient Way to Improve Vertical Jump Performance, Change of Direction Performance and Dynamic Postural Control in Young Soccer Players. <i>Frontiers in Physiology</i> , 2019, 10, 1462.	2.8	18
25	Knowledge of the Endpoint: Effect on Perceptual Values. <i>International Journal of Sports Medicine</i> , 2008, 29, 976-979.	1.7	16
26	Long-term effect of home-based pulmonary rehabilitation in severe asthma. <i>Respiratory Medicine</i> , 2019, 157, 36-41.	2.9	16
27	THE INFLUENCE OF KARATE PRACTICE LEVEL AND SEX ON PHYSIOLOGICAL AND PERCEPTUAL RESPONSES IN THREE MODERN KARATE TRAINING MODALITIES. <i>Biology of Sport</i> , 2014, 31, 201-207.	3.2	15
28	Validity of a Nomogram to Predict Long Distance Running Performance. <i>Journal of Strength and Conditioning Research</i> , 2009, 23, 2119-2123.	2.1	14
29	Prediction of peak oxygen uptake from age and power output at RPE 15 in obese women. <i>European Journal of Applied Physiology</i> , 2010, 110, 645-649.	2.5	14
30	Effects of in Season Multi-Directional Plyometric Training on Vertical Jump Performance, Change of Direction Speed and Dynamic Postural Control in U-21 Soccer Players. <i>Frontiers in Physiology</i> , 2020, 11, 374.	2.8	14
31	Impact of a walking program of 10,000 steps per day and dietary counseling on health-related quality of life, energy expenditure and anthropometric parameters in obese subjects. <i>Journal of Endocrinological Investigation</i> , 2017, 40, 135-141.	3.3	13
32	Relationships Between Psychological Factors, RPE and Time Limit Estimated by Teleoanticipation. <i>Sport Psychologist</i> , 2012, 26, 359-374.	0.9	11
33	Orthotic Insoles Improve Gait Symmetry and Reduce Immediate Pain in Subjects With Mild Leg Length Discrepancy. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 579152.	1.8	11
34	Prediction of Time to Exhaustion in Competitive Cyclists From a Perceptually Based Scale. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 1393-1399.	2.1	10
35	Self-regulation of exercise intensity by estimated time limit scale. <i>European Journal of Applied Physiology</i> , 2012, 112, 2303-2312.	2.5	10
36	Estimated Time Limit. <i>Sports Medicine</i> , 2012, 42, 845-855.	6.5	9

#	ARTICLE	IF	CITATIONS
37	Cardio-ventilatory responses to poikilocapnic hypoxia and hypercapnia in trained breath-hold divers. <i>Respiratory Physiology and Neurobiology</i> , 2014, 192, 48-54.	1.6	9
38	Prediction of One-Hour Running Performance Using Constant Duration Tests. <i>Journal of Strength and Conditioning Research</i> , 2006, 20, 735.	2.1	9
39	Misperception. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2676.	0.4	8
40	The Effects of Sporting and Physical Practice on Visual and Kinesthetic Motor Imagery Vividness: A Comparative Study Between Athletic, Physically Active, and Exempted Adolescents. <i>Frontiers in Psychology</i> , 2021, 12, 776833.	2.1	8
41	Precision in the Prediction of Middle Distance-Running Performances Using Either a Nomogram or the Modeling of the Distance-Time Relationship. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 2920-2926.	2.1	7
42	Effects of Endurance Training at the Crossover Point in Women with Metabolic Syndrome. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2380-2388.	0.4	7
43	Prediction of peak oxygen uptake from ratings of perceived exertion during a sub-maximal cardiopulmonary exercise test in patients with chronic obstructive pulmonary disease. <i>European Journal of Applied Physiology</i> , 2015, 115, 365-372.	2.5	7
44	The effects of shoe type on lower limb venous status during gait or exercise: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0239787.	2.5	7
45	Estimated Time Limit. <i>Sports Medicine</i> , 2012, 42, 845-855.	6.5	7
46	Effect of Performance Level on the Prediction of Middle-Distance-Running Performances Using a Nomogram. <i>International Journal of Sports Physiology and Performance</i> , 2016, 11, 623-626.	2.3	6
47	Benefits of a regular vs irregular rhythm-based training programme on physical fitness and motor skills in obese girls. <i>Journal of Endocrinological Investigation</i> , 2017, 40, 1227-1234.	3.3	6
48	Exercise training at the crossover point improves bodily and cardiorespiratory data but not quality of life in women with metabolic syndrome. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 57, 138-143.	0.7	6
49	Effects of flexibility combined with plyometric exercises vs isolated plyometric or flexibility mode in adolescent male hurdlers. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 60, 45-52.	0.7	6
50	Effects of Orthotic Insoles on Gait Kinematics and Low-Back Pain in Patients with Mild Leg Length Discrepancy. <i>Journal of the American Podiatric Medical Association</i> , 2021, 111, .	0.3	6
51	Influence of sex and specialty on the prediction of middle-distance running performances using the Mercier et al.'s nomogram. <i>Journal of Sports Sciences</i> , 2015, 33, 1124-1131.	2.0	5
52	Effects of a training program at the crossover point on the cluster of metabolic abnormalities and cardiovascular risk factors. <i>Journal of Exercise Science and Fitness</i> , 2014, 12, 73-79.	2.2	4
53	Early-Phase Recovery of Cardiorespiratory Measurements after Maximal Cardiopulmonary Exercise Testing in Patients with Chronic Obstructive Pulmonary Disease. <i>Pulmonary Medicine</i> , 2016, 2016, 1-7.	1.9	4
54	Sequelae of Acute Respiratory Distress Syndrome: Interest of Rehabilitation. <i>Case Reports in Critical Care</i> , 2019, 2019, 1-5.	0.4	4

#	ARTICLE	IF	CITATIONS
55	<p>Convergent Validity and Minimal Clinically Important Difference of the Mageri Foundation Respiratory Failure Questionnaire (MRF-28) and the Chronic Obstructive Pulmonary Disease-Specific Health-Related Quality of Life questionnaire (VQ11)</p>. International Journal of COPD, 2019, Volume 14, 2895-2903.	2.3	4
56	Effect of yoga on health-related quality of life in central nervous system disorders: A systematic review. Clinical Rehabilitation, 2021, 35, 1530-1543.	2.2	4
57	Correlation of gas exchange threshold and first muscle oxyhemoglobin inflection point with time-to-exhaustion during heavy-intensity exercise. Journal of Sports Medicine and Physical Fitness, 2017, 57, 171-178.	0.7	3
58	PREDICTION OF ONE-HOUR RUNNING PERFORMANCE USING CONSTANT DURATION TESTS. Journal of Strength and Conditioning Research, 2006, 20, 735-739.	2.1	2
59	Influence of Instructions on Perceptually-Based Ratings. International Journal of Sports Medicine, 2008, 29, 151-157.	1.7	2
60	Safety Concerns regarding article: Reliability and Validity of a Self-paced Cardiopulmonary Exercise Test in Post-MI Patients. L. A. Jenkins, A. Mager, J. Fisher, J. Hopker. Int J Sports Med 2017; 38: 300â€“306.. International Journal of Sports Medicine, 2017, 38, 644-645.	1.7	2
61	Cold Water Immersion After a Handball Training Session: The Relationship Between Physical Data and Sensorial Experience. Frontiers in Sports and Active Living, 2020, 2, 581705.	1.8	2
62	Sport-Related Affective Benefits for Teenagers Are Getting Greater as They Approach Adulthood: A Large-Scale French Investigation. Frontiers in Psychology, 2021, 12, 738343.	2.1	2
63	Relationships between sports club participation and physical fitness and Body Mass Index in childhood. Journal of Sports Medicine and Physical Fitness, 2022, 62, .	0.7	2
64	Relation entre la perception de lâ€™effort au seuil dâ€™oxydation maximale des lipides (LIPOXmax), les rÃ©ponses physiologiques et le profil psychologique de cyclistes compÃ©titeurs. Science and Sports, 2012, 27, 208-214.	0.5	1
65	Authorâ€™s Reply to Will G. Hopkins: â€œSubmaximal, Perceptually Regulated Exercise Testing Predicts Maximal Oxygen Uptake: A Meta-Analysis Studyâ€• Sports Medicine, 2016, 46, 1197-1198.	6.5	1
66	Comparison of Specific Prediction Equations to Estimate Peak Oxygen Uptake in Obese Women. International Journal of Sports Medicine, 2017, 38, 541-545.	1.7	1
67	La mesure de la perception de lâ€™effort: lâ€™hÃ©ritage du Professeur Gunnar Borg. Science and Sports, 2020, 35, 248-250.	0.5	1
68	Validity And Reliability Of New Field Karate Specific Test (KST) In High-Level Karate. Medicine and Science in Sports and Exercise, 2014, 46, 79.	0.4	1
69	Is Football or Badminton Associated With More Positive Affect? The Links Between Affects and Sports Club Membership Among French Adolescents. Frontiers in Psychology, 2021, 12, 735189.	2.1	1
70	The 180/20 intermittent athletic test: A new intermittent track test to assess the maximal aerobic speed in middle-distance runners. Revista Andaluza De Medicina Del Deporte, 2022, 15, 6-11.	0.1	1
71	Postpneumonectomy Compression of the Mitral Annulus: Rare Vascular Complication in Sportive Patient. Case Reports in Pulmonology, 2016, 2016, 1-4.	0.3	0
72	The First Muscle Oxyhemoglobin Inflection Point Is Correlated To Gas Exchange Threshold And Time-To-Exhaustion During Heavy Intensity Exercise. Medicine and Science in Sports and Exercise, 2016, 48, 857-858.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Short and Long Term Effects of a Simulated Mixed Martial Arts Competition. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1061.	0.4	0
74	Relation entre le corps virtuel et le corps vivant après un effort et une procédure de récupération par immersion en eau froide ou passive chez des joueuses de handball. <i>Movement and Sports Sciences - Science Et Motricite</i> , 2018, , 9-17.	0.3	0
75	Pathological knee laxity in elite women team handball players: a pilot study. <i>Biology of Sport</i> , 2018, 35, 159-164.	3.2	0
76	Rating of Perceived Exertion and Serum Leptin Responses to Maximal Exercise in Obese Female Adolescents: Effects of Exercise Training Intensity. , 0, , .		0
77	Estimation of peak oxygen uptake in obese patients with metabolic syndrome. , 2016, , .		0
78	Effects of an individualized rehabilitation program prescribed by perceived exertion in women with metabolic syndrome. <i>Gazzetta Medica Italiana Archivio Per Le Scienze Mediche</i> , 2019, 178, .	0.1	0