

Ahmad Fauzi Ismail

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7252840/publications.pdf>

Version: 2024-02-01

1,080
papers

54,701
citations

1701

104
h-index

3911

177
g-index

1105
all docs

1105
docs citations

1105
times ranked

31614
citing authors

#	ARTICLE	IF	CITATIONS
1	A review of heat treatment on polyacrylonitrile fiber. <i>Polymer Degradation and Stability</i> , 2007, 92, 1421-1432.	2.7	1,139
2	A review of the effects of emerging contaminants in wastewater and options for their removal. <i>Desalination</i> , 2009, 239, 229-246.	4.0	1,017
3	Membrane technology enhancement in oil-water separation. A review. <i>Desalination</i> , 2015, 357, 197-207.	4.0	978
4	A recent progress in thin film composite membrane: A review. <i>Desalination</i> , 2012, 287, 190-199.	4.0	757
5	Performance studies of mixed matrix membranes for gas separation: A review. <i>Separation and Purification Technology</i> , 2010, 75, 229-242.	3.9	733
6	State-of-the-art membrane based CO ₂ separation using mixed matrix membranes (MMMs): An overview on current status and future directions. <i>Progress in Polymer Science</i> , 2014, 39, 817-861.	11.8	717
7	A review on polyamide thin film nanocomposite (TFN) membranes: History, applications, challenges and approaches. <i>Water Research</i> , 2015, 80, 306-324.	5.3	587
8	Behaviours of natural organic matter in membrane filtration for surface water treatment – a review. <i>Desalination</i> , 2006, 194, 211-231.	4.0	583
9	A review on the latest development of carbon membranes for gas separation. <i>Journal of Membrane Science</i> , 2001, 193, 1-18.	4.1	552
10	Recent advances of inorganic fillers in mixed matrix membrane for gas separation. <i>Separation and Purification Technology</i> , 2011, 81, 243-264.	3.9	543
11	Biogas as a renewable energy fuel – A review of biogas upgrading, utilisation and storage. <i>Energy Conversion and Management</i> , 2017, 150, 277-294.	4.4	520
12	Enhanced hydrophilicity and salt rejection study of graphene oxide-polysulfone mixed matrix membrane. <i>Desalination</i> , 2013, 313, 199-207.	4.0	509
13	Fabrication of carbon membranes for gas separation – a review. <i>Carbon</i> , 2004, 42, 241-259.	5.4	498
14	Recent trends of heavy metal removal from water/wastewater by membrane technologies. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 76, 17-38.	2.9	490
15	Recent advances in nanomaterials for water protection and monitoring. <i>Chemical Society Reviews</i> , 2017, 46, 6946-7020.	18.7	441
16	Polymeric nanofiltration membranes for textile dye wastewater treatment: Preparation, performance evaluation, transport modelling, and fouling control – a review. <i>Desalination</i> , 2009, 245, 321-348.	4.0	412
17	A review on RO membrane technology: Developments and challenges. <i>Desalination</i> , 2015, 368, 10-26.	4.0	402
18	A novel thin film composite forward osmosis membrane prepared from PS/TiO ₂ nanocomposite substrate for water desalination. <i>Chemical Engineering Journal</i> , 2014, 237, 70-80.	6.6	387

#	ARTICLE	IF	CITATIONS
19	A review on inorganic membranes for desalination and wastewater treatment. <i>Desalination</i> , 2018, 434, 60-80.	4.0	347
20	Membrane fouling in desalination and its mitigation strategies. <i>Desalination</i> , 2018, 425, 130-155.	4.0	339
21	Transport and separation properties of carbon nanotube-mixed matrix membrane. <i>Separation and Purification Technology</i> , 2009, 70, 12-26.	3.9	331
22	Hollow fiber gas-liquid membrane contactors for acid gas capture: A review. <i>Journal of Hazardous Materials</i> , 2009, 171, 38-53.	6.5	317
23	Penetrant-induced plasticization phenomenon in glassy polymers for gas separation membrane. <i>Separation and Purification Technology</i> , 2002, 27, 173-194.	3.9	295
24	Graphene oxide incorporated thin film nanocomposite nanofiltration membrane for enhanced salt removal performance. <i>Desalination</i> , 2016, 387, 14-24.	4.0	294
25	Post spinning and pyrolysis processes of polyacrylonitrile (PAN)-based carbon fiber and activated carbon fiber: A review. <i>Journal of Analytical and Applied Pyrolysis</i> , 2012, 93, 1-13.	2.6	289
26	Hydrophilic polymer-based membrane for oily wastewater treatment: A review. <i>Separation and Purification Technology</i> , 2020, 233, 116007.	3.9	279
27	Morphological and separation performance study of polysulfone/titanium dioxide (PSF/TiO ₂) ultrafiltration membranes for humic acid removal. <i>Desalination</i> , 2011, 273, 85-92.	4.0	271
28	Seawater Reverse Osmosis (SWRO) desalination by thin-film composite membrane—Current development, challenges and future prospects. <i>Desalination</i> , 2012, 287, 228-237.	4.0	270
29	Adsorptive removal of heavy metal ions using graphene-based nanomaterials: Toxicity, roles of functional groups and mechanisms. <i>Chemosphere</i> , 2020, 248, 126008.	4.2	261
30	Effect of additives concentration on the surface properties and performance of PVDF ultrafiltration membranes for refinery produced wastewater treatment. <i>Desalination</i> , 2011, 273, 226-234.	4.0	253
31	Mixed matrix membranes of Pebax-1657 loaded with 4A zeolite for gaseous separations. <i>Separation and Purification Technology</i> , 2014, 129, 1-8.	3.9	250
32	Thin film composite membrane — Recent development and future potential. <i>Desalination</i> , 2015, 356, 140-148.	4.0	245
33	Tailor-made thin film nanocomposite membrane incorporated with graphene oxide using novel interfacial polymerization technique for enhanced water separation. <i>Chemical Engineering Journal</i> , 2018, 344, 524-534.	6.6	241
34	Preparation and characterization of electro-spun nanofiber membranes and their possible applications in water treatment. <i>Separation and Purification Technology</i> , 2013, 102, 118-135.	3.9	239
35	Polyethersulfone (PES)—silver composite UF membrane: Effect of silver loading and PVP molecular weight on membrane morphology and antibacterial activity. <i>Desalination</i> , 2011, 273, 72-80.	4.0	236
36	Synthesis and characterization of thin film nanocomposite forward osmosis membrane with hydrophilic nanocomposite support to reduce internal concentration polarization. <i>Journal of Membrane Science</i> , 2014, 449, 74-85.	4.1	235

#	ARTICLE	IF	CITATIONS
37	Carbon nanotubes for desalination: Performance evaluation and current hurdles. <i>Desalination</i> , 2013, 308, 2-14.	4.0	223
38	Recent trends in membranes and membrane processes for desalination. <i>Desalination</i> , 2016, 391, 43-60.	4.0	223
39	Directional alignment of carbon nanotubes in polymer matrices: Contemporary approaches and future advances. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014, 56, 103-126.	3.8	213
40	Multifunctional carbon nanotubes in water treatment: The present, past and future. <i>Desalination</i> , 2014, 354, 160-179.	4.0	210
41	Fabrication of polydopamine functionalized halloysite nanotube/polyetherimide membranes for heavy metal removal. <i>Journal of Materials Chemistry A</i> , 2016, 4, 764-774.	5.2	209
42	Fabrications and applications of low cost ceramic membrane from kaolin: A comprehensive review. <i>Ceramics International</i> , 2018, 44, 4538-4560.	2.3	209
43	Antioxidant, Antimicrobial and Antiviral Properties of Herbal Materials. <i>Antioxidants</i> , 2020, 9, 1309.	2.2	199
44	Polysulfone/hydrous ferric oxide ultrafiltration mixed matrix membrane: Preparation, characterization and its adsorptive removal of lead (II) from aqueous solution. <i>Chemical Engineering Journal</i> , 2016, 289, 28-37.	6.6	196
45	A review of integrated photocatalyst adsorbents for wastewater treatment. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 7411-7425.	3.3	196
46	Formation of thin film composite nanofiltration membrane: Effect of polysulfone substrate characteristics. <i>Desalination</i> , 2013, 329, 9-18.	4.0	180
47	Graphene-based nanomaterial: The state-of-the-art material for cutting edge desalination technology. <i>Desalination</i> , 2015, 356, 115-128.	4.0	179
48	The effects of natural organic matter (NOM) fractions on fouling characteristics and flux recovery of ultrafiltration membranes. <i>Desalination</i> , 2007, 212, 191-208.	4.0	175
49	Gas Separation Membranes. , 2015, , .		173
50	Nanomaterials for biofouling and scaling mitigation of thin film composite membrane: A review. <i>Desalination</i> , 2016, 393, 2-15.	4.0	164
51	Hybrid membrane filtration-advanced oxidation processes for removal of pharmaceutical residue. <i>Journal of Colloid and Interface Science</i> , 2018, 532, 236-260.	5.0	164
52	Fouling control on microfiltration/ultrafiltration membranes: Effects of morphology, hydrophilicity, and charge. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	161
53	Radioactive decontamination of water by membrane processes " A review. <i>Desalination</i> , 2013, 321, 77-92.	4.0	160
54	Inorganic Nanomaterials in Polymeric Ultrafiltration Membranes for Water Treatment. <i>Separation and Purification Reviews</i> , 2015, 44, 216-249.	2.8	159

#	ARTICLE	IF	CITATIONS
55	Enhanced gas permeation performance of polyethersulfone mixed matrix hollow fiber membranes using novel Dynasylan Ameo silane agent. <i>Journal of Membrane Science</i> , 2008, 319, 306-312.	4.1	153
56	Morphology and permeation properties of polysulfone membranes for gas separation: Effects of non-solvent additives and co-solvent. <i>Separation and Purification Technology</i> , 2010, 72, 194-202.	3.9	153
57	A novel thin film nanocomposite reverse osmosis membrane with superior anti-organic fouling affinity for water desalination. <i>Desalination</i> , 2015, 368, 106-113.	4.0	153
58	Influence of the thermastabilization process and soak time during pyrolysis process on the polyacrylonitrile carbon membranes for O ₂ /N ₂ separation. <i>Journal of Membrane Science</i> , 2003, 213, 285-291.	4.1	152
59	Precursor Selection and Process Conditions in the Preparation of Carbon Membrane for Gas Separation: A Review. <i>Separation and Purification Reviews</i> , 2011, 40, 261-311.	2.8	151
60	Recent fabrication techniques for micro-tubular solid oxide fuel cell support: A review. <i>Journal of the European Ceramic Society</i> , 2015, 35, 1-22.	2.8	149
61	Minimizing structural parameter of thin film composite forward osmosis membranes using polysulfone/halloysite nanotubes as membrane substrates. <i>Desalination</i> , 2016, 377, 152-162.	4.0	149
62	Effect of pre-treatment and biofouling of proton exchange membrane on microbial fuel cell performance. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 5480-5484.	3.8	148
63	Physicochemical characteristic of regenerated cellulose/N-doped TiO ₂ nanocomposite membrane fabricated from recycled newspaper with photocatalytic activity under UV and visible light irradiation. <i>Chemical Engineering Journal</i> , 2016, 284, 202-215.	6.6	147
64	Synthesis and characterization of novel thin film nanocomposite (TFN) membranes embedded with halloysite nanotubes (HNTs) for water desalination. <i>Desalination</i> , 2015, 358, 33-41.	4.0	146
65	Recent progresses in polymeric hollow fiber membrane preparation, characterization and applications. <i>Separation and Purification Technology</i> , 2013, 111, 43-71.	3.9	145
66	Synthesis, modification and optimization of titanate nanotubes-polyamide thin film nanocomposite (TFN) membrane for forward osmosis (FO) application. <i>Chemical Engineering Journal</i> , 2015, 281, 243-251.	6.6	145
67	Effects of phase inversion and rheological factors on formation of defect-free and ultrathin-skinned asymmetric polysulfone membranes for gas separation. <i>Separation and Purification Technology</i> , 2003, 33, 127-143.	3.9	142
68	Effect of operating conditions on the physical and chemical CO ₂ absorption through the PVDF hollow fiber membrane contactor. <i>Journal of Membrane Science</i> , 2010, 353, 192-200.	4.1	141
69	Study on the thin film composite poly(piperazine-amide) nanofiltration membrane: Impacts of physicochemical properties of substrate on interfacial polymerization formation. <i>Desalination</i> , 2014, 344, 198-205.	4.0	141
70	Gas separation performance of polyethersulfone/multi-walled carbon nanotubes mixed matrix membranes. <i>Separation and Purification Technology</i> , 2011, 80, 20-31.	3.9	139
71	Gas separation properties of functionalized carbon nanotubes mixed matrix membranes. <i>Separation and Purification Technology</i> , 2011, 78, 208-213.	3.9	138
72	Current trends and future prospects of ammonia removal in wastewater: A comprehensive review on adsorptive membrane development. <i>Separation and Purification Technology</i> , 2019, 213, 114-132.	3.9	136

#	ARTICLE	IF	CITATIONS
73	Aqueous room temperature synthesis of zeolitic imidazole framework 8 (ZIF-8) with various concentrations of triethylamine. <i>RSC Advances</i> , 2014, 4, 33292-33300.	1.7	135
74	Physicochemical properties of "green" nanocrystalline cellulose isolated from recycled newspaper. <i>RSC Advances</i> , 2015, 5, 29842-29849.	1.7	132
75	A review of technologies for the phenolic compounds recovery and phenol removal from wastewater. <i>Chemical Engineering Research and Design</i> , 2021, 151, 257-289.	2.7	132
76	Adsorptive nanocomposite membranes for heavy metal remediation: Recent progresses and challenges. <i>Chemosphere</i> , 2019, 232, 96-112.	4.2	130
77	Polymeric membranes for desalination using membrane distillation: A review. <i>Desalination</i> , 2020, 490, 114530.	4.0	130
78	Spray coating methods for polymer solar cells fabrication: A review. <i>Materials Science in Semiconductor Processing</i> , 2015, 39, 416-425.	1.9	129
79	Preparation of regenerated cellulose/montmorillonite nanocomposite films via ionic liquids. <i>Carbohydrate Polymers</i> , 2012, 88, 1251-1257.	5.1	126
80	Production of super selective polysulfone hollow fiber membranes for gas separation. <i>Polymer</i> , 1999, 40, 6499-6506.	1.8	125
81	Nano-enabled membranes technology: Sustainable and revolutionary solutions for membrane desalination?. <i>Desalination</i> , 2016, 380, 100-104.	4.0	125
82	Effect of chitosan as a functionalization agent on the performance and separation properties of polyimide/multi-walled carbon nanotubes mixed matrix flat sheet membranes. <i>Journal of Membrane Science</i> , 2010, 364, 309-317.	4.1	124
83	Development of the PVA/CS nanofibers containing silk protein sericin as a wound dressing: In vitro and in vivo assessment. <i>International Journal of Biological Macromolecules</i> , 2020, 149, 513-521.	3.6	122
84	Effect of carbon molecular sieve sizing with poly(vinyl pyrrolidone) K-15 on carbon molecular sieve "polysulfone mixed matrix membrane. <i>Journal of Membrane Science</i> , 2008, 307, 53-61.	4.1	121
85	Recent advances in the development of (bio)fouling resistant thin film composite membranes for desalination. <i>Desalination</i> , 2016, 380, 105-111.	4.0	121
86	Enhanced oil "water separation using polysulfone membranes modified with polymeric additives. <i>Desalination</i> , 2014, 344, 280-288.	4.0	118
87	Computational Fluid Dynamic (CFD) opportunities applied to the membrane distillation process: State-of-the-art and perspectives. <i>Desalination</i> , 2016, 377, 73-90.	4.0	116
88	Fabrication and characterization of novel PES/Fe "Mn binary oxide UF mixed matrix membrane for adsorptive removal of As(III) from contaminated water solution. <i>Separation and Purification Technology</i> , 2013, 118, 64-72.	3.9	115
89	Adsorptive removal of Pb(II) from aqueous solution by novel PES/HMO ultrafiltration mixed matrix membrane. <i>Separation and Purification Technology</i> , 2013, 120, 59-68.	3.9	115
90	Effect of additives on the structure and performance of polysulfone hollow fiber membranes for CO ₂ absorption. <i>Journal of Membrane Science</i> , 2010, 348, 260-267.	4.1	114

#	ARTICLE	IF	CITATIONS
91	Stability and thermal conductivity enhancement of carbon nanotube nanofluid using gum arabic. <i>Journal of Experimental Nanoscience</i> , 2011, 6, 567-579.	1.3	114
92	Simultaneous wastewater treatment and electricity generation by microbial fuel cell: Performance comparison and cost investigation of using Nafion 117 and SPEEK as separators. <i>Desalination</i> , 2013, 325, 1-6.	4.0	114
93	Silver-filled polyethersulfone membranes for antibacterial applications – Effect of PVP and TAP addition on silver dispersion. <i>Desalination</i> , 2010, 261, 264-271.	4.0	113
94	Effect of modified PVDF hollow fiber submerged ultrafiltration membrane for refinery wastewater treatment. <i>Desalination</i> , 2011, 283, 214-220.	4.0	113
95	Functionalization of polymeric materials as a high performance membrane for direct methanol fuel cell: A review. <i>Reactive and Functional Polymers</i> , 2015, 86, 248-258.	2.0	113
96	Fabrication, fouling and foulant analyses of asymmetric polysulfone (PSF) ultrafiltration membrane fouled with natural organic matter (NOM) source waters. <i>Journal of Membrane Science</i> , 2007, 299, 97-113.	4.1	112
97	A practical approach to synthesize polyamide thin film nanocomposite (TFN) membranes with improved separation properties for water/wastewater treatment. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4134-4144.	5.2	111
98	Fouling mitigation in forward osmosis and membrane distillation for desalination. <i>Desalination</i> , 2020, 480, 114338.	4.0	111
99	PSSA pore-filled PVDF membranes by simultaneous electron beam irradiation: Preparation and transport characteristics of protons and methanol. <i>Journal of Membrane Science</i> , 2006, 268, 96-108.	4.1	110
100	Effects of montmorillonite nano-clay fillers on PEI mixed matrix membrane for CO ₂ removal. <i>Chemical Engineering Journal</i> , 2011, 170, 316-325.	6.6	110
101	Sulfonated polyether ether ketone composite membrane using tungstosilicic acid supported on silica/aluminium oxide for direct methanol fuel cell (DMFC). <i>Journal of Membrane Science</i> , 2009, 329, 18-29.	4.1	109
102	Effect of LiCl concentration in the polymer dope on the structure and performance of hydrophobic PVDF hollow fiber membranes for CO ₂ absorption. <i>Chemical Engineering Journal</i> , 2010, 165, 980-988.	6.6	109
103	Improving performance and antifouling capability of PES UF membranes via blending with highly hydrophilic hydrous manganese dioxide nanoparticles. <i>Desalination</i> , 2014, 335, 87-95.	4.0	109
104	Antibacterial properties of copper-substituted cobalt ferrite nanoparticles synthesized by co-precipitation method. <i>Particuology</i> , 2017, 30, 158-163.	2.0	109
105	Mixed matrix membrane incorporated with large pore size halloysite nanotubes (HNT) as filler for gas separation: Experimental. <i>Journal of Colloid and Interface Science</i> , 2011, 359, 359-370.	5.0	108
106	Electrospun Nano-Fibers for Biomedical and Tissue Engineering Applications: A Comprehensive Review. <i>Materials</i> , 2020, 13, 2153.	1.3	108
107	Super hydrophilic TiO ₂ /HNT nanocomposites as a new approach for fabrication of high performance thin film nanocomposite membranes for FO application. <i>Desalination</i> , 2015, 371, 104-114.	4.0	107
108	Facile modification of ZIF-8 mixed matrix membrane for CO ₂ /CH ₄ separation: synthesis and preparation. <i>RSC Advances</i> , 2015, 5, 43110-43120.	1.7	107

#	ARTICLE	IF	CITATIONS
109	In vitro and in vivo evaluation of chitosan-alginate/gentamicin wound dressing nanofibrous with high antibacterial performance. <i>Polymer Testing</i> , 2020, 82, 106298.	2.3	107
110	Effect of polymer concentration on the structure and performance of polyetherimide hollow fiber membranes. <i>Journal of Membrane Science</i> , 2010, 363, 103-111.	4.1	106
111	The impact of ZIF-8 particle size and heat treatment on CO ₂ /CH ₄ separation using asymmetric mixed matrix membrane. <i>RSC Advances</i> , 2014, 4, 52530-52541.	1.7	106
112	Novel polyethersulfone (PES)/hydrous manganese dioxide (HMO) mixed matrix membranes with improved anti-fouling properties for oily wastewater treatment process. <i>RSC Advances</i> , 2014, 4, 17587-17596.	1.7	105
113	Investigation of submerged membrane photocatalytic reactor (sMPR) operating parameters during oily wastewater treatment process. <i>Desalination</i> , 2014, 353, 48-56.	4.0	104
114	Synthesis of thin film nanocomposite forward osmosis membrane with enhancement in water flux without sacrificing salt rejection. <i>Desalination</i> , 2013, 330, 90-99.	4.0	103
115	Effect of additive contents on the performances and structural properties of asymmetric polyethersulfone (PES) nanofiltration membranes. <i>Separation and Purification Technology</i> , 2007, 55, 98-109.	3.9	102
116	Prediction of gas permeability in mixed matrix membranes using theoretical models. <i>Journal of Membrane Science</i> , 2010, 347, 53-61.	4.1	102
117	Fourier Transform Infrared (FTIR) Spectroscopy. , 2017, , 3-29.		102
118	Current advances in membrane technologies for produced water desalination. <i>Desalination</i> , 2020, 493, 114643.	4.0	102
119	Characterization Methods of Thin Film Composite Nanofiltration Membranes. <i>Separation and Purification Reviews</i> , 2015, 44, 135-156.	2.8	101
120	In vitro degradation behavior, antibacterial activity and cytotoxicity of TiO ₂ -MAO/ZnHA composite coating on Mg alloy for orthopedic implants. <i>Surface and Coatings Technology</i> , 2018, 334, 450-460.	2.2	101
121	A review on photothermal material and its usage in the development of photothermal membrane for sustainable clean water production. <i>Desalination</i> , 2021, 517, 115259.	4.0	100
122	Review on the development of defect-free and ultrathin-skinned asymmetric membranes for gas separation through manipulation of phase inversion and rheological factors. <i>Journal of Applied Polymer Science</i> , 2003, 88, 442-451.	1.3	98
123	Membrane technology: A versatile tool for saline wastewater treatment and resource recovery. <i>Desalination</i> , 2022, 521, 115377.	4.0	98
124	Performance intensification of the polysulfone ultrafiltration membrane by blending with copolymer encompassing novel derivative of poly(styrene-co-maleic anhydride) for heavy metal removal from wastewater. <i>Chemical Engineering Journal</i> , 2018, 353, 425-435.	6.6	96
125	Preparation and barrier properties of SPEEK/Cloisite 15A®/TAP nanocomposite membrane for DMFC application. <i>Journal of Membrane Science</i> , 2009, 345, 119-127.	4.1	95
126	Synthesis and characterization of novel thin film nanocomposite reverse osmosis membranes with improved organic fouling properties for water desalination. <i>RSC Advances</i> , 2015, 5, 21268-21276.	1.7	95

#	ARTICLE	IF	CITATIONS
127	Performance of SPEEK based polymer-nanoclay inorganic membrane for DMFC. <i>Journal of Membrane Science</i> , 2011, 382, 202-211.	4.1	94
128	Hydrophobic ceramic membrane for membrane distillation: A mini review on preparation, characterization, and applications. <i>Separation and Purification Technology</i> , 2019, 217, 71-84.	3.9	94
129	Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 4965-4975.	1.8	93
130	Novel mixed matrix membranes incorporated with dual-nanofillers for enhanced oil-water separation. <i>Separation and Purification Technology</i> , 2017, 178, 113-121.	3.9	93
131	Enhanced desalination of polyamide thin film nanocomposite incorporated with acid treated multiwalled carbon nanotube-titania nanotube hybrid. <i>Desalination</i> , 2017, 409, 163-170.	4.0	93
132	A novel green ceramic hollow fiber membrane (CHFM) derived from rice husk ash as combined adsorbent-separator for efficient heavy metals removal. <i>Ceramics International</i> , 2017, 43, 4716-4720.	2.3	93
133	Removal of metal ions and humic acids through polyetherimide membrane with grafted bentonite clay. <i>Scientific Reports</i> , 2018, 8, 4665.	1.6	93
134	Characterization of polyethersulfone/Matrimid® 5218 miscible blend mixed matrix membranes for O ₂ /N ₂ gas separation. <i>Separation and Purification Technology</i> , 2008, 63, 200-206.	3.9	92
135	Carbon as amorphous shell and interstitial dopant in mesoporous rutile TiO ₂ : Bio-template assisted sol-gel synthesis and photocatalytic activity. <i>Applied Surface Science</i> , 2017, 393, 46-59.	3.1	92
136	Application of two-dimensional leaf-shaped zeolitic imidazolate framework (2D ZIF-L) as arsenite adsorbent: Kinetic, isotherm and mechanism. <i>Journal of Molecular Liquids</i> , 2018, 250, 269-277.	2.3	91
137	Application of immobilized TiO ₂ on PVDF dual layer hollow fibre membrane to improve the photocatalytic removal of pharmaceuticals in different water matrices. <i>Applied Catalysis B: Environmental</i> , 2019, 240, 9-18.	10.8	91
138	The potential of thin film nanocomposite membrane in reducing organic fouling in forward osmosis process. <i>Desalination</i> , 2014, 348, 82-88.	4.0	90
139	Photocatalytic degradation of nonylphenol by immobilized TiO ₂ in dual layer hollow fibre membranes. <i>Chemical Engineering Journal</i> , 2015, 269, 255-261.	6.6	90
140	Fabrication of low cost, green silica based ceramic hollow fibre membrane prepared from waste rice husk for water filtration application. <i>Ceramics International</i> , 2018, 44, 10498-10509.	2.3	90
141	Development of microporous substrates of polyamide thin film composite membranes for pressure-driven and osmotically-driven membrane processes: A review. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 77, 25-59.	2.9	90
142	An overview of superhydrophobic ceramic membrane surface modification for oil-water separation. <i>Journal of Materials Research and Technology</i> , 2021, 12, 643-667.	2.6	90
143	Polysulfone-Chitosan blend ultrafiltration membranes: preparation, characterization, permeation and antifouling properties. <i>RSC Advances</i> , 2013, 3, 7855.	1.7	89
144	Fabrication and hemocompatibility assessment of novel polyurethane-based bio-nanofibrous dressing loaded with honey and <i>Carica papaya</i> extract for the management of burn injuries. <i>International Journal of Nanomedicine</i> , 2016, Volume 11, 4339-4355.	3.3	89

#	ARTICLE	IF	CITATIONS
145	Use of cellulose acetate/polyphenylsulfone derivatives to fabricate ultrafiltration hollow fiber membranes for the removal of arsenic from drinking water. <i>International Journal of Biological Macromolecules</i> , 2019, 129, 715-727.	3.6	89
146	Asymmetric mixed matrix membrane incorporating organically modified clay particle for gas separation. <i>Chemical Engineering Journal</i> , 2014, 241, 495-503.	6.6	88
147	Development and characterization of novel charged surface modification macromolecule to polyethersulfone hollow fiber membrane with polyvinylpyrrolidone and water. <i>Journal of Membrane Science</i> , 2009, 331, 40-49.	4.1	86
148	Studies on fouling by natural organic matter (NOM) on polysulfone membranes: Effect of polyethylene glycol (PEG). <i>Desalination</i> , 2014, 333, 36-44.	4.0	86
149	Progress of Interfacial Polymerization Techniques for Polyamide Thin Film (Nano)Composite Membrane Fabrication: A Comprehensive Review. <i>Polymers</i> , 2020, 12, 2817.	2.0	86
150	Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection. <i>Desalination</i> , 2015, 365, 117-125.	4.0	85
151	Incorporation of N-doped TiO ₂ nanorods in regenerated cellulose thin films fabricated from recycled newspaper as a green portable photocatalyst. <i>Carbohydrate Polymers</i> , 2015, 133, 429-437.	5.1	85
152	Preparation and performance of PVDF-based nanocomposite membrane consisting of TiO ₂ nanofibers for organic pollutant decomposition in wastewater under UV irradiation. <i>Desalination</i> , 2016, 391, 89-97.	4.0	85
153	Physicochemical characterization of cellulose nanocrystal and nanoporous self-assembled CNC membrane derived from <i>Ceiba pentandra</i> . <i>Carbohydrate Polymers</i> , 2017, 157, 1892-1902.	5.1	85
154	Optimization of cellulose acetate hollow fiber reverse osmosis membrane production using Taguchi method. <i>Journal of Membrane Science</i> , 2002, 205, 223-237.	4.1	84
155	Application of coagulation-ultrafiltration hybrid process for drinking water treatment: Optimization of operating conditions using experimental design. <i>Separation and Purification Technology</i> , 2009, 65, 193-210.	3.9	84
156	Design and performance study of hybrid photocatalytic reactor-PVDF/MWCNT nanocomposite membrane system for treatment of petroleum refinery wastewater. <i>Desalination</i> , 2015, 363, 99-111.	4.0	84
157	Graphene and its derivatives: synthesis, modifications, and applications in wastewater treatment. <i>Environmental Chemistry Letters</i> , 2018, 16, 1301-1323.	8.3	84
158	Polyphenylsulfone-based solvent resistant nanofiltration (SRNF) membrane incorporated with copper-1,3,5-benzenetricarboxylate (Cu-BTC) nanoparticles for methanol separation. <i>RSC Advances</i> , 2015, 5, 13000-13010.	1.7	83
159	Impact of graphene oxide embedded polyethersulfone membranes for the effective treatment of distillery effluent. <i>Chemical Engineering Journal</i> , 2016, 286, 528-537.	6.6	83
160	Contemporary antibiofouling modifications of reverse osmosis desalination membrane: A review. <i>Desalination</i> , 2019, 468, 114072.	4.0	83
161	Development of defect-free asymmetric polysulfone membranes for gas separation using response surface methodology. <i>Separation and Purification Technology</i> , 2004, 40, 191-207.	3.9	81
162	Preparation of polyvinylidene fluoride hollow fiber membranes for CO ₂ absorption using phase-inversion promoter additives. <i>Journal of Membrane Science</i> , 2010, 355, 200-207.	4.1	81

#	ARTICLE	IF	CITATIONS
163	Role of natural organic matter (NOM), colloidal particles, and solution chemistry on ultrafiltration performance. <i>Separation and Purification Technology</i> , 2011, 78, 189-200.	3.9	81
164	Utilizing low ZIF-8 loading for an asymmetric PSf/ZIF-8 mixed matrix membrane for CO ₂ /CH ₄ separation. <i>RSC Advances</i> , 2015, 5, 30206-30215.	1.7	81
165	Green silica-based ceramic hollow fiber membrane for seawater desalination via direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2018, 205, 22-31.	3.9	80
166	Recent development of graphene oxide-based membranes for oil/water separation: A review. <i>Separation and Purification Technology</i> , 2021, 258, 118000.	3.9	80
167	Performance enhancement of microbial fuel cell by PVDF/Nafion nanofibre composite proton exchange membrane. <i>Fuel Processing Technology</i> , 2014, 124, 290-295.	3.7	79
168	Experimental study on the performance and long-term stability of PVDF/montmorillonite hollow fiber mixed matrix membranes for CO ₂ separation process. <i>International Journal of Greenhouse Gas Control</i> , 2014, 26, 147-157.	2.3	79
169	Effect of surface pattern formation on membrane fouling and its control in phase inversion process. <i>Journal of Membrane Science</i> , 2013, 446, 326-331.	4.1	78
170	Car wash industry in Malaysia: Treatment of car wash effluent using ultrafiltration and nanofiltration membranes. <i>Separation and Purification Technology</i> , 2013, 104, 26-31.	3.9	78
171	Perspective of renewable desalination by using membrane distillation. <i>Chemical Engineering Research and Design</i> , 2019, 144, 520-537.	2.7	78
172	Co-incorporation of graphene oxide/silver nanoparticle into poly-L-lactic acid fibrous: A route toward the development of cytocompatible and antibacterial coating layer on magnesium implants. <i>Materials Science and Engineering C</i> , 2020, 111, 110812.	3.8	78
173	A REVIEW OF PURIFICATION TECHNIQUES FOR CARBON NANOTUBES. <i>Nano</i> , 2008, 03, 127-143.	0.5	77
174	One-pot synthesis of efficient reduced graphene oxide supported binary Pt-Pd alloy nanoparticles as superior electro-catalyst and its electro-catalytic performance toward methanol electro-oxidation reaction in direct methanol fuel cell. <i>Journal of Alloys and Compounds</i> , 2019, 793, 232-246.	2.8	77
175	Physicochemical study of poly(ether ether ketone) electrolyte membranes sulfonated with mixtures of fuming sulfuric acid and sulfuric acid for direct methanol fuel cell application. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 460-461, 475-484.	2.6	76
176	A comparative study on the structure and performance of porous polyvinylidene fluoride and polysulfone hollow fiber membranes for CO ₂ absorption. <i>Journal of Membrane Science</i> , 2010, 365, 319-328.	4.1	76
177	Sulfonated poly(arylene ether sulfone) nanocomposite electrolyte membrane for fuel cell applications: A review. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1063-1074.	3.8	76
178	A developed asymmetric PVDF hollow fiber membrane structure for CO ₂ absorption. <i>International Journal of Greenhouse Gas Control</i> , 2011, 5, 374-380.	2.3	75
179	Synthesis and characterization of novel water soluble derivative of Chitosan as an additive for polysulfone ultrafiltration membrane. <i>Journal of Membrane Science</i> , 2013, 440, 140-147.	4.1	75
180	Antifouling properties of novel PSf and TNT composite membrane and study of effect of the flow direction on membrane washing. <i>Desalination</i> , 2015, 362, 141-150.	4.0	75

#	ARTICLE	IF	CITATIONS
181	A low cost hydrophobic kaolin hollow fiber membrane (h-KHFM) for arsenic removal from aqueous solution via direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2019, 214, 31-39.	3.9	75
182	Theoretical studies on the morphological and electrical properties of blended PES/SPEEK nanofiltration membranes using different sulfonation degree of SPEEK. <i>Journal of Membrane Science</i> , 2009, 334, 30-42.	4.1	74
183	A novel surface modified polyvinylidene fluoride hollow fiber membrane contactor for CO ₂ absorption. <i>Journal of Membrane Science</i> , 2012, 415-416, 221-228.	4.1	74
184	A novel super-hydrophilic PSf/HAO nanocomposite ultrafiltration membrane for efficient separation of oil/water emulsion. <i>Separation and Purification Technology</i> , 2015, 150, 13-20.	3.9	74
185	A review on floating nanocomposite photocatalyst: Fabrication and applications for wastewater treatment. <i>Journal of Water Process Engineering</i> , 2020, 36, 101300.	2.6	74
186	Preparation and characterization of SPEEK/MMT-STA composite membrane for DMFC application. <i>Journal of Membrane Science</i> , 2011, 371, 10-19.	4.1	73
187	Synthesis and characterization of thin film composite membranes made of PSf-TiO ₂ /GO nanocomposite substrate for forward osmosis applications. <i>Arabian Journal of Chemistry</i> , 2018, 11, 1144-1153.	2.3	73
188	Antibacterial activity and corrosion resistance of Ta ₂ O ₅ thin film and electrospun PCL/MgO-Ag nanofiber coatings on biodegradable Mg alloy implants. <i>Ceramics International</i> , 2019, 45, 11883-11892.	2.3	73
189	Preparation and characterization of porous PVDF hollow fiber membranes for CO ₂ absorption: Effect of different non-solvent additives in the polymer dope. <i>International Journal of Greenhouse Gas Control</i> , 2011, 5, 640-648.	2.3	72
190	Permeation, antifouling and desalination performance of TiO ₂ nanotube incorporated PSf/CS blend membranes. <i>Desalination</i> , 2013, 316, 76-84.	4.0	72
191	Membranes based on non-synthetic (natural) polymers for wastewater treatment. <i>Polymer Testing</i> , 2020, 84, 106381.	2.3	72
192	Direct measurement of rheologically induced molecular orientation in gas separation hollow fibre membranes and effects on selectivity. <i>Journal of Membrane Science</i> , 1997, 126, 133-137.	4.1	71
193	Characterization of surface-modified porous PVDF hollow fibers for refinery wastewater treatment using microscopic observation. <i>Desalination</i> , 2011, 283, 206-213.	4.0	71
194	Effect of bore fluid composition on structure and performance of asymmetric polysulfone hollow fiber membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 88, 99-106.	3.9	71
195	Hydrophilic hollow fiber PVDF ultrafiltration membrane incorporated with titanate nanotubes for decolourization of aerobically-treated palm oil mill effluent. <i>Chemical Engineering Journal</i> , 2017, 316, 101-110.	6.6	71
196	Efficient separation of oily wastewater using polyethersulfone mixed matrix membrane incorporated with halloysite nanotube-hydrous ferric oxide nanoparticle. <i>Separation and Purification Technology</i> , 2018, 199, 161-169.	3.9	71
197	Coating biodegradable magnesium alloys with electrospun poly-L-lactic acid- γ -kermanite-doxycycline nanofibers for enhanced biocompatibility, antibacterial activity, and corrosion resistance. <i>Surface and Coatings Technology</i> , 2019, 377, 124898.	2.2	71
198	Recent progress on fabrication and application of electrospun nanofibrous photocatalytic membranes for wastewater treatment: A review. <i>Journal of Water Process Engineering</i> , 2021, 40, 101878.	2.6	71

#	ARTICLE	IF	CITATIONS
199	Characterization of electrospun polystyrene membrane for treatment of biodiesel's water-washing effluent using atomic force microscopy. <i>Desalination</i> , 2013, 329, 1-8.	4.0	70
200	The role of layered silicate loadings and their dispersion states on the gas separation performance of mixed matrix membrane. <i>Journal of Membrane Science</i> , 2014, 468, 20-30.	4.1	70
201	Carbon Nanotubes (CNTs)-Reinforced Magnesium-Based Matrix Composites: A Comprehensive Review. <i>Materials</i> , 2020, 13, 4421.	1.3	70
202	Insights into metal-organic frameworks-integrated membranes for desalination process: A review. <i>Desalination</i> , 2021, 500, 114867.	4.0	70
203	Suppression of plasticization in polysulfone membranes for gas separations by heat-treatment technique. <i>Separation and Purification Technology</i> , 2003, 30, 37-46.	3.9	69
204	Characterization and performance of proton exchange membranes for direct methanol fuel cell: Blending of sulfonated poly(ether ether ketone) with charged surface modifying macromolecule. <i>Journal of Membrane Science</i> , 2008, 323, 404-413.	4.1	69
205	Polyaniline in situ modified halloysite nanotubes incorporated asymmetric mixed matrix membrane for gas separation. <i>Separation and Purification Technology</i> , 2014, 132, 187-194.	3.9	69
206	Treatment of laundry wastewater using polyethersulfone/polyvinylpyrrolidone ultrafiltration membranes. <i>Ecotoxicology and Environmental Safety</i> , 2015, 121, 174-179.	2.9	69
207	Preparation of radiochemically pore-filled polymer electrolyte membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2006, 156, 200-210.	4.0	68
208	Negatively charged polyethersulfone hollow fiber nanofiltration membrane for the removal of bisphenol A from wastewater. <i>Separation and Purification Technology</i> , 2010, 73, 92-99.	3.9	68
209	Petrochemical wastewater treatment by electro-Fenton process using aluminum and iron electrodes: Statistical comparison. <i>Journal of Water Process Engineering</i> , 2014, 3, 18-25.	2.6	68
210	Contact Angle Measurements. , 2017, , 219-255.		68
211	Recent development in modification of polysulfone membrane for water treatment application. <i>Journal of Water Process Engineering</i> , 2021, 40, 101835.	2.6	68
212	A study of extrusion shear and forced convection residence time in the spinning of polysulfone hollow fiber membranes for gas separation. <i>Separation and Purification Technology</i> , 1999, 17, 101-109.	3.9	67
213	Preparation and antifouling properties of PVDF ultrafiltration membranes with polyaniline (PANI) nanofibers and hydrolysed PSMA (H-PSMA) as additives. <i>Desalination</i> , 2014, 351, 220-227.	4.0	67
214	Preparation and performance studies of polysulfone-sulfated nano-titania (S-TiO ₂) nanofiltration membranes for dye removal. <i>RSC Advances</i> , 2015, 5, 53874-53885.	1.7	67
215	AT-POME colour removal through photocatalytic submerged filtration using antifouling PVDF-TNT nanocomposite membrane. <i>Separation and Purification Technology</i> , 2018, 191, 266-275.	3.9	67
216	Enhanced performance and antibacterial properties of amine-functionalized ZIF-8-decorated GO for ultrafiltration membrane. <i>Separation and Purification Technology</i> , 2020, 239, 116554.	3.9	67

#	ARTICLE	IF	CITATIONS
217	Preparation and characterization of sulfonated polysulfone and N-phthloyl chitosan blend composite cation-exchange membrane for desalination. <i>Desalination</i> , 2012, 298, 42-48.	4.0	66
218	Effect of non-solvent additives on the structure and performance of PVDF hollow fiber membrane contactor for CO ₂ stripping. <i>Journal of Membrane Science</i> , 2012, 423-424, 503-513.	4.1	66
219	Asymmetric hollow fiber membrane coated with polydimethylsiloxane-metal organic framework hybrid layer for gas separation. <i>Separation and Purification Technology</i> , 2015, 146, 85-93.	3.9	66
220	Graphene oxide/polysulfone hollow fiber mixed matrix membranes for gas separation. <i>RSC Advances</i> , 2016, 6, 89130-89139.	1.7	66
221	Adsorption and photocatalytic degradation of methylene blue using high surface area titanate nanotubes (TNT) synthesized via hydrothermal method. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	66
222	Antifouling zwitterion embedded forward osmosis thin film composite membrane for highly concentrated oily wastewater treatment. <i>Separation and Purification Technology</i> , 2019, 214, 40-50.	3.9	66
223	Photocatalytic nanofiber-coated alumina hollow fiber membranes for highly efficient oilfield produced water treatment. <i>Chemical Engineering Journal</i> , 2019, 360, 1437-1446.	6.6	66
224	Performance of polysulfone hollow fiber membranes encompassing ZIF-8, SiO ₂ /ZIF-8, and amine-modified SiO ₂ /ZIF-8 nanofillers for CO ₂ /CH ₄ and CO ₂ /N ₂ gas separation. <i>Separation and Purification Technology</i> , 2021, 264, 118471.	3.9	66
225	Effect of general montmorillonite and Cloisite 15A on structural parameters and performance of mixed matrix membranes contactor for CO ₂ absorption. <i>Chemical Engineering Journal</i> , 2015, 260, 875-885.	6.6	65
226	Preparation and characterization of NiCrAlY/nano-YSZ/PCL composite coatings obtained by combination of atmospheric plasma spraying and dip coating on Mg-Ca alloy. <i>Journal of Alloys and Compounds</i> , 2016, 658, 440-452.	2.8	65
227	Thin Film Composite Membrane for Oily Waste Water Treatment: Recent Advances and Challenges. <i>Membranes</i> , 2018, 8, 86.	1.4	65
228	The adsorptive removal of chromium (VI) in aqueous solution by novel natural zeolite based hollow fibre ceramic membrane. <i>Journal of Environmental Management</i> , 2018, 224, 252-262.	3.8	65
229	Performance of treated and untreated asymmetric polysulfone hollow fiber membrane in series and cascade module configurations for CO ₂ /CH ₄ gas separation system. <i>Journal of Membrane Science</i> , 2006, 275, 151-165.	4.1	64
230	A new theoretical gas permeability model using resistance modeling for mixed matrix membrane systems. <i>Journal of Membrane Science</i> , 2010, 350, 259-268.	4.1	64
231	Mixed matrix membrane incorporated with large pore size halloysite nanotubes (HNTs) as filler for gas separation: Morphological diagram. <i>Chemical Engineering Journal</i> , 2011, 172, 581-590.	6.6	64
232	Thin film nanocomposite: the next generation selective membrane for CO ₂ removal. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15726-15748.	5.2	64
233	Decolorization of aerobically treated palm oil mill effluent (AT-POME) using polyvinylidene fluoride (PVDF) ultrafiltration membrane incorporated with coupled zinc-iron oxide nanoparticles. <i>Chemical Engineering Journal</i> , 2017, 308, 359-369.	6.6	64
234	CO ₂ stripping from water through porous PVDF hollow fiber membrane contactor. <i>Desalination</i> , 2011, 273, 386-390.	4.0	63

#	ARTICLE	IF	CITATIONS
235	Performance improvement of polysulfone ultrafiltration membrane using N-succinyl chitosan as additive. <i>Desalination</i> , 2013, 318, 1-8.	4.0	63
236	Preparation and characterization of PVDF-montmorillonite mixed matrix hollow fiber membrane for gas-liquid contacting process. <i>Chemical Engineering Research and Design</i> , 2014, 92, 2449-2460.	2.7	63
237	The potential of direct contact membrane distillation for industrial textile wastewater treatment using PVDF-Cloisite 15A nanocomposite membrane. <i>Chemical Engineering Research and Design</i> , 2016, 111, 284-293.	2.7	63
238	High xylooligosaccharides (XOS) production from pretreated kenaf stem by enzyme mixture hydrolysis. <i>Industrial Crops and Products</i> , 2016, 81, 11-19.	2.5	63
239	Regenerated cellulose membrane as bio-template for in-situ growth of visible-light driven C-modified mesoporous titania. <i>Carbohydrate Polymers</i> , 2016, 146, 166-173.	5.1	63
240	Carbon hollow fiber membranes derived from PEI/PVP for gas separation. <i>Separation and Purification Technology</i> , 2011, 80, 541-548.	3.9	62
241	Antifouling polyethersulfone hemodialysis membranes incorporated with poly (citric acid) polymerized multi-walled carbon nanotubes. <i>Materials Science and Engineering C</i> , 2016, 68, 540-550.	3.8	62
242	Development of novel thin film nanocomposite forward osmosis membranes containing halloysite/graphitic carbon nitride nanoparticles towards enhanced desalination performance. <i>Desalination</i> , 2018, 447, 18-28.	4.0	62
243	Polyethersulfone ultrafiltration membrane incorporated with ferric-based metal-organic framework for textile wastewater treatment. <i>Separation and Purification Technology</i> , 2021, 270, 118819.	3.9	62
244	Dependence of membrane morphology and performance on preparation conditions: The shear rate effect in membrane casting. <i>Separation and Purification Technology</i> , 2008, 61, 249-257.	3.9	61
245	Preparation of microporous PVDF hollow fiber membrane contactors for CO ₂ stripping from diethanolamine solution. <i>Journal of Membrane Science</i> , 2012, 392-393, 29-37.	4.1	61
246	Antifouling and performance enhancement of polysulfone ultrafiltration membranes using CaCO ₃ nanoparticles. <i>Desalination</i> , 2013, 322, 69-75.	4.0	61
247	Morphological study of co-extruded dual-layer hollow fiber membranes incorporated with different TiO ₂ loadings. <i>Journal of Membrane Science</i> , 2015, 479, 123-131.	4.1	61
248	Effects of carbonization heating rate on CO ₂ separation of derived carbon membranes. <i>Separation and Purification Technology</i> , 2012, 88, 174-183.	3.9	60
249	Preparation and performance evaluation of poly (amide-imide) and TiO ₂ nanoparticles impregnated polysulfone nanofiltration membranes in the removal of humic substances. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 418, 92-104.	2.3	60
250	Concentration of glycerol from dilute glycerol wastewater using sweeping gas membrane distillation. <i>Chemical Engineering and Processing: Process Intensification</i> , 2014, 78, 58-66.	1.8	60
251	Biopolymer-based electrolyte membranes from chitosan incorporated with montmorillonite-crosslinked GPTMS for direct methanol fuel cells. <i>RSC Advances</i> , 2016, 6, 2314-2322.	1.7	60
252	Carbon dioxide capture using a superhydrophobic ceramic hollow fibre membrane for gas-liquid contacting process. <i>Journal of Cleaner Production</i> , 2017, 140, 1731-1738.	4.6	60

#	ARTICLE	IF	CITATIONS
253	Superhydrophilic, low cost kaolin-based hollow fibre membranes for efficient oily-wastewater separation. <i>Materials Letters</i> , 2017, 191, 119-122.	1.3	60
254	Recent Progresses of Forward Osmosis Membranes Formulation and Design for Wastewater Treatment. <i>Water (Switzerland)</i> , 2019, 11, 2043.	1.2	60
255	Effects of hydrophilic surface macromolecule modifier loading on PES/O-g-C3N4 hybrid photocatalytic membrane for phenol removal. <i>Applied Surface Science</i> , 2019, 465, 180-191.	3.1	60
256	Formation and characterization of asymmetric nanofiltration membrane: Effect of shear rate and polymer concentration. <i>Journal of Membrane Science</i> , 2006, 270, 57-72.	4.1	59
257	The effect of phase inversion promoters on the structure and performance of polyetherimide hollow fiber membrane using in gas-liquid contacting process. <i>Journal of Membrane Science</i> , 2011, 383, 159-169.	4.1	59
258	Conductive PEDOT:PSS coated polylactide (PLA) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) (PHBV) electrospun membranes: Fabrication and characterization. <i>Materials Science and Engineering C</i> , 2016, 61, 396-410.	3.8	59
259	Novel, one-step synthesis of zwitterionic polymer nanoparticles via distillation-precipitation polymerization and its application for dye removal membrane. <i>Scientific Reports</i> , 2017, 7, 15889.	1.6	59
260	Studies on gas permeation performance of asymmetric polysulfone hollow fiber mixed matrix membranes using nanosized fumed silica as fillers. <i>Separation and Purification Technology</i> , 2012, 86, 41-48.	3.9	58
261	Nanosilica and H-Mordenite incorporated Poly(ether-block-amide)-1657 membranes for gaseous separations. <i>Microporous and Mesoporous Materials</i> , 2014, 197, 291-298.	2.2	58
262	Morphology and property study of green ceramic hollow fiber membrane derived from waste sugarcane bagasse ash (WSBA). <i>Ceramics International</i> , 2018, 44, 18450-18461.	2.3	58
263	Synthesis and application of polypyrrole/carrageenan nano-bio composite as a cathode catalyst in microbial fuel cells. <i>Carbohydrate Polymers</i> , 2014, 114, 253-259.	5.1	57
264	Preparation and evaluation of heavy metal rejection properties of polysulfone/chitosan, polysulfone/N-succinyl chitosan and polysulfone/N-propylphosphonyl chitosan blend ultrafiltration membranes. <i>Desalination</i> , 2014, 350, 102-108.	4.0	57
265	Review: is interplay between nanomaterial and membrane technology the way forward for desalination?. <i>Journal of Chemical Technology and Biotechnology</i> , 2015, 90, 971-980.	1.6	57
266	Highly adsorptive oxidized starch nanoparticles for efficient urea removal. <i>Carbohydrate Polymers</i> , 2018, 201, 257-263.	5.1	57
267	Fourth generation biofuel from genetically modified algal biomass: Challenges and future directions. <i>Chemosphere</i> , 2021, 285, 131535.	4.2	57
268	Development of PMMA-Mon-CNT bone cement with superior mechanical properties and favorable biological properties for use in bone-defect treatment. <i>Materials Letters</i> , 2019, 240, 9-12.	1.3	56
269	A novel interfacial polymerization approach towards synthesis of graphene oxide-incorporated thin film nanocomposite membrane with improved surface properties. <i>Arabian Journal of Chemistry</i> , 2019, 12, 75-87.	2.3	56
270	Current status and challenges of fabricating thin film composite forward osmosis membrane: A comprehensive roadmap. <i>Desalination</i> , 2020, 491, 114557.	4.0	56

#	ARTICLE	IF	CITATIONS
271	Overview of magnesium-ceramic composites: mechanical, corrosion and biological properties. <i>Journal of Materials Research and Technology</i> , 2021, 15, 6034-6066.	2.6	56
272	Effect of metal and metal oxide nanoparticle impregnation route on structure and liquid filtration performance of polymeric nanocomposite membranes: a comprehensive review. <i>Desalination and Water Treatment</i> , 2013, 51, 3295-3316.	1.0	55
273	Preparation and characterization of PPEES/chitosan composite nanofiltration membrane. <i>Desalination</i> , 2013, 315, 135-141.	4.0	55
274	Effect of kaolin particle size and loading on the characteristics of kaolin ceramic support prepared via phase inversion technique. <i>Journal of Asian Ceramic Societies</i> , 2016, 4, 164-177.	1.0	55
275	Gas separation properties of polyurethane/poly(ether-block-amide) (PU/PEBA) blend membranes. <i>Separation and Purification Technology</i> , 2017, 185, 202-214.	3.9	55
276	Incorporation of layered double hydroxide nanofillers in polyamide nanofiltration membrane for high performance of salts rejections. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 97, 1-11.	2.7	55
277	Mixed matrix membranes incorporated with reduced graphene oxide (rGO) and zeolitic imidazole framework-8 (ZIF-8) nanofillers for gas separation. <i>Journal of Solid State Chemistry</i> , 2019, 270, 419-427.	1.4	55
278	Effect of dope extrusion rate on morphology and performance of hollow fibers membrane for ultrafiltration. <i>Separation and Purification Technology</i> , 2006, 49, 10-19.	3.9	54
279	Photodegradation of phenol by N-Doped TiO ₂ anatase/rutile nanorods assembled microsphere under UV and visible light irradiation. <i>Materials Chemistry and Physics</i> , 2015, 162, 113-123.	2.0	54
280	Novel polyphenylsulfone (PPSU)/nano tin oxide (SnO ₂) mixed matrix ultrafiltration hollow fiber membranes: Fabrication, characterization and toxic dyes removal from aqueous solutions. <i>Reactive and Functional Polymers</i> , 2019, 139, 170-180.	2.0	54
281	Preparation and characterization of self-cleaning alumina hollow fiber membrane using the phase inversion and sintering technique. <i>Ceramics International</i> , 2016, 42, 12312-12322.	2.3	53
282	Bio-inspired, fouling resistant, tannic acid functionalized halloysite nanotube reinforced polysulfone loose nanofiltration hollow fiber membranes for efficient dye and salt separation. <i>Journal of Water Process Engineering</i> , 2017, 20, 138-148.	2.6	53
283	Advances of nanomaterials for air pollution remediation and their impacts on the environment. <i>Chemosphere</i> , 2022, 287, 132083.	4.2	53
284	Effect of PVP Molecular Weights on the Properties of PVDF-TiO ₂ Composite Membrane for Oily Wastewater Treatment Process. <i>Separation Science and Technology</i> , 2014, 49, 2303-2314.	1.3	52
285	A comparison between blending and surface deposition methods for the preparation of iron oxide/polysulfone nanocomposite membranes. <i>Desalination</i> , 2014, 354, 125-142.	4.0	52
286	Adsorptive Removal of Humic Acid by Zirconia Embedded in a Poly(ether sulfone) Membrane. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 11355-11364.	1.8	52
287	Development of biocompatible and safe polyethersulfone hemodialysis membrane incorporated with functionalized multi-walled carbon nanotubes. <i>Materials Science and Engineering C</i> , 2017, 77, 572-582.	3.8	52
288	Simultaneous separation and degradation of surfactants laden in produced water using PVDF/TiO ₂ photocatalytic membrane. <i>Journal of Cleaner Production</i> , 2019, 221, 490-501.	4.6	52

#	ARTICLE	IF	CITATIONS
289	Three-Dimensional Printing Constructs Based on the Chitosan for Tissue Regeneration: State of the Art, Developing Directions and Prospect Trends. <i>Materials</i> , 2020, 13, 2663.	1.3	52
290	Polymethyl Methacrylate-Based Bone Cements Containing Carbon Nanotubes and Graphene Oxide: An Overview of Physical, Mechanical, and Biological Properties. <i>Polymers</i> , 2020, 12, 1469.	2.0	52
291	Effects of process conditions in submerged ultrafiltration for refinery wastewater treatment: Optimization of operating process by response surface methodology. <i>Desalination</i> , 2012, 287, 350-361.	4.0	51
292	Effect of polymer concentration on the structure and performance of PEI hollow fiber membrane contactor for CO ₂ stripping. <i>Journal of Hazardous Materials</i> , 2013, 250-251, 354-361.	6.5	51
293	Effect of SMM concentration on morphology and performance of surface modified PVDF hollow fiber membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2013, 116, 67-72.	3.9	51
294	Feasibility of recycled newspaper as cellulose source for regenerated cellulose membrane fabrication. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	51
295	Evaluation of FO-RO and PRO-RO designs for power generation and seawater desalination using impaired water feeds. <i>Desalination</i> , 2015, 368, 27-35.	4.0	51
296	Preparation and characterization of a novel highly hydrophilic and antifouling polysulfone/nanoporous TiO ₂ nanocomposite membrane. <i>Nanotechnology</i> , 2016, 27, 415706.	1.3	51
297	Photocatalytic degradation of oilfield produced water using graphitic carbon nitride embedded in electrospun polyacrylonitrile nanofibers. <i>Chemosphere</i> , 2018, 204, 79-86.	4.2	51
298	The Roles of Nanomaterials in Conventional and Emerging Technologies for Heavy Metal Removal: A State-of-the-Art Review. <i>Nanomaterials</i> , 2019, 9, 625.	1.9	51
299	CO ₂ /N ₂ selectivity enhancement of PEBAX MH 1657/Aminated partially reduced graphene oxide mixed matrix composite membrane. <i>Separation and Purification Technology</i> , 2019, 223, 142-153.	3.9	51
300	Effect of SPEEK content on the morphological and electrical properties of PES/SPEEK blend nanofiltration membranes. <i>Desalination</i> , 2009, 249, 996-1005.	4.0	50
301	Functionalized titanate nanotube-polyetherimide nanocomposite membrane for improved salt rejection under low pressure nanofiltration. <i>RSC Advances</i> , 2015, 5, 39464-39473.	1.7	50
302	Gas permeability and permselectivity properties of ethylene vinyl acetate/sepiolite mixed matrix membranes. <i>Separation and Purification Technology</i> , 2015, 146, 351-357.	3.9	50
303	Economical, environmental friendly synthesis, characterization for the production of zeolitic imidazolate framework-8 (ZIF-8) nanoparticles with enhanced CO ₂ adsorption. <i>Arabian Journal of Chemistry</i> , 2018, 11, 1072-1083.	2.3	50
304	Facile synthesis of GO and g-C ₃ N ₄ nanosheets encapsulated magnetite ternary nanocomposite for superior photocatalytic degradation of phenol. <i>Environmental Pollution</i> , 2019, 253, 1066-1078.	3.7	50
305	Highly adsorptive polysulfone/hydrous iron-nickel-manganese (PSF/HINM) nanocomposite hollow fiber membrane for synergistic arsenic removal. <i>Separation and Purification Technology</i> , 2019, 213, 162-175.	3.9	50
306	Preparation and characterization of inexpensive kaolin hollow fibre membrane (KHFM) prepared using phase inversion/sintering technique for the efficient separation of real oily wastewater. <i>Arabian Journal of Chemistry</i> , 2020, 13, 2349-2367.	2.3	50

#	ARTICLE	IF	CITATIONS
307	Molecular orientation and the performance of synthetic polymeric membranes for gas separation. <i>Polymer</i> , 1997, 38, 2215-2220.	1.8	49
308	Electrospinning applications from diagnosis to treatment of diabetes. <i>RSC Advances</i> , 2016, 6, 83638-83655.	1.7	49
309	Antifouling polysulfone membranes blended with green SiO ₂ from rice husk ash (RHA) for humic acid separation. <i>Chemical Engineering Research and Design</i> , 2016, 114, 268-279.	2.7	49
310	Photocatalytic degradation of phenol over visible light active ZnO/Ag ₂ CO ₃ /Ag ₂ O nanocomposites heterojunction. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 364, 602-612.	2.0	49
311	Recent Trends in Three-Dimensional Bioprints Based on Alginate for Biomedical Applications. <i>Materials</i> , 2020, 13, 3980.	1.3	49
312	Fabrication and characterization of graphene oxide/polyethersulfone (GO/PES) composite flat sheet and hollow fiber membranes for oil/water separation. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 1308-1320.	1.6	49
313	Structure-property interplay of poly(amide-imide) and TiO ₂ nanoparticles impregnated poly(ether-sulfone) asymmetric nanofiltration membranes. <i>RSC Advances</i> , 2012, 2, 6854.	1.7	48
314	Effect of different additives on the physical and chemical CO ₂ absorption in polyetherimide hollow fiber membrane contactor system. <i>Separation and Purification Technology</i> , 2012, 98, 472-480.	3.9	48
315	Preparation and Characterization of Chitosan Thin Films on Mixed-Matrix Membranes for Complete Removal of Chromium. <i>ChemistryOpen</i> , 2015, 4, 278-287.	0.9	48
316	Salt and water transport in reverse osmosis thin film composite seawater desalination membranes. <i>Desalination</i> , 2015, 368, 202-213.	4.0	48
317	Modelling corrosion rate of biodegradable magnesium-based alloys: The case study of Mg-Zn-RE-xCa (x=0, 0.5, 1.5, 3 and 6Åwt%) alloys. <i>Journal of Alloys and Compounds</i> , 2016, 687, 630-642.	2.8	48
318	Drug delivery and cytocompatibility of ciprofloxacin loaded gelatin nanofibers-coated Mg alloy. <i>Materials Letters</i> , 2017, 207, 179-182.	1.3	48
319	Structural transition from two-dimensional ZIF-L to three-dimensional ZIF-8 nanoparticles in aqueous room temperature synthesis with improved CO ₂ adsorption. <i>Materials Characterization</i> , 2018, 136, 407-416.	1.9	48
320	Preparation and characterization of hydrophilic surface modifier macromolecule modified poly(ether sulfone) photocatalytic membrane for phenol removal. <i>Chemical Engineering Journal</i> , 2018, 335, 236-247.	6.6	48
321	Fabrication of polyetherimide nanocomposite membrane with amine functionalised halloysite nanotubes for effective removal of cationic dye effluents. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 93, 42-53.	2.7	48
322	A Comprehensive Review on Surface Modifications of Biodegradable Magnesium-Based Implant Alloy: Polymer Coatings Opportunities and Challenges. <i>Coatings</i> , 2021, 11, 747.	1.2	48
323	Carbon dioxide stripping from diethanolamine solution through porous surface modified PVDF hollow fiber membrane contactor. <i>Journal of Membrane Science</i> , 2013, 427, 270-275.	4.1	47
324	Treatment of restaurant wastewater using ultrafiltration and nanofiltration membranes. <i>Journal of Water Process Engineering</i> , 2014, 2, 58-62.	2.6	47

#	ARTICLE	IF	CITATIONS
325	Membrane Distillation Technology for Treatment of Wastewater from Rubber Industry in Malaysia. <i>Procedia CIRP</i> , 2015, 26, 792-796.	1.0	47
326	Preparation and characterization of TiO ₂ -sulfonated polymer embedded polyetherimide membranes for effective desalination application. <i>Desalination</i> , 2015, 365, 355-364.	4.0	47
327	Effect of fabrication parameters on physical properties of metakaolin-based ceramic hollow fibre membrane (CHFM). <i>Ceramics International</i> , 2016, 42, 15547-15558.	2.3	47
328	Preparation and characterization of low cost porous ceramic membrane support from kaolin using phase inversion/sintering technique for gas separation: Effect of kaolin content and non-solvent coagulant bath. <i>Chemical Engineering Research and Design</i> , 2016, 112, 24-35.	2.7	47
329	Progress in transport theory and characterization method of Reverse Osmosis (RO) membrane in past fifty years. <i>Desalination</i> , 2018, 434, 2-11.	4.0	47
330	Fabrication of novel PPSU/ZSM-5 ultrafiltration hollow fiber membranes for separation of proteins and hazardous reactive dyes. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 82, 342-350.	2.7	47
331	Controlled synthesis of reduced graphene oxide supported magnetically separable Fe ₃ O ₄ @rGO@AgI ternary nanocomposite for enhanced photocatalytic degradation of phenol. <i>Powder Technology</i> , 2019, 356, 547-558.	2.1	47
332	Thin film nanocomposite RO membranes: Review on fabrication techniques and impacts of nanofiller characteristics on membrane properties. <i>Chemical Engineering Research and Design</i> , 2021, 165, 81-105.	2.7	47
333	Proton conducting composite membrane from sulfonated poly(ether ether ketone) and boron orthophosphate for direct methanol fuel cell application. <i>Journal of Membrane Science</i> , 2007, 299, 156-165.	4.1	46
334	Facilitated transport effect of Ag ⁺ ion exchanged halloysite nanotubes on the performance of polyetherimide mixed matrix membrane for gas separation. <i>Journal of Membrane Science</i> , 2011, 379, 378-385.	4.1	46
335	Physicochemical study of polyvinylidene fluoride "Cloisite 15A" composite membranes for membrane distillation application. <i>RSC Advances</i> , 2014, 4, 63367-63379.	1.7	46
336	Preparation and evaluation of heavy metal rejection properties of polyetherimide/porous activated bentonite clay nanocomposite membrane. <i>RSC Advances</i> , 2014, 4, 47240-47248.	1.7	46
337	Enhanced Permeation Performance of Cellulose Acetate Ultrafiltration Membranes by Incorporation of Sulfonated Poly(1,4-phenylene ether ether sulfone) and Poly(styrene-co-maleic anhydride). <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 13820-13827.	1.8	46
338	The potential of membrane distillation in recovering water from hot dyeing solution. <i>Journal of Water Process Engineering</i> , 2014, 2, 71-78.	2.6	46
339	Carbon tubular membranes from nanocrystalline cellulose blended with P84 co-polyimide for H ₂ and He separation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9952-9957.	3.8	46
340	Synthesis of a novel nanostructured zinc oxide/baghdadite coating on Mg alloy for biomedical application: In-vitro degradation behavior and antibacterial activities. <i>Ceramics International</i> , 2017, 43, 14842-14850.	2.3	46
341	Janus graphene oxide nanosheet: A promising additive for enhancement of polymeric membranes performance prepared via phase inversion. <i>Journal of Colloid and Interface Science</i> , 2018, 527, 10-24.	5.0	46
342	Advances in adsorptive membrane technology for water treatment and resource recovery applications: A critical review. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107633.	3.3	46

#	ARTICLE	IF	CITATIONS
343	Heat sealability of laminated films with LLDPE and LDPE as the sealant materials in bar sealing application. <i>Journal of Applied Polymer Science</i> , 2007, 104, 3736-3745.	1.3	45
344	Surfactant dispersed multi-walled carbon nanotube/polyetherimide nanocomposite membrane. <i>Solid State Sciences</i> , 2010, 12, 2155-2162.	1.5	45
345	Preparation, characterization and the effect of PANI coated TiO ₂ nanocomposites on the performance of polysulfone ultrafiltration membranes. <i>New Journal of Chemistry</i> , 2015, 39, 703-712.	1.4	45
346	Copper-substituted cobalt ferrite nanoparticles: Structural, optical and antibacterial properties. <i>Materials Express</i> , 2016, 6, 473-482.	0.2	45
347	Status and improvement of dual-layer hollow fiber membranes via co-extrusion process for gas separation: A review. <i>Journal of Natural Gas Science and Engineering</i> , 2018, 52, 215-234.	2.1	45
348	Enhancing desalination performance of thin film composite membrane through layer by layer assembly of oppositely charged titania nanosheet. <i>Desalination</i> , 2020, 476, 114167.	4.0	45
349	Strategies in Forward Osmosis Membrane Substrate Fabrication and Modification: A Review. <i>Membranes</i> , 2020, 10, 332.	1.4	45
350	Performance of Polymer Electrolyte Membrane for Direct Methanol Fuel Cell Application: Perspective on Morphological Structure. <i>Membranes</i> , 2020, 10, 34.	1.4	45
351	Superwetting materials for hydrophilic-oleophobic membrane in oily wastewater treatment. <i>Journal of Environmental Management</i> , 2021, 290, 112565.	3.8	45
352	A novel surface modified polyetherimide hollow fiber membrane for gas-liquid contacting processes. <i>Separation and Purification Technology</i> , 2012, 89, 160-170.	3.9	44
353	Ultrafiltration as a pretreatment for seawater desalination: A review. <i>Membrane Water Treatment</i> , 2014, 5, 15-29.	0.5	44
354	Production of mixed matrix hollow fiber membrane for CO ₂ /CH ₄ separation. <i>Separation and Purification Technology</i> , 2014, 137, 1-12.	3.9	44
355	Hydrocarbon degradation and separation of bilge water via a novel TiO ₂ -HNTs/PVDF-based photocatalytic membrane reactor (PMR). <i>RSC Advances</i> , 2015, 5, 14147-14155.	1.7	44
356	Power generation and wastewater treatment using a novel SPEEK nanocomposite membrane in a dual chamber microbial fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 477-487.	3.8	44
357	Surface modification of thin film composite membrane by nanoporous titanate nanoparticles for improving combined organic and inorganic antifouling properties. <i>Materials Science and Engineering C</i> , 2017, 75, 463-470.	3.8	44
358	Novel nanostructured baghdadite-vancomycin scaffolds: In-vitro drug release, antibacterial activity and biocompatibility. <i>Materials Letters</i> , 2017, 209, 369-372.	1.3	44
359	Disk supported carbon membrane via spray coating method: Effect of carbonization temperature and atmosphere. <i>Separation and Purification Technology</i> , 2018, 195, 295-304.	3.9	44
360	Antibacterial activity and in vivo wound healing evaluation of polycaprolactone-gelatin methacryloyl-cephalexin electrospun nanofibrous. <i>Materials Letters</i> , 2019, 256, 126618.	1.3	44

#	ARTICLE	IF	CITATIONS
361	GO/PVA-integrated TFN RO membrane: Exploring the effect of orientation switching between PA and GO/PVA and evaluating the GO loading impact. <i>Desalination</i> , 2020, 496, 114538.	4.0	44
362	Fabrication of polyethersulfone electrospun nanofibrous membranes incorporated with hydrous manganese dioxide for enhanced ultrafiltration of oily solution. <i>Separation and Purification Technology</i> , 2019, 212, 205-214.	3.9	43
363	Chemically functionalized polyamide thin film composite membranes: The art of chemistry. <i>Desalination</i> , 2020, 495, 114655.	4.0	43
364	A review of the potential of conventional and advanced membrane technology in the removal of pathogens from wastewater. <i>Separation and Purification Technology</i> , 2022, 286, 120454.	3.9	43
365	Polyvinylidene fluoride and polyetherimide hollow fiber membranes for CO ₂ stripping in membrane contactor. <i>Chemical Engineering Research and Design</i> , 2014, 92, 1391-1398.	2.7	42
366	Blend polyvinylidene fluoride/surface modifying macromolecule hollow fiber membrane contactors for CO ₂ absorption. <i>International Journal of Greenhouse Gas Control</i> , 2014, 26, 83-92.	2.3	42
367	Study on CO ₂ stripping from water through novel surface modified PVDF hollow fiber membrane contactor. <i>Chemical Engineering Journal</i> , 2014, 246, 306-310.	6.6	42
368	Porous PES and PEI hollow fiber membranes in a gas-liquid contacting process—A comparative study. <i>Journal of Membrane Science</i> , 2015, 475, 57-64.	4.1	42
369	Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2568-2581.	1.6	42
370	Current Approaches in Improving Hemocompatibility of Polymeric Membranes for Biomedical Application. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 771-800.	1.7	42
371	Novel bi-layered nanostructured SiO ₂ /Ag-FHAp coating on biodegradable magnesium alloy for biomedical applications. <i>Ceramics International</i> , 2016, 42, 11941-11950.	2.3	42
372	Photocatalytic degradation of nonylphenol using co-extruded dual-layer hollow fibre membranes incorporated with a different ratio of TiO ₂ /PVDF. <i>Reactive and Functional Polymers</i> , 2016, 99, 80-87.	2.0	42
373	A new multifunctional monticellite-ciprofloxacin scaffold: Preparation, bioactivity, biocompatibility, and antibacterial properties. <i>Materials Chemistry and Physics</i> , 2019, 222, 118-131.	2.0	42
374	Activated carbon nanofibers incorporated metal oxides for CO ₂ adsorption: Effects of different type of metal oxides. <i>Journal of CO₂ Utilization</i> , 2021, 45, 101434.	3.3	42
375	Preparation and characterization of cross-linked Matrimid® membranes using para-phenylenediamine for O ₂ /N ₂ separation. <i>Separation and Purification Technology</i> , 2010, 73, 421-428.	3.9	41
376	Fabrication and characterization of PEI/PVP-based carbon hollow fiber membranes for CO ₂ /CH ₄ and CO ₂ /N ₂ separation. <i>AIChE Journal</i> , 2012, 58, 3167-3175.	1.8	41
377	Probing the morphology and anti-organic fouling behaviour of a polyetherimide membrane modified with hydrophilic organic acids as additives. <i>New Journal of Chemistry</i> , 2015, 39, 6141-6150.	1.4	41
378	Tackling colour issue of anaerobically-treated palm oil mill effluent using membrane technology. <i>Journal of Water Process Engineering</i> , 2015, 8, 221-226.	2.6	41

#	ARTICLE	IF	CITATIONS
379	Preparation and characterization of PVDF membranes incorporated with different additives for dyeing solution treatment using membrane distillation. <i>Desalination and Water Treatment</i> , 2015, 56, 1999-2012.	1.0	41
380	Radio frequency magnetron sputtered ZnO/SiO ₂ /glass thin film: Role of ZnO thickness on structural and optical properties. <i>Journal of Alloys and Compounds</i> , 2016, 671, 170-176.	2.8	41
381	Polyacrylonitrile/magnesium oxide-based activated carbon nanofibers with well-developed microporous structure and their adsorption performance for methane. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 51, 281-287.	2.9	41
382	Photocatalytic performance of TiO ₂ /Clinoptilolite: Comparison study in suspension and hybrid photocatalytic membrane reactor. <i>Chemosphere</i> , 2019, 228, 241-248.	4.2	41
383	Improving "Lipid Productivity"™ in Microalgae by Bilateral Enhancement of Biomass and Lipid Contents: A Review. <i>Sustainability</i> , 2020, 12, 9083.	1.6	41
384	Development of asymmetric polysulfone hollow fiber membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 86, 215-220.	3.9	40
385	Effect of HNTs modification in nanocomposite membrane enhancement for bacterial removal by cross-flow ultrafiltration system. <i>Reactive and Functional Polymers</i> , 2015, 95, 80-87.	2.0	40
386	Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy. , 2017, , 161-179.		40
387	Modified ZIF-8 mixed matrix membrane for CO ₂ /CH ₄ separation. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	40
388	Simultaneous organics, sulphate and salt removal in a microbial desalination cell with an insight into microbial communities. <i>Desalination</i> , 2018, 445, 204-212.	4.0	40
389	Adsorptive mixed matrix membrane incorporating graphene oxide-manganese ferrite (GMF) hybrid nanomaterial for efficient As(V) ions removal. <i>Composites Part B: Engineering</i> , 2019, 175, 107150.	5.9	40
390	Electrospun Nanofibers Embedding ZnO/Ag ₂ CO ₃ /Ag ₂ O Heterojunction Photocatalyst with Enhanced Photocatalytic Activity. <i>Catalysts</i> , 2019, 9, 565.	1.6	40
391	Antibiofouling hollow-fiber membranes for dye rejection by embedding chitosan and silver-loaded chitosan nanoparticles. <i>Environmental Chemistry Letters</i> , 2019, 17, 581-587.	8.3	40
392	Removal of toxic arsenic from aqueous media using polyphenylsulfone/cellulose acetate hollow fiber membranes containing zirconium oxide. <i>Chemical Engineering Journal</i> , 2020, 393, 124367.	6.6	40
393	Nanomaterials for microplastic remediation from aquatic environment: Why nano matters?. <i>Chemosphere</i> , 2022, 299, 134418.	4.2	40
394	Preparation of polyaniline asymmetric hollow fiber membranes and investigation towards gas separation performance. <i>Journal of Membrane Science</i> , 2011, 366, 116-124.	4.1	39
395	Influence of membrane morphology on characteristics of porous hydrophobic PVDF hollow fiber contactors for CO ₂ stripping from water. <i>Desalination</i> , 2012, 287, 220-227.	4.0	39
396	Matrimid-based carbon tubular membrane: Effect of carbonization environment. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 32, 167-171.	2.9	39

#	ARTICLE	IF	CITATIONS
397	Surface modification of polysulfone hollow fiber membrane spun under different air-gap lengths for carbon dioxide absorption in membrane contactor system. <i>Chemical Engineering Journal</i> , 2015, 264, 453-461.	6.6	39
398	Anti-Fouling Double-Skinned Forward Osmosis Membrane with Zwitterionic Brush for Oily Wastewater Treatment. <i>Scientific Reports</i> , 2017, 7, 6904.	1.6	39
399	A Facile Approach to Prepare Regenerated Cellulose/Graphene Nanoplatelets Nanocomposite Using Room-Temperature Ionic Liquid. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 5233-5239.	0.9	38
400	Development of high performance surface modified polyetherimide hollow fiber membrane for gas-liquid contacting processes. <i>Chemical Engineering Journal</i> , 2012, 198-199, 327-337.	6.6	38
401	Microstructure and anti-adhesion properties of PES/TAP/Ag hybrid ultrafiltration membrane. <i>Desalination</i> , 2012, 287, 71-77.	4.0	38
402	The anti-biofouling effect of Piper betle extract against <i>Pseudomonas aeruginosa</i> and bacterial consortium. <i>Desalination</i> , 2012, 288, 24-30.	4.0	38
403	Synthesis, characterization and desalination study of novel PSAB and mPSAB blend membranes with Polysulfone (PSf). <i>Desalination</i> , 2012, 295, 35-42.	4.0	38
404	Effect of operating temperature on the behavior of promising SPEEK/cSMM electrolyte membrane for DMFCs. <i>Separation and Purification Technology</i> , 2013, 106, 72-81.	3.9	38
405	PVDF/CaCO ₃ composite hollow fiber membrane for CO ₂ absorption in gas-liquid membrane contactor. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 31, 428-436.	2.1	38
406	Treatment of two different water resources in desalination and microbial fuel cell processes by poly sulfone/Sulfonated poly ether ether ketone hybrid membrane. <i>Energy</i> , 2016, 96, 303-313.	4.5	38
407	Synthesis and in-vitro performance of nanostructured monticellite coating on magnesium alloy for biomedical applications. <i>Journal of Alloys and Compounds</i> , 2019, 773, 180-193.	2.8	38
408	Development of high strength, porous mullite ceramic hollow fiber membrane for treatment of oily wastewater. <i>Ceramics International</i> , 2021, 47, 15367-15382.	2.3	38
409	Oilfield-produced water treatment using conventional and membrane-based technologies for beneficial reuse: A critical review. <i>Journal of Environmental Management</i> , 2022, 308, 114556.	3.8	38
410	The effect of UV irradiation on PSf/TiO ₂ mixed matrix membrane for chromium rejection. <i>Desalination</i> , 2014, 354, 189-199.	4.0	37
411	Gas separation performance of thin film nanocomposite membranes incorporated with polymethyl methacrylate grafted multi-walled carbon nanotubes. <i>International Biodeterioration and Biodegradation</i> , 2015, 102, 339-345.	1.9	37
412	Morphological study of yttria-stabilized zirconia hollow fibre membrane prepared using phase inversion/sintering technique. <i>Ceramics International</i> , 2015, 41, 12543-12553.	2.3	37
413	Preparation of chitosan/cellulose acetate composite nanofiltration membrane for wastewater treatment. <i>Desalination and Water Treatment</i> , 2016, 57, 14453-14460.	1.0	37
414	Development and characterization of disk supported carbon membrane prepared by one-step coating-carbonization cycle. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 57, 313-321.	2.9	37

#	ARTICLE	IF	CITATIONS
415	Influence of pre-treatment temperature of palm oil fuel ash on the properties and performance of green ceramic hollow fiber membranes towards oil/water separation application. <i>Separation and Purification Technology</i> , 2019, 222, 264-277.	3.9	37
416	Enhancing the performance of porous rice husk silica through branched polyethyleneimine grafting for phosphate adsorption. <i>Arabian Journal of Chemistry</i> , 2020, 13, 6682-6695.	2.3	37
417	Pillared cloisite 15A as an enhancement filler in polysulfone mixed matrix membranes for CO ₂ /N ₂ and O ₂ /N ₂ gas separation. <i>Journal of Natural Gas Science and Engineering</i> , 2021, 86, 103720.	2.1	37
418	Eco-friendly surface modification approach to develop thin film nanocomposite membrane with improved desalination and antifouling properties. <i>Journal of Advanced Research</i> , 2022, 36, 39-49.	4.4	37
419	Review on tungsten trioxide as a photocatalysts for degradation of recalcitrant pollutants. <i>Journal of Cleaner Production</i> , 2021, 309, 127438.	4.6	37
420	Recent Advances of Polymeric Membranes in Tackling Plasticization and Aging for Practical Industrial CO ₂ /CH ₄ Applicationsâ€”A Review. <i>Membranes</i> , 2022, 12, 71.	1.4	37
421	A Review on the Use of Membrane Technology Systems in Developing Countries. <i>Membranes</i> , 2022, 12, 30.	1.4	37
422	Physico-chemical study of sulfonated polystyrene pore-filled electrolyte membranes by electrons induced grafting. <i>Journal of Membrane Science</i> , 2005, 254, 189-196.	4.1	36
423	The effect of blending sulfonated poly(ether ether ketone) with various charged surface modifying macromolecules on proton exchange membrane performance. <i>Journal of Membrane Science</i> , 2009, 328, 148-155.	4.1	36
424	Effect of Raw Multi-Wall Carbon Nanotubes on Morphology and Separation Properties of Polyimide Membranes. <i>Separation Science and Technology</i> , 2010, 45, 2287-2297.	1.3	36
425	Treatment of dyeing solution by NF membrane for decolorization and salt reduction. <i>Desalination and Water Treatment</i> , 2012, 50, 245-253.	1.0	36
426	Beta-cyclodextrin functionalized MWCNT: A potential nano-membrane material for mixed matrix gas separation membranes development. <i>Separation and Purification Technology</i> , 2013, 115, 39-50.	3.9	36
427	Fabrication and characterization of porous polyetherimide/montmorillonite hollow fiber mixed matrix membranes for CO ₂ absorption via membrane contactor. <i>Chemical Engineering Journal</i> , 2015, 269, 51-59.	6.6	36
428	The Waterâ€”Energy Nexus: Solutions towards Energyâ€”Efficient Desalination. <i>Energy Technology</i> , 2017, 5, 1136-1155.	1.8	36
429	Highly permeable and selective graphene oxide-enabled thin film nanocomposite for carbon dioxide separation. <i>International Journal of Greenhouse Gas Control</i> , 2017, 64, 257-266.	2.3	36
430	Incorporation of thermally labile additives in carbon membrane development for superior gas permeation performance. <i>Journal of Natural Gas Science and Engineering</i> , 2018, 49, 376-384.	2.1	36
431	Tailoring the surface properties of carbon nitride incorporated thin film nanocomposite membrane for forward osmosis desalination. <i>Journal of Water Process Engineering</i> , 2020, 33, 101005.	2.6	36
432	A green approach to modify surface properties of polyamide thin film composite membrane for improved antifouling resistance. <i>Separation and Purification Technology</i> , 2020, 250, 116976.	3.9	36

#	ARTICLE	IF	CITATIONS
433	Poly(methyl methacrylate) bone cement, its rise, growth, downfall and future. <i>Polymer International</i> , 2021, 70, 1182-1201.	1.6	36
434	Effects of shear rate and forced convection residence time on asymmetric polysulfone membranes structure and gas separation performance. <i>Separation and Purification Technology</i> , 2003, 33, 255-272.	3.9	35
435	Co-casting technique for fabricating dual-layer flat sheet membranes for gas separation. <i>Journal of Membrane Science</i> , 2011, 375, 258-267.	4.1	35
436	Effects of Chitosan Alkali Pretreatment on the Preparation of Electrospun PCL/Chitosan Blend Nanofibrous Scaffolds for Tissue Engineering Application. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-6.	1.5	35
437	Performance evaluation of novel PVDF/Cloisite 15A hollow fiber composite membranes for treatment of effluents containing dyes and salts using membrane distillation. <i>RSC Advances</i> , 2015, 5, 38011-38020.	1.7	35
438	Recent development on the effect of water/moisture on the performance of zeolite membrane and MMMs containing zeolite for gas separation; review. <i>RSC Advances</i> , 2016, 6, 42943-42961.	1.7	35
439	The role of geometrically different carbon-based fillers on the formation and gas separation performance of nanocomposite membranes. <i>Carbon</i> , 2019, 149, 33-44.	5.4	35
440	Arsenic adsorption mechanism on palm oil fuel ash (POFA) powder suspension. <i>Journal of Hazardous Materials</i> , 2020, 383, 121214.	6.5	35
441	Potential effect of potting resin on the performance of hollow fibre membrane modules in a CO ₂ /CH ₄ gas separation system. <i>Journal of Membrane Science</i> , 2004, 236, 183-191.	4.1	34
442	Synthesis and characterization of poly(vinylidene fluoride) membrane containing hydrophobic silica nanoparticles for CO ₂ absorption from CO ₂ /N ₂ using membrane contactor. <i>Chemical Engineering Research and Design</i> , 2017, 120, 47-57.	2.7	34
443	Studies on the properties of RO membranes for salt and boron removal: Influence of thermal treatment methods and rinsing treatments. <i>Desalination</i> , 2018, 428, 218-226.	4.0	34
444	Preparation, Characterization, and Performance Evaluation of Polysulfone Hollow Fiber Membrane with PEBAX or PDMS Coating for Oxygen Enhancement Process. <i>Polymers</i> , 2018, 10, 126.	2.0	34
445	Iron oxide nanoparticles incorporated polyethersulfone electrospun nanofibrous membranes for effective oil removal. <i>Chemical Engineering Research and Design</i> , 2019, 148, 142-154.	2.7	34
446	Promoting sustainable cleaner production paradigms in palm oil fuel ash as an eco-friendly cementitious material: A critical analysis. <i>Journal of Cleaner Production</i> , 2021, 295, 126296.	4.6	34
447	Removal of emerging organic micropollutants via modified-reverse osmosis/nanofiltration membranes: A review. <i>Chemosphere</i> , 2022, 305, 135151.	4.2	34
448	Effect of novel surface modifying macromolecules on morphology and performance of Polysulfone hollow fiber membrane contactor for CO ₂ absorption. <i>Separation and Purification Technology</i> , 2012, 99, 61-68.	3.9	33
449	Preparation and characterization study of PPEES/chitosan composite membrane crosslinked with tripolyphosphate. <i>Desalination</i> , 2014, 344, 90-96.	4.0	33
450	Polyvinyl alcohol/polysaccharide hydrogel graft materials for arsenic and heavy metal removal. <i>New Journal of Chemistry</i> , 2015, 39, 5823-5832.	1.4	33

#	ARTICLE	IF	CITATIONS
451	Performance of silicon rubber coated polyetherimide hollow fibers for CO ₂ removal via a membrane contactor. RSC Advances, 2015, 5, 48442-48455.	1.7	33
452	Stability of SPEEK/Cloisite [®] /TAP nanocomposite membrane under Fenton reagent condition for direct methanol fuel cell application. Polymer Degradation and Stability, 2017, 137, 83-99.	2.7	33
453	Facile spectroscopic approach to obtain the optoelectronic properties of few-layered graphene oxide thin films and their role in photocatalysis. New Journal of Chemistry, 2017, 41, 14217-14227.	1.4	33
454	Roles of nanomaterial structure and surface coating on thin film nanocomposite membranes for enhanced desalination. Composites Part B: Engineering, 2019, 160, 471-479.	5.9	33
455	Constructing a compact heterojunction structure of Ag ₂ CO ₃ /Ag ₂ O in-situ intermediate phase transformation decorated on ZnO with superior photocatalytic degradation of ibuprofen. Separation and Purification Technology, 2020, 251, 117391.	3.9	33
456	Biodiesel wash-water reuse using microfiltration: toward zero-discharge strategy for cleaner and economized biodiesel production. Biofuel Research Journal, 0, , 148-151.	7.2	33
457	Optimisation of growth medium for the production of cyclodextrin glucanotransferase from Bacillus stearothermophilus HR1 using response surface methodology. Process Biochemistry, 2004, 39, 2053-2060.	1.8	32
458	Preparation and characterization of hyperthin-skinned and high performances asymmetric polyethersulfone membrane for gas separation. Desalination, 2011, 273, 93-104.	4.0	32
459	Structural characterization of N-doped anatase-rutile mixed phase TiO ₂ nanorods assembled microspheres synthesized by simple sol-gel method. Journal of Sol-Gel Science and Technology, 2015, 74, 513-520.	1.1	32
460	Facile synthesis of highly favorable graphene oxide: Effect of oxidation degree on the structural, morphological, thermal and electrochemical properties. Materialia, 2019, 6, 100344.	1.3	32
461	Activated biochar supported iron-copper oxide bimetallic catalyst for degradation of ciprofloxacin via photo-assisted electro-Fenton process: A mild pH condition. Journal of Water Process Engineering, 2021, 39, 101888.	2.6	32
462	Impact of Doping and Additive Applications on Photocatalyst Textural Properties in Removing Organic Pollutants: A Review. Catalysts, 2021, 11, 1160.	1.6	32
463	The state-of-the-art development of photocatalysts for the degradation of persistent herbicides in wastewater. Science of the Total Environment, 2022, 843, 156975.	3.9	32
464	Influence of bentonite in polymer membranes for effective treatment of car wash effluent to protect the ecosystem. Ecotoxicology and Environmental Safety, 2015, 121, 186-192.	2.9	31
465	Synthesis and corrosion behavior of a hybrid bioceramic-biopolymer coating on biodegradable Mg alloy for orthopaedic implants. Journal of Alloys and Compounds, 2015, 648, 1067-1071.	2.8	31
466	High-flux polysulfone mixed matrix hollow fiber membrane incorporating mesoporous titania nanotubes for gas separation. Separation and Purification Technology, 2017, 180, 13-22.	3.9	31
467	Novel hydrophobic PVDF/APTES-GO nanocomposite for natural gas pipelines coating. Journal of Natural Gas Science and Engineering, 2017, 42, 190-202.	2.1	31
468	Ceramic Membrane Distillation for Desalination. Separation and Purification Reviews, 2020, 49, 317-356.	2.8	31

#	ARTICLE	IF	CITATIONS
469	The Recent Progress in Modification of Polymeric Membranes Using Organic Macromolecules for Water Treatment. <i>Symmetry</i> , 2020, 12, 239.	1.1	31
470	Effect of binary zinc-magnesium oxides on polyphenylsulfone/cellulose acetate derivatives hollow fiber membranes for the decontamination of arsenic from drinking water. <i>Chemical Engineering Journal</i> , 2021, 405, 126809.	6.6	31
471	Fouling characteristics and autopsy of a PES ultrafiltration membrane in cyclodextrins separation. <i>Desalination</i> , 2007, 207, 227-242.	4.0	30
472	Pre-treatment of multi-walled carbon nanotubes for polyetherimide mixed matrix hollow fiber membranes. <i>Journal of Colloid and Interface Science</i> , 2012, 386, 80-87.	5.0	30
473	Transport properties and direct methanol fuel cell performance of sulfonated poly (ether ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 temperature. <i>Separation and Purification Technology</i> , 2013, 118, 567-575.	3.9	30
474	Synthesis of Graphene Oxide Nanosheets via Modified Hummers's™ Method and Its Physicochemical Properties. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015, 74, .	0.3	30
475	Deacidification of crude palm oil using PVA-crosslinked PVDF membrane. <i>Journal of Food Engineering</i> , 2015, 166, 165-173.	2.7	30
476	Dye wastewater treatment by direct contact membrane distillation using polyvinylidene fluoride hollow fiber membranes. <i>Journal of Polymer Engineering</i> , 2015, 35, 471-479.	0.6	30
477	Performance of PAN-based membranes with graft copolymers bearing hydrophilic PVA and PAN segments in direct ultrafiltration of natural rubber effluent. <i>Desalination</i> , 2015, 358, 49-60.	4.0	30
478	Zeolite ZSM5-Filled PVDF Hollow Fiber Mixed Matrix Membranes for Efficient Carbon Dioxide Removal via Membrane Contactor. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 12632-12643.	1.8	30
479	Novel synergistic hydrous iron-nickel-manganese (HINM) trimetal oxide for hazardous arsenite removal. <i>Chemosphere</i> , 2018, 200, 504-512.	4.2	30
480	Polyaniline coated sulfonated TiO ₂ nanoparticles for effective application in proton conductive polymer membrane fuel cell. <i>European Polymer Journal</i> , 2019, 112, 696-703.	2.6	30
481	Functionalized boron nitride composite ultrafiltration membrane for dye removal from aqueous solution. <i>Journal of Membrane Science</i> , 2020, 612, 118473.	4.1	30
482	ZIF-8 based polysulfone hollow fiber membranes for natural gas purification. <i>Polymer Testing</i> , 2020, 84, 106415.	2.3	30
483	Novel silica sand hollow fibre ceramic membrane for oily wastewater treatment. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104975.	3.3	30
484	Antimicrobial Synthetic and Natural Polymeric Nanofibers as Wound Dressing: A Review. <i>Advanced Engineering Materials</i> , 2022, 24, .	1.6	30
485	A review on recent progress in environmental applications of membrane contactor technology. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107631.	3.3	30
486	Carbon dioxide stripping from water through porous polysulfone hollow fiber membrane contactor. <i>Separation and Purification Technology</i> , 2013, 108, 119-123.	3.9	29

#	ARTICLE	IF	CITATIONS
487	Thin film nanocomposite embedded with polymethyl methacrylate modified multi-walled carbon nanotubes for CO ₂ removal. RSC Advances, 2015, 5, 31683-31690.	1.7	29
488	Efficient treatment of hazardous reactive dye effluents through antifouling polyetherimide hollow fiber membrane embedded with functionalized halloysite nanotubes. Journal of the Taiwan Institute of Chemical Engineers, 2017, 72, 244-252.	2.7	29
489	Enhanced hydrophilic polysulfone hollow fiber membranes with addition of iron oxide nanoparticles. Polymer International, 2017, 66, 1424-1429.	1.6	29
490	Structural, optical and electrical evolution of Al and Ga co-doped ZnO/SiO ₂ /glass thin film: role of laser power density. RSC Advances, 2017, 7, 35858-35868.	1.7	29
491	Manufacturing and Characterization of Novel Electrospun Composite Comprising Polyurethane and Mustard Oil Scaffold with Enhanced Blood Compatibility. Polymers, 2017, 9, 163.	2.0	29
492	Facile acid treatment of multiwalled carbon nanotube-titania nanotube thin film nanocomposite membrane for reverse osmosis desalination. Journal of Cleaner Production, 2018, 181, 517-526.	4.6	29
493	A low cost, superhydrophobic and superoleophilic hybrid kaolin-based hollow fibre membrane (KHFM) for efficient adsorption/separation of oil removal from water. RSC Advances, 2018, 8, 2986-2995.	1.7	29
494	Development of thin film nanocomposite membrane incorporated with plasma enhanced chemical vapor deposition-modified hydrous manganese oxide for nanofiltration process. Composites Part B: Engineering, 2019, 176, 107328.	5.9	29
495	Titanium dioxide-modified polyetherimide nanofiber membrane for water treatment. Journal of Water Process Engineering, 2019, 32, 100970.	2.6	29
496	CuBTC metal organic framework incorporation for enhancing separation and antifouling properties of nanofiltration membrane. Chemical Engineering Research and Design, 2019, 148, 227-239.	2.7	29
497	Feasibility study of CAU-1 deposited on alumina hollow fiber for desalination applications. Separation and Purification Technology, 2019, 217, 247-257.	3.9	29
498	A review on the potential of photocatalysis in combatting SARS-CoV-2 in wastewater. Journal of Water Process Engineering, 2021, 42, 102111.	2.6	29
499	Influence of feed conditions on the rejection of salt and dye in aqueous solution by different characteristics of hollow fiber nanofiltration membranes. Desalination and Water Treatment, 2009, 6, 281-288.	1.0	28
500	Effect of Dispersed Multi-Walled Carbon Nanotubes on Mixed Matrix Membrane for O ₂ /N ₂ Separation. Separation Science and Technology, 2011, 46, 1250-1261.	1.3	28
501	Study on the effect of air gap length on properties and performance of surface modified PVDF hollow fiber membrane contactor for carbon dioxide absorption. Separation and Purification Technology, 2014, 132, 601-609.	3.9	28
502	Porous PCL/Chitosan and nHA/PCL/Chitosan Scaffolds for Tissue Engineering Applications: Fabrication and Evaluation. Journal of Nanomaterials, 2015, 2015, 1-8.	1.5	28
503	Qualitative and quantitative analysis of intercalated and exfoliated silicate layers in asymmetric polyethersulfone/halloysite 15A mixed matrix membrane for CO ₂ /CH ₄ separation. Chemical Engineering Journal, 2015, 268, 371-383.	6.6	28
504	Urease-carrying electrospun polyacrylonitrile mat for urea hydrolysis. Reactive and Functional Polymers, 2015, 87, 37-45.	2.0	28

#	ARTICLE	IF	CITATIONS
505	Arsenate removal from contaminated water by a highly adsorptive nanocomposite ultrafiltration membrane. <i>New Journal of Chemistry</i> , 2015, 39, 8263-8272.	1.4	28
506	Thermal Stability and Water Content Study of Void-Free Electrospun SPEEK/Cloisite Membrane for Direct Methanol Fuel Cell Application. <i>Polymers</i> , 2018, 10, 194.	2.0	28
507	Development of Copper-Aluminum Layered Double Hydroxide in Thin Film Nanocomposite Nanofiltration Membrane for Water Purification Process. <i>Frontiers in Chemistry</i> , 2019, 7, 3.	1.8	28
508	Boron removal and antifouling properties of thin-film nanocomposite membrane incorporating PECVD-modified titanate nanotubes. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 2772-2782.	1.6	28
509	Impact of organosilanes modified superhydrophobic-superoleophilic kaolin ceramic membrane on efficiency of oil recovery from produced water. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 3300-3315.	1.6	28
510	Application and Challenges of Membrane in Surface Water Treatment. <i>Journal of Applied Sciences</i> , 2010, 10, 380-390.	0.1	28
511	Greener synthesis of functionalized-GO incorporated TFN NF membrane for potential recovery of saline water from salt/dye mixed solution. <i>Desalination</i> , 2022, 523, 115403.	4.0	28
512	The deduction of fine structural details of asymmetric nanofiltration membranes using theoretical models. <i>Journal of Membrane Science</i> , 2004, 231, 25-36.	4.1	27
513	The effect of residence time on the physical characteristics of PAN-based fibers produced using a solvent-free coagulation process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 448, 275-280.	2.6	27
514	Thermal analysis of adsorptive natural gas storages during dynamic charge phase at room temperature. <i>Experimental Thermal and Fluid Science</i> , 2007, 32, 14-22.	1.5	27
515	From Polymeric Precursors to Hollow Fiber Carbon and Ceramic Membranes. <i>Membrane Science and Technology</i> , 2008, 13, 81-119.	0.5	27
516	Theoretical studies on structural and electrical properties of PES/SPEEK blend nanofiltration membrane. <i>AIChE Journal</i> , 2009, 55, 2081-2093.	1.8	27
517	Stability study of PVDF/TiO ₂ dual layer hollow fibre membranes under long-term UV irradiation exposure. <i>Journal of Water Process Engineering</i> , 2017, 15, 78-82.	2.6	27
518	Water transport properties of boron nitride nanosheets mixed matrix membranes for humic acid removal. <i>Heliyon</i> , 2019, 5, e01142.	1.4	27
519	Synthesis and characterisation of composite sulphonated polyurethane/polyethersulphone membrane for blood purification application. <i>Materials Science and Engineering C</i> , 2019, 99, 491-504.	3.8	27
520	Effects of surface charge of thin-film composite membrane on copper (II) ion removal by using nanofiltration and forward osmosis process. <i>Journal of Water Process Engineering</i> , 2020, 33, 101032.	2.6	27
521	Fabrication of magnesium bentonite hollow fibre ceramic membrane for oil-water separation. <i>Arabian Journal of Chemistry</i> , 2020, 13, 5996-6008.	2.3	27
522	Photocatalytic membranes: a new perspective for persistent organic pollutants removal. <i>Environmental Science and Pollution Research</i> , 2022, 29, 12506-12530.	2.7	27

#	ARTICLE	IF	CITATIONS
523	Functionalized boron nitride embedded sulfonated poly (ether ether ketone) proton exchange membrane for direct methanol fuel cell applications. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105876.	3.3	27
524	Polysulfone gas separation hollow fiber membranes with enhanced selectivity. <i>Journal of Membrane Science</i> , 1998, 139, 285-286.	4.1	26
525	The effect of processing conditions on a polyacrylonitrile fiber produced using a solvent-free free coagulation process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 485, 251-257.	2.6	26
526	Carbon-based Membranes for Separation Processes. , 2011, , .		26
527	Carbon dioxide stripping through water by porous PVDF/montmorillonite hollow fiber mixed matrix membranes in a membrane contactor. <i>RSC Advances</i> , 2015, 5, 21916-21924.	1.7	26
528	Investigation on the effect of sintering temperature on kaolin hollow fibre membrane for dye filtration. <i>Environmental Science and Pollution Research</i> , 2017, 24, 15905-15917.	2.7	26
529	Concentration of whey protein from cheese whey effluent using ultrafiltration by combination of hydrophilic metal oxides and hydrophobic polymer. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 2576-2591.	1.6	26
530	Enhancement in photocatalytic degradation of methylene blue by LaFeO ₃ -GO integrated photocatalyst-adsorbents under visible light irradiation. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 548-556.	1.2	26
531	Feasibility study of the hybrid adsorptive hollow fibre ceramic membrane (HFCM) derived from natural zeolite for the removal of ammonia in wastewater. <i>Chemical Engineering Research and Design</i> , 2019, 122, 378-385.	2.7	26
532	Facile fabrication of superhydrophobic and superoleophilic green ceramic hollow fiber membrane derived from waste sugarcane bagasse ash for oil/water separation. <i>Arabian Journal of Chemistry</i> , 2020, 13, 3558-3570.	2.3	26
533	Efficient heavy metal removal by thin film nanocomposite forward osmosis membrane modified with geometrically different bimetallic oxide. <i>Journal of Water Process Engineering</i> , 2020, 38, 101591.	2.6	26
534	Methane adsorption by porous graphene derived from rice husk ashes under various stabilization temperatures. <i>Carbon Letters</i> , 2020, 30, 535-543.	3.3	26
535	A Review of Commercial Developments and Recent Laboratory Research of Dialyzers and Membranes for Hemodialysis Application. <i>Membranes</i> , 2021, 11, 767.	1.4	26
536	A theoretical approach on membrane characterization: the deduction of fine structural details of asymmetric nanofiltration membranes. <i>Desalination</i> , 2007, 206, 107-126.	4.0	25
537	Effect of Stabilization Condition on PEI/PVP-Based Carbon Hollow Fiber Membranes Properties. <i>Separation Science and Technology</i> , 2013, 48, 1030-1039.	1.3	25
538	Influence of polymer concentration in casting solution and solvent-solute-membrane interactions on performance of polyphenylsulfone (PPSU) nanofiltration membrane in alcohol solvents. <i>Journal of Polymer Engineering</i> , 2014, 34, 489-500.	0.6	25
539	A Review on the Fabrication of Electrospun Polymer Electrolyte Membrane for Direct Methanol Fuel Cell. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-16.	1.5	25
540	The impacts of various operating conditions on submerged membrane photocatalytic reactors (SMPR) for organic pollutant separation and degradation: a review. <i>RSC Advances</i> , 2015, 5, 97335-97348.	1.7	25

#	ARTICLE	IF	CITATIONS
541	Polymeric membrane modification using SPEEK and bentonite for ultrafiltration of dairy wastewater. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	25
542	Solvothermal synthesis of nanoporous TiO ₂ : the impact on thin-film composite membranes for engineered osmosis application. <i>Nanotechnology</i> , 2016, 27, 345702.	1.3	25
543	Microstructure of polyacrylonitrile-based activated carbon fibers prepared from solvent-free coagulation process. <i>Journal of Applied Research and Technology</i> , 2016, 14, 54-61.	0.6	25
544	In vitro corrosion behavior, bioactivity, and antibacterial performance of the silver-doped zinc oxide coating on magnesium alloy. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2017, 68, 1228-1236.	0.8	25
545	Impact of stabilization environment and heating rates on P84 co-polyimide/nanocrystalline cellulose carbon membrane for hydrogen enrichment. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 20924-20932.	3.8	25
546	Apatite-forming ability, cytocompatibility, and mechanical properties enhancement of poly methyl methacrylate-based bone cements by incorporating of baghdadite nanoparticles. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 2006-2019.	1.1	25
547	Efficient removal of partially hydrolysed polyacrylamide in polymer-flooding produced water using photocatalytic graphitic carbon nitride nanofibres. <i>Arabian Journal of Chemistry</i> , 2020, 13, 4341-4349.	2.3	25
548	Potential use of nanofiltration like-forward osmosis membranes for copper ion removal. <i>Chinese Journal of Chemical Engineering</i> , 2020, 28, 420-428.	1.7	25
549	Enhancing hydrogen gas separation performance of thin film composite membrane through facilely blended polyvinyl alcohol and PEBAX. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 19737-19748.	3.8	25
550	Rapid and eco-friendly technique for surface modification of TFC RO membrane for improved filtration performance. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105227.	3.3	25
551	Preparation and characterization of PVDF/PVP/TiO ₂ composite hollow fiber membranes for oily wastewater treatment using submerged membrane system. <i>Desalination and Water Treatment</i> , 0, , 1-11.	1.0	24
552	Effect of bio-mediated route synthesized silver nanoparticles for modification of polyethersulfone membranes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 451, 151-160.	2.3	24
553	SPEEK/SMM membrane for simultaneous electricity generation and wastewater treatment in microbial fuel cell. <i>Journal of Chemical Technology and Biotechnology</i> , 2015, 90, 641-647.	1.6	24
554	Effects of the immobilization of recombinant Escherichia coli on cyclodextrin glucanotransferase (CGTase) excretion and cell viability. <i>Biochemical Engineering Journal</i> , 2015, 98, 91-98.	1.8	24
555	Microstructural, mechanical properties and corrosion behavior of plasma sprayed NiCrAlY/nano-YSZ duplex coating on Mg-1.2Ca-3Zn alloy. <i>Ceramics International</i> , 2015, 41, 15272-15277.	2.3	24
556	Spectral features and antibacterial properties of Cu-doped ZnO nanoparticles prepared by sol-gel method. <i>Chinese Physics B</i> , 2016, 25, 077803.	0.7	24
557	Fabrication and characterization of new PSF/PPSU UF blend membrane for heavy metal rejection. <i>Desalination and Water Treatment</i> , 2016, 57, 19810-19819.	1.0	24
558	Removal of nickel from aqueous solution using supported zeolite-Y hollow fiber membranes. <i>Environmental Science and Pollution Research</i> , 2018, 25, 19054-19064.	2.7	24

#	ARTICLE	IF	CITATIONS
559	Anti-thrombogenicity and permeability of polyethersulfone hollow fiber membrane with sulfonated alginate toward blood purification. <i>International Journal of Biological Macromolecules</i> , 2018, 116, 364-377.	3.6	24
560	Preparation of nanocomposite activated carbon nanofiber/manganese oxide and its adsorptive performance toward leads (II) from aqueous solution. <i>Journal of Water Process Engineering</i> , 2020, 37, 101430.	2.6	24
561	Gene expression programming for process parameter optimization during ultrafiltration of surfactant wastewater using hydrophilic polyethersulfone membrane. <i>Journal of Environmental Management</i> , 2020, 264, 110444.	3.8	24
562	New Concept of Thin-Film Composite Nanofiltration Membrane Fabrication Using a Mist-Based Interfacial Polymerization Technique. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 9167-9178.	1.8	24
563	A Review on Antibacterial Biomaterials in Biomedical Applications: From Materials Perspective to Bioinks Design. <i>Polymers</i> , 2022, 14, 2238.	2.0	24
564	Modification of PSf/PIAM membrane for improved desalination applications using Chitosan coagulation media. <i>Desalination</i> , 2013, 317, 108-115.	4.0	23
565	Synthesis, characterization and desalination study of composite NF membranes of novel Poly[(4-aminophenyl)sulfonyl]butanediamide (PASB) and methalated Poly[(4-aminophenyl)sulfonyl]butanediamide (mPASB) with Polysulfone (PSf). <i>Journal of Membrane Science</i> , 2013, 428, 489-497.	4.1	23
566	Transport properties of SPEEK nanocomposite proton conducting membranes: Optimization of additives content by response surface methodology. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 2265-2279.	2.7	23
567	Influence of copper oxide nanomaterials in a poly(ether sulfone) membrane for improved humic acid and oil water separation. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	23
568	Investigation on the effect of spinning conditions on the properties of hollow fiber membrane for hemodialysis application. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	23
569	Preparation and characterization of PPSU membranes with BiOCl nanowafers loaded on activated charcoal for oil in water separation. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017, 77, 293-301.	2.7	23
570	Molecular dynamics and Monte Carlo simulation of the structural properties, diffusion and adsorption of poly (amide-6-b-ethylene oxide)/Faujasite mixed matrix membranes. <i>Journal of Molecular Liquids</i> , 2017, 242, 404-415.	2.3	23
571	Adsorptive Removal of As(V) Ions from Water using Graphene Oxide Manganese Ferrite and Titania Nanotube Manganese Ferrite Hybrid Nanomaterials. <i>Chemical Engineering and Technology</i> , 2018, 41, 2250-2258.	0.9	23
572	Feasibility study of cadmium adsorption by palm oil fuel ash (POFA)-based low-cost hollow fibre zeolitic membrane. <i>Environmental Science and Pollution Research</i> , 2018, 25, 21644-21655.	2.7	23
573	Polysulfone mixed matrix hollow fiber membranes using zeolite templated carbon as a performance enhancement filler for gas separation. <i>Chemical Engineering Research and Design</i> , 2019, 150, 274-288.	2.7	23
574	Preparation and characterization of polylactic acid-modified polyvinylidene fluoride hollow fiber membranes with enhanced water flux and antifouling resistance. <i>Journal of Water Process Engineering</i> , 2019, 32, 100912.	2.6	23
575	Improved desalination by polyamide membranes containing hydrophilic glutamine and glycine. <i>Environmental Chemistry Letters</i> , 2019, 17, 1053-1059.	8.3	23
576	Impact of sintering temperature and pH of feed solution on adsorptive removal of ammonia from wastewater using clinoptilolite based hollow fibre ceramic membrane. <i>Journal of Water Process Engineering</i> , 2020, 33, 101063.	2.6	23

#	ARTICLE	IF	CITATIONS
577	Mechanistic insight of the formation of visible-light responsive nanosheet graphitic carbon nitride embedded polyacrylonitrile nanofibres for wastewater treatment. <i>Journal of Water Process Engineering</i> , 2020, 33, 101015.	2.6	23
578	Development of high-performance anode/electrolyte/cathode micro-tubular solid oxide fuel cell via phase inversion-based co-extrusion/co-sintering technique. <i>Journal of Power Sources</i> , 2020, 467, 228345.	4.0	23
579	Low-cost silica based ceramic supported thin film composite hollow fiber membrane from guinea corn husk ash for efficient removal of microplastic from aqueous solution. <i>Journal of Hazardous Materials</i> , 2022, 424, 127298.	6.5	23
580	Facile fabrication of polyethyleneimine interlayer-assisted graphene oxide incorporated reverse osmosis membranes for water desalination. <i>Desalination</i> , 2022, 526, 115502.	4.0	23
581	Measurement of rheologically induced molecular orientation using attenuated total reflection infrared dichroism in reverse osmosis hollow fiber cellulose acetate membranes and influence on separation performance. <i>Journal of Membrane Science</i> , 2003, 213, 45-54.	4.1	22
582	Investigation on the effects of fabrication parameters on the structure and properties of surface-modified membranes using response surface methodology. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2812-2827.	1.3	22
583	Characterization of PVDF hollow fiber membrane for CO ₂ stripping by atomic force microscopy analysis. <i>Separation and Purification Technology</i> , 2013, 109, 98-106.	3.9	22
584	Effect of fiber packing density on physical CO ₂ absorption performance in gas-liquid membrane contactor. <i>Separation and Purification Technology</i> , 2013, 115, 152-157.	3.9	22
585	Study on the thin film composite poly(piperazine-amide) nanofiltration membranes made of different polymeric substrates: Effect of operating conditions. <i>Korean Journal of Chemical Engineering</i> , 2015, 32, 753-760.	1.2	22
586	Co-extruded dual-layer hollow fiber with different electrolyte structure for a high temperature micro-tubular solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9116-9124.	3.8	22
587	Separation of CO ₂ /CH ₄ and O ₂ /N ₂ by polysulfone hollow fiber membranes: effects of membrane support properties and surface coating materials. <i>Journal of Polymer Engineering</i> , 2018, 38, 871-880.	0.6	22
588	P84 Co-Polyimide Based-Tubular Carbon Membrane: Effect of Heating Rates on Helium Separations. <i>Solid State Phenomena</i> , 0, 280, 308-311.	0.3	22
589	Polysulfone/amino-silanized poly(methyl methacrylate) dual layer hollow fiber membrane for uremic toxin separation. <i>Separation and Purification Technology</i> , 2020, 236, 116216.	3.9	22
590	In situ growth of γ -Fe ₂ O ₃ on Al ₂ O ₃ /YSZ hollow fiber membrane for oily wastewater. <i>Separation and Purification Technology</i> , 2020, 236, 116250.	3.9	22
591	The hybridization of thermally-driven desalination processes: The state-of-the-art and opportunities. <i>Desalination</i> , 2021, 506, 115002.	4.0	22
592	Surface Design of Liquid Separation Membrane through Graft Polymerization: A State of the Art Review. <i>Membranes</i> , 2021, 11, 832.	1.4	22
593	Accelerated spraying-assisted layer by layer assembly of polyethyleneimine/titania nanosheet on thin film composite membrane for reverse osmosis desalination. <i>Desalination</i> , 2022, 529, 115645.	4.0	22
594	Effects of Water as Non-Solvent Additive on Performance of Polysulfone Ultrafiltration Membrane. <i>Advanced Materials Research</i> , 2012, 488-489, 46-50.	0.3	21

#	ARTICLE	IF	CITATIONS
595	Short Review: Ceramic Foam Fabrication Techniques for Wastewater Treatment Application. <i>Advanced Materials Research</i> , 0, 795, 5-8.	0.3	21
596	Fabrication of a novel hollow fiber membrane decorated with functionalized Fe ₂ O ₃ nanoparticles: towards sustainable water treatment and biofouling control. <i>New Journal of Chemistry</i> , 2017, 41, 4197-4211.	1.4	21
597	Hemocompatibility evaluation of poly(1,8-octanediol citrate) blend polyethersulfone membranes. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 1510-1520.	2.1	21
598	Effect of hydraulic coefficient on membrane performance for rejection of emerging contaminants. <i>Chemical Engineering Journal</i> , 2018, 334, 2392-2400.	6.6	21
599	Performance of Nanofiltration-Like Forward Osmosis Membranes for Aerobically Treated Palm Oil Mill Effluent. <i>Chemical Engineering and Technology</i> , 2018, 41, 303-312.	0.9	21
600	Influence of intermediate layers in tubular carbon membrane for gas separation performance. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 20914-20923.	3.8	21
601	Hybrid forward osmosis/ultrafiltration membrane bag for water purification. <i>Desalination</i> , 2019, 468, 114071.	4.0	21
602	Facile modification of polysulfone hollow fiber membranes via the incorporation of well dispersed iron oxide nanoparticles for protein purification. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47502.	1.3	21
603	Modification of membrane hydrophobicity in membrane contactors for environmental remediation. <i>Separation and Purification Technology</i> , 2019, 227, 115721.	3.9	21
604	Facile preparation of palygorskite/chitin nanofibers hybrids nanomaterial with remarkable adsorption capacity. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2020, 262, 114725.	1.7	21
605	Simultaneous oily wastewater adsorption and photodegradation by ZrO ₂ -TiO ₂ heterojunction photocatalysts. <i>Journal of Water Process Engineering</i> , 2021, 39, 101644.	2.6	21
606	Significant improvement in antibacterial property of ZIF-8 decorated graphene oxide by post-synthetic modification process. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105887.	3.3	21
607	Study of shear rate influence on the performance of cellulose acetate reverse osmosis hollow fiber membranes. <i>Journal of Membrane Science</i> , 2002, 202, 205-215.	4.1	20
608	The effect of bore fluid type on the structure and performance of polyetherimide hollow fiber membrane in gas-liquid contacting processes. <i>Separation and Purification Technology</i> , 2012, 98, 262-269.	3.9	20
609	Effect of stabilization temperature on gas permeation properties of carbon hollow fiber membrane. <i>Journal of Applied Polymer Science</i> , 2013, 127, 2840-2846.	1.3	20
610	Effect of substrate and enzyme concentration on cyclodextrin production in a hollow fibre membrane reactor system. <i>Separation and Purification Technology</i> , 2014, 124, 61-67.	3.9	20
611	Influence of organic solvents and operating conditions on the performance of polyphenylsulfone (PPSU)/copper-1,3,5-benzenetricarboxylate (Cu-BTC) solvent resistant nanofiltration (SRNF) membranes. <i>Chemical Engineering Research and Design</i> , 2016, 115, 66-76.	2.7	20
612	Preparation of polysulfone-based PANI-TiO ₂ nanocomposite hollow fiber membranes for industrial dye rejection applications. <i>RSC Advances</i> , 2016, 6, 99764-99773.	1.7	20

#	ARTICLE	IF	CITATIONS
613	Enhancement of permeability and antibiofouling properties of polyethersulfone (PES) membrane through incorporation of quorum sensing inhibition (QSI) compound. Journal of the Taiwan Institute of Chemical Engineers, 2017, 72, 200-212.	2.7	20
614	Biosurfactant production for enhancing the treatment of produced water and bioremediation of oily sludge under the conditions of Gachsaran oil field. Journal of Chemical Technology and Biotechnology, 2017, 92, 1053-1064.	1.6	20
615	P84/ZCC Hollow Fiber Mixed Matrix Membrane with PDMS Coating to Enhance Air Separation Performance. Membranes, 2020, 10, 267.	1.4	20
616	Treatment of synthetic textile dye effluent using hybrid adsorptive ultrafiltration mixed matrix membranes. Chemical Engineering Research and Design, 2020, 159, 92-104.	2.7	20
617	Enhancing the desalination performance of forward osmosis membrane through the incorporation of green nanocrystalline cellulose and halloysite dual nanofillers. Journal of Chemical Technology and Biotechnology, 2020, 95, 2359-2370.	1.6	20
618	Green Approaches for Sustainable Development of Liquid Separation Membrane. Membranes, 2021, 11, 235.	1.4	20
619	Development of a P84/ZCC Composite Carbon Membrane for Gas Separation of H ₂ /CO ₂ and H ₂ /CH ₄ . ACS Omega, 2021, 6, 15637-15650.	1.6	20
620	Perspective and Roadmap of Energy-Efficient Desalination Integrated with Nanomaterials. Separation and Purification Reviews, 2018, 47, 124-141.	2.8	20
621	Effects of the activation temperature on the polyacrylonitrile/acrylamide-based activated carbon fibers. Materials Letters, 2012, 82, 16-18.	1.3	19
622	Separation of Binary Mixtures of Propylene and Propane by Facilitated Transport through Silver Incorporated Poly(Ether-Block-Amide) Membranes. Oil and Gas Science and Technology, 2015, 70, 381-390.	1.4	19
623	Production of Sustainable Energy by Carbon Nanotube/Platinum Catalyst in Microbial Fuel Cell. Procedia CIRP, 2015, 26, 473-476.	1.0	19
624	Morphologies and separation characteristics of polyphenylsulfone-based solvent resistant nanofiltration membranes: Effect of polymer concentration in casting solution and membrane pretreatment condition. Korean Journal of Chemical Engineering, 2015, 32, 743-752.	1.2	19
625	Gas Separation Membrane Materials and Structures. , 2015, , 37-192.		19
626	Development of photocatalytic coupled zinc-iron oxide nanoparticles via solution combustion for bisphenol-A removal. International Biodeterioration and Biodegradation, 2015, 102, 346-352.	1.9	19
627	Improving Blood Compatibility of Polyethersulfone Hollow Fiber Membranes via Blending with Sulfonated Polyether Ether Ketone. Macromolecular Materials and Engineering, 2016, 301, 1084-1095.	1.7	19
628	Degradation of PVDF-based composite membrane and its impacts on membrane intrinsic and separation properties. Journal of Polymer Engineering, 2016, 36, 261-268.	0.6	19
629	Functionalised activated carbon modified polyphenylsulfone composite membranes for adsorption enhanced phenol filtration. Journal of Chemical Technology and Biotechnology, 2016, 91, 748-761.	1.6	19
630	An investigation of temperature effects on the properties and CO ₂ absorption performance of porous PVDF/montmorillonite mixed matrix membranes. Journal of Natural Gas Science and Engineering, 2016, 31, 515-524.	2.1	19

#	ARTICLE	IF	CITATIONS
631	Effect of organic ligand-decorated ZnO nanoparticles as a cathode buffer layer on electricity conversion efficiency of an inverted solar cell. RSC Advances, 2018, 8, 1418-1426.	1.7	19
632	β-Cyclodextrin modified PES hollow fiber membrane, a new strategy for bilirubin separation. Materials Letters, 2018, 215, 276-279.	1.3	19
633	Separation of heavy metal and protein from wastewater by sulfonated polyphenylsulfone ultrafiltration membrane process prepared by glycine betaine enriched coagulation bath. Korean Journal of Chemical Engineering, 2018, 35, 1281-1289.	1.2	19
634	Effect of zeolite on the corrosion behavior, biocompatibility and antibacterial activity of porous magnesium/zeolite composite scaffolds. Materials Technology, 2019, 34, 258-269.	1.5	19
635	Performance evaluation of polyamide nanofiltration membranes for phosphorus removal process and their stability against strong acid/alkali solution. Chinese Journal of Chemical Engineering, 2019, 27, 1789-1797.	1.7	19
636	Antifouling Property of Oppositely Charged Titania Nanosheet Assembled on Thin Film Composite Reverse Osmosis Membrane for Highly Concentrated Oily Saline Water Treatment. Membranes, 2020, 10, 237.	1.4	19
637	A Green Approach to Modify Surface Properties of Polyurethane Foam for Enhanced Oil Absorption. Polymers, 2020, 12, 1883.	2.0	19
638	Effects of pre and post-ozonation on POFA hollow fibre ceramic adsorptive membrane for arsenic removal in water. Journal of the Taiwan Institute of Chemical Engineers, 2020, 110, 100-111.	2.7	19
639	Influence of ZnO nanostructure configuration on tailoring the optical bandgap: Theory and experiment. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 263, 114811.	1.7	19
640	Environmentally friendly approach for the fabrication of polyamide thin film nanocomposite membrane with enhanced antifouling and antibacterial properties. Separation and Purification Technology, 2021, 260, 118249.	3.9	19
641	Synthesis and Characterization of Titanium Dioxide Hollow Nanofiber for Photocatalytic Degradation of Methylene Blue Dye. Membranes, 2021, 11, 581.	1.4	19
642	Investigation of fouling of surface modified Polyvinyl chloride hollow fiber membrane bioreactor via Zinc oxide-nanoparticles under coagulant for municipal wastewater treatment. Journal of Environmental Chemical Engineering, 2021, 9, 105835.	3.3	19
643	Porous polyethersulfone hollow fiber membrane in gas-liquid contacting processes. Chemical Engineering Research and Design, 2014, 92, 1381-1390.	2.7	18
644	Performance and antifouling enhancement of polyethersulfone hollow fiber membranes incorporated with highly hydrophilic hydroxyapatite nanoparticles. RSC Advances, 2016, 6, 44480-44488.	1.7	18
645	Novel green hybrid processes for oily water photooxidation and purification from merchant ship. Desalination, 2016, 391, 98-104.	4.0	18
646	Enhanced carbon dioxide separation by polyethersulfone (PES) mixed matrix membranes deposited with clay. Journal of Polymer Engineering, 2016, 36, 65-78.	0.6	18
647	Effect of intermediate layer on gas separation performance of disk supported carbon membrane. Separation Science and Technology, 2017, 52, 2137-2149.	1.3	18
648	Effects of heat treatment of TiO ₂ nanofibers on the morphological structure of PVDF nanocomposite membrane under UV irradiation. Journal of Water Process Engineering, 2017, 20, 193-200.	2.6	18

#	ARTICLE	IF	CITATIONS
649	X-Ray Photoelectron Spectroscopy (XPS). , 2017, , 81-93.		18
650	Polyetherimide hollow fiber membranes for CO ₂ absorption and stripping in membrane contactor application. RSC Advances, 2018, 8, 3556-3563.	1.7	18
651	Visible-Light-Driven Photocatalytic N-Doped TiO ₂ for Degradation of Bisphenol A (BPA) and Reactive Black 5 (RB5) Dye. Water, Air, and Soil Pollution, 2018, 229, 1.	1.1	18
652	Characterizations of Polysulfone/Ferrihydrite Mixed Matrix Membranes for Water/Wastewater Treatment. Water Environment Research, 2018, 90, 64-73.	1.3	18
653	Eco-friendly method for synthesis of zeolitic imidazolate framework 8 decorated graphene oxide for antibacterial activity enhancement. Particuology, 2020, 49, 24-32.	2.0	18
654	Effects of halloysite nanotubes on the morphology and CO ₂ /CH ₄ separation performance of Pebax/polyetherimide thin-film composite membranes. Journal of Applied Polymer Science, 2020, 137, 48860.	1.3	18
655	ZrO ₂ -TiO ₂ Incorporated PVDF Dual-Layer Hollow Fiber Membrane for Oily Wastewater Treatment: Effect of Air Gap. Membranes, 2020, 10, 124.	1.4	18
656	Ibuprofen removal through photocatalytic filtration using antifouling PVDF- ZnO/Ag ₂ CO ₃ /Ag ₂ O nanocomposite membrane. Materials Today: Proceedings, 2021, 42, 69-74.	0.9	18
657	Polyaniline decorated graphene oxide on sulfonated poly(ether ether ketone) membrane for direct methanol fuel cells application. Polymers for Advanced Technologies, 2022, 33, 66-80.	1.6	18
658	Surface modification of PA layer of TFC membranes: Does it effective for performance Improvement?. Journal of Industrial and Engineering Chemistry, 2021, 102, 271-292.	2.9	18
659	Pb(II) removal and its adsorption from aqueous solution using zinc oxide/graphene oxide composite. Chemical Engineering Communications, 2021, 208, 646-660.	1.5	18
660	Application of response surface methodology in pes/speek blend NF membrane for dyeing solution treatment. Membrane Water Treatment, 2010, 1, 49-60.	0.5	18
661	Superhydrophobic ball clay based ceramic hollow fibre membrane via universal spray coating method for membrane distillation. Separation and Purification Technology, 2022, 288, 120574.	3.9	18
662	A review on preparation, surface enhancement and adsorption mechanism of biochar-supported nano zero-valent iron adsorbent for hazardous heavy metals. Journal of Chemical Technology and Biotechnology, 2023, 98, 22-44.	1.6	18
663	Influence of starch pretreatment on yield of cyclodextrins and performance of ultrafiltration membranes. Desalination, 2009, 239, 317-333.	4.0	17
664	Characterization and mechanical properties of polyacrylonitrile/silica composite fibers prepared via dry-jet wet spinning process. Materials Letters, 2010, 64, 1875-1878.	1.3	17
665	Matrimid-based carbon tubular membranes: The effect of the polymer composition. Journal of Applied Polymer Science, 2015, 132, .	1.3	17
666	Physicochemical and micromechanical investigation of a nanocopper impregnated fibre reinforced nanocomposite. RSC Advances, 2015, 5, 100943-100955.	1.7	17

#	ARTICLE	IF	CITATIONS
667	Assessment of atomic force microscopy for characterization of PTFE membranes for membrane distillation (MD) process. <i>Desalination and Water Treatment</i> , 2015, 54, 295-304.	1.0	17
668	Physicochemical characteristics of poly(piperazine-amide) TFC nanofiltration membrane prepared at various reaction times and its relation to the performance. <i>Journal of Polymer Engineering</i> , 2015, 35, 71-78.	0.6	17
669	Characterization of partial pore wetting in hollow fiber gas absorption membrane contactors: An EDX analysis approach. <i>Chemical Engineering Journal</i> , 2015, 281, 970-980.	6.6	17
670	Characteristic and performance of polyvinylidene fluoride membranes blended with different additives in direct contact membrane distillation. <i>Desalination and Water Treatment</i> , 2015, 54, 3218-3226.	1.0	17
671	Fabrication of magnetic nanocomposite membrane for separation of organic contaminant from water. <i>Desalination and Water Treatment</i> , 2015, 54, 3603-3609.	1.0	17
672	Performance evaluation of co-extruded microporous dual-layer hollow fiber membranes using a hybrid membrane photoreactor. <i>Desalination</i> , 2017, 403, 46-52.	4.0	17
673	Fabrication and characterization of affordable hydrophobic ceramic hollow fibre membrane for contacting processes. <i>Journal of Advanced Ceramics</i> , 2017, 6, 330-340.	8.9	17
674	Effects of manganese(VI) oxide on polyacrylonitrile-based activated carbon nanofibers (ACNFs) and its preliminary study for adsorption of lead(II) ions. <i>Emergent Materials</i> , 2018, 1, 89-94.	3.2	17
675	Hydroxypropyl methacrylate thin film coating on polyvinylidene fluoride hollow fiber membranes via initiated chemical vapor deposition. <i>European Polymer Journal</i> , 2020, 122, 109360.	2.6	17
676	Electrospun Composites Made of Reduced Graphene Oxide and Polyacrylonitrile-Based Activated Carbon Nanofibers (rGO/ACNF) for Enhanced CO ₂ Adsorption. <i>Polymers</i> , 2020, 12, 2117.	2.0	17
677	Impacts of Multilayer Hybrid Coating on PSF Hollow Fiber Membrane for Enhanced Gas Separation. <i>Membranes</i> , 2020, 10, 335.	1.4	17
678	Nanocomposite Membranes for Liquid and Gas Separations from the Perspective of Nanostructure Dimensions. <i>Membranes</i> , 2020, 10, 297.	1.4	17
679	Development of anti-microbial polyvinylidene fluoride (PVDF) membrane using bio-based ginger extract-silica nanoparticles (GE-SiNPs) for bovine serum albumin (BSA) filtration. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 125, 323-331.	2.7	17
680	Development of hydrophobic polymethylhydrosiloxane/tetraethylorthosilicate (PMHS/TEOS) hybrid coating on ceramic membrane for desalination via membrane distillation. <i>Journal of Membrane Science</i> , 2021, 637, 119609.	4.1	17
681	Impacts of the harvesting process on microalgae fatty acid profiles and lipid yields: Implications for biodiesel production. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 161, 112410.	8.2	17
682	Self-cleaning and anti-fouling superhydrophobic hierarchical ceramic surface synthesized from hydrothermal and fluorination methods. <i>Applied Surface Science</i> , 2022, 598, 153702.	3.1	17
683	Rheology assessment of cellulose acetate spinning solution and its influence on reverse osmosis hollow fiber membrane performance. <i>Polymer Testing</i> , 2003, 22, 319-325.	2.3	16
684	Rehabilitation of fouled membrane from natural rubber skim latex concentration through membrane autopsy and ultrasonication enhanced membrane cleaning procedure. <i>Desalination</i> , 2012, 286, 235-241.	4.0	16

#	ARTICLE	IF	CITATIONS
685	Studies on copper coated polysulfone/modified poly isobutylene alt-maleic anhydride blend membrane and its antibiofouling property. <i>Desalination</i> , 2013, 308, 82-88.	4.0	16
686	Improving water permeability and anti-fouling property of polyacrylonitrile-based hollow fiber ultrafiltration membranes by surface modification with polyacrylonitrile-g-poly(vinyl alcohol) graft copolymer. <i>Korean Journal of Chemical Engineering</i> , 2015, 32, 1853-1863.	1.2	16
687	Novel hybrid photocatalytic reactor-LF nanocomposite membrane system for bilge water degradation and separation. <i>RSC Advances</i> , 2015, 5, 45331-45340.	1.7	16
688	Efficient rejection of organic compounds using functionalized ZSM-5 incorporated PPSU mixed matrix membrane. <i>RSC Advances</i> , 2017, 7, 15536-15552.	1.7	16
689	Development of dense void-free electrospun SPEEK-Cloisite15A membrane for direct methanol fuel cell application: Optimization using response surface methodology. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 26496-26510.	3.8	16
690	Antifouling behavior and separation performance of immobilized TiO ₂ in dual layer hollow fiber membranes. <i>Polymer Engineering and Science</i> , 2018, 58, 1636-1643.	1.5	16
691	A novel single-step fabrication anode/electrolyte/cathode triple-layer hollow fiber micro-tubular SOFC. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 18509-18515.	3.8	16
692	Tailor-made multicomponent electrospun polyurethane nanofibrous composite scaffold comprising olive oil, honey, and propolis for bone tissue engineering. <i>Polymer Composites</i> , 2019, 40, 2039-2050.	2.3	16
693	ZIF-8 membrane supported on alumina hollow fiber with enhanced salt removal by forward osmosis. <i>Desalination</i> , 2020, 496, 114697.	4.0	16
694	A Mini Review on Parameters Affecting the Semiconducting Oxide Photocatalytic Microbial Disinfection. <i>Water, Air, and Soil Pollution</i> , 2020, 231, 1.	1.1	16
695	Rapid Surface Modification of Ultrafiltration Membranes for Enhanced Antifouling Properties. <i>Membranes</i> , 2020, 10, 401.	1.4	16
696	Improved separation of dyes and proteins using membranes made of polyphenylsulfone/cellulose acetate or acetate phthalate. <i>Environmental Chemistry Letters</i> , 2020, 18, 881-887.	8.3	16
697	Thermal transient behavior of an ANG storage during dynamic discharge phase at room temperature. <i>Applied Thermal Engineering</i> , 2007, 27, 55-62.	3.0	15
698	Study on synthesis and physical properties of charged surface modifying macromolecules with different end-capping materials for membrane applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2012, 18, 2016-2023.	2.9	15
699	A porous polyethersulfone hollow fiber membrane in a gas humidification process. <i>RSC Advances</i> , 2015, 5, 14448-14457.	1.7	15
700	Zero-valent iron impregnated cellulose acetate mixed matrix membranes for the treatment of textile industry effluent. <i>RSC Advances</i> , 2015, 5, 62486-62497.	1.7	15
701	Effects of reduction time on the structural, electrical and thermal properties of synthesized reduced graphene oxide nanosheets. <i>Bulletin of Materials Science</i> , 2015, 38, 1569-1576.	0.8	15
702	Effect of hydrophobic montmorillonite (MMT) on PVDF and PEI hollow fiber membranes in gas-liquid contacting process: a comparative study. <i>RSC Advances</i> , 2015, 5, 103811-103821.	1.7	15

#	ARTICLE	IF	CITATIONS
703	The effect of glycine betaine additive on the PPSU/PSF ultrafiltration membrane performance. <i>Desalination and Water Treatment</i> , 2016, 57, 24788-24798.	1.0	15
704	Effects of culture conditions of immobilized recombinant <i>Escherichia coli</i> on cyclodextrin glucanotransferase (CGTase) excretion and cell stability. <i>Process Biochemistry</i> , 2016, 51, 474-483.	1.8	15
705	Synthesis and characterization of mixed matrix membranes incorporated with hydrous manganese oxide nanoparticles for highly concentrated oily solution treatment. <i>Canadian Journal of Chemical Engineering</i> , 2018, 96, 1612-1619.	0.9	15
706	Facile removal of bisphenol A from water through novel Ag-doped TiO ₂ photocatalytic hollow fiber ceramic membrane. <i>Journal of the Australian Ceramic Society</i> , 2020, 56, 29-39.	1.1	15
707	Surface matrix functionalization of ceramic-based membrane for oil-water separation: A mini-review. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 1631-1641.	1.2	15
708	Co-Adsorptive Removal of Creatinine and Urea by a Three-Component Dual-Layer Hollow Fiber Membrane. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 33276-33287.	4.0	15
709	Characterization and biological properties of nanostructured clinoptilolite scaffolds for bone tissue engineering applications. <i>Materials Chemistry and Physics</i> , 2021, 259, 123969.	2.0	15
710	Flux enhancement in reverse osmosis membranes induced by synergistic effect of incorporated palygorskite/chitin hybrid nanomaterial. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105432.	3.3	15
711	Effects of operating parameters on cadmium removal for wastewater treatment using zeolitic imidazolate framework-L/graphene oxide composite. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106139.	3.3	15
712	Exploring the potential of photocatalytic dual layered hollow fiber membranes incorporated with hybrid titania nanotube-boron for agricultural wastewater reclamation. <i>Separation and Purification Technology</i> , 2021, 275, 119136.	3.9	15
713	Hydrophobic silica sand ceramic hollow fiber membrane for desalination via direct contact membrane distillation. <i>AEJ - Alexandria Engineering Journal</i> , 2022, 61, 9609-9621.	3.4	15
714	Dynamic delivery analysis of adsorptive natural gas storages at room temperature. <i>Fuel Processing Technology</i> , 2007, 88, 349-357.	3.7	14
715	Development of Polysulfone (PSF)-Carbon Molecular Sieve (CMS) Mixed Matrix Membrane (MMM) For O ₂ /N ₂ Gas Separation. , 2009, , .		14
716	Effect of dispersion state of Cloisite15A® on the performance of SPEEK/Cloisite15A nanocomposite membrane for DMFC application. <i>Journal of Applied Polymer Science</i> , 2012, 124, 969-977.	1.3	14
717	Analysis of Polyetherimide/N-Methyl-2-Pyrrolidone/nonsolvent phase separation behavior. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	14
718	Effect of PVDF blending on the structure and performance of PEI hollow fiber membrane in CO ₂ separation process. <i>Chemical Engineering Research and Design</i> , 2015, 104, 367-375.	2.7	14
719	Process intensification of seawater reverse osmosis through enhanced train capacity and module size " Simulation on Lanzarote IV SWRO plant. <i>Desalination</i> , 2017, 408, 92-101.	4.0	14
720	Porous polyethersulfone hollow fiber membrane in CO ₂ separation process via membrane contactor - The effect of nonsolvent additives. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 160-169.	1.2	14

#	ARTICLE	IF	CITATIONS
721	Biodegradable Mg/HA/TiO ₂ Nanocomposites Coated with MgO and Si/MgO for Orthopedic Applications: A Study on the Corrosion, Surface Characterization, and Biocompatibility. <i>Coatings</i> , 2017, 7, 154.	1.2	14
722	Iron oxide nanoparticles improved biocompatibility and removal of middle molecule uremic toxin of polysulfone hollow fiber membranes. <i>Journal of Applied Polymer Science</i> , 2019, 136, 48234.	1.3	14
723	Permeability and Antifouling Augmentation of a Hybrid PVDF-PEG Membrane Using Nano-Magnesium Oxide as a Powerful Mediator for POME Decolorization. <i>Polymers</i> , 2020, 12, 549.	2.0	14
724	Visible-Light Active Photocatalytic Dual Layer Hollow Fiber (DLHF) Membrane and Its Potential in Mitigating the Detrimental Effects of Bisphenol A in Water. <i>Membranes</i> , 2020, 10, 32.	1.4	14
725	Improving CO ₂ /CH ₄ and O ₂ /N ₂ separation by using surface-modified polysulfone hollow fiber membranes. <i>Journal of Polymer Research</i> , 2020, 27, 1.	1.2	14
726	Fabrication and Characterization of Polysulfone Membranes Coated with Polydimethylsiloxane for Oxygen Enrichment. <i>Aerosol and Air Quality Research</i> , 2017, 17, 2735-2742.	0.9	14
727	Nanocrystalline cellulose incorporated biopolymer tailored polyethersulfone mixed matrix membranes for efficient treatment of produced water. <i>Chemosphere</i> , 2022, 293, 133561.	4.2	14
728	Polyacrylonitrile/acrylamide-based carbon fibers prepared using a solvent-free coagulation process: Fiber properties and its structure evolution during stabilization and carbonization. <i>Polymer Engineering and Science</i> , 2012, 52, 360-366.	1.5	13
729	The Effect of Crystalline Rice Husk Silica on Polysulfone Membrane for Wastewater Treatment. <i>Applied Mechanics and Materials</i> , 0, 328, 798-801.	0.2	13
730	Effect of solvent annealing on the crystallinity of spray coated ternary blend films prepared using low boiling point solvents. <i>Chemical Engineering and Processing: Process Intensification</i> , 2014, 79, 48-55.	1.8	13
731	Role of lithium oxide as a sintering aid for a CGO electrolyte fabricated via a phase inversion technique. <i>RSC Advances</i> , 2015, 5, 58154-58162.	1.7	13
732	The incorporation of graphene oxide into polysulfone mixed matrix membrane for CO ₂ /CH ₄ separation. <i>IOP Conference Series: Earth and Environmental Science</i> , 2016, 36, 012007.	0.2	13
733	Photoreactor-ultrafiltration hybrid system for oily bilge water photooxidation and separation from oil tanker. <i>Reactive and Functional Polymers</i> , 2016, 101, 28-38.	2.0	13
734	Effect of support layer on gas permeation properties of composite polymeric membranes. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 3178-3184.	1.2	13
735	Harvesting of microalgae <i>Coelastrella</i> sp. F169 using pore former induced TiO ₂ incorporated PES mixed matrix membranes. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 645-655.	1.6	13
736	Ultrafiltration Membranes Incorporated with Carbon-Based Nanomaterials for Antifouling Improvement and Heavy Metal Removal. , 2018, , 217-232.		13
737	Production, blood compatibility and cytotoxicity evaluation of a single stage non-woven multicomponent electrospun scaffold mixed with sesame oil, honey and propolis for skin tissue engineering. <i>International Journal of Polymer Analysis and Characterization</i> , 2019, 24, 457-474.	0.9	13
738	Synthesis and performance evaluation of zeolitic imidazolate framework-8 membranes deposited onto alumina hollow fiber for desalination. <i>Korean Journal of Chemical Engineering</i> , 2019, 36, 439-449.	1.2	13

#	ARTICLE	IF	CITATIONS
739	Development of nanomaterial-based photocatalytic membrane for organic pollutants removal. , 2019, , 45-67.		13
740	Recent Progresses of Ultrafiltration (UF) Membranes and Processes in Water Treatment. , 2019, , 85-110.		13
741	RO Membrane Fouling. , 2019, , 189-220.		13
742	Comprehensive studies of membrane rinsing on the physicochemical properties and separation performance of TFC RO membranes. Desalination, 2020, 491, 114345.	4.0	13
743	Enhanced visible light photocatalytic degradation of organic pollutants by iron doped titania nanotubes synthesized via facile one-pot hydrothermal. Powder Technology, 2020, 366, 96-106.	2.1	13
744	Wettability improvement of ceramic membrane by intercalating nano-Al ₂ O ₃ for oil and water separation. Surfaces and Interfaces, 2021, 25, 101178.	1.5	13
745	Removal of lead(II) by nanofiltration-ranged thin film nanocomposite membrane incorporated UiO-66-NH ₂ : Comparative removal performance between hydraulic-driven and osmotic-driven membrane process. Journal of the Taiwan Institute of Chemical Engineers, 2021, 128, 354-369.	2.7	13
746	High flux polysulfone braided hollow fiber membrane for wastewater treatment role of zinc oxide as hydrophilic enhancer. Journal of Environmental Chemical Engineering, 2021, 9, 105873.	3.3	13
747	Silver doped titania nanotubes incorporated photocatalytic dual layer antibiofouling hollow fiber membrane for palm oil wastewater treatment. Journal of Environmental Chemical Engineering, 2021, 9, 106192.	3.3	13
748	Highly selective SPEEK/ENR blended polymer electrolyte membranes for direct methanol fuel cell. Materials Today Energy, 2020, 17, 100427.	2.5	13
749	The influence of alumina particle size on the properties and performance of alumina hollow fiber as support membrane for protein separation. Separation and Purification Technology, 2020, 250, 117147.	3.9	13
750	Polyethersulfone (PES) ultrafiltration (UF) membranes loaded with silver nitrate for bacteria removal. Membrane Water Treatment, 2011, 2, 25-37.	0.5	13
751	New approach of recycling end-of-life reverse osmosis membranes via sonication for microfiltration process. Journal of Environmental Chemical Engineering, 2021, 9, 106731.	3.3	13
752	The Effect of Amorphous Rice Husk Silica to the Polysulfone Membrane Separation Process. Advanced Materials Research, 2013, 701, 319-322.	0.3	12
753	Preparation of antifouling polyetherimide/hydrolysed PIAM blend nanofiltration membranes for salt rejection applications. RSC Advances, 2014, 4, 55773-55780.	1.7	12
754	Optimization of methylene blue using Ca ²⁺ and Zn ²⁺ bio-polymer hydrogel beads: A comparative study. Ecotoxicology and Environmental Safety, 2015, 121, 164-173.	2.9	12
755	A research on CO ₂ removal via hollow fiber membrane contactor: The effect of heat treatment. Chemical Engineering Research and Design, 2017, 120, 218-230.	2.7	12
756	Anode supported micro-tubular SOFC fabricated with mixed particle size electrolyte via phase-inversion technique. International Journal of Hydrogen Energy, 2017, 42, 9188-9201.	3.8	12

#	ARTICLE	IF	CITATIONS
757	Surface Modifications of Nanofillers for Carbon Dioxide Separation Nanocomposite Membrane. <i>Symmetry</i> , 2020, 12, 1102.	1.1	12
758	Innovation in membrane fabrication: Magnetic induced photocatalytic membrane. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 113, 372-395.	2.7	12
759	Clinoenstatite/Tantalum Coating for Enhancement of Biocompatibility and Corrosion Protection of Mg Alloy. <i>Journal of Functional Biomaterials</i> , 2020, 11, 26.	1.8	12
760	Improved Bacteriostatic and Anticorrosion Effects of Polycaprolactone/Chitosan Coated Magnesium via Incorporation of Zinc Oxide. <i>Materials</i> , 2021, 14, 1930.	1.3	12
761	Advancements in modification of membrane materials over membrane separation for biomedical applications-Review. <i>Environmental Research</i> , 2022, 204, 112045.	3.7	12
762	Biocompatibility and bioactivity of hardystonite-based nanocomposite scaffold for tissue engineering applications. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 035011.	0.6	12
763	Hydrophilic nano-aluminum oxide containing polyphenylsulfone hollow fiber membranes for the extraction of arsenic (As-V) from drinking water. <i>Journal of Water Process Engineering</i> , 2021, 44, 102357.	2.6	12
764	Braid-reinforced PVDF hollow fiber membranes for high-efficiency separation of oily wastewater. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107258.	3.3	12
765	Synthesis of bismuth ferrite by sol-gel auto combustion method: Impact of citric acid concentration on its physicochemical properties. <i>Materials Chemistry and Physics</i> , 2022, 282, 125983.	2.0	12
766	The deduction of fine structural details of reverse osmosis hollow fiber membranes using surface forceâ€‘pore flow model. <i>Separation and Purification Technology</i> , 2002, 29, 217-227.	3.9	11
767	Effect of the solvent type on the formation and physical properties of polyacrylonitrile fibers via a solventâ€‘free coagulation bath. <i>Journal of Applied Polymer Science</i> , 2011, 121, 2467-2472.	1.3	11
768	Asymmetric hollow fibre membranes based on ring-substituted polyaniline and investigation towards its gas transport properties. <i>Journal of Membrane Science</i> , 2012, 397-398, 38-50.	4.1	11
769	To what extent the conventional gas permeation testing method is reliable for membrane systems?. <i>Separation and Purification Technology</i> , 2013, 114, 90-98.	3.9	11
770	Performance of surfaceâ€‘modified poly(etherimide) hollowâ€‘fiber membranes in a membrane gasâ€‘Liquid contacting process with response surface methodology. <i>Journal of Applied Polymer Science</i> , 2013, 128, 1313-1325.	1.3	11
771	Mathematical modeling of nanofiltration for concentrated electrolyte solutions. <i>Desalination</i> , 2013, 320, 17-23.	4.0	11
772	A facile modification approach for polyacrylonitrile-based UF hollow fiber membrane utilizing polyacrylonitrile-g-poly(vinyl alcohol) graft copolymer. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	11
773	Structural Control of NiOâ€‘ <sc>YSZ</sc>/<sc>LSCF</sc>â€‘ <sc>YSZ</sc> Dualâ€‘Layer Hollow Fiber Membrane for Potential Syngas Production. <i>International Journal of Applied Ceramic Technology</i> , 2016, 13, 799-809.	1.1	11
774	Effects of special nanoparticles on fuel cell properties of sulfonated polyethersulfone membrane. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2016, 65, 294-301.	1.8	11

#	ARTICLE	IF	CITATIONS
775	Stability study of extruded dual layer hollow fibre membranes in a long operation photocatalysis process. <i>Polymer Testing</i> , 2018, 68, 53-60.	2.3	11
776	Production and hemocompatibility assessment of novel electrospun polyurethane nanofibers loaded with dietary virgin coconut oil for vascular graft applications. <i>Journal of Bioactive and Compatible Polymers</i> , 2018, 33, 210-223.	0.8	11
777	Preparation and characterization of imprinted zeolite-Y for p-cresol removal in haemodialysis. <i>Materials Science and Engineering C</i> , 2019, 103, 109722.	3.8	11
778	Hydrous ferric oxide nanoparticles hosted porous polyethersulfone adsorptive membrane: chromium (VI) adsorptive studies and its applicability for water/wastewater treatment. <i>Environmental Science and Pollution Research</i> , 2019, 26, 20386-20399.	2.7	11
779	Enhancement of anti-fouling properties during the treatment of paper mill effluent using functionalized zeolite and activated carbon nanomaterials based ultrafiltration. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 2805-2815.	1.6	11
780	Performance analysis of hollow fibre-based micro-tubular solid oxide fuel cell utilising methane fuel. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 30754-30762.	3.8	11
781	An improved hybrid nanocomposites of rice husk derived graphene (GRHA)/Zeolitic imidazolate framework-8 for hydrogen adsorption. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 24864-24876.	3.8	11
782	Magnetic rod induced asymmetric membrane: Effect of iron oxide composition to phenol removal by adsorption. <i>Materials Chemistry and Physics</i> , 2021, 258, 123862.	2.0	11
783	Copper Adsorption on ZIF-8/Alumina Hollow Fiber Membrane: A Response Surface Methodology Analysis. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 6775-6786.	1.7	11
784	Fabrication of zirconia-kaolin dual layer hollow fiber membrane: Physical and performance study for industrial wastewater treatment. <i>Journal of Water Process Engineering</i> , 2021, 41, 102031.	2.6	11
785	Halloysite Nanotube-Ferrihydrite Incorporated Polyethersulfone Mixed Matrix Membrane: Effect of Nanocomposite Loading on the Antifouling Performance. <i>Polymers</i> , 2021, 13, 441.	2.0	11
786	Photodegradation stability study of PVDF- and PEI-based membranes for oily wastewater treatment process. <i>Membrane Water Treatment</i> , 2017, 8, 211-223.	0.5	11
787	Photocatalytic Filtration of Zinc Oxide-Based Membrane with Enhanced Visible Light Responsiveness for Ibuprofen Removal. <i>Catalysts</i> , 2022, 12, 209.	1.6	11
788	Dual-layer hollow fibre haemodialysis membrane for effective uremic toxins removal with minimal blood-bacteria contamination. <i>AEJ - Alexandria Engineering Journal</i> , 2022, 61, 10139-10152.	3.4	11
789	Effect of Addition of Ni metal catalyst onto the Co and Fe supported catalysts for the formation of carbon nanotubes. <i>Journal of Porous Materials</i> , 2006, 13, 331-334.	1.3	10
790	Cyclodextrin production in hollow fiber membrane reactor system: Effect of substrate preparation. <i>Separation and Purification Technology</i> , 2008, 63, 163-171.	3.9	10
791	Bionanocomposite fibers based on cellulose and montmorillonite using ionic liquid 1-ethyl-3-methylimidazolium acetate. <i>Journal of Materials Science</i> , 2015, 50, 1228-1236.	1.7	10
792	Efficient reduction of graphene oxide nanosheets using $\text{Na}_2\text{C}_2\text{O}_4$ as a reducing agent. <i>Functional Materials Letters</i> , 2015, 08, 1550026.	0.7	10

#	ARTICLE	IF	CITATIONS
793	Sustainability in Petrochemical Industry: Mixed Matrix Membranes from Polyethersulfone/Cloisite15a® for the Removal of Carbon Dioxide. <i>Procedia CIRP</i> , 2015, 26, 461-466.	1.0	10
794	Membranes and Membrane Processes. , 2018, , 45-70.		10
795	Performance of Void-Free Electrospun SPEEK/Cloisite as a Function of Degree of Dispersion State on Nanocomposite Proton Exchange Membrane for Direct Methanol Fuel Cell Application. <i>Membranes</i> , 2019, 9, 7.	1.4	10
796	Green synthesis of nickel oxide particles and its integration into polyurethane scaffold matrix ornamented with groundnut oil for bone tissue engineering. <i>International Journal of Polymer Analysis and Characterization</i> , 2019, 24, 571-583.	0.9	10
797	The effect of heat treatment on hollow fiber membrane contactor for CO2 stripping. <i>Separation and Purification Technology</i> , 2019, 223, 186-195.	3.9	10
798	An Overview of Membrane Distillation. , 2019, , 251-281.		10
799	Innovative and sustainable membrane technology for wastewater treatment and desalination application. , 2020, , 291-319.		10
800	Activatedâ€Carbon Nanofibers/Graphene Nanocomposites and Their Adsorption Performance Towards Carbon Dioxide. <i>Chemical Engineering and Technology</i> , 2020, 43, 2023-2030.	0.9	10
801	Water flux increase by inverting the membrane from its normal position â€ Is it occurring in FO and PRO?. <i>Journal of Water Process Engineering</i> , 2020, 37, 101366.	2.6	10
802	A brief review on carbon selective membranes from polymer blends for gas separation performance. <i>Reviews in Chemical Engineering</i> , 2021, 37, 339-362.	2.3	10
803	Metal Organic Framework in Membrane Separation for Wastewater Treatment: Potential and Way Forward. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 6109-6130.	1.7	10
804	Antioxidant and antithrombotic study of novel chitosan-diallyl disulfide inclusion complexes nanoparticles for hemodialysis applications. <i>Reactive and Functional Polymers</i> , 2021, 163, 104894.	2.0	10
805	Review on characteristics of biomaterial and nanomaterials based polymeric nanocomposite membranes for seawater treatment application. <i>Environmental Research</i> , 2021, 197, 111177.	3.7	10
806	Improving properties of thin film nanocomposite membrane through polyethyleneimine intermediate layer: A parametric study. <i>Separation and Purification Technology</i> , 2021, 274, 119035.	3.9	10
807	Low cost palm oil fuel ash based ceramic membranes for oily water separation. <i>Malaysian Journal of Fundamental and Applied Sciences</i> , 2018, 14, 419-424.	0.4	10
808	Design and characterization of ceramic hollow fiber membrane derived from waste ash using phase inversion-based extrusion/sintering technique for water filtration. <i>Journal of Asian Ceramic Societies</i> , 2021, 9, 341-358.	1.0	10
809	Functionalized halloysite nanotubes incorporated thin film nanocomposite nanofiltration membrane for treatment of wastewaters containing metal ions. <i>Chemical Engineering Research and Design</i> , 2022, 157, 334-351.	2.7	10
810	Omniphobic surface modification of silica sand ceramic hollow fiber membrane for desalination via direct contact membrane distillation. <i>Desalination</i> , 2022, 532, 115705.	4.0	10

#	ARTICLE	IF	CITATIONS
811	Bio-polymer modified nanoclay embedded forward osmosis membranes with enhanced desalination performance. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	1.3	10
812	Bottlenecks and recent improvement strategies of ceramic membranes in membrane distillation applications: A review. <i>Journal of the European Ceramic Society</i> , 2022, 42, 5179-5194.	2.8	10
813	Carbon nanotubes for desalination – an innovative material with enormous potential. <i>Membrane Technology</i> , 2013, 2013, 7-10.	0.5	9
814	Predicting the structural parameters of integrally skinned porous membranes. <i>Journal of Membrane Science</i> , 2014, 454, 451-462.	4.1	9
815	The influence of PEEK as a pore former on the microstructure of brush-painted LSCF cathodes. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 2895-2905.	1.2	9
816	Structural and photocatalytic properties of co-doped hybrid ZrO ₂ -TiO ₂ photocatalysts. <i>SN Applied Sciences</i> , 2019, 1, 1.	1.5	9
817	Novel Activated Carbon Nanofibers Compositated with Cost-Effective Graphene-Based Materials for Enhanced Adsorption Performance toward Methane. <i>Polymers</i> , 2020, 12, 2064.	2.0	9
818	Comparison of different activated agents on biomass-derived graphene towards the hybrid nanocomposites with zeolitic imidazolate framework-8 for room temperature hydrogen storage. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105118.	3.3	9
819	Physicochemical characteristics of polysulfone nanofiber membranes with iron oxide nanoparticles via electrospinning. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51661.	1.3	9
820	Fabrication and characterizations of hybrid membrane containing tannin-modified metal-organic framework for water treatment. <i>Materials Today: Proceedings</i> , 2021, 46, 1954-1958.	0.9	9
821	Bisphenol A Removal Using Visible Light Driven Cu ₂ O/PVDF Photocatalytic Dual Layer Hollow Fiber Membrane. <i>Membranes</i> , 2022, 12, 208.	1.4	9
822	Performance of mixed matrix ultrafiltration membrane for textile wastewater treatment. <i>Materials Today: Proceedings</i> , 2022, 65, 3015-3019.	0.9	9
823	A REVIEW OF ASSEMBLED POLYACRYLONITRILE-BASED CARBON NANOFIBER PREPARED ELECTROSPINNING PROCESS. <i>International Journal of Nanoscience</i> , 2011, 10, 455-469.	0.4	8
824	Special issue honoring Takeshi Matsuura. <i>Desalination</i> , 2012, 287, 1.	4.0	8
825	Controlled growth of carbon nanofibers using plasma enhanced chemical vapor deposition: Effect of catalyst thickness and gas ratio. <i>Thin Solid Films</i> , 2012, 520, 2575-2581.	0.8	8
826	Short Review of Ultrafiltration of Polymer Membrane as a Self-Cleaning and Antifouling in the Wastewater System. <i>Advanced Materials Research</i> , 2013, 795, 318-323.	0.3	8
827	Influence of palm oil fuel ash, an agro-industry waste on the ultrafiltration performance of cellulose acetate butyrate membrane. <i>Desalination and Water Treatment</i> , 2016, 57, 26414-26426.	1.0	8
828	ZEOLITIC IMIDAZOLE FRAMEWORK 8 DECORATED GRAPHENE OXIDE (ZIF-8/GO) MIXED MATRIX MEMBRANE (MMM) FOR CO ₂ /CH ₄ SEPARATION. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2017, 79, .	0.3	8

#	ARTICLE	IF	CITATIONS
829	Thin-Film Nanocomposite Nanofiltration Membranes Incorporated with Graphene Oxide for Phosphorus Removal. <i>Chemical Engineering and Technology</i> , 2018, 41, 319-326.	0.9	8
830	Simple Method to Enhance O ₂ /N ₂ Separation on P84 co-polyimide Hollow Fiber Membrane. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 546, 042042.	0.3	8
831	Adsorptive Membranes for Heavy Metals Removal From Water. , 2019, , 361-400.		8
832	RO Membrane Characterization. , 2019, , 57-90.		8
833	Preparation and characterization of polyacrylonitrile-based activated carbon nanofibers/graphene (gACNFs) composite synthesized by electrospinning. <i>AIP Advances</i> , 2020, 10, 055117.	0.6	8
834	Optimizing the spinning parameter of titania nanotube-boron incorporated PVDF dual-layered hollow fiber membrane for synthetic AT-POME treatment. <i>Journal of Water Process Engineering</i> , 2020, 36, 101372.	2.6	8
835	Effect of electrolyte thickness manipulation on enhancing carbon deposition resistance of methane-fueled solid oxide fuel cell. <i>International Journal of Energy Research</i> , 2021, 45, 2837-2855.	2.2	8
836	Innovative polymer-complex draw solution for copper(II) removal using forward osmosis. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104854.	3.3	8
837	Energy Efficient Seawater Desalination: Strategies and Opportunities. <i>Energy Technology</i> , 2021, 9, 2100008.	1.8	8
838	Functionalization of reverse osmosis membrane with titania nanotube and polyacrylic acid for enhanced antiscaling properties. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105937.	3.3	8
839	Tailoring the CO ₂ -selectivity of interfacial polymerized thin film nanocomposite membrane via the barrier effect of functionalized boron nitride. <i>Journal of Colloid and Interface Science</i> , 2021, 603, 810-821.	5.0	8
840	Preparation of Titanium Dioxide Hollow Fiber Membrane Using Phase Inversion and Sintering Technique for Gas Separation and Water Purification. <i>Sains Malaysiana</i> , 2015, 44, 1195-1201.	0.3	8
841	Tailoring the properties of polyamide thin film membrane with layered double hydroxide nanoclay for enhancement in water separation. <i>Current Applied Physics</i> , 2022, 34, 36-40.	1.1	8
842	Polyethyleneimine-impregnated activated carbon nanofiber composited graphene-derived rice husk char for efficient post-combustion CO ₂ capture. <i>Nanotechnology Reviews</i> , 2022, 11, 926-944.	2.6	8
843	Tailoring the substrate of thin film reverse osmosis membrane through a novel Fe ²⁺ -FeOOH nanorods templating strategy: An insight into the effects on interfacial polymerization of polyamide. <i>Journal of Membrane Science</i> , 2022, 657, 120706.	4.1	8
844	A modified rain attenuation prediction model for tropical V-band satellite earth link. <i>International Journal of Satellite Communications and Networking</i> , 2015, 33, 57-67.	1.2	7
845	Copper nanoparticle in cationized palm oil fibres: physico-chemical investigation. <i>Colloid and Polymer Science</i> , 2015, 293, 777-786.	1.0	7
846	Modification of polyethersulfone using sericin and polyvinylpyrrolidone for cadmium ion removal by polyelectrolyte-enhanced ultrafiltration. <i>Desalination and Water Treatment</i> , 2015, 56, 366-378.	1.0	7

#	ARTICLE	IF	CITATIONS
847	Electrocatalytic Study of Efficient Synthesized Graphene Nanosheets Incorporated with Pt Nanoparticles for Methanol Oxidation Reaction. <i>Electroanalysis</i> , 2016, 28, 222-226.	1.5	7
848	Preparation and characterization of glass hollow fiber membrane for water purification applications. <i>Environmental Science and Pollution Research</i> , 2017, 24, 15918-15928.	2.7	7
849	Modelling of transport mechanisms and drying shrinkage for multilayer ceramic membrane structure. <i>Chemical Engineering Research and Design</i> , 2018, 133, 111-125.	2.7	7
850	Performance of PES/LSMM-OGCN Photocatalytic Membrane for Phenol Removal: Effect of OGCN Loading. <i>Membranes</i> , 2018, 8, 42.	1.4	7
851	Performance of Acacia Gum as a Novel Additive in Thin Film Composite Polyamide RO Membranes. <i>Membranes</i> , 2019, 9, 30.	1.4	7
852	Applications of Emerging Nanomaterials for Oily Wastewater Treatment. , 2019, , 101-113.		7
853	RO Membrane Preparation. , 2019, , 25-56.		7
854	Properties and performance evaluation of dual-layer ceramic hollow fiber with modified electrolyte for MT-SOFC. <i>Renewable Energy</i> , 2019, 134, 1423-1433.	4.3	7
855	Incorporation of thermally labile additives in polyimide carbon membrane for hydrogen separation. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 24855-24863.	3.8	7
856	Synthesis route for the fabrication of nanocomposite membranes. , 2020, , 69-89.		7
857	Zeolitic imidazolate framework-L incorporated graphene oxide hybrid for cadmium removal. <i>Materials Today: Proceedings</i> , 2021, 42, 8-14.	0.9	7
858	Enhanced performance of lanthanum orthoferrite/chitosan nanocomposites for adsorptive photocatalytic removal of Reactive Black 5. <i>Korean Journal of Chemical Engineering</i> , 2021, 38, 1648-1659.	1.2	7
859	A novel imogolite-reinforced sulfonated polyphenylsulfone as proton exchange membrane in fuel cell applications. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105641.	3.3	7
860	Dual-function ZIF-8 membrane supported on alumina hollow fiber membrane for copper(II) removal. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105343.	3.3	7
861	Synthesis and characterization of superoleophobic fumed alumina nanocomposite coated via the sol-gel process onto ceramic-based hollow fibre membrane for oil-water separation. <i>Ceramics International</i> , 2021, 47, 25883-25894.	2.3	7
862	Rice husk derived graphene-like material: Activation with phosphoric acid in the absence of inert gas for hydrogen gas storage. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 31084-31095.	3.8	7
863	Enhanced adsorption and biocompatibility of polysulfone hollow fibre membrane via the addition of silica/alpha-mangostin hybrid nanoparticle for uremic toxins removal. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106141.	3.3	7
864	Progresses in membrane and advanced oxidation processes for water treatment. <i>Membrane Water Treatment</i> , 2012, 3, 181-200.	0.5	7

#	ARTICLE	IF	CITATIONS
865	ADSORPTION OF CADMIUM (II) IONS BY POLYACRYLONITRILE-BASED ACTIVATED CARBON NANOFIBERS/MAGNESIUM OXIDE AS ITS ADSORBENTS. Malaysian Journal of Analytical Sciences, 2016, 20, 1467-1473.	0.2	7
866	On Performance and fouling of thin film composite hollow Fiber membranes using polycarbonate/polyvinylchloride as porous substrates for forward osmosis applications. Journal of Environmental Chemical Engineering, 2022, 10, 106828.	3.3	7
867	Biomolecule-Enabled Liquid Separation Membranes: Potential and Recent Progress. Membranes, 2022, 12, 148.	1.4	7
868	Effect of Acid Oxidation on the Dispersion Property of Multiwalled Carbon Nanotubes. , 2009, , .		6
869	The Utilization of Recycled Newspaper in the Production of Cellulose Microfiber. Advanced Materials Research, 2016, 1133, 644-648.	0.3	6
870	Control of biodegradability in a natural fibre based nanocomposite as a function of impregnated copper nanoparticles. RSC Advances, 2016, 6, 28937-28946.	1.7	6
871	A comparison RSM and ANN surface roughness models in thin-wall machining of Ti6Al4V using vegetable oils under MQL-condition. AIP Conference Proceedings, 2017, , .	0.3	6
872	ENHANCED ANTI-FOULING BEHAVIOR AND PERFORMANCES OF NANO HYBRID PES-SIO2 AND PES-ZNO MEMBRANES FOR PRODUCED WATER TREATMENT. Jurnal Teknologi (Sciences and Engineering), 2017, 79, .	0.3	6
873	Comparative study on the performance of co-extruded hollow fiber solid oxide fuel cell fuelled with hydrogen and methane. Journal of Solid State Electrochemistry, 2019, 23, 2195-2203.	1.2	6
874	Carbon-based nanocomposite membranes for water and wastewater purification. , 2019, , 23-44.		6
875	Nanocomposites for Environmental and Energy Applications. Nanomaterials, 2021, 11, 345.	1.9	6
876	Nanocomposite membrane by incorporating graphene oxide in sulfonated polyether ether ketone for direct methanol fuel cell. Materials Today: Proceedings, 2021, 46, 2084-2091.	0.9	6
877	Ammonia removal by adsorptive clinoptilolite ceramic membrane: Effect of dosage, isothermal behavior and regeneration process. Korean Journal of Chemical Engineering, 2021, 38, 807-815.	1.2	6
878	Research and Development Journey and Future Trends of Hollow Fiber Membranes for Purification Applications (1970â€“2020): A Bibliometric Analysis. Membranes, 2021, 11, 600.	1.4	6
879	Characterization and Corrosion Behavior Evaluation of Nanostructured TiO2 and Al2O3-13Åwt.%TiO2 Coatings on Aluminum Alloy Prepared via High-Velocity Oxy-Fuel Spray. Journal of Materials Engineering and Performance, 2021, 30, 1356-1370.	1.2	6
880	The Modification of PVDF Membrane via Crosslinking with Chitosan and Glutaraldehyde as the Crosslinking Agent. Indonesian Journal of Chemistry, 2018, 18, 1.	0.3	6
881	Surface-tailoring chlorine resistant materials and strategies for polyamide thin film composite reverse osmosis membranes. Frontiers of Chemical Science and Engineering, 2022, 16, 564-591.	2.3	6
882	Fabrication of MoS2â€“rGO and MoS2â€“ZIF-8 membranes supported on flat alumina substrate for effective oil removal. Emergent Materials, 2022, 5, 1169-1182.	3.2	6

#	ARTICLE	IF	CITATIONS
883	Performance of TFN nanofiltration membranes through embedding internally modified titanate nanotubes. Korean Journal of Chemical Engineering, 2022, 39, 1902-1918.	1.2	6
884	Graphene oxide encapsulated forsterite scaffolds to improve mechanical properties and antibacterial behavior. Biomedical Materials (Bristol), 2022, 17, 035011.	1.7	6
885	A mathematical analysis of hollow fiber spinning: Bore and dope velocity profiles in the air gap. Journal of Membrane Science, 2010, 348, 13-20.	4.1	5
886	PREPARATION AND CHARACTERISTICS OF FUNCTIONALIZED MULTIWALLED CARBON NANOTUBES IN POLYIMIDE MIXED MATRIX MEMBRANE. Nano, 2010, 05, 195-202.	0.5	5
887	The Role and Prospect of Nanomaterials in Polymeric Membrane for Water and Wastewater Treatment: A State-of-the-Art Overview. Advanced Materials Research, 0, 896, 3-6.	0.3	5
888	WATER TREATMENT PERFORMANCE: APPLICATION OF ELECTROSPUN NANOFIBERS. Jurnal Teknologi (Sciences and Engineering), 2015, 77, .	0.3	5
889	Preparation and characterisation of inexpensive porous kaolin hollow fibre as ceramic membrane supports for gas separation application. Journal of the Australian Ceramic Society, 2017, 53, 645-655.	1.1	5
890	Effects of SPEEK/Cloisite Concentration as Electrospinning Parameter on Proton Exchange Membrane for Direct Methanol Fuel Cell Application. Materials Science Forum, 2017, 890, 278-284.	0.3	5
891	Dual-layer hollow fiber MT-SOFC using lithium doped CGO electrolyte fabricated via phase-inversion technique. Solid State Ionics, 2017, 304, 113-125.	1.3	5
892	Long-term study of CO ₂ absorption by PVDF/ZSM-5 hollow fiber mixed matrix membrane in gas-liquid contacting process. Journal of Applied Polymer Science, 2017, 134, .	1.3	5
893	Electron Paramagnetic Resonance (EPR) Spectroscopy. , 2017, , 47-68.		5
894	Titania-carbon nanotubes nanocomposite coating on Mg alloy: Microstructural characterisation and mechanical properties. Materials Science and Technology, 2018, 34, 378-387.	0.8	5
895	Highly permeable photo-catalytic mesoporous aluminum oxide membrane for oil emulsion separation. Journal of the Australian Ceramic Society, 2019, 55, 323-335.	1.1	5
896	INCORPORATION OF IMPRINTED-ZEOLITE TO POLYETHERSULFONE/CELLULOSE ACETATE MEMBRANE FOR CREATININE REMOVAL IN HEMODIALYSIS TREATMENT. Jurnal Teknologi (Sciences and Engineering), 2019, 81, .	0.3	5
897	Predicting the rarefied gas flow through circular nano/micro short tubes: A semi-empirical model. Vacuum, 2019, 164, 18-28.	1.6	5
898	Graphene and CNT Technology. , 2019, , 3-26.		5
899	Development of adsorptive ultrafiltration membranes for heavy metal removal. , 2019, , 1-22.		5
900	Mechanical property, antibacterial activity and cytocompatibility of a PMMA-based bone cement loaded with clindamycin for orthopaedic surgeries. Materials Technology, 2021, 36, 564-573.	1.5	5

#	ARTICLE	IF	CITATIONS
901	Superhydrophobic ceramic hollow fibre membranes for trapping carbon dioxide from natural gas via the membrane contactor system. <i>Journal of the Australian Ceramic Society</i> , 2021, 57, 705-717.	1.1	5
902	The utilization of micro-mesoporous carbon-based filler in the P84 hollow fibre membrane for gas separation. <i>Royal Society Open Science</i> , 2021, 8, 201150.	1.1	5
903	A novel approach to predict the skin layer porosity of porous asymmetric membranes via gas permeation test. <i>Chemical Engineering Research and Design</i> , 2021, 166, 197-208.	2.7	5
904	Modification of zeolitic imidazolate framework-8 with amine groups for improved antibacterial activity. <i>Materials Today: Proceedings</i> , 2021, 46, 2024-2029.	0.9	5
905	Influence of Polyethylene Glycol Additive on Performance of Polysulfone and Polyethersulfone Membrane. <i>Journal of Mechanical Engineering and Sciences</i> , 2014, 6, 746-752.	0.3	5
906	An Overview of Selected Catalytic Chemical Vapor Deposition Parameter for Aligned Carbon Nanotube Growth. <i>Nanoscience and Nanotechnology - Asia</i> , 2014, 4, 2-30.	0.3	5
907	Effects of Shear Rate on Morphology and Gas Separation Performance as Asymmetric Polysulfone Membranes. <i>ASEAN Journal of Chemical Engineering</i> , 2008, 2, 67.	0.5	5
908	Enhancing water flux and antifouling properties of PES hollow fiber membranes via incorporation of surface-functionalized Fe ₃ O ₄ nanoparticles. <i>Journal of Chemical Technology and Biotechnology</i> , 2022, 97, 1006-1020.	1.6	5
909	Immobilizing chitosan nanoparticles in polysulfone ultrafiltration hollow fibre membranes for improving uremic toxins removal. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106878.	3.3	5
910	Optimization of a High-Performance Poly(diallyl dimethylammonium) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (chloride)-alumina-polyethylene Glycol Membrane for the Treatment of Oily Wastewater via Response Surface Methodology Approach. <i>Membranes</i> , 2021, 11, 956.	1.4	5
911	Tailoring the permeability and flux stability of forward osmosis membrane with tert-butylamine functionalized carbon nanotubes for paracetamol removal. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107977.	3.3	5
912	Effect of Reaction Temperature and Flow Rate of Precursor on Formation of Multi-Walled Carbon Nanotubes. , 2009, , .		4
913	Cyclodextrin-Functionalized Carbon Nanotubes For Mixed Matrix Membrane. , 2009, , .		4
914	Preparation of Carbon Membranes for Gas Separation. , 2010, , 275-290.		4
915	Carbon Nanotubes Based Mixed Matrix Membrane for Gas Separation. <i>Advanced Materials Research</i> , 0, 364, 272-277.	0.3	4
916	Hydrophobic and Hydrophilic Hollow Fiber Membranes for CO ₂ Stripping via Gas-Liquid Membrane Contactor. <i>Procedia Engineering</i> , 2012, 44, 328-331.	1.2	4
917	Development of a model for dimethyl ether non-adiabatic reactors to improve methanol conversion. <i>Korean Journal of Chemical Engineering</i> , 2013, 30, 1867-1875.	1.2	4
918	Effect of air-gap length on carbon dioxide stripping performance of a surface modified polysulfone hollow fiber membrane contactor. <i>RSC Advances</i> , 2014, 4, 59519-59527.	1.7	4

#	ARTICLE	IF	CITATIONS
919	Enzymatic Hydrolysis of Pretreated Kenaf using a Recombinant Xylanase: Effects of Reaction Conditions for Optimum Hemicellulose Hydrolysis. <i>American Journal of Agricultural and Biological Science</i> , 2016, 11, 54-66.	0.9	4
920	Preparation of Ceramic Hollow Fiber Membrane Using Phase Inversion and Sintering Technique. <i>Advanced Materials Research</i> , 0, 1133, 141-145.	0.3	4
921	Two-stage FO-BWRO/NF treatment of saline waters. <i>Desalination and Water Treatment</i> , 2016, 57, 4842-4852.	1.0	4
922	Wettability and Surface Area Characteristic of PVDF Nanofibrous Composite Film. <i>Materials Today: Proceedings</i> , 2019, 19, 1413-1419.	0.9	4
923	Hemodialysis Membrane for Blood Purification Process. , 2019, , 283-314.		4
924	Fabrication of PVDF/HMO Mixed Matrix Membrane: Effect of HMO Loading on Oil/Water Separation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 736, 052004.	0.3	4
925	Fabrication and characterization of a novel wound scaffold based on polyurethane added with <i>Channa striatus</i> for wound dressing applications. <i>International Journal of Polymer Analysis and Characterization</i> , 2020, 25, 126-133.	0.9	4
926	Porous polyether sulfone for direct methanol fuel cell applications: Structural analysis. <i>International Journal of Energy Research</i> , 2021, 45, 2277-2291.	2.2	4
927	Additive Manufacturing of Polymer Matrix Composites. , 2021, , 1013-1028.		4
928	The influence of pretreatment step on hollow braided PET fabric as a potential membrane substrate. <i>Materials Today: Proceedings</i> , 2021, 46, 1990-1997.	0.9	4
929	Advances in Nanocomposite Membranes. <i>Membranes</i> , 2021, 11, 158.	1.4	4
930	Synthesis and characterization of conductive polymer coated graphitic carbon nitride embedded sulfonated poly (ether ether ketone) membranes for direct methanol fuel cell applications. <i>International Journal of Energy Research</i> , 2021, 45, 16649-16666.	2.2	4
931	Parametric analysis of lignocellulosic ultrafiltration in lab scale cross flow module using pore blocking and artificial neural network model. <i>Chemosphere</i> , 2022, 286, 131822.	4.2	4
932	Facile synthesis and characterization of Zno-HNT additive for enhancement of polysulfone membrane for Oil-In-Water separation. <i>Materials Today: Proceedings</i> , 2021, 46, 1978-1982.	0.9	4
933	INFLUENCE OF OIL PALM EMPTY FRUIT BUNCH (OPEFB) AGRO-WASTE PROPERTIES AS FILTRATION MEDIUM TO IMPROVE URBAN STORMWATER. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	4
934	ZIF-8 membrane: the synthesis technique and nanofiltration application. <i>Emergent Materials</i> , 2022, 5, 1289-1310.	3.2	4
935	Critical Flux and Fouling Analysis of PVDF-Mixed Matrix Membranes for Reclamation of Refinery-Produced Wastewater: Effect of Mixed Liquor Suspended Solids Concentration and Aeration. <i>Membranes</i> , 2022, 12, 161.	1.4	4
936	Flux Increase Occurring When an Ultrafiltration Membrane Is Flipped from a Normal to an Inverted Position—Experiments and Theory. <i>Membranes</i> , 2022, 12, 129.	1.4	4

#	ARTICLE	IF	CITATIONS
937	Controlling Air Bubble Formation Using Hydrophilic Microfiltration Diffuser for <i>C. vulgaris</i> Cultivation. <i>Membranes</i> , 2022, 12, 414.	1.4	4
938	A review on process design and bilayer electrolyte materials of bipolar membrane fuel cell. <i>International Journal of Energy Research</i> , 2022, 46, 11620-11639.	2.2	4
939	Fouling Characterization of Polysulfone-Grafted-Methyl Methacrylate Membrane. <i>Applied Mechanics and Materials</i> , 0, 465-466, 819-823.	0.2	3
940	Studies on as separation behaviour of polymer blending PI/PES hybrid mixed membrane: Effect of polymer concentration and zeolite loading. <i>International Journal of Science and Engineering</i> , 2014, 6, .	0.1	3
941	Synthesis and Preparation of Asymmetric PSf/ZIF-8 Mixed Matrix Membrane for CO ₂ /CH ₄ Separation. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014, 69, .	0.3	3
942	INCORPORATION OF BACTERICIDAL NANOMATERIALS IN DEVELOPMENT OF ANTIBACTERIAL MEMBRANE FOR BIOFOULING MITIGATION: A MINI REVIEW. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	3
943	Effect of titania nanotubes on the flux and separation performance of polyethersulfone membranes. <i>IOP Conference Series: Earth and Environmental Science</i> , 2016, 36, 012024.	0.2	3
944	Dual stage PRO process: impact of the membrane materials of the process performance. <i>Desalination and Water Treatment</i> , 2016, 57, 6172-6183.	1.0	3
945	The impact of nonpolar coagulation bath-immiscible liquid additives on the polyethersulfone membranes structure and performance. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	3
946	A green membrane distillation system for seawater desalination: Response surface modelling and optimization. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 361, 012011.	0.3	3
947	Optimum parameters for treating coolant wastewater using PVDF-membrane. <i>MATEC Web of Conferences</i> , 2018, 156, 08011.	0.1	3
948	PMRs in Photodegradation of Organic Contaminants. , 2018, , 189-208.		3
949	Flat-Sheet Membrane for Power Generation and Desalination Based on Salinity Gradient. , 2018, , 155-174.		3
950	A novel one-step synthesis of nanocluster-like Pt incorporated reduced graphene oxide as robust nanocatalyst for highly efficient electro-catalytic oxidation of methanol. <i>Materials Letters</i> , 2019, 254, 37-41.	1.3	3
951	Al ₂ O ₃ /Yttria-Stabilized Zirconia Hollow-Fiber Membrane Incorporated with Iron Oxide for Pb(II) Removal. <i>Chemical Engineering and Technology</i> , 2019, 42, 1321-1329.	0.9	3
952	Nanoengineered Materials for Water and Wastewater Treatments. , 2019, , 303-335.		3
953	Synthetic polymer-based membranes for direct methanol fuel cell (DMFC) applications. , 2020, , 337-363.		3
954	Prospects of nanocomposite membranes for natural gas treatment. , 2020, , 355-378.		3

#	ARTICLE	IF	CITATIONS
955	Titanium dioxide hollow nanofibers for enhanced photocatalytic activities. <i>Materials Today: Proceedings</i> , 2021, 46, 2004-2011.	0.9	3
956	Effect of various operating parameters towards PVDF/HMO mixed matrix membrane performance. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105667.	3.3	3
957	Improved hydrophilic and antifouling performance of nanocomposite ultrafiltration zwitterionic polyphenylsulfone membrane for protein rejection applications. <i>Journal of Nanostructure in Chemistry</i> , 2022, 12, 343-364.	5.3	3
958	Electrospun Nanocomposite Materials for Polymer Electrolyte Membrane Methanol Fuel Cells. , 2017, , 165-191.		3
959	Mixed matrix composite membranes based on amination of reduced graphene oxide for CO ₂ separation: Effects of heating time and nanofiller loading. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 2287-2294.	1.2	3
960	Influence of Catalyst Preparation on Synthesis of Multi-Walled Carbon Nanotubes. <i>IEICE Transactions on Electronics</i> , 2009, E92-C, 1421-1426.	0.3	3
961	THE EFFECT OF NOVEL MULTIWALLED CARBON NANOTUBE-TITANIA NANOTUBE HYBRID IN POLYAMIDE ACTIVE LAYER TOWARDS WATER PERMEABILITY AND HIGH SODIUM CHLORIDE REJECTION PERFORMANCE OF NANOFILTRATION MEMBRANE DESALINATION. <i>Malaysian Journal of Analytical Sciences</i> , 2017, 21, 402-408.	0.2	3
962	The Impacts of Iron Oxide Nanoparticles on Membrane Properties for Water and Wastewater Applications: a Review. <i>Arabian Journal for Science and Engineering</i> , 2022, 47, 5443-5464.	1.7	3
963	Low Nickel, Ceria Zirconia-Based Micro-Tubular Solid Oxide Fuel Cell: A Study of Composition and Oxidation Using Hydrogen and Methane Fuel. <i>Sustainability</i> , 2021, 13, 13789.	1.6	3
964	Tuneable molecular selective boron nitride nanosheet ultrafiltration lamellar membrane for dye exclusion to remediate the environment. <i>Chemosphere</i> , 2022, 303, 135066.	4.2	3
965	N ₂ /CH ₄ separation behavior at elevated temperature on P84 hollow fiber carbon membrane. <i>Materials Today: Proceedings</i> , 2022, , .	0.9	3
966	Initial Screening of Fermentation Variables for the Production of Cyclomaltodextrin Glucanotransferase (CGTase) from Local Isolated <i>Bacillus stearothermophilus</i> HR1. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2005, 13, 541-547.	0.0	2
967	Functionalized Carbon Nanotubes for Mixed Matrix Membrane. <i>IEICE Transactions on Electronics</i> , 2009, E92-C, 1427-1431.	0.3	2
968	Influence of Inorganic Additives on the Performance of Polysulfone Ultrafiltration Membrane. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2013, 65, .	0.3	2
969	Effects of Stabilization Temperature on the Chemical and the Physical Properties of Polyacrylonitrile Stabilized Fibers. <i>Advanced Materials Research</i> , 2015, 1112, 402-405.	0.3	2
970	Absorption properties enhancement using Montmorillonite (MMT) as filler in spray-coated P3HT:PCBM thin films. <i>Polymer Bulletin</i> , 2015, 72, 1827-1834.	1.7	2
971	Membrane technology for treating of waste nanofluids coolant: A review. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	2
972	Nuclear Magnetic Resonance (NMR) Spectroscopy. , 2017, , 69-80.		2

#	ARTICLE	IF	CITATIONS
973	1.13 Preparation of Carbon Membranes for Gas Separation. , 2017, , 330-357.		2
974	The influence of coating-carbonization cycles toward P84 co-polyimide/nanocrystalline cellulose. Comptes Rendus Chimie, 2019, 22, 779-785.	0.2	2
975	Effect of solvent on the physicochemical properties of electrospun nanocomposite with gamat oil and cerium oxide for potential medical engineering application. Journal of the Textile Institute, 2021, 112, 1545-1554.	1.0	2
976	Synthetic polymer-based membranes for desalination. , 2020, , 23-38.		2
977	Visible light-driven perovskite-based photocatalyst for wastewater treatment. , 2020, , 265-302.		2
978	Enhanced performance of Mindel membranes by incorporating conductive polymer and inorganic modifier for application in direct methanol fuel cells. Asia-Pacific Journal of Chemical Engineering, 2020, 15, e2473.	0.8	2
979	Photocatalytic degradation of aerobically treated palm oil mill effluent using titania nanotubes prepared via hydrothermal technique. Materials Today: Proceedings, 2021, 46, 1813-1817.	0.9	2
980	Effect of Polyhedral Silsesquioxane Functionalized Sulfonic Acid Groups Incorporated Into Highly Sulfonated Polyphenylsulfone as Proton-Conducting Membrane. Arabian Journal for Science and Engineering, 2021, 46, 6399-6407.	1.7	2
981	Facile purification of palygorskite and its effect on the performance of reverse osmosis thin film nanocomposite membrane. Journal of Chemical Technology and Biotechnology, 2021, 96, 1832-1841.	1.6	2
982	Effect of sintering temperature on perovskite-based hollow fiber as a substrate for cathode-supported micro-tubular solid oxide fuel cell. Journal of the Australian Ceramic Society, 2021, 57, 1199-1208.	1.1	2
983	Effect of air gap distance of PSF/IONPs/ALG hollow fiber membrane on morphology and antifouling properties. Materials Today: Proceedings, 2021, 46, 1929-1933.	0.9	2
984	Inclusion of zeolitic imidazolate framework-8 (ZIF-8) crystals within porous polyether sulfone (PES) via filtration methods as potential electrolytes for DMFC applications. Materials Today: Proceedings, 2021, 46, 1843-1847.	0.9	2
985	PREPARATION AND CHARACTERIZATION OF DIFFERENT LOADING OF ZINC OXIDE ON ACTIVATED CARBON NANOFIBERS. Malaysian Journal of Analytical Sciences, 2017, 21, 365-371.	0.2	2
986	Development of Enzymatic Membrane Reactor (EMR) for Cyclodextrins Production. Journal of Applied Sciences, 2007, 7, 2028-2032.	0.1	2
987	Development of Free-Standing Titanium Dioxide Hollow Nanofibers Photocatalyst with Enhanced Recyclability. Membranes, 2022, 12, 342.	1.4	2
988	Adsorptive membrane for heavy metal removal: Material, fabrication, and performance. Materials Today: Proceedings, 2022, , .	0.9	2
989	The Effect of BPA-Treated Water on the Small Intestine via an In Vivo Study. Toxics, 2022, 10, 296.	1.6	2
990	Development of gas-separation membrane-assisted lead-acid battery. Journal of Power Sources, 2005, 141, 177-187.	4.0	1

#	ARTICLE	IF	CITATIONS
991	Modification of Polyethersulfone Hollow Fiber Membranes by Novel Charged Surface Modifying Macromolecule (cSMM) Blends for Water Application. , 2009, , .		1
992	High Performance Micro-Tubular Solid Oxide Fuel cell fabricated using a novel co-extrusion/co-sintering technique. Procedia Engineering, 2012, 44, 989-991.	1.2	1
993	Electrochemical Study of Speek/Cloisite 15A [®] /TAP Membrane at Moderate Temperature for DMFC Application. Advanced Materials Research, 2013, 684, 80-84.	0.3	1
994	Effect of Starch Addition on Microstructure and Strength of Ball Clay Membrane. Jurnal Teknologi (Sciences and Engineering), 2014, 69, .	0.3	1
995	Gas Permeation Properties and Characterization of Polymer Based Carbon Membrane. Advanced Materials Research, 0, 983, 246-250.	0.3	1
996	Preparation and Characterization of Matrimid-Based Carbon Membrane Supported on Tube for CO ₂ Separation. Advanced Materials Research, 0, 1025-1026, 770-775.	0.3	1
997	Membrane Modules and Process Design. , 2015, , 221-240.		1
998	Gas Permeation Study of Carbon Tubular Membrane by Manipulating Carbonization Temperature Profile. Advanced Materials Research, 2015, 1112, 145-148.	0.3	1
999	Improved permeation properties of polyacrylonitrile-based ultrafiltration membranes incorporated with poly(vinyl alcohol). Desalination and Water Treatment, 2015, 55, 1771-1785.	1.0	1
1000	Editorial Special Issue: Selected Extended Papers from the 12th th International Conference on Membrane Science and Technology (MST2015) Symposium on Modeling and Simulation. Chemical Product and Process Modeling, 2016, 11, 1-2.	0.5	1
1001	Efficient Visible Photoluminescence from Self-Assembled Ge QDs Embedded in Silica Matrix. Chinese Physics Letters, 2017, 34, 068102.	1.3	1
1002	Silica-Based Hollow Fiber Membrane for Water Treatment. , 2017, , 157-180.		1
1003	PREPARATION AND STRUCTURAL CHARACTERIZATION OF BINARY CATALYST FOR DYE WASTEWATER. Jurnal Teknologi (Sciences and Engineering), 2017, 79, .	0.3	1
1004	CHARACTERIZATION OF PCL/ZEOLITE ELECTROSPUN MEMBRANE FOR THE REMOVAL OF SILVER IN DRINKING WATER. Jurnal Teknologi (Sciences and Engineering), 2017, 79, .	0.3	1
1005	CO ₂ /CH ₄ Separation by Using Carbon Membranes. , 2018, , 209-234.		1
1006	Carbon-Based Nanocomposite Membrane for Acidic Gas Separation. , 2018, , 233-260.		1
1007	The Fabrication of Carbon-Based Polymer Nanocomposite. , 2018, , 3-25.		1
1008	Forward Osmosis for Desalination Application. , 2019, , 315-337.		1

#	ARTICLE	IF	CITATIONS
1009	Pressure-Retarded Osmosis. , 2019, , 339-359.		1
1010	Green Machining of Thin-Wall Titanium Alloy. Materials Forming, Machining and Tribology, 2019, , 147-168.	0.7	1
1011	Synthetic polymer-based membranes for treatment of oily wastewater. , 2020, , 3-22.		1
1012	Synthetic polymer-based membranes for hydrogen separation. , 2020, , 273-292.		1
1013	Forward osmosis-based hybrid processes for water and wastewater treatment. , 2021, , 121-144.		1
1014	Fabrication and Characterization of Fibrous Polycaprolactone Blended with Natural Green Tea Extracts Using Dual Solvent Systems. Autex Research Journal, 2021, .	0.6	1
1015	A dependence study: Molecular weight of polyethylene glycol (PEG) ON La _{0.7} Sr _{0.3} Co _{0.2} Fe _{0.8} O _{3-δ} (LSCF) Tj ETQq1 1 0.784314 rgBT Sciences, 2021, , .	1.2	1
1016	Visible light induced photodegradation of bio-polymeric waste using boron-enhanced titania nanotubes. Journal of Alloys and Compounds, 2021, 864, 158146.	2.8	1
1017	Acrylonitrile-grafted recycled papers for Ni(II) ions removal. Materials Today: Proceedings, 2021, 46, 1831-1836.	0.9	1
1018	Effect of Different Additives on the Properties and Performance of Porous Polysulfone Hollow Fiber Membranes for CO ₂ Absorption. , 0, , 191-201.		1
1019	Matrimid [®] Membranes. , 2015, , 1-3.		1
1020	THE INFLUENCE OF CARBONIZATION TEMPERATURE ON THE DEVELOPMENT OF CARBON MEMBRANE WITH SUPERIOR CO ₂ /CH ₄ SEPARATION PERFORMANCE. Malaysian Journal of Analytical Sciences, 2017, 21, 409-415.	0.2	1
1021	Morphological Study of Synthesized RGO/Pt Nanocomposites via Facile Chemical Reduction Method. Sains Malaysiana, 2017, 46, 629-635.	0.3	1
1022	Membrane gas separation. , 2022, , 77-111.		1
1023	The State-of-the-Art Functionalized Nanomaterials for Carbon Dioxide Separation Membrane. Membranes, 2022, 12, 186.	1.4	1
1024	Metal organic framework (MOF)-based composite filler incorporated thin film nanocomposite of hollow fiber membrane for carbon dioxide permeance. Materials Today: Proceedings, 2022, 65, 3060-3065.	0.9	1
1025	<sc>Solâ€gel</sc> based copper metallic layer as external anode for microtubular solid oxide fuel cell. International Journal of Energy Research, 0, , .	2.2	1
1026	Impact of nanoclays on polyvinylidene fluoride mixed matrix membranes for the efficient treatment of oily-wastewater. Micro and Nanosystems, 2022, 14, .	0.3	1

#	ARTICLE	IF	CITATIONS
1027	Removal of Acid Gas Emissions Using Hollow Fiber Gas Absorption Membrane Contactors. , 2008, , .		0
1028	Parametric Studies of Thin Film Nickel Catalyst for the Growth of Carbon Nanotubes. , 2009, , .		0
1029	Effect of different incorporation route on the properties of polyethersulfone-silver membrane. , 2009, , .		0
1030	Thermal stability and structural investigations of sulfonated polystyrene pore-filled poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		0
1031	Effect of Polyvinylpyrrolidone (PVP) in Binary Solution on the Performance of Polyethersulfone Hollow Fibre Membrane for Sodium Chloride Separation. , 2010, , .		0
1032	Hydrogen Adsorption on Activated Carbon an Carbon Nanotubes Using Volumetric Differential Pressure Technique. , 2010, , .		0
1033	Template Synthesis of Carbon Nanotubules. , 2010, , .		0
1034	Modeling the Rejection Performance of Hollow Fiber Nanofiltration Membranes Modified by Negatively Charged-Modifying Macromolecul. , 2010, , .		0
1035	Nanostructured materials in advanced membrane technology for separation processes. , 2010, , .		0
1036	(2E)-3-(6-Methoxynaphthalen-2-yl)-1-[4-(methylsulfanyl)phenyl]prop-2-en-1-one. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2277-o2278.	0.2	0
1037	Submerged Ultrafiltration for Minimizing Energy Process of Refinery Wastewater Treatment. Advanced Materials Research, 2013, 789, 531-537.	0.3	0
1038	Preparation and Characterization of Polysulfone/Polyphenylsulfone/Titanium Dioxide Composite Ultrafiltration Membranes for Palm Oil Mill Effluent Treatment. Jurnal Teknologi (Sciences and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 29		0
1039	Effect of Sintering Aid on CGO Electrolyte for the Fabrication of Low Cost, Structural-controlled Solid Oxide Fuel Cell. Jurnal Teknologi (Sciences and Engineering), 2014, 70, .	0.3	0
1040	Carbon Dioxide Permeation Characteristics in Asymmetric Polysulfone Hollow Fiber Membrane: Effect of Constant Heating and Progressive Heating. Advanced Materials Research, 0, 896, 37-40.	0.3	0
1041	An Investigation Effects of Electrospinning Parameters: Process Optimization by Application of Response Surface Methodology. Applied Mechanics and Materials, 0, 660, 140-144.	0.2	0
1042	EFFECT OF SPRAY DEPOSITION TIME ON OPTICAL AND MORPHOLOGICAL PROPERTIES OF P3HT: PCBM THIN FILMS. Jurnal Teknologi (Sciences and Engineering), 2015, 77, .	0.3	0
1043	PVDF MEMBRANE FOR OIL-IN-WATER SEPARATION VIA CROSS-FLOW ULTRAFILTRATION PROCESS. Jurnal Teknologi (Sciences and Engineering), 2015, 78, .	0.3	0
1044	STAND-ALONE WATER TREATMENT: PERFORMANCE OF ELECTROSPUN NANOFIBERS. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	0

#	ARTICLE	IF	CITATIONS
1045	EFFECT OF PMMA-MWNTS LOADING ON CO ₂ SEPARATION PERFORMANCE OF THIN FILM NANOCOMPOSITE MEMBRANE. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	0
1046	Preparation of polyacrylonitrile (PAN)/ Manganese oxide based activated carbon nanofibers (ACNFs) for adsorption of Cadmium (II) from aqueous solution. IOP Conference Series: Earth and Environmental Science, 2016, 36, 012051.	0.2	0
1047	Chapter 12 Adsorptive Removal of Arsenic from Water Sources Using Novel Nanocomposite Mixed Matrix Membranes. Advances in Industrial and Hazardous Wastes Treatment Series, 2016, , 413-438.	0.0	0
1048	The Morphology Effect on the Selectivity of SPEEK/ENR Membranes for Direct Methanol Fuel Cell. Materials Science Forum, 0, 890, 267-273.	0.3	0
1049	Recent Progress on the Utilization of Nanomaterials in Microtubular Solid Oxide Fuel Cell. , 2018, , 497-516.		0
1050	Carbon-Based Polymer Nanocomposites as Electrolytes. , 2018, , 463-488.		0
1051	Microporous Carbon Membrane: Preparation, Characterization, and Applications. , 2019, , 1-38.		0
1052	Carbon-Based Membranes for Desalination. , 2019, , 27-54.		0
1053	Effect of Kenaf MCC composition on Thin Film Composite membrane for NaCl Rejection. MATEC Web of Conferences, 2019, 258, 04003.	0.1	0
1054	Nanocomposite membrane materials. , 2020, , 21-99.		0
1055	Structure and gas transport of nanocomposite membranes. , 2020, , 101-123.		0
1056	Modifications of nanomaterials for nanocomposite membranes. , 2020, , 163-181.		0
1057	Applications of nanocomposite membranes. , 2020, , 209-253.		0
1058	Nanocomposite membrane fabrication. , 2020, , 125-162.		0
1059	Filterability of Polysulfone Membrane in a Tilted Panel System for Activated Sludge Filtration. Water (Switzerland), 2020, 12, 3533.	1.2	0
1060	CARBON DIOXIDE/METHANE SEPARATION PERFORMANCE BY MIXED MATRIX MEMBRANE FROM POLYSULFONE/ HALLOYSITE NANOTUBES. Jurnal Teknologi (Sciences and Engineering), 2020, 82, .	0.3	0
1061	Polymeric membranes for pressure-retarded osmosis. , 2020, , 417-435.		0
1062	Poly(methyl methacrylate)-Based Composite Bone Cements With Different Types of Reinforcement Agents. , 2021, , 867-886.		0

#	ARTICLE	IF	CITATIONS
1063	Recent progress of polyamide thin film nanocomposite membranes for water applications. , 2021, , 125-145.		0
1064	Physicochemical and mechanical properties of electrospun polyurethane composite patch integrated with green synthesized cobalt nanoparticles for cardiac applications. Journal of the Textile Institute, 0, , 1-8.	1.0	0
1065	The applications of integrated osmosis processes for desalination and wastewater treatment. , 2021, , 313-332.		0
1066	Nanocellulose-Based Materials for Heavy Metal Removal from Wastewater. Environmental Chemistry for A Sustainable World, 2021, , 1-34.	0.3	0
1067	Relationship of magnetic strength to zinc ferrite migration in fabricating photocatalytic membrane for phenol photodegradation. Journal of Environmental Chemical Engineering, 2021, 9, 105923.	3.3	0
1068	Development and implementations of integrated osmosis system. , 2021, , 333-352.		0
1069	Other Carbon-Based Membranes. , 2011, , 145-246.		0
1070	Improved Performance of PAN-based UF Membrane with PAN-g-PVA Amphiphilic Copolymer. Jurnal Teknologi (Sciences and Engineering), 2013, 65, .	0.3	0
1071	Effect of operating condition on polysulfone/PEG/silica membrane fouling in wastewater separation. WIT Transactions on Engineering Sciences, 2014, , .	0.0	0
1072	Simulation of Drying for Multilayer Membranes. Jurnal Teknologi (Sciences and Engineering), 2014, 69, .	0.3	0
1073	Biofuel Research Journal: a story of continuing success. Biofuel Research Journal, 2017, 4, 571-572.	7.2	0
1074	Effects of nanomaterials on biodegradation of biomaterials. , 2022, , 105-135.		0
1075	Membrane contactor (membrane absorption) and membrane adsorption. , 2022, , 147-164.		0
1076	Reverse osmosis, forward osmosis, and pressure-retarded osmosis. , 2022, , 31-60.		0
1077	Recent Strategies in Designing Antifouling Desalination Membranes. , 2020, , 377-399.		0
1078	A 15-year review of novel monomers for thin-film composite membrane fabrication for water applications. , 2022, , 97-129.		0
1079	Grapefruit Oil and Cobalt Nitrate-Loaded Polyurethane Hybrid Nanofibrous Scaffold for Biomedical Applications. Frontiers in Materials, 2022, 9, .	1.2	0
1080	TiO ₂ -ENABLED POLYVINYLDENE FLUORIDE FOR PALM OIL MILL EFFLUENT TREATMENT: EFFECTS OF MEMBRANE MORPHOLOGY AND AERATION ON FLUX AND SUSPENDED SOLID REMOVAL. Jurnal Teknologi (Sciences and Engineering), 2021, 84, 107-115.	0.3	0