

Abdelbaki Benamor

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7252947/abdelbaki-benamor-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,562
citations

28
h-index

48
g-index

109
ext. papers

3,230
ext. citations

4.7
avg, IF

5.57
L-index

#	Paper	IF	Citations
99	Nanocomposite material-based catalyst, adsorbent, and membranes for petroleum wastewater treatment 2022 , 147-160		
98	Adsorption of 4-Nitrophenol onto Iron Oxide Bentonite Nanocomposite: Process Optimization, Kinetics, Isotherms and Mechanism. <i>International Journal of Environmental Research</i> , 2022 , 16, 1	2.9	0
97	FeO/graphene oxide powder and thin film nanocomposites as peculiar photocatalysts for dye removal from wastewater. <i>Scientific Reports</i> , 2021 , 11, 20378	4.9	3
96	Destabilization of stable bentonite colloidal suspension using choline chloride based deep eutectic solvent: Optimization study. <i>Journal of Water Process Engineering</i> , 2021 , 40, 101885	6.7	4
95	Platinum degradation mechanisms in proton exchange membrane fuel cell (PEMFC) system: A review. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 15850-15865	6.7	29
94	Electroreduction of Carbon Dioxide into Formate: A Comprehensive Review. <i>ChemElectroChem</i> , 2021 , 8, 3207-3220	4.3	15
93	Choline chloride based natural deep eutectic solvent for destabilization and separation of stable colloidal dispersions. <i>Separation and Purification Technology</i> , 2021 , 255, 117737	8.3	8
92	The emergence of multifunctional adsorbents and their role in environmental remediation. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104793	6.8	12
91	Effective Heterogeneous Fenton-Like degradation of Malachite Green Dye Using the Core-Shell Fe ₃ O ₄ @SiO ₂ Nano-Catalyst. <i>ChemistrySelect</i> , 2021 , 6, 865-875	1.8	6
90	Nanoparticles functionalized ceramic membranes: fabrication, surface modification, and performance. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 12256-12281	5.1	7
89	Simultaneous removal of Congo red and cadmium(II) from aqueous solutions using graphene oxide-silica composite as a multifunctional adsorbent. <i>Journal of Environmental Sciences</i> , 2020 , 98, 151-160	6.4	34
88	Chemical kinetics of carbon dioxide in the blends of different amino acid salts and methyldiethanolamine. <i>International Journal of Energy Research</i> , 2020 , 44, 12506-12524	4.5	0
87	Effect of the induced dielectrophoretic force on harvesting of marine microalgae (<i>Tetraselmis</i> sp.) in electrocoagulation. <i>Journal of Environmental Management</i> , 2020 , 260, 110106	7.9	14
86	Corrosion Behavior of API-X120 Carbon Steel Alloy in a GTL F-T Process Water Environment at Low COD Concentration. <i>Metals</i> , 2020 , 10, 707	2.3	2
85	A novel cylindrical electrode configuration for inducing dielectrophoretic forces during electrocoagulation. <i>Journal of Water Process Engineering</i> , 2020 , 35, 101195	6.7	13
84	Absorption of CO ₂ in aqueous blend of methyldiethanolamine and arginine. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020 , 15, e2460	1.3	5
83	Enhancement of flocculation and dewaterability of a highly stable activated sludge using a hybrid system of organic coagulants and polyelectrolytes. <i>Journal of Water Process Engineering</i> , 2020 , 35, 101237	6.7	8

82	Influence of polyelectrolyte structure and type on the degree of flocculation and rheological behavior of industrial MBR sludge. <i>Separation and Purification Technology</i> , 2020 , 233, 116001	8.3	8
81	Adsorption of organic pollutants by nanomaterial-based adsorbents: An overview. <i>Journal of Molecular Liquids</i> , 2020 , 301, 112335	6	63
80	Thermo-rheological characterization of Malic Acid based Natural Deep Eutectic Solvents. <i>Science of the Total Environment</i> , 2020 , 708, 134848	10.2	8
79	Experimental measurements and modelling of viscosity and density of calcium and potassium chlorides ternary solutions. <i>Scientific Reports</i> , 2020 , 10, 16312	4.9	1
78	Removal of Oil Content from Oil-Water Emulsions Using Iron Oxide/Bentonite Nano Adsorbents. <i>Journal of Water Process Engineering</i> , 2020 , 38, 101583	6.7	11
77	Synthesis and Characterization of Fe ₃ O ₄ Nanoparticles Using Different Experimental Methods. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020 , 778, 012028	0.4	0
76	CO ₂ Absorption Capacity and its Enthalpy of Absorption in Aqueous Blend of MDEA/Piperazine/Arginine. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020 , 736, 022088	0.4	
75	Biotechnology for Gas-to-Liquid (GTL) Wastewater Treatment: A Review. <i>Water (Switzerland)</i> , 2020 , 12, 2126	3	2
74	Microwave-assisted conversion of palm kernel shell biomass waste to photoluminescent carbon dots. <i>Scientific Reports</i> , 2020 , 10, 21199	4.9	12
73	An Investigation of the Swelling Kinetics of Bentonite Systems Using Particle Size Analysis. <i>Journal of Dispersion Science and Technology</i> , 2020 , 41, 817-827	1.5	6
72	CO ₂ capture from water-gas shift process plant: Comparative bench-scale pilot plant investigation of MDEA-PZ blend vs novel MDEA activated by 1,5-diamino-2-methylpentane. <i>International Journal of Greenhouse Gas Control</i> , 2019 , 82, 218-228	4.2	7
71	Adsorption of organic pollutants by natural and modified clays: A comprehensive review. <i>Separation and Purification Technology</i> , 2019 , 228, 115719	8.3	202
70	Reaction Kinetics of Carbon Dioxide in Aqueous Blends of N-Methyldiethanolamine and L-Arginine Using the Stopped-Flow Technique. <i>Processes</i> , 2019 , 7, 81	2.9	5
69	Carbon Mineralization by Reaction with Steel-Making Waste: A Review. <i>Processes</i> , 2019 , 7, 115	2.9	26
68	Distinguishing characteristics and usability of graphene oxide based on different sources of graphite feedstock. <i>Journal of Colloid and Interface Science</i> , 2019 , 542, 429-440	9.3	14
67	A hybrid electro-coagulation/forward osmosis system for treatment of produced water. <i>Chemical Engineering and Processing: Process Intensification</i> , 2019 , 143, 107621	3.7	20
66	Corrosion study of carbon steel in CO ₂ loaded solution of N-methyldiethanolamine and l-arginine mixtures. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 837, 10-21	4.1	7
65	Metal-oxide nanotubes functional material tailored for membrane water/wastewater treatment. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 634, 012048	0.4	1

64	Organically Modified Nanoclay Filled Thin-Film Nanocomposite Membranes for Reverse Osmosis Application. <i>Materials</i> , 2019 , 12,	3.5	19
63	Impact of combined oil-in-water emulsions and particulate suspensions on ceramic membrane fouling and permeability recovery. <i>Separation and Purification Technology</i> , 2019 , 212, 215-222	8.3	15
62	A comprehensive review on the rheological behavior of imidazolium based ionic liquids and natural deep eutectic solvents. <i>Journal of Molecular Liquids</i> , 2019 , 277, 932-958	6	38
61	Fabrication of high flux nanofiltration membrane via hydrogen bonding based co-deposition of polydopamine with poly(vinyl alcohol). <i>Journal of Membrane Science</i> , 2018 , 552, 222-233	9.6	32
60	Carbamate Formation and Amine Protonation Constants in 2-Amino-1-Butanol-CO ₂ -H ₂ O System and Their Temperature Dependences. <i>Journal of Solution Chemistry</i> , 2018 , 47, 262-277	1.8	5
59	Reaction Kinetics of Carbon Dioxide with 2-Amino-1-butanol in Aqueous Solutions Using a Stopped-Flow Technique. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 2797-2804	3.9	6
58	Effect of temperature and fluid speed on the corrosion behavior of carbon steel pipeline in Qatari oilfield produced water. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 808, 218-227	4.1	22
57	Effect of electrolytes on electrokinetics and flocculation behavior of bentonite-polyacrylamide dispersions. <i>Applied Clay Science</i> , 2018 , 158, 46-54	5.2	28
56	Synthesis and characterization of Sm ³⁺ -doped ZnO nanoparticles via a sol-gel method and their photocatalytic application. <i>Journal of Sol-Gel Science and Technology</i> , 2018 , 85, 178-190	2.3	17
55	A comparative study of novel activated AMP using 1,5-diamino-2-methylpentane vs MEA solution for CO ₂ capture from gas-fired power plant. <i>Fuel</i> , 2018 , 234, 1089-1098	7.1	19
54	Reducing energy consumption of CO ₂ desorption in CO ₂ -loaded aqueous amine solution using Al ₂ O ₃ /HZSM-5 bifunctional catalysts. <i>Applied Energy</i> , 2018 , 229, 562-576	10.7	64
53	Thermal degradation of aqueous amine/amino acid solutions in the presence and absence of CO ₂ . <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 423, 012154	0.4	2
52	Kinetics of CO ₂ reaction with N-methyldiethanolamine and aminobutanol using stopped flow technique. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 458, 012063	0.4	
51	CO ₂ capture from lime kiln using AMP-DA2MP amine solvent blend: A pilot plant study. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 7102-7110	6.8	10
50	Corrosion Study of Carbon Steel in CO ₂ Loaded Amine-Amino Acid Solutions-Case of Mixtures of NMethyldiethanolamine and L-Arginine. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018 , 164, 012028	0.3	
49	Advancement and new perspectives of using formulated reactive amine blends for post-combustion carbon dioxide (CO ₂) capture technologies. <i>Petroleum</i> , 2017 , 3, 10-36	4.1	45
48	Heat duty, heat of absorption, sensible heat and heat of vaporization of 2-Amino-2-Methyl-1-Propanol (AMP), Piperazine (PZ) and Monoethanolamine (MEA) tri-solvent blend for carbon dioxide (CO ₂) capture. <i>Chemical Engineering Science</i> , 2017 , 170, 26-35	4.4	61
47	Arabic gum as green agent for ZnO nanoparticles synthesis: properties, mechanism and antibacterial activity. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 12100-12107	2.1	17

46	Reaction kinetics of carbon dioxide with aqueous solutions of l-Arginine, Glycine & Sarcosine using the stopped flow technique. <i>International Journal of Greenhouse Gas Control</i> , 2017 , 63, 47-58	4.2	14
45	Fabrication of polysulfone nanocomposite membranes with silver-doped carbon nanotubes and their antifouling performance. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	14
44	Corrosion Behavior of API X100 Steel Material in a Hydrogen Sulfide Environment. <i>Metals</i> , 2017 , 7, 109	2.3	13
43	Gas Processing Technology-Treatment and Utilization 2017 , 359-387		2
42	Analysis of CO ₂ Solubility and Absorption Heat into Aqueous 1-Diethylamino-2-propanol. <i>Energy Procedia</i> , 2017 , 114, 873-879	2.3	
41	Regeneration Energy Analysis of Aqueous TriSolvent Blends Containing 2-Amino-2-Methyl-1-Propanol (AMP), Methyl-diethanolamine (MDEA) and Diethylenetriamine (DETA) for Carbon Dioxide (CO ₂) Capture. <i>Energy Procedia</i> , 2017 , 114, 2039-2046	2.3	7
40	Photocatalytic Degradation of Pentachlorophenol Using ZnO Nanoparticles: Study of Intermediates and Toxicity. <i>International Journal of Environmental Research</i> , 2017 , 11, 461-473	2.9	10
39	Effects of sodium carbonate addition, heat and agitation on swelling and rheological behavior of Ca-bentonite colloidal dispersions. <i>Applied Clay Science</i> , 2017 , 147, 176-183	5.2	31
38	Influence of polyelectrolytes and other polymer complexes on the flocculation and rheological behaviors of clay minerals: A comprehensive review. <i>Separation and Purification Technology</i> , 2017 , 187, 137-161	8.3	80
37	Fuzzy Logic-Based Model to Predict the Impact of Flow Rate and Turbidity on the Performance of Multimedia Filters. <i>Journal of Environmental Engineering, ASCE</i> , 2017 , 143, 04017065	2	0
36	Effects of amphiphilic pluronic F127 on the performance of PS/SPEEK blend ultrafiltration membrane: Characterization and antifouling study. <i>Journal of Water Process Engineering</i> , 2017 , 18, 176-184	6.7	7
35	Solar photocatalytic degradation of 2-chlorophenol with ZnO nanoparticles: optimisation with D-optimal design and study of intermediate mechanisms. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 2804-2819	5.1	19
34	Development of polysulfone-nanohybrid membranes using ZnO-GO composite for enhanced antifouling and antibacterial control. <i>Desalination</i> , 2017 , 402, 123-132	10.3	140
33	Size and shape controlled of Fe ₂ O ₃ nanoparticles prepared via sol-gel technique and their photocatalytic activity. <i>Journal of Sol-Gel Science and Technology</i> , 2017 , 81, 880-893	2.3	31
32	Effect of membrane performance including fouling on cost optimization in brackish water desalination process. <i>Chemical Engineering Research and Design</i> , 2017 , 117, 401-413	5.5	22
31	Investigation of the effect of polyelectrolyte structure and type on the electrokinetics and flocculation behavior of bentonite dispersions. <i>Chemical Engineering Journal</i> , 2017 , 311, 265-276	14.7	45
30	Functionalization of zinc oxide (ZnO) nanoparticles and its effects on polysulfone-ZnO membranes. <i>Desalination and Water Treatment</i> , 2016 , 57, 7801-7811		36
29	Carbon dioxide (CO ₂) capture performance of aqueous tri-solvent blends containing 2-amino-2-methyl-1-propanol (AMP) and methyl-diethanolamine (MDEA) promoted by diethylenetriamine (DETA). <i>International Journal of Greenhouse Gas Control</i> , 2016 , 53, 292-304	4.2	54

28	Synthesis and characterisation of Co ²⁺ -incorporated ZnO nanoparticles prepared through a sol-gel method. <i>Advanced Powder Technology</i> , 2016 , 27, 2439-2447	4.6	15
27	Intercalation of ionic liquids into bentonite: Swelling and rheological behaviors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016 , 507, 141-151	5.1	37
26	Reaction Kinetics of Carbon Dioxide (CO ₂) with Diethylenetriamine and 1-Amino-2-propanol in Nonaqueous Solvents Using Stopped-Flow Technique. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 7307-7317	3.9	22
25	Carbon dioxide (CO ₂) capture: Absorption-desorption capabilities of 2-amino-2-methyl-1-propanol (AMP), piperazine (PZ) and monoethanolamine (MEA) tri-solvent blends. <i>Journal of Natural Gas Science and Engineering</i> , 2016 , 33, 742-750	4.6	78
24	Hybrid coagulation-NF membrane process for brackish water treatment: Effect of antiscalant on water characteristics and membrane fouling. <i>Desalination</i> , 2016 , 393, 144-150	10.3	24
23	Chitosan as natural coagulant in hybrid coagulation-nanofiltration membrane process for water treatment. <i>Journal of Environmental Chemical Engineering</i> , 2016 , 4, 4857-4862	6.8	29
22	Flocculation and viscoelastic behavior of industrial papermaking suspensions. <i>Korean Journal of Chemical Engineering</i> , 2016 , 33, 448-455	2.8	8
21	Reaction kinetics of carbon dioxide in aqueous blends of N-methyldiethanolamine and glycine using the stopped flow technique. <i>Journal of Natural Gas Science and Engineering</i> , 2016 , 33, 186-195	4.6	12
20	Hybrid coagulation-NF membrane processes for brackish water treatment: Effect of pH and salt/calcium concentration. <i>Desalination</i> , 2016 , 390, 25-32	10.3	21
19	Synthesis of new amines for enhanced carbon dioxide (CO ₂) capture performance: The effect of chemical structure on equilibrium solubility, cyclic capacity, kinetics of absorption and regeneration, and heats of absorption and regeneration. <i>Separation and Purification Technology</i> , 2016 , 167, 97-107	8.3	63
18	Optimization of nickel oxide nanoparticle synthesis through the sol-gel method using Box-Behnken design. <i>Materials and Design</i> , 2015 , 86, 948-956	8.1	54
17	Recent progress and new developments in post-combustion carbon-capture technology with amine based solvents. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 40, 26-54	4.2	291
16	Hybrid chitosan/FeCl ₃ coagulation-membrane processes: Performance evaluation and membrane fouling study in removing natural organic matter. <i>Separation and Purification Technology</i> , 2015 , 152, 23-31	8.3	31
15	Membrane Gas Desorption for Natural Gas Treating 2015 , 233-242		
14	Design philosophy GPC high pressure pilot plant 2015 , 371-378		
13	Experimental determination of carbamate formation and amine protonation constants in 3-amino-1-propanol-CO ₂ -H ₂ O system and their temperature dependency. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 37, 237-242	4.2	3
12	Synthesis of minimal-size ZnO nanoparticles through sol-gel method: Taguchi design optimisation. <i>Materials and Design</i> , 2015 , 87, 780-787	8.1	64
11	Real-time monitoring of solvent composition for acid gas absorption processes 2015 , 379-389		

10	Reactive Absorption of CO ₂ into Aqueous Mixtures of Methyldiethanolamine and Diethanolamine. <i>International Journal of Chemical Engineering and Applications (IJCEA)</i> , 2014 , 5, 291-297	0.2	8
9	Modeling Analysis of Corrosion Behavior of Carbon Steel in CO ₂ Loaded Amine Solutions. <i>International Journal of Chemical Engineering and Applications (IJCEA)</i> , 2014 , 5, 353-358	0.2	2
8	Kinetics of CO ₂ Absorption Into Aqueous Blends of Diethanolamine and Methyldiethanolamine 2012 , 64-70		1
7	Absorption of Carbon Dioxide into Piperazine Activated Diethanolamine Solutions 2012 , 42-49		1
6	Kinetic of CO ₂ absorption and carbamate formation in aqueous solutions of diethanolamine. <i>Korean Journal of Chemical Engineering</i> , 2008 , 25, 451-460	2.8	17
5	An experimental investigation on the rate of CO ₂ absorption into aqueous methyldiethanolamine solutions. <i>Korean Journal of Chemical Engineering</i> , 2007 , 24, 16-23	2.8	28
4	Modeling of CO ₂ solubility and carbamate concentration in DEA, MDEA and their mixtures using the Deshmukh-Mather model. <i>Fluid Phase Equilibria</i> , 2005 , 231, 150-162	2.5	133
3	Equilibrium Constant for Carbamate Formation from Monoethanolamine and Its Relationship with Temperature. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 887-891	2.8	31
2	Analysis of Equilibrium Data of CO ₂ in Aqueous Solutions of Diethanolamine (DEA), Methyldiethanolamine (MDEA) and Their Mixtures Using the Modified Kent Eisenberg Model. <i>Chemical Engineering Research and Design</i> , 1998 , 76, 961-968	5.5	106
1	Evaluation of the current state and perspective of wastewater treatment and reuse in Qatar 71 , 1-11		5