

Ying Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7253525/publications.pdf>

Version: 2024-02-01

95
papers

9,307
citations

94381

37
h-index

38368

95
g-index

97
all docs

97
docs citations

97
times ranked

10854
citing authors

#	ARTICLE	IF	CITATIONS
1	Ordered Mesoporous Black TiO ₂ as Highly Efficient Hydrogen Evolution Photocatalyst. <i>Journal of the American Chemical Society</i> , 2014, 136, 9280-9283.	6.6	878
2	Nitrogen-doped graphene with high nitrogen level via a one-step hydrothermal reaction of graphene oxide with urea for superior capacitive energy storage. <i>RSC Advances</i> , 2012, 2, 4498.	1.7	696
3	Molecule Self-Assembly Synthesis of Porous Few-Layer Carbon Nitride for Highly Efficient Photoredox Catalysis. <i>Journal of the American Chemical Society</i> , 2019, 141, 2508-2515.	6.6	685
4	Integrating the active OER and HER components as the heterostructures for the efficient overall water splitting. <i>Nano Energy</i> , 2018, 44, 353-363.	8.2	516
5	Anion-Modulated HER and OER Activities of 3D Ni ²⁺ -Based Interstitial Compound Heterojunctions for High-Efficiency and Stable Overall Water Splitting. <i>Advanced Materials</i> , 2019, 31, e1901174.	11.1	479
6	Recent advances of Li ₄ Ti ₅ O ₁₂ as a promising next generation anode material for high power lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5750-5777.	5.2	464
7	Holey Reduced Graphene Oxide Coupled with an Mo ₂ N-Mo ₂ C Heterojunction for Efficient Hydrogen Evolution. <i>Advanced Materials</i> , 2018, 30, 1704156.	11.1	459
8	Co Nanosheets Rooted on Co ²⁺ -C Nanosheets as Efficient Oxygen Electrocatalyst for Zn-Air Batteries. <i>Advanced Materials</i> , 2019, 31, e1901666.	11.1	455
9	Interfacial Engineering of Mo ₂ -FeP Heterojunction for Highly Efficient Hydrogen Evolution Coupled with Biomass Electrooxidation. <i>Advanced Materials</i> , 2020, 32, e2000455.	11.1	401
10	Operando Cooperated Catalytic Mechanism of Atomically Dispersed Cu ²⁺ and Zn ²⁺ for Promoting Oxygen Reduction Reaction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14005-14012.	7.2	312
11	Porous spherical NiO@NiMoO ₄ @PPy nanoarchitectures as advanced electrochemical pseudocapacitor materials. <i>Science Bulletin</i> , 2020, 65, 546-556.	4.3	292
12	Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4815-4822.	7.2	233
13	Two-Dimensional Porous Molybdenum Phosphide/Nitride Heterojunction Nanosheets for pH-Universal Hydrogen Evolution Reaction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 6673-6681.	7.2	227
14	Boron-Induced Electronic Structure Reformation of CoP Nanoparticles Drives Enhanced pH-Universal Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4154-4160.	7.2	221
15	Structural and thermodynamic stability of Li ₄ Ti ₅ O ₁₂ anode material for lithium-ion battery. <i>Journal of Power Sources</i> , 2013, 222, 448-454.	4.0	199
16	Highly Water-Stable Dye@Ln-MOFs for Sensitive and Selective Detection toward Antibiotics in Water. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 21201-21210.	4.0	159
17	Exploring the synergy of 2D MXene-supported black phosphorus quantum dots in hydrogen and oxygen evolution reactions. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21255-21260.	5.2	151
18	Ultrathin MXene Nanosheets Decorated with TiO ₂ Quantum Dots as an Efficient Sulfur Host toward Fast and Stable Li-S Batteries. <i>Small</i> , 2018, 14, e1802443.	5.2	125

#	ARTICLE	IF	CITATIONS
19	Recent advances in the research of $\text{MLi}_2\text{Ti}_6\text{O}_{14}$ ($\text{M} = \text{Na, Sr, Ba, Pb}$) anode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2018, 399, 26-41.	4.0	125
20	Composites of small Ag clusters confined in the channels of well-ordered mesoporous anatase TiO_2 and their excellent solar-light-driven photocatalytic performance. <i>Nano Research</i> , 2014, 7, 731-742.	5.8	102
21	Deep insights into kinetics and structural evolution of nitrogen-doped carbon coated TiNb_2O_6 nanowires as high-performance lithium container. <i>Nano Energy</i> , 2018, 54, 227-237.	8.2	96
22	Structure and Electrochemical Performance of Niobium-Substituted Spinel Lithium Titanium Oxide Synthesized by Solid-State Method. <i>Journal of the Electrochemical Society</i> , 2011, 158, A266.	1.3	92
23	Ultrasmall FeNi_3N particles with an exposed active (110) surface anchored on nitrogen-doped graphene for multifunctional electrocatalysts. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1083-1091.	5.2	89
24	Effective Electrocatalytic Hydrogen Evolution in Neutral Medium Based on 2D MoP/MoS_2 Heterostructure Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 25986-25995.	4.0	86
25	Three-dimensional assemblies of carbon nitride tubes as nanoreactors for enhanced photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2020, 8, 305-312.	5.2	85
26	Functional cation defects engineering in TiS_2 for high-stability anode. <i>Nano Energy</i> , 2020, 67, 104295.	8.2	83
27	Co-vacancy-rich Co_1xS nanosheets anchored on rGO for high-efficiency oxygen evolution. <i>Nano Research</i> , 2017, 10, 1819-1831.	5.8	78
28	Assembly of β -Cyclodextrins Acting as Molecular Bricks onto Multiwall Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2008, 112, 951-957.	1.5	72
29	Highly Efficient, Stable Electrocatalytic Hydrogen Evolution in Acid Media by Amorphous Fe_3P Coating Fe_2N Supported on Reduced Graphene Oxide. <i>Small</i> , 2018, 14, e1801717.	5.2	72
30	2D porous molybdenum nitride/cobalt nitride heterojunction nanosheets with interfacial electron redistribution for effective electrocatalytic overall water splitting. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8620-8629.	5.2	72
31	Nitrogen-doped graphene supported $\text{Pd}@\text{PdO}$ core-shell clusters for C-C coupling reactions. <i>Nano Research</i> , 2014, 7, 1280-1290.	5.8	66
32	N-Doped carbon coating enhances the bifunctional oxygen reaction activity of CoFe nanoparticles for a highly stable Zn-air battery. <i>Journal of Materials Chemistry A</i> , 2020, 8, 21189-21198.	5.2	63
33	Holey graphene modified LiFePO_4 hollow microsphere as an efficient binary sulfur host for high-performance lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2020, 26, 433-442.	9.5	49
34	Unraveling the mechanism for paired electrocatalysis of organics with water as a feedstock. <i>Nature Communications</i> , 2022, 13, .	5.8	48
35	$\text{Li}_{1.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}\text{O}_2$ hollow hierarchical microspheres with enhanced electrochemical performances as cathode material for lithium-ion battery application. <i>Electrochimica Acta</i> , 2017, 237, 217-226.	2.6	41
36	MOF-derived hollow SiO_x nanoparticles wrapped in 3D porous nitrogen-doped graphene aerogel and their superior performance as the anode for lithium-ion batteries. <i>Nanoscale</i> , 2020, 12, 13017-13027.	2.8	40

#	ARTICLE	IF	CITATIONS
37	Hexagonal FeS nanosheets with high-energy (001) facets: Counter electrode materials superior to platinum for dye-sensitized solar cells. <i>Nano Research</i> , 2016, 9, 2862-2874.	5.8	38
38	Insight into the improved cycling stability of sphere-nanorod-like micro-nanostructured high voltage spinel cathode for lithium-ion batteries. <i>Nano Energy</i> , 2019, 66, 104100.	8.2	38
39	High-performance $x\text{Li}_2\text{MnO}_3 \cdot (1-x)\text{LiMn}_{1/3}\text{Co}_{1/3}\text{Ni}_{1/3}\text{O}_2$ (0.1 $\leq x \leq 0.5$) as Cathode Material for Lithium-ion Battery. <i>Electrochimica Acta</i> , 2016, 188, 686-695.	2.6	37
40	Heterophase engineering of SnO ₂ /Sn ₃ O ₄ drives enhanced carbon dioxide electrocatalytic reduction to formic acid. <i>Science China Materials</i> , 2020, 63, 2314-2324.	3.5	36
41	MoS ₂ -Coated Ni ₃ S ₂ Nanorods with Exposed {110} High-Index Facets As Excellent CO-Tolerant Cocatalysts for Pt: Ultradurable Catalytic Activity for Methanol Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11101-11109.	3.2	35
42	ZnO-dotted porous ZnS cluster microspheres for high efficient, Pt-free photocatalytic hydrogen evolution. <i>Scientific Reports</i> , 2015, 5, 8858.	1.6	34
43	Mg-doped Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ nano flakes with improved electrochemical performance for lithium-ion battery application. <i>Journal of Alloys and Compounds</i> , 2018, 739, 607-615.	2.8	34
44	A 2D/2D/2D Ti ₃ C ₂ T _x @TiO ₂ @MoS ₂ heterostructure as an ultrafast and high-sensitivity NO ₂ gas sensor at room-temperature. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11980-11989.	5.2	34
45	Structure and electrochemical properties of Sc ³⁺ -doped Li ₄ Ti ₅ O ₁₂ as anode materials for lithium-ion battery. <i>Ceramics International</i> , 2015, 41, 7073-7079.	2.3	33
46	Fabrication of mixed-crystalline-phase spindle-like TiO ₂ for enhanced photocatalytic hydrogen production. <i>Science China Materials</i> , 2015, 58, 363-369.	3.5	31
47	Hollow and hierarchical Na ₂ Li ₂ Ti ₆ O ₁₄ microspheres with high electrochemical performance as anode material for lithium-ion battery. <i>Science China Materials</i> , 2017, 60, 427-437.	3.5	30
48	Uncovering the underlying science behind dimensionality in the potassium battery regime. <i>Energy Storage Materials</i> , 2020, 25, 416-425.	9.5	30
49	Large-scale synthesis of stable mesoporous black TiO ₂ nanosheets for efficient solar-driven photocatalytic hydrogen evolution via an earth-abundant low-cost biotemplate. <i>RSC Advances</i> , 2016, 6, 50506-50512.	1.7	29
50	Monodispersed Nickel Phosphide Nanocrystals in Situ Grown on Reduced Graphene Oxide with Controllable Size and Composition as a Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5920-5926.	3.2	27
51	Engineering the Work Function of Buckled Boron δ -Sheet by Lithium Adsorption: A First-Principles Investigation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19690-19701.	4.0	26
52	Two-Dimensional Porous Molybdenum Phosphide/Nitride Heterojunction Nanosheets for pH-Universal Hydrogen Evolution Reaction. <i>Angewandte Chemie</i> , 2021, 133, 6747-6755.	1.6	25
53	Morphology control and its effect on the electrochemical performance of Na ₂ Li ₂ Ti ₆ O ₁₄ anode materials for lithium ion battery application. <i>Electrochimica Acta</i> , 2018, 259, 855-864.	2.6	24
54	Boron-Induced Electronic Structure Reformation of CoP Nanoparticles Drives Enhanced pH-Universal Hydrogen Evolution. <i>Angewandte Chemie</i> , 2020, 132, 4183-4189.	1.6	23

#	ARTICLE	IF	CITATIONS
55	Atomically Dispersed Fe ³⁺ /C Sites Induce Asymmetric Electron Structures to Afford Superior Oxygen Reduction Activity. <i>Small</i> , 2022, 18, e2201255.	5.2	23
56	Operando Cooperated Catalytic Mechanism of Atomically Dispersed Cu ⁴⁺ and Zn ⁴⁺ for Promoting Oxygen Reduction Reaction. <i>Angewandte Chemie</i> , 2021, 133, 14124-14131.	1.6	22
57	In situ growth of Co ₉ S ₈ nanocrystals on reduced graphene oxide for the enhanced catalytic performance of dye-sensitized solar cell. <i>Journal of Alloys and Compounds</i> , 2019, 803, 216-223.	2.8	21
58	A competitive occupancy strategy toward Co ⁴⁺ single-atom catalysts embedded in 2D TiN/rGO sheets for highly efficient and stable aromatic nitroreduction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4807-4815.	5.2	19
59	Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation. <i>Angewandte Chemie</i> , 2021, 133, 4865-4872.	1.6	19
60	Surface defects induced charge imbalance for boosting charge separation and solar-driven photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , 2021, 596, 12-21.	5.0	19
61	Strongly Quantum-Confined Perovskite Nanowire Arrays for Color-Tunable Blue-Light-Emitting Diodes. <i>ACS Nano</i> , 2022, 16, 8388-8398.	7.3	19
62	First-principles study on negative thermal expansion of PbTiO ₃ . <i>Applied Physics Letters</i> , 2013, 103, .	1.5	17
63	Hollow and hierarchical Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ micro-cubes as promising cathode materials for lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2019, 807, 151686.	2.8	15
64	Surface domain heterojunction on rutile TiO ₂ for highly efficient photocatalytic hydrogen evolution. <i>Nanoscale Horizons</i> , 2020, 5, 1596-1602.	4.1	15
65	The Fe ₃ C ₄ Site Assists the Fe ₃ C Site to Promote Activity of the Fe ₃ C Electro-catalyst for Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3346-3354.	3.2	15
66	Fabrication of noncovalently functionalized brick-like β -cyclodextrins/graphene composite dispersions with favorable stability. <i>RSC Advances</i> , 2014, 4, 2813-2819.	1.7	14
67	Polydopamine/defective ultrathin mesoporous graphitic carbon nitride nanosheets as Z-scheme organic assembly for robust photothermal-photocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2022, 613, 775-785.	5.0	14
68	Novel β - and γ -type boron sheets: Theoretical insight into their structures, thermodynamic stability, and work functions. <i>Chemical Physics Letters</i> , 2016, 648, 81-86.	1.2	12
69	Porous Palladium Nanomeshes with Enhanced Electrochemical CO ₂ to Syngas Conversion over a Wider Applied Potential. <i>ChemSusChem</i> , 2019, 12, 3304-3311.	3.6	12
70	Li ₂ ZnTi ₃ O ₈ @ β -Fe ₂ O ₃ composite anode material for Li-ion batteries. <i>Ceramics International</i> , 2021, 47, 18732-18742.	2.3	12
71	Integration of heterointerface and porosity engineering to achieve efficient hydrogen evolution of 2D porous NiMoN nanobelts coupled with Ni particles. <i>Electrochimica Acta</i> , 2022, 403, 139702.	2.6	12
72	Surface modification of Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ via an ionic conductive LiV ₃ O ₈ as a cathode material for Li-ion batteries. <i>Ionics</i> , 2019, 25, 4567-4576.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Imparting $\hat{\pm}$ -Borophene with High Work Function by Fluorine Adsorption: A First-Principles Investigation. <i>Langmuir</i> , 2021, 37, 11027-11040.	1.6	10
74	Core-Shell NiO@Ni Hybrid Nanosheet Array for Synergistically Enhanced Oxygen Evolution Electrocatalysis: Experimental and Theoretical Insights. <i>Chemistry - an Asian Journal</i> , 2018, 13, 944-949.	1.7	9
75	Effect of cation doping on the electrochemical properties of Li ₂ MoO ₃ as a promising cathode material for lithium-ion battery. <i>Ionics</i> , 2020, 26, 4413-4422.	1.2	9
76	Structures, stabilities and work functions of alkali-metal-adsorbed boron $\hat{\pm}$ 1-sheets. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 631-637.	1.3	8
77	Enhanced field-emission properties of buckled $\hat{\pm}$ -borophene by means of Li decoration: a first-principles investigation. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 15139-15148.	1.3	8
78	Highly Effective Work Function Reduction of $\hat{\pm}$ -Borophene via Caesium Decoration: A First-Principles Investigation. <i>Advanced Theory and Simulations</i> , 2020, 3, 1900249.	1.3	8
79	Improving the structural stability and electrochemical performance of Na ₂ Li ₂ Ti ₆ O ₁₄ nanoparticles via MgF ₂ coating. <i>RSC Advances</i> , 2019, 9, 15763-15771.	1.7	7
80	SrLi ₂ Ti ₆ O ₁₄ @AlF ₃ composite as high performance anode materials for lithium ion battery application. <i>Electrochimica Acta</i> , 2020, 329, 135139.	2.6	7
81	Unveiling the role of Ti substitution in improving safety of high voltage LiNi _{0.5} Mn _{1.5} TiO ₄ cathode material by ameliorating Structure-stability and enhancing Elevated-temperature properties. <i>Applied Surface Science</i> , 2022, 599, 153886.	3.1	7
82	Improving the stability, lithium diffusion dynamics, and specific capacity of SrLi ₂ Ti ₆ O ₁₄ via ZrO ₂ coating. <i>Green Energy and Environment</i> , 2022, 7, 53-65.	4.7	6
83	Li ₂ MoO ₃ microspheres with excellent electrochemical performances as cathode material for lithium-ion battery. <i>Ionics</i> , 2020, 26, 4401-4411.	1.2	6
84	Effect of F Dopant on the Structural Stability, Redox Mechanism, and Electrochemical Performance of Li ₂ MoO ₃ Cathode Materials. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000104.	2.7	5
85	Modulating the bonding properties of Li ₂ MoO ₃ via non-equivalent cationic doping to enhance its stability and electrochemical performance for lithium-ion battery application. <i>Ceramics International</i> , 2021, 47, 18304-18313.	2.3	5
86	Effect of Li Adsorption on Work Function Modulation of Bilayer $\hat{\pm}$ -Borophene: A Theoretical Study. <i>Acta Chimica Sinica</i> , 2020, 78, 344.	0.5	5
87	Cobalt nanoparticles decorated on nitrogen-doped graphene as excellent electromagnetic wave absorbent in Ku-band. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 12044-12055.	1.1	4
88	Effects of adatom species on the structure, stability, and work function of adatom- $\hat{\pm}$ -borophene nanocomposites. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 8923-8939.	1.3	4
89	Li-S Batteries: Ultrathin MXene Nanosheets Decorated with TiO ₂ Quantum Dots as an Efficient Sulfur Host toward Fast and Stable Li-S Batteries (Small 41/2018). <i>Small</i> , 2018, 14, 1870190.	5.2	3
90	Facile in-situ fabrication of nanocoral-like bimetallic Co-Mo carbide/nitrogen-doped carbon: a highly active and stable electrocatalyst for hydrogen evolution. <i>Journal of Materials Science</i> , 2021, 56, 11894-11906.	1.7	3

#	ARTICLE	IF	CITATIONS
91	High-performance Li-ion battery driven by a hybrid Li storage mechanism in a three-dimensional architected ZnTiO_3 @ CeO_2 microsphere anode. Dalton Transactions, 2021, 51, 168-178.	1.6	3
92	Monodisperse MnO nanoparticles in situ grown on reduced graphene oxide via hydrophobic interaction for excellent electromagnetic wave absorption. Journal of Materials Research, 2022, 37, 2175-2184.	1.2	3
93	Effects of Ru doping on the structural stability and electrochemical properties of Li_2MoO_3 cathode materials for Li-ion batteries. Dalton Transactions, 2022, 51, 8786-8794.	1.6	3
94	Innenr¼cktitelbild: Ultrathin Porous Carbon Nitride Bundles with an Adjustable Energy Band Structure toward Simultaneous Solar Photocatalytic Water Splitting and Selective Phenylcarbinol Oxidation (Angew. Chem. 9/2021). Angewandte Chemie, 2021, 133, 5003-5003.	1.6	1
95	Monodispersed copper phosphide nanocrystals <i>in situ</i> grown in a nitrogen-doped reduced graphene oxide matrix and their superior performance as the anode for lithium-ion batteries. Inorganic Chemistry Frontiers, 0, , .	3.0	1