## Alex B Valadka

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7255432/publications.pdf

Version: 2024-02-01

20 papers 2,552 citations

16 h-index 19 g-index

20 all docs

20 docs citations

times ranked

20

3185 citing authors

#	Article	IF	CITATIONS
1	Classification of Traumatic Brain Injury for Targeted Therapies. Journal of Neurotrauma, 2008, 25, 719-738.	1.7	930
2	Acute Biomarkers of Traumatic Brain Injury: Relationship between Plasma Levels of Ubiquitin C-Terminal Hydrolase-L1 and Glial Fibrillary Acidic Protein. Journal of Neurotrauma, 2014, 31, 19-25.	1.7	356
3	Magnetic resonance imaging improves 3â€month outcome prediction in mild traumatic brain injury. Annals of Neurology, 2013, 73, 224-235.	2.8	340
4	Transforming Research and Clinical Knowledge in Traumatic Brain Injury Pilot: Multicenter Implementation of the Common Data Elements for Traumatic Brain Injury. Journal of Neurotrauma, 2013, 30, 1831-1844.	1.7	274
5	GFAP-BDP as an Acute Diagnostic Marker in Traumatic Brain Injury: Results from the Prospective Transforming Research and Clinical Knowledge in Traumatic Brain Injury Study. Journal of Neurotrauma, 2013, 30, 1490-1497.	1.7	173
6	Development of a Prediction Model for Post-Concussive Symptoms following Mild Traumatic Brain Injury: A TRACK-TBI Pilot Study. Journal of Neurotrauma, 2017, 34, 2396-2409.	1.7	89
7	Uncovering precision phenotype-biomarker associations in traumatic brain injury using topological data analysis. PLoS ONE, 2017, 12, e0169490.	1.1	73
8	Performance Evaluation of a Multiplex Assay for Simultaneous Detection of Four Clinically Relevant Traumatic Brain Injury Biomarkers. Journal of Neurotrauma, 2019, 36, 182-187.	1.7	63
9	Age-Related Differences in Diagnostic Accuracy of Plasma Glial Fibrillary Acidic Protein and Tau for Identifying Acute Intracranial Trauma on Computed Tomography: A TRACK-TBI Study. Journal of Neurotrauma, 2018, 35, 2341-2350.	1.7	44
10	Age and sex-mediated differences in six-month outcomes after mild traumatic brain injury in young adults: a TRACK-TBI study. Neurological Research, 2019, 41, 609-623.	0.6	37
11	COMT Val 158 Met polymorphism is associated with nonverbal cognition following mild traumatic brain injury. Neurogenetics, 2016, 17, 31-41.	0.7	33
12	DRD2 C957T polymorphism is associated with improved 6-month verbal learning following traumatic brain injury. Neurogenetics, 2017, 18, 29-38.	0.7	24
13	Temporal lobe contusions on computed tomography are associated with impaired 6-month functional recovery after mild traumatic brain injury: a TRACK-TBI study. Neurological Research, 2018, 40, 972-981.	0.6	23
14	Biomarkers for Traumatic Brain Injury: Data Standards and Statistical Considerations. Journal of Neurotrauma, 2021, 38, 2514-2529.	1.7	23
15	Concordance of common data elements for assessment of subjective cognitive complaints after mild-traumatic brain injury: a TRACK-TBI Pilot Study. Brain Injury, 2018, 32, 1071-1078.	0.6	21
16	Emergency department blood alcohol level associates with injury factors and six-month outcome after uncomplicated mild traumatic brain injury. Journal of Clinical Neuroscience, 2017, 45, 293-298.	0.8	20
17	Polytrauma Is Associated with Increased Three- and Six-Month Disability after Traumatic Brain Injury: A TRACK-TBI Pilot Study. Neurotrauma Reports, 2020, 1, 32-41.	0.5	14
18	Preinjury employment status as a risk factor for symptomatology and disability in mild traumatic brain injury: A TRACK-TBI analysis. NeuroRehabilitation, 2018, 43, 169-182.	0.5	11

#	Article	IF	CITATIONS
19	Predictors of six-month inability to return to work in previously employed subjects after mild traumatic brain injury: A TRACK-TBI pilot study. Journal of Concussion, 2021, 5, 205970022110072.	0.2	4
20	From the Defense Health Board: Military Accessions and the Continuum of Mental Health Research. Military Medicine, 0, , .	0.4	0