

Juan F Martin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7255460/publications.pdf>

Version: 2024-02-01

150
papers

6,792
citations

41344

49
h-index

82547

72
g-index

153
all docs

153
docs citations

153
times ranked

4157
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative Molecular Mechanisms of Biosynthesis of Naringenin and Related Chalcones in Actinobacteria and Plants: Relevance for the Obtention of Potent Bioactive Metabolites. <i>Antibiotics</i> , 2022, 11, 82.	3.7	8
2	Biological control of mites by xerophile <i>Eurotium</i> species isolated from the surface of dry cured ham and dry beef cecina. <i>Journal of Applied Microbiology</i> , 2021, 130, 665-676.	3.1	5
3	<i>Streptomyces clavuligerus</i> : The Omics Era. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2021, 48, .	3.0	6
4	Modulation of Gene Expression in Actinobacteria by Translational Modification of Transcriptional Factors and Secondary Metabolite Biosynthetic Enzymes. <i>Frontiers in Microbiology</i> , 2021, 12, 630694.	3.5	9
5	The PenV vacuolar membrane protein that controls penicillin biosynthesis is a putative member of a subfamily of stress-gated transient receptor calcium channels. <i>Current Research in Biotechnology</i> , 2021, 3, 317-322.	3.7	6
6	Purification and Chemical Characterization of a Potent Acaricide and a Closely Related Inactive Metabolite Produced by <i>Eurotium rubrum</i> C47. <i>Antibiotics</i> , 2020, 9, 881.	3.7	0
7	Insight into the Genome of Diverse <i>Penicillium chrysogenum</i> Strains: Specific Genes, Cluster Duplications and DNA Fragment Translocations. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3936.	4.1	10
8	Omics Approaches Applied to <i>Penicillium chrysogenum</i> and Penicillin Production: Revealing the Secrets of Improved Productivity. <i>Genes</i> , 2020, 11, 712.	2.4	22
9	Transport systems, intracellular traffic of intermediates and secretion of β -lactam antibiotics in fungi. <i>Fungal Biology and Biotechnology</i> , 2020, 7, 6.	5.1	30
10	Regulation of Geldanamycin Biosynthesis by Cluster-Situated Transcription Factors and the Master Regulator PhoP. <i>Antibiotics</i> , 2019, 8, 87.	3.7	16
11	Sensing and transduction of nutritional and chemical signals in filamentous fungi: Impact on cell development and secondary metabolites biosynthesis. <i>Biotechnology Advances</i> , 2019, 37, 107392.	11.7	34
12	Harnessing microbiota interactions to produce bioactive metabolites: communication signals and receptor proteins. <i>Current Opinion in Pharmacology</i> , 2019, 48, 8-16.	3.5	11
13	The Balance Metabolism Safety Net: Integration of Stress Signals by Interacting Transcriptional Factors in <i>Streptomyces</i> and Related Actinobacteria. <i>Frontiers in Microbiology</i> , 2019, 10, 3120.	3.5	34
14	Genome-wide transcriptome response of <i>Streptomyces tsukubaensis</i> to N-acetylglucosamine: effect on tacrolimus biosynthesis. <i>Microbiological Research</i> , 2018, 217, 14-22.	5.3	4
15	Unraveling Nutritional Regulation of Tacrolimus Biosynthesis in <i>Streptomyces tsukubaensis</i> through omic Approaches. <i>Antibiotics</i> , 2018, 7, 39.	3.7	18
16	Analysis and validation of the pho regulon in the tacrolimus-producer strain <i>Streptomyces tsukubaensis</i> : differences with the model organism <i>Streptomyces coelicolor</i> . <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 7029-7045.	3.6	8
17	Secondary Metabolites in Cheese Fungi. , 2017, , 293-315.		7
18	Glycopeptide resistance: Links with inorganic phosphate metabolism and cell envelope stress. <i>Biochemical Pharmacology</i> , 2017, 133, 74-85.	4.4	10

#	ARTICLE	IF	CITATIONS
19	Silencing of a second dimethylallyltryptophan synthase of <i>Penicillium roqueforti</i> reveals a novel clavine alkaloid gene cluster. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 6111-6121.	3.6	13
20	The master regulator PhoP coordinates phosphate and nitrogen metabolism, respiration, cell differentiation and antibiotic biosynthesis: comparison in <i>Streptomyces coelicolor</i> and <i>Streptomyces avermitilis</i> . <i>Journal of Antibiotics</i> , 2017, 70, 534-541.	2.0	67
21	<i>Streptomyces tsukubaensis</i> as a new model for carbon repression: transcriptomic response to tacrolimus repressing carbon sources. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 8181-8195.	3.6	17
22	Analysis of the Pho regulon in <i>Streptomyces tsukubaensis</i> . <i>Microbiological Research</i> , 2017, 205, 80-87.	5.3	18
23	Insights into the Structure and Molecular Mechanisms of β -Lactam Synthesizing Enzymes in Fungi. , 2017, , 215-241.		3
24	Key role of LaeA and velvet complex proteins on expression of β -lactam and PR-toxin genes in <i>Penicillium chrysogenum</i> : cross-talk regulation of secondary metabolite pathways. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2017, 44, 525-535.	3.0	55
25	Clavine Alkaloids Gene Clusters of <i>Penicillium</i> and Related Fungi: Evolutionary Combination of Prenyltransferases, Monooxygenases and Dioxygenases. <i>Genes</i> , 2017, 8, 342.	2.4	12
26	Evolutionary formation of gene clusters by reorganization: the meleagrin/roquefortine paradigm in different fungi. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 1579-1587.	3.6	22
27	Target genes of the <i>Streptomyces tsukubaensis</i> FkbN regulator include most of the tacrolimus biosynthesis genes, a phosphopantetheinyl transferase and other PKS genes. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 8091-8103.	3.6	21
28	Secondary Metabolites in Cheese Fungi. , 2016, , 1-23.		1
29	Molecular genetics of naringenin biosynthesis, a typical plant secondary metabolite produced by <i>Streptomyces clavuligerus</i> . <i>Microbial Cell Factories</i> , 2015, 14, 178.	4.0	80
30	Novel Antimicrobial and other Bioactive Metabolites Obtained from Silent Gene Clusters. , 2015, , 275-292.		3
31	Calcium-containing phosphopeptides pave the secretory pathway for efficient protein traffic and secretion in fungi. <i>Microbial Cell Factories</i> , 2014, 13, 117.	4.0	12
32	Glycopeptides and Bacterial Cell Walls. , 2014, , 285-311.		3
33	The gamma-butyrolactone receptors BulR1 and BulR2 of <i>Streptomyces tsukubaensis</i> : tacrolimus (FK506) and butyrolactone synthetases production control. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 4919-4936.	3.6	40
34	Transcriptional response to vancomycin in a highly vancomycin-resistant <i>Streptomyces coelicolor</i> mutant. <i>Future Microbiology</i> , 2014, 9, 603-622.	2.0	27
35	New insights into the isopenicillin N transport in <i>Penicillium chrysogenum</i> . <i>Metabolic Engineering</i> , 2014, 22, 89-103.	7.0	28
36	Identification of different promoters in the absA1- ϵ -absA2 two-component system, a negative regulator of antibiotic production in <i>Streptomyces coelicolor</i> . <i>Molecular Genetics and Genomics</i> , 2013, 288, 39-48.	2.1	10

#	ARTICLE	IF	CITATIONS
37	The transport of phenylacetic acid across the peroxisomal membrane is mediated by the PaaT protein in <i>Penicillium chrysogenum</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 3073-3084.	3.6	31
38	Transcriptional control of the <i>F_{0F₁}</i> ATP synthase operon of <i>Corynebacterium glutamicum</i> : <i>SigmaH</i> factor binds to its promoter and regulates its expression at different pH values. <i>Microbial Biotechnology</i> , 2013, 6, 178-188.	4.2	10
39	Transcriptional analysis and proteomics of the holomycin gene cluster in overproducer mutants of <i>Streptomyces clavuligerus</i> . <i>Journal of Biotechnology</i> , 2013, 163, 69-76.	3.8	21
40	Vancomycin resistance in <i>Streptomyces coelicolor</i> is phosphate-dependent but is not mediated by the PhoP regulator. <i>Journal of Global Antimicrobial Resistance</i> , 2013, 1, 109-113.	2.2	26
41	Expression of the endogenous and heterologous clavulanic acid cluster in <i>Streptomyces flavogriseus</i> : why a silent cluster is sleeping. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 9451-9463.	3.6	16
42	A vacuolar membrane protein affects drastically the biosynthesis of the ACV tripeptide and the beta-lactam pathway of <i>Penicillium chrysogenum</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 795-808.	3.6	29
43	Competition between the GlnR and PhoP regulators for the <i>glnA</i> and <i>amtB</i> promoters in <i>Streptomyces coelicolor</i> . <i>Nucleic Acids Research</i> , 2013, 41, 1767-1782.	14.5	73
44	Transcriptomic Analysis of <i>Streptomyces coelicolor</i> Differentiation in Solid Sporulating Cultures: First Compartmentalized and Second Multinucleated Mycelia Have Different and Distinctive Transcriptomes. <i>PLoS ONE</i> , 2013, 8, e60665.	2.5	42
45	Draft Genome of <i>Streptomyces tsukubaensis</i> NRRL 18488, the Producer of the Clinically Important Immunosuppressant Tacrolimus (FK506). <i>Journal of Bacteriology</i> , 2012, 194, 3756-3757.	2.2	46
46	Proteomics Shows New Faces for the Old Penicillin Producer <i>Penicillium chrysogenum</i> . <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-15.	3.0	47
47	Metabolic Switches and Adaptations Deduced from the Proteomes of <i>Streptomyces coelicolor</i> Wild Type and <i>phoP</i> Mutant Grown in Batch Culture. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.013797.	3.8	54
48	FK506 biosynthesis is regulated by two positive regulatory elements in <i>Streptomyces tsukubaensis</i> . <i>BMC Microbiology</i> , 2012, 12, 238.	3.3	45
49	Cascades and Networks of Regulatory Genes That Control Antibiotic Biosynthesis. <i>Sub-Cellular Biochemistry</i> , 2012, 64, 115-138.	2.4	37
50	Overlapping binding of PhoP and AfsR to the promoter region of <i>glnR</i> in <i>Streptomyces coelicolor</i> . <i>Microbiological Research</i> , 2012, 167, 532-535.	5.3	28
51	LAL Regulators SCO0877 and SCO7173 as Pleiotropic Modulators of Phosphate Starvation Response and Actinorhodin Biosynthesis in <i>Streptomyces coelicolor</i> . <i>PLoS ONE</i> , 2012, 7, e31475.	2.5	33
52	ArgR of <i>Streptomyces coelicolor</i> Is a Versatile Regulator. <i>PLoS ONE</i> , 2012, 7, e32697.	2.5	39
53	Transcriptomic studies of phosphate control of primary and secondary metabolism in <i>Streptomyces coelicolor</i> . <i>Applied Microbiology and Biotechnology</i> , 2012, 95, 61-75.	3.6	45
54	Is PhoR a PhoP partner fidelity strict? PhoR is required for the activation of the <i>pho</i> regulon in <i>Streptomyces coelicolor</i> . <i>Molecular Genetics and Genomics</i> , 2012, 287, 565-573.	2.1	33

#	ARTICLE	IF	CITATIONS
55	A rhodanese-like protein is highly overrepresented in the mutant <i>S. clavuligerus oppA2::aph</i> : effect on holomycin and other secondary metabolites production. <i>Microbial Biotechnology</i> , 2011, 4, 216-225.	4.2	17
56	Crosstalk of global nutritional regulators in the control of primary and secondary metabolism in <i>Streptomyces</i> . <i>Microbial Biotechnology</i> , 2011, 4, 165-174.	4.2	80
57	CefR modulates transporters of beta-lactam intermediates preventing the loss of penicillins to the broth and increases cephalosporin production in <i>Acremonium chrysogenum</i> . <i>Metabolic Engineering</i> , 2011, 13, 532-543.	7.0	22
58	Functional conservation of PAS-LuxR transcriptional regulators in polyene macrolide biosynthesis. <i>Metabolic Engineering</i> , 2011, 13, 756-767.	7.0	58
59	A Single Cluster of Coregulated Genes Encodes the Biosynthesis of the Mycotoxins Roquefortine C and Meleagrins in <i>Penicillium chrysogenum</i> . <i>Chemistry and Biology</i> , 2011, 18, 1499-1512.	6.0	95
60	Characterisation of a β -butyrolactone receptor of <i>Streptomyces tacrolimus</i> : effect on sporulation and tacrolimus biosynthesis. <i>Applied Microbiology and Biotechnology</i> , 2011, 92, 971-984.	3.6	10
61	The RNA Polymerase Omega Factor RpoZ Is Regulated by PhoP and Has an Important Role in Antibiotic Biosynthesis and Morphological Differentiation in <i>Streptomyces coelicolor</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 7586-7594.	3.1	38
62	Complex Transcriptional Control of the Antibiotic Regulator <i>afsS</i> in <i>Streptomyces</i> : PhoP and AfsR Are Overlapping, Competitive Activators. <i>Journal of Bacteriology</i> , 2011, 193, 2242-2251.	2.2	31
63	<i>Streptomyces tacrolimus</i> sp. nov., a low producer of the immunosuppressant tacrolimus (FK506). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1084-1088.	1.7	19
64	Molecular Control of Polyene Macrolide Biosynthesis. <i>Journal of Biological Chemistry</i> , 2011, 286, 9150-9161.	3.4	53
65	Characterization of a novel peroxisome membrane protein essential for conversion of isopenicillin N into cephalosporin C. <i>Biochemical Journal</i> , 2010, 432, 227-236.	3.7	39
66	The dynamic architecture of the metabolic switch in <i>Streptomyces coelicolor</i> . <i>BMC Genomics</i> , 2010, 11, 10.	2.8	171
67	Regulation and compartmentalization of β -lactam biosynthesis. <i>Microbial Biotechnology</i> , 2010, 3, 285-299.	4.2	77
68	The enigmatic lack of glucose utilization in <i>Streptomyces clavuligerus</i> is due to inefficient expression of the glucose permease gene. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1527-1537.	1.8	17
69	Microarray studies reveal a differential response to moderate or severe heat shock of the HrcA- and HspR-dependent systems in <i>Corynebacterium glutamicum</i> . <i>Microbiology (United Kingdom)</i> , 2009, 155, 359-372.	1.8	19
70	Phosphate control over nitrogen metabolism in <i>Streptomyces coelicolor</i> : direct and indirect negative control of <i>glnR</i> , <i>glnA</i> , <i>glnII</i> and <i>amtB</i> expression by the response regulator PhoP. <i>Nucleic Acids Research</i> , 2009, 37, 3230-3242.	14.5	104
71	chapter 10 Enzymology of the Polyenes Pimaricin and Candicidin Biosynthesis. <i>Methods in Enzymology</i> , 2009, 459, 215-242.	1.0	38
72	β -Lactam Antibiotics. , 2009, , 274-289.		7

#	ARTICLE	IF	CITATIONS
73	Phosphate and carbon source regulation of two PhoP-dependent glycerophosphodiester phosphodiesterase genes of <i>Streptomyces coelicolor</i> . <i>Microbiology (United Kingdom)</i> , 2009, 155, 1800-1811.	1.8	41
74	Proteolytic activity, mycotoxins and andrastin A in <i>Penicillium roqueforti</i> strains isolated from Cabrales, Valdeón and Bejes-Tresviso local varieties of blue-veined cheeses. <i>International Journal of Food Microbiology</i> , 2009, 136, 18-25.	4.7	62
75	Crosstalk between two global regulators in <i>Streptomyces</i> : PhoP and AfsR interact in the control of <i>afsS</i> , <i>pstS</i> and <i>phoRP</i> transcription. <i>Molecular Microbiology</i> , 2009, 72, 53-68.	2.5	118
76	Two overlapping antiparallel genes encoding the iron regulator DmdR1 and the Adm proteins control siderophore and antibiotic biosynthesis in <i>Streptomyces coelicolor</i> A3(2). <i>FEBS Journal</i> , 2009, 276, 4814-4827.	4.7	46
77	Modified oxidosqualene cyclases in the formation of bioactive secondary metabolites: Biosynthesis of the antitumor clavarinic acid. <i>Fungal Genetics and Biology</i> , 2009, 46, 232-242.	2.1	41
78	Efficient pyramidal arrangement of an ordered cosmid library: Rapid screening of genes of the tacrolimus-producer <i>Streptomyces</i> sp. ATCC 55098. <i>Journal of Microbiological Methods</i> , 2009, 78, 150-154.	1.6	7
79	PimT, an amino acid exporter controls polyene production via secretion of the quorum sensing pimaricin-inducer PI-factor in <i>Streptomyces natalensis</i> . <i>Microbial Cell Factories</i> , 2009, 8, 33.	4.0	33
80	The transporter CefM involved in translocation of biosynthetic intermediates is essential for cephalosporin production. <i>Biochemical Journal</i> , 2009, 418, 113-124.	3.7	53
81	Expression of the <i>Acremonium chrysogenum</i> <i>cefT</i> gene in <i>Penicillium chrysogenum</i> indicates that it encodes an hydrophilic β -lactam transporter. <i>Current Genetics</i> , 2008, 54, 153-161.	1.7	22
82	Genome sequencing and analysis of the filamentous fungus <i>Penicillium chrysogenum</i> . <i>Nature Biotechnology</i> , 2008, 26, 1161-1168.	17.5	427
83	Response of the cytoplasmic and membrane proteome of <i>Corynebacterium glutamicum</i> ATCC 13032 to pH changes. <i>BMC Microbiology</i> , 2008, 8, 225.	3.3	20
84	Conversion of β -carotene into astaxanthin: Two separate enzymes or a bifunctional hydroxylase-ketolase protein?. <i>Microbial Cell Factories</i> , 2008, 7, 3.	4.0	82
85	RNA-silencing in <i>Penicillium chrysogenum</i> and <i>Acremonium chrysogenum</i> : Validation studies using β -lactam genes expression. <i>Journal of Microbiological Methods</i> , 2008, 75, 209-218.	1.6	73
86	Target genes and structure of the direct repeats in the DNA-binding sequences of the response regulator PhoP in <i>Streptomyces coelicolor</i> . <i>Nucleic Acids Research</i> , 2008, 36, 1358-1368.	14.5	82
87	Phosphate-dependent regulation of the low- and high-affinity transport systems in the model actinomycete <i>Streptomyces coelicolor</i> . <i>Microbiology (United Kingdom)</i> , 2008, 154, 2356-2370.	1.8	74
88	<i>Streptomyces clavuligerus</i> <i>relA</i> -null mutants overproduce clavulanic acid and cephamycin C: negative regulation of secondary metabolism by (p)ppGpp. <i>Microbiology (United Kingdom)</i> , 2008, 154, 744-755.	1.8	49
89	Post-translational enzyme modification by the phosphopantetheinyl transferase is required for lysine and penicillin biosynthesis but not for roquefortine or fatty acid formation in <i>Penicillium chrysogenum</i> . <i>Biochemical Journal</i> , 2008, 415, 317-324.	3.7	41
90	Phosphate control of <i>phoA</i> , <i>phoC</i> and <i>phoD</i> gene expression in <i>Streptomyces coelicolor</i> reveals significant differences in binding of PhoP to their promoter regions. <i>Microbiology (United Kingdom)</i> , 2007, 153, 3527-3537.	1.8	97

#	ARTICLE	IF	CITATIONS
91	PimM, a PAS domain positive regulator of pimaricin biosynthesis in <i>Streptomyces natalensis</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 3174-3183.	1.8	90
92	The <i>pga1</i> gene of <i>Penicillium chrysogenum</i> NRRL 1951 encodes a heterotrimeric G protein alpha subunit that controls growth and development. <i>Research in Microbiology</i> , 2007, 158, 437-446.	2.1	32
93	The two-component <i>phoR-phoP</i> system of <i>Streptomyces natalensis</i> : Inactivation or deletion of <i>phoP</i> reduces the negative phosphate regulation of pimaricin biosynthesis. <i>Metabolic Engineering</i> , 2007, 9, 217-227.	7.0	107
94	Deacetylcephalosporin C Production in <i>Penicillium chrysogenum</i> by Expression of the Isopenicillin N Epimerization, Ring Expansion, and Acetylation Genes. <i>Chemistry and Biology</i> , 2007, 14, 329-339.	6.0	43
95	A Squalene Epoxidase Is Involved in Biosynthesis of Both the Antitumor Compound Clavarinic Acid and Sterols in the Basidiomycete <i>H. sublateritium</i> . <i>Chemistry and Biology</i> , 2007, 14, 1334-1346.	6.0	46
96	Genome-wide transcriptomic and proteomic analysis of the primary response to phosphate limitation in <i>Streptomyces coelicolor</i> M145 and in a <i>phoP</i> mutant. <i>Proteomics</i> , 2007, 7, 2410-2429.	2.2	121
97	Connecting primary and secondary metabolism: <i>AreB</i> , an IclR-like protein, binds the ARE <i>ccaR</i> sequence of <i>S. clavuligerus</i> and modulates leucine biosynthesis and cephamycin C and clavulanic acid production. <i>Molecular Microbiology</i> , 2007, 66, 511-524.	2.5	38
98	Transcriptional regulation of the desferrioxamine gene cluster of <i>Streptomyces coelicoloris</i> mediated by binding of <i>DmdR1</i> to an iron box in the promoter of the <i>desA</i> gene. <i>FEBS Journal</i> , 2007, 274, 1110-1122.	4.7	54
99	The <i>crtS</i> gene of <i>Xanthophyllomyces dendrorhous</i> encodes a novel cytochrome-P450 hydroxylase involved in the conversion of β^2 -carotene into astaxanthin and other xanthophylls. <i>Fungal Genetics and Biology</i> , 2006, 43, 261-272.	2.1	92
100	Amplification and disruption of the phenylacetyl-CoA ligase gene of <i>Penicillium chrysogenum</i> encoding an aryl-capping enzyme that supplies phenylacetic acid to the isopenicillin N-acyltransferase. <i>Biochemical Journal</i> , 2006, 395, 147-155.	3.7	76
101	Transcriptional analysis of the <i>sigA</i> and <i>sigB</i> genes of <i>Brevibacterium lactofermentum</i> . <i>FEMS Microbiology Letters</i> , 2006, 153, 111-117.	1.8	20
102	Transcriptional analysis of the <i>FOF1</i> ATPase operon of <i>Corynebacterium glutamicum</i> ATCC 13032 reveals strong induction by alkaline pH. <i>Microbiology (United Kingdom)</i> , 2006, 152, 11-21.	1.8	33
103	Gene clusters for beta-lactam antibiotics and control of their expression: why have clusters evolved, and from where did they originate?. <i>International Microbiology</i> , 2006, 9, 9-19.	2.4	54
104	Binding of <i>PhoP</i> to promoters of phosphate-regulated genes in <i>Streptomyces coelicolor</i> : identification of PHO boxes. <i>Molecular Microbiology</i> , 2005, 56, 1373-1385.	2.5	135
105	Different proteins bind to the butyrolactone receptor protein ARE sequence located upstream of the regulatory <i>ccaR</i> gene of <i>Streptomyces clavuligerus</i> . <i>Molecular Microbiology</i> , 2005, 56, 824-835.	2.5	38
106	Functional analysis of two divalent metal-dependent regulatory genes <i>dmdR1</i> and <i>dmdR2</i> in <i>Streptomyces coelicolor</i> and proteome changes in deletion mutants. <i>FEBS Journal</i> , 2005, 272, 725-735.	4.7	27
107	Secretion systems for secondary metabolites: how producer cells send out messages of intercellular communication. <i>Current Opinion in Microbiology</i> , 2005, 8, 282-293.	5.1	163
108	Role of homoserine and threonine pathway intermediates as precursors for the biosynthesis of aminoethoxyvinylglycine in <i>Streptomyces</i> sp. NRRL 5331. <i>Microbiology (United Kingdom)</i> , 2004, 150, 1467-1474.	1.8	9

#	ARTICLE	IF	CITATIONS
109	Identification of PimR as a Positive Regulator of Pimaricin Biosynthesis in <i>Streptomyces natalensis</i> . <i>Journal of Bacteriology</i> , 2004, 186, 2567-2575.	2.2	94
110	PI Factor, a Novel Type Quorum-sensing Inducer Elicits Pimaricin Production in <i>Streptomyces natalensis</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 41586-41593.	3.4	89
111	Phosphate Control of the Biosynthesis of Antibiotics and Other Secondary Metabolites Is Mediated by the PhoR-PhoP System: an Unfinished Story. <i>Journal of Bacteriology</i> , 2004, 186, 5197-5201.	2.2	197
112	Novel Genes Involved in Cephalosporin Biosynthesis: The Three-component Isopenicillin N Epimerase System. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2004, 88, 91-109.	1.1	18
113	Iron-regulatory proteins DmdR1 and DmdR2 of <i>Streptomyces coelicolor</i> form two different DNA-protein complexes with iron boxes. <i>Biochemical Journal</i> , 2004, 380, 497-503.	3.7	45
114	Isolation of <i>Penicillium nalgiovense</i> strains impaired in penicillin production by disruption of the <i>pcbAB</i> gene and application as starters on cured meat products. <i>Mycological Research</i> , 2003, 107, 717-726.	2.5	12
115	A Novel Epimerization System in Fungal Secondary Metabolism Involved in the Conversion of Isopenicillin N into Penicillin N in <i>Acremonium chrysogenum</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 46216-46225.	3.4	71
116	Production of Penicillin by Fungi Growing on Food Products: Identification of a Complete Penicillin Gene Cluster in <i>Penicillium griseofulvum</i> and a Truncated Cluster in <i>Penicillium verrucosum</i> . <i>Applied and Environmental Microbiology</i> , 2002, 68, 1211-1219.	3.1	64
117	<i>CcaR</i> Is an Autoregulatory Protein That Binds to the <i>ccaR</i> and <i>cefD-cmcl</i> Promoters of the Cephamycin C-Clavulanic Acid Cluster in <i>Streptomyces clavuligerus</i> . <i>Journal of Bacteriology</i> , 2002, 184, 3106-3113.	2.2	51
118	Silencing of the Aspergillopepsin B (<i>pepB</i>) Gene of <i>Aspergillus awamori</i> by Antisense RNA Expression or Protease Removal by Gene Disruption Results in a Large Increase in Thaumatin Production. <i>Applied and Environmental Microbiology</i> , 2002, 68, 3550-3559.	3.1	49
119	Unraveling the methionine- ϵ -cephalosporin puzzle in <i>Acremonium chrysogenum</i> . <i>Trends in Biotechnology</i> , 2002, 20, 502-507.	9.3	35
120	Conversion of Pipecolic Acid into Lysine in <i>Penicillium chrysogenum</i> Requires Pipecolate Oxidase and Saccharopine Reductase: Characterization of the <i>lys7</i> Gene Encoding Saccharopine Reductase. <i>Journal of Bacteriology</i> , 2001, 183, 7165-7172.	2.2	26
121	.ALPHA.-Amino adipyl-cysteinyI-valine Synthetases in .BETA.-Lactam Producing Organisms.. <i>Journal of Antibiotics</i> , 2000, 53, 1008-1021.	2.0	62
122	The specific transport system for lysine is fully inhibited by ammonium in <i>Penicillium chrysogenum</i> : an ammonium-insensitive system allows uptake in carbon-starved cells. <i>Antonie Van Leeuwenhoek</i> , 2000, 77, 91-100.	1.7	6
123	Organization of the Gene Cluster for Biosynthesis of Penicillin in <i>Penicillium nalgiovense</i> and Antibiotic Production in Cured Dry Sausages. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1236-1240.	3.1	54
124	Molecular Mechanisms of Chromosomal Rearrangement in Fungi. <i>Critical Reviews in Microbiology</i> , 1999, 25, 1-17.	6.1	57
125	Structure and organization of the <i>rrnD</i> operon of <i>Brevibacterium lactofermentum</i> TM : analysis of the 16S rRNA gene. <i>Microbiology (United Kingdom)</i> , 1999, 145, 915-924.	1.8	31
126	Penicillin and cephalosporin biosynthesis: mechanism of carbon catabolite regulation of penicillin production. <i>Antonie Van Leeuwenhoek</i> , 1999, 75, 21-31.	1.7	63

#	ARTICLE	IF	CITATIONS
127	Gene organization and plasticity of the beta-lactam genes in different filamentous fungi. Antonie Van Leeuwenhoek, 1999, 75, 81-94.	1.7	61
128	Molecular characterization of the Acremonium chrysogenum cefG gene product: the native deacetylcephalosporin C acetyltransferase is not processed into subunits. Biochemical Journal, 1999, 337, 379-385.	3.7	26
129	Biochemical characterization of the SecA protein of Streptomyces lividans . Interaction with nucleotides, binding to membrane vesicles and in vitro translocation of proAmy protein. FEBS Journal, 1998, 257, 472-478.	0.2	11
130	Pulsed-Field Gel Electrophoresis Analysis of the Genome of Rhodococcus fascians : Genome Size and Linear and Circular Replicon Composition in Virulent and Avirulent Strains. Current Microbiology, 1998, 36, 302-308.	2.2	22
131	Characterization and nitrogen-source regulation at the transcriptional level of the gdh A gene of Aspergillus awamori encoding an NADP-dependent glutamate dehydrogenase. Current Genetics, 1998, 34, 50-59.	1.7	37
132	Î±-1-Piperideine-6-carboxylate dehydrogenase, a new enzyme that forms L-α-amino adipate in Streptomyces clavuligerus and other cephamycin C-producing actinomycetes. Biochemical Journal, 1997, 327, 59-64.	3.7	36
133	Arginine boxes and the argR gene in Streptomyces clavuligerus: evidence for a clear regulation of the arginine pathway. Molecular Microbiology, 1997, 25, 219-228.	2.5	72
134	Autonomously replicating plasmids carrying the AMA1 region in Penicillium chrysogenum. Current Genetics, 1996, 29, 482-489.	1.7	65
135	New type of hexameric ornithine carbamoyltransferase with arginase activity in the cephamycin producers Streptomyces clavuligerus and Nocardia lactamdurans. Biochemical Journal, 1996, 320, 173-179.	3.7	13
136	Overexpression of the Nocardia lactamdurans α-Amino adipyl-Cysteinyl-Valine Synthetase in Streptomyces lividans. The Purified Multienzyme Uses Cystathionine and 6-Oxopiperidine 2-Carboxylate as Substrates for Synthesis of the Tripeptide. FEBS Journal, 1996, 242, 264-270.	0.2	23
137	An inducible expression system of histidine-tagged proteins in Streptomyces lividans for one-step purification by Ni ²⁺ affinity chromatography. FEMS Microbiology Letters, 1996, 137, 135-140.	1.8	10
138	Autonomously replicating plasmids carrying the AMA1 region in Penicillium chrysogenum. Current Genetics, 1996, 29, 482-489.	1.7	4
139	Efficient Transformation of the Cephamycin C Producer Nocardia lactamdurans and Development of Shuttle and Promoter-Probe Cloning Vectors. Applied and Environmental Microbiology, 1994, 60, 4086-4093.	3.1	52
140	Characterization and expression in Streptomyces lividans of cefD and cefE genes from Nocardia lactamdurans: the organization of the cephamycin gene cluster differs from that in Streptomyces clavuligerus. Molecular Genetics and Genomics, 1993, 236-236, 453-458.	2.4	46
141	Resolution of four large chromosomes in penicillin-producing filamentous fungi: the penicillin gene cluster is located on chromosome II (9.6 Mb) in Penicillium notatum and chromosome I (10.4 Mb) in Penicillium chrysogenum. Molecular Genetics and Genomics, 1993, 241-241, 573-578.	2.4	80
142	Analysis of the codon usage of the cephamycin C producer Nocardia lactamdurans. FEMS Microbiology Letters, 1993, 110, 91-95.	1.8	10
143	The isopenicillin-N acyltransferase of Penicillium chrysogenum has isopenicillin-N amidohydrolase, 6-aminopenicillanic acid acyltransferase and penicillin amidase activities, all of which are encoded by the single penDE gene. FEBS Journal, 1993, 215, 323-332.	0.2	80
144	Biochemical characterization and molecular genetics of nine mutants of Penicillium chrysogenum impaired in penicillin biosynthesis. Journal of Biological Chemistry, 1993, 268, 737-744.	3.4	54

#	ARTICLE	IF	CITATIONS
145	The bleomycin resistance gene of transposon Tn5 is an excellent marker for transformation of corynebacteria. <i>Applied Microbiology and Biotechnology</i> , 1992, 36, 759-62.	3.6	4
146	Expression of the penDE gene of <i>Penicillium chrysogenum</i> encoding isopenicillin N acyltransferase in <i>Cephalosporium acremonium</i> : production of benzylpenicillin by the transformants. <i>Molecular Genetics and Genomics</i> , 1991, 225, 56-64.	2.4	63
147	Phosphate control sequences involved in transcriptional regulation of antibiotic biosynthesis. <i>Trends in Biotechnology</i> , 1990, 8, 184-189.	9.3	63
148	Phosphate control of pabS gene transcription during candicidin biosynthesis. <i>Gene</i> , 1990, 93, 79-84.	2.2	33
149	Cloning and characterization of the acyl-coenzyme A: 6-aminopenicillanic-acid-acyltransferase gene of <i>Penicillium chrysogenum</i> . <i>Gene</i> , 1989, 83, 291-300.	2.2	130
150	Cloning of amylase and alkaline phosphatase genes from <i>Streptomyces griseus</i> as secretion vectors. <i>Biochemical Society Transactions</i> , 1989, 17, 342-344.	3.4	2