

Guo-Ming Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7255790/guo-ming-wang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,203
citations

25
h-index

41
g-index

120
ext. papers

2,773
ext. citations

5.1
avg, IF

5.76
L-index

#	Paper	IF	Citations
111	Manipulating On/Off Single-Molecule Magnet Behavior in a Dy(III)-Based Photochromic Complex. <i>Journal of the American Chemical Society</i> , 2020 , 142, 2682-2689	16.4	184
110	Photochromism and photomagnetism in crystalline hybrid materials actuated by nonphotochromic units. <i>Chemical Communications</i> , 2019 , 55, 5631-5634	5.8	128
109	A germanate framework containing 24-ring channels, Ni-Ge bonds, and chiral [Ni@Ge ₁₄ O ₂₄ (OH) ₃] cluster motifs transferred from chiral metal complexes. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 6881-4	16.4	113
108	An organic-inorganic hybrid zinc phosphite framework with room temperature phosphorescence. <i>Chemical Communications</i> , 2018 , 54, 3712-3714	5.8	101
107	Mixed-Ligand Strategy for the Construction of Photochromic Metal-Organic Frameworks Driven by Electron-Transfer Between Nonphotoactive Units. <i>Crystal Growth and Design</i> , 2020 , 20, 7350-7355	3.5	77
106	An inorganic-organic hybrid framework from the assembly of an electron-rich diphosphonate and electron-deficient tripyridyl moiety. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9341-9344	7.1	57
105	Template synthesis and photochromism of a layered zinc diphosphonate. <i>CrystEngComm</i> , 2017 , 19, 11603-1164	5.1	54
104	QD-2: a novel open-framework aluminoborate with intersecting three-dimensional helical channels. <i>Inorganic Chemistry</i> , 2008 , 47, 5039-41	5.1	53
103	Solvated Lanthanide Cationic Template Strategy for Constructing Iodoargentates with Photoluminescence and White Light Emission. <i>Crystal Growth and Design</i> , 2018 , 18, 7041-7047	3.5	50
102	Syntheses, Characterizations, and Crystal Structures of Two New Organically Templated Borates. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 336-340	1.3	49
101	Synthesis and characterization of QD-3: the first organically templated aluminoborate with 11-, 12-, and 14-ring intersecting channels. <i>Inorganic Chemistry</i> , 2008 , 47, 1270-2	5.1	47
100	3D Inorganic Cuprous Iodide Open-Framework Templated by In Situ N-Methylated 2,4,6-Tri(4-pyridyl)-1,3,5-triazine. <i>Crystal Growth and Design</i> , 2017 , 17, 3588-3591	3.5	42
99	Three-Shell Cu@Co@Ni Nanoparticles Stabilized with a Metal-Organic Framework for Enhanced Tandem Catalysis. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 940-947	9.5	40
98	Optically actuating ultra-stable radicals in a large π -conjugated ligand constructed photochromic complex. <i>Science China Chemistry</i> , 2021 , 64, 432-438	7.9	40
97	Coordination-driven strategy towards crystalline hybrid photochromic materials via the marriage of a non-photochromic extended dipyridine unit and zincophosphate. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3920-3923	7.1	37
96	Quadruple Photoresponsive Functionality in a Crystalline Hybrid Material: Photochromism, Photomodulated Fluorescence, Magnetism and Nonlinear Optical Properties. <i>Chemistry - A European Journal</i> , 2021 , 27, 7842-7846	4.8	35
95	Inorganic-organic hybrid zinc phosphites with fluorescence/phosphorescence dual emission performances. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 10411-10414	7.1	34

94	The Tri(imidazole)-Derivative Moiety: A New Category of Electron Acceptors for the Design of Crystalline Hybrid Photochromic Materials. <i>Chemistry - A European Journal</i> , 2021 , 27, 1410-1415	4.8	31
93	Dual Ligand Strategy for Constructing a Series of d10 Coordination Polymers: Syntheses, Structures, Photoluminescence, and Sensing Properties. <i>Crystal Growth and Design</i> , 2018 , 18, 1882-1890 ^{3,5}	3.5	30
92	Synthesis and Crystal Structure of a Novel Potassium Borate with an Unprecedented [B12O16(OH)8]4- Anion. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006 , 632, 1586-1590	1.3	30
91	Luminescent Thermochromism and White-Light Emission of a 3D [AgBr] Cluster-Based Coordination Framework with Both Adamantane-like Node and Linker. <i>Inorganic Chemistry</i> , 2021 , 60, 4375-4379	5.1	30
90	Syntheses, structures and efficient visible light-driven photocatalytic properties of layered cuprous halides based on two types of building units. <i>Dalton Transactions</i> , 2018 , 47, 6965-6972	4.3	29
89	In situ template generation via N-alkylation in the syntheses of open-framework zinc phosphites and phosphate. <i>Dalton Transactions</i> , 2013 , 42, 13084-91	4.3	27
88	In Situ Ligand Modification Strategy for the Construction of One-, Two-, and Three-Dimensional Heterometallic Iodides. <i>Inorganic Chemistry</i> , 2017 , 56, 13785-13793	5.1	26
87	Two hybrid transition metal triphosphonates decorated with a tripodal imidazole ligand: synthesis, structures and properties. <i>Dalton Transactions</i> , 2017 , 46, 808-813	4.3	25
86	Conversion of Enteromorpha prolifera to high-quality liquid oil via deoxy-liquefaction. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013 , 104, 494-501	6	24
85	Recent advances in crystalline hybrid photochromic materials driven by electron transfer. <i>Coordination Chemistry Reviews</i> , 2022 , 452, 214304	23.2	24
84	Synthesis and Characterization of the First 1-D Borate Templated by Transition Metal Complex. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1192-1196	1.3	22
83	An excellent cryogenic magnetic cooler: magnetic and magnetocaloric study of an inorganic frame material. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 2327-2332	7.8	22
82	A pillared-layer strategy to construct water-stable Zn-organic frameworks for iodine capture and luminescence sensing of Fe. <i>Dalton Transactions</i> , 2019 , 48, 602-608	4.3	21
81	An anionic Cd-based coordination polymer exhibiting ion-exchange behavior for photoluminescence and selective dye adsorption. <i>Journal of Luminescence</i> , 2019 , 210, 70-74	3.8	20
80	An open-framework beryllium phosphite with extra-large 18-ring channels. <i>CrystEngComm</i> , 2015 , 17, 8414-8417	3.3	20
79	Deoxy-Liquefaction of Laminaria japonica to High-Quality Liquid Oil over Metal Modified ZSM-5 Catalysts. <i>Energy & Fuels</i> , 2013 , 27, 5207-5214	4.1	20
78	A large magnetocaloric effect in two hybrid Gd-complexes: the synergy of inorganic and organic ligands towards excellent cryo-magnetic coolants. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 6352-6358	7.1	19
77	Tunable photochromic properties of hybrid solids controlled by the conjugated length of non-photochromic units. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 2435-2440	6.8	18

76	Series of crystalline beryllium phosphates including new templates generated by in situ N-methylation transformation. <i>CrystEngComm</i> , 2014 , 16, 3296	3.3	18
75	Tripyridine-Derivative-Derived Semiconducting Iodo-Argentate/Cuprate Hybrids with Excellent Visible-Light-Induced Photocatalytic Performance. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 269-277	4.5	18
74	Cluster-Based Anionic Template Assisted in the Formation of 3D Cobalt Cationic Framework: A Bridge Connecting MOFs and Halometallates?. <i>Inorganic Chemistry</i> , 2018 , 57, 11318-11321	5.1	18
73	Series of open-framework aluminoborates containing [B5O10] clusters. <i>Dalton Transactions</i> , 2015 , 44, 1420-6	4.3	17
72	Deoxy-liquefaction of three different species of macroalgae to high-quality liquid oil. <i>Bioresource Technology</i> , 2014 , 169, 110-118	11	17
71	A 3D Iodoplumbate Semiconducting Open Framework with Visible-light-induced Photocatalytic Performance. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 2086-2090	4.5	16
70	Room-Temperature Phosphorescence with Excitation-Energy Dependence and External Heavy-Atom Effect in Hybrid Zincophosphites. <i>Inorganic Chemistry</i> , 2019 , 58, 9476-9481	5.1	16
69	Two Cobalt-diphosphonates Templated by Long-Chain Flexible Amines: Synthesis, Structures, Proton Conductivity, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2018 , 18, 3477-3483	3.5	15
68	Two- and three-dimensional hybrid zinc phosphites: syntheses, structures and photoluminescence properties. <i>Dalton Transactions</i> , 2018 , 47, 12468-12473	4.3	15
67	Multiple Detection Characteristics of Two Zinc Phosphonates: Syntheses, Crystal Structures, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2019 , 19, 5326-5333	3.5	15
66	Syntheses and structures of two open-framework zinc phosphites with extra-large 24-ring channels. <i>Solid State Sciences</i> , 2012 , 14, 1030-1035	3.4	15
65	Two hybrid lanthanide complexes exhibiting a large magnetocaloric effect and slow magnetic relaxation. <i>Dalton Transactions</i> , 2017 , 46, 10023-10028	4.3	15
64	Light enhanced proton conductivity in a terbium phosphonate photochromic chain complex. <i>Science China Chemistry</i> , 2021 , 64, 1170-1176	7.9	15
63	Zinc-diphosphonates with extended dipyrindine units: synthesis, structures, in situ reactions, and photochromism. <i>Dalton Transactions</i> , 2019 , 48, 3955-3961	4.3	15
62	Sb O (SO) : A Promising Ultraviolet Nonlinear Optical Material with an Enhanced Second-Harmonic-Generation Response Activated by Sb Lone-Pair Stereoactivity. <i>Chemistry - A European Journal</i> , 2021 , 27, 5880-5884	4.8	15
61	Coordinate bond- and hydrogen bond-assisted electron transfer strategy towards the generation of photochromic metal phosphites. <i>Dalton Transactions</i> , 2020 , 49, 14598-14604	4.3	14
60	Two Photochromic Complexes Assembled by a Nonphotochromic Ligand: Photogenerated Radical Enhanced Room-Temperature Phosphorescence. <i>Inorganic Chemistry</i> , 2021 , 60, 108-114	5.1	14
59	Light actuated stable radicals of the 9-anthracene carboxylic acid for designing new photochromic complexes. <i>Chemical Communications</i> , 2021 , 57, 4295-4298	5.8	14

58	White-Light Emission and Magnetism Behaviors Endowed by Inorganic Lanthanide Templates in Iodocuprates. <i>Crystal Growth and Design</i> , 2019 , 19, 1825-1831	3.5	13
57	Pure Inorganic Iodocuprate Framework Embedding In Situ Generated [Pb(OH)] Cubic Template. <i>Inorganic Chemistry</i> , 2019 , 58, 1746-1749	5.1	13
56	Switching the Zinc Diphosphonates from 1D Chain to 2D Layer and 3D Framework by the Modulation of a Flexible Organic Amine. <i>Crystal Growth and Design</i> , 2019 , 19, 2919-2926	3.5	13
55	Bipyridine-triggered modulation of structure and properties of zinc-diphosphonates: coordination role vs. template rule. <i>Dalton Transactions</i> , 2018 , 47, 1650-1656	4.3	13
54	Enhanced Room-Temperature Phosphorescence of an Organic Ligand in 3D Hybrid Materials Assisted by Adjacent Halogen Atom. <i>Inorganic Chemistry</i> , 2020 , 59, 972-975	5.1	13
53	Ligand-oriented assembly of a porous metal-organic framework by [Cu ₄ I ₄] clusters and paddle-wheel [Cu ₁₂ (COO) ₄ (H ₂ O) ₂] subunits. <i>CrystEngComm</i> , 2016 , 18, 8362-8365	3.3	13
52	Zeolitic Open-Framework Borates with Noncentrosymmetric Structures and Nonlinear Optical Properties. <i>Inorganic Chemistry</i> , 2019 , 58, 3527-3534	5.1	13
51	The Iodoargentate Framework as a High-Performance Sweeper for Specific Dye Pollutant. <i>Crystal Growth and Design</i> , 2018 , 18, 6421-6425	3.5	13
50	Highly Efficient Blue Phosphorescence from Pillar-Layer MOFs by Ligand Functionalization. <i>Advanced Materials</i> , 2021 , e2107612	24	12
49	Metal-dependent photochromic performance in two isostructural supramolecular chains. <i>Dalton Transactions</i> , 2021 , 50, 546-552	4.3	12
48	A porous copper-organic framework with intersecting channels and gas adsorption properties. <i>Dalton Transactions</i> , 2017 , 46, 13952-13956	4.3	10
47	Synthesis and structure of QD-6: a novel aluminoborate constructed from unprecedented [B@Al ₆ O ₂₄] and polyborate clusters. <i>Dalton Transactions</i> , 2012 , 41, 734-6	4.3	10
46	Construction of the Lanthanide Diphosphonates via a Template-Synthesis Strategy: Structures, Proton Conduction, and Magnetic Behavior. <i>Crystal Growth and Design</i> , 2019 , 19, 3045-3051	3.5	9
45	Concise template syntheses of gallium phosphates driven by in situ direct alkylation of aliphatic and aromatic precursors by methanol. <i>RSC Advances</i> , 2015 , 5, 74811-74820	3.7	9
44	Decorating Metal Nitrate with a Coplanar Bipyridine Moiety: A Simple and General Method for Fabricating Photochromic Complexes. <i>Chemistry - A European Journal</i> , 2021 , 27, 4709-4714	4.8	9
43	Luminescent Turn-On/Turn-Off Sensing Properties of a Water-Stable Cobalt-Based Coordination Polymer. <i>Crystal Growth and Design</i> , 2021 , 21, 2332-2339	3.5	8
42	Hydrothermal Synthesis and Structural Characterization of a New Hybrid Zinc Borate, [Zn(dap) ₂][B ₄ O ₆ (OH) ₂]. <i>Journal of Cluster Science</i> , 2017 , 28, 1453-1462	3	7
41	Synthesis, structure and properties of a new noncentrosymmetric aluminoborate. <i>Inorganic Chemistry Communication</i> , 2014 , 40, 168-171	3.1	7

40	Triple responsive room temperature luminescence, photochromism and photomagnetism in a Dy(III)-based linear chain complex. <i>CrystEngComm</i> , 2020 , 22, 7538-7542	3:3	7
39	Ultrathin metal-organic framework nanosheet arrays and derived self-supported electrodes for overall water splitting. <i>Journal of Materials Chemistry A</i> ,	13	7
38	Penta-nuclear [Ag ₅ I ₆] Cluster-Based Photochromic Hybrid: Synthesis, Structure, Dye Sorption, and Separation. <i>Crystal Growth and Design</i> , 2021 , 21, 1055-1061	3:5	7
37	Layered Hybrid Zincophosphites for Room Temperature Phosphorescent Emission. <i>Inorganic Chemistry</i> , 2018 , 57, 14497-14500	5:1	7
36	[Zn(dap) ₃][Zn(dap)B ₅ O ₈ (OH) ₂] ₂ : A Novel Organic-Inorganic Hybrid Chain-Like Zincoborate Made of [B ₅ O ₈ (OH) ₂] ₃ Clusters and [Zn(dap)] ₂₊ Linkers. <i>Journal of Cluster Science</i> , 2017 , 28, 1421-1429	3	6
35	A Series of Iodoargentates Directed by Solvated Metal Cations Featuring Uptake and Photocatalytic Degradation of Organic Dye Pollutants. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 640-646	4:5	6
34	Low-Dimensional Lead(II) Halides with In Situ Generated Tripyridine-Derivatives as Counteranions: Synthesis, Structures and Properties. <i>Journal of Cluster Science</i> , 2017 , 28, 2669-2679	3	6
33	Synthesis and structural characterization of five zinc bisphosphonate compounds. <i>Solid State Sciences</i> , 2017 , 70, 47-53	3:4	6
32	Room-Temperature Phosphorescence with Variable Lifetime of Halogen-Comprising Coordination Polymers. <i>Inorganic Chemistry</i> , 2020 , 59, 17870-17874	5:1	6
31	Proton coupled electron transfer mechanism for the design and construction of crystalline hybrid photochromic halometallates based on nonphotoactive polypyridine-derivative moieties. <i>Dyes and Pigments</i> , 2021 , 184, 108784	4:6	6
30	Optimizing the Proton Conductivity of Fe-Diphosphonates by Increasing the Relative Number of Protons and Carrier Densities. <i>Inorganic Chemistry</i> , 2020 , 59, 11834-11840	5:1	5
29	Novel silver(I) cluster-based coordination polymers as efficient luminescent thermometers. <i>CrystEngComm</i> , 2021 , 23, 56-63	3:3	5
28	Linear and Nonlinear Optical Properties of Centrosymmetric SbOSO and Noncentrosymmetric SbO(SO)(OH) Induced by Lone Pair Stereoactivity. <i>Inorganic Chemistry</i> , 2021 , 60, 11648-11654	5:1	5
27	Syntheses and Crystal Structures of Two New Pentaborates Templated by Transition-Metal Complexes. <i>Journal of Cluster Science</i> , 2014 , 25, 1295-1305	3	4
26	Synthesis and Characterization of [(C ₂ H ₈ NO) ₂ Zn ₅ (HPO ₃) ₆ (H ₂ O) ₂](H ₂ O) ₂ : a New 2D Hybrid Zinc Phosphite with Neutral Framework. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1149-1153	1:3	4
25	The structures, photoluminescence and photocatalytic properties of two types of iodocuprate hybrids. <i>Inorganic Chemistry Communication</i> , 2018 , 97, 119-124	3:1	4
24	Conjugated-Polypyridine-Derivative-Derived Semiconductive Iodoplumbates with Tunable Architectures and Efficient Visible-Light-Induced Photocatalytic Property. <i>Inorganic Chemistry</i> , 2021 , 60, 2105-2111	5:1	4
23	Synthesis, Structural Characterization and Properties of Two Strontium Borates Constructed from Oxo Boron Clusters. <i>Journal of Cluster Science</i> , 2014 , 25, 1319-1329	3	3

22	Hydrothermal Synthesis of New Organically Templated Beryllium Phosphite and Phosphate with 3,4-connected Networks. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 688-693	1.3	3
21	Poly[bis(mu4-benzene-1,2-dicarboxylato)di-mu3-isonicotinato-dilanthanum(III)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009 , 65, m469-71		3
20	Poly[di-aqua-penta-kis(mu4-benzene-1,2-dicarboxyl-ato)(mu3-benzene-1,2-dicarboxyl-ato)tetra-thulium(III)]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008 , 64, m468-9		3
19	Novel CoNi-metal-organic framework crystal-derived CoNi@C: synthesis and effective cascade catalysis. <i>Dalton Transactions</i> , 2020 , 49, 10567-10573	4.3	3
18	Optical and photocatalytic properties of conjugated-organic-templates derived semiconducting iodocuprates hybrids. <i>Optical Materials</i> , 2020 , 109, 110376	3.3	3
17	Achieving large thermal hysteresis in an anthracene-based manganese(II) complex via photo-induced electron transfer.. <i>Nature Communications</i> , 2022 , 13, 2646	17.4	3
16	Ultraviolet nonlinear optical crystal: (NH4)ZnPO4. <i>Inorganic Chemistry Communication</i> , 2020 , 113, 107803.1	3.1	2
15	Template-directed syntheses of two 3D metal oxalates: in situ N-methylation and crystal structures. <i>Journal of Coordination Chemistry</i> , 2017 , 70, 84-92	1.6	2
14	Inserting protonated phenanthroline derivatives into the interchain voids of anionic halometallate units to generate hybrid materials with tunable photochromic performance.. <i>Dalton Transactions</i> , 2022 ,	4.3	2
13	Two bismuth(III) halides directed by in situ generated tripyridine-derivatives: Syntheses, structures and photocatalytic properties. <i>Inorganic Chemistry Communication</i> , 2019 , 108, 107516	3.1	1
12	Syntheses and Crystal Structures of Three Organically Templated Gallium Phosphates. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2017 , 643, 1011-1015	1.3	1
11	Bis(ethyl-enediammonium) tetra-deca-borate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o798-9		1
10	Modulating the structure and photochromic performance of hybrid metal chlorides with nonphotochromic 1,10-phenanthroline and its derivative. <i>Dalton Transactions</i> , 2021 ,	4.3	1
9	Poly[tetra-aqua-(mu4)-bromido-di-(mu3)-bromido-(mu2)-hydroxido-di-(mu3)-iso-nicotinato-tetra-(mu2)-isonicotinato-tetra-copper(I)di...]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008 , 64, m1260-1		1
8	Metal-organic complex-derived 3D porous carbon-supported g-C3N4/TiO2 as photocatalysts for the efficient degradation of antibiotic. <i>CrystEngComm</i> , 2021 , 23, 4717-4723	3.3	1
7	Alkali-regulated Fe6 and Fe18 molecular clusters and their structural transformation. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 4186-4191	6.8	1
6	A 3D Cu(I)-organic framework constructed from discrete Cu2I2 moiety and infinite [CuI]n chain. <i>Inorganic Chemistry Communication</i> , 2018 , 92, 106-109	3.1	1
5	Template syntheses of cadmium/lead halides as luminescence thermometers. <i>Inorganic Chemistry Communication</i> , 2021 , 131, 108765	3.1	1

- 4 Electron transfer photochromism of Ln-based (Ln = Dy, Tb) coordinated polymers for reversibly switching off/on single-molecule magnetic behavior. *Science China Materials*, **2022**, 65, 788-794 7.1 1
- 3 NaSb₃O₂(SO₄)₃·H₂O: A New Alkali-Metal Antimony(III) Sulfate with a Unique Sb₆O₂₀H₄ Unit and Moderate Birefringence. *Crystal Growth and Design*, **2022**, 22, 478-484 3.5 0
- 2 Poly[tetra-aqua- μ -benzene-1,2-di-carboxylato- μ -bromido-penta- μ -bromido-octa- μ -isonicotinato-hepta-copper(I)trifluoromethanesulfonate] hydrate. *Acta Crystallographica Section E: Structure Reports Online*, **2009**, 65, m550-1
- 1 Engineering hydrophobic carbon sponge from metal-organic complexes@melamine foam composite for advanced volatile organic compounds adsorption. *Journal of Materials Science*, **2021**, 56, 9093-9105 4.3