

# Tina Gupta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7257460/publications.pdf>

Version: 2024-02-01

41  
papers

894  
citations

516561

16  
h-index

501076

28  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1190  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Neurological Soft Signs Predict Abnormal Cerebellar-Thalamic Tract Development and Negative Symptoms in Adolescents at High Risk for Psychosis: A Longitudinal Perspective. <i>Schizophrenia Bulletin</i> , 2014, 40, 1204-1215.                               | 2.3 | 110       |
| 2  | Actigraphic-measured sleep disturbance predicts increased positive symptoms in adolescents at ultra high-risk for psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2015, 164, 15-20.   | 1.1 | 89        |
| 3  | Physical activity level and medial temporal health in youth at ultra high-risk for psychosis.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1101-1110.   | 2.0 | 53        |
| 4  | Exercise Treatments for Psychosis: a Review. <i>Current Treatment Options in Psychiatry</i> , 2017, 4, 152-166.  | 0.7 | 50        |
| 5  | Increased postural sway predicts negative symptom progression in youth at ultrahigh risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 86-89.  | 1.1 | 49        |
| 6  | Hippocampal Subregions Across the Psychosis Spectrum. <i>Schizophrenia Bulletin</i> , 2018, 44, 1091-1099.   | 2.3 | 49        |
| 7  | Cerebellar Morphology and Procedural Learning Impairment in Neuroleptic-Naive Youth at Ultrahigh Risk of Psychosis. <i>Clinical Psychological Science</i> , 2014, 2, 152-164.  | 2.4 | 44        |
| 8  | Mismatch and lexical retrieval gestures are associated with visual information processing, verbal production, and symptomatology in youth at high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 64-68.  | 1.1 | 38        |
| 9  | Automated analysis of written narratives reveals abnormalities in referential cohesion in youth at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 82-88.  | 1.1 | 36        |
| 10 | Cerebellar Transcranial Direct Current Stimulation Improves Procedural Learning in Nonclinical Psychosis: A Double-Blind Crossover Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 1373-1380.   | 2.3 | 33        |
| 11 | Visual context processing dysfunctions in youth at high risk for psychosis: Resistance to the Ebbinghaus illusion and its symptom and social and role functioning correlates.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 953-960.                     | 2.0 | 30        |
| 12 | Deconstructing Negative Symptoms in Individuals at Clinical High-Risk for Psychosis: Evidence for Volitional and Diminished Emotionality Subgroups That Predict Clinical Presentation and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2021, 47, 54-63. | 2.3 | 23        |
| 13 | Alterations in facial expressivity in youth at clinical high-risk for psychosis.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 341-351.  | 2.0 | 23        |
| 14 | A Supervised Exercise Intervention for Youth at Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1167-e1173.   | 1.1 | 23        |
| 15 | Beat gestures and postural control in youth at ultrahigh risk for psychosis. <i>Schizophrenia Research</i> , 2017, 185, 197-199.   | 1.1 | 22        |
| 16 | Transcranial Direct Current Stimulation, Symptomatology, and Cognition in Psychosis: A Qualitative Review. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 94.   | 1.0 | 20        |
| 17 | Measuring facets of reward sensitivity, inhibition, and impulse control in individuals with problematic Internet use. <i>Psychiatry Research</i> , 2019, 275, 351-358.   | 1.7 | 18        |
| 18 | Emotion recognition and social/role dysfunction in non-clinical psychosis. <i>Schizophrenia Research</i> , 2013, 143, 70-73.   | 1.1 | 17        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Alterations in facial expressions of emotion: Determining the promise of ultrathin slicing approaches and comparing human and automated coding methods in psychosis risk.. <i>Emotion</i> , 2022, 22, 714-724.  | 1.5 | 15        |
| 20 | Advances in clinical staging, early intervention, and the prevention of psychosis. <i>F1000Research</i> , 2019, 8, 2027.  | 0.8 | 14        |
| 21 | Coping with family stress in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2020, 216, 222-228.   | 1.1 | 13        |
| 22 | Abnormal Gesture Perception and Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 938-947.  | 2.3 | 13        |
| 23 | Exercise Intervention in Individuals at Clinical High Risk for Psychosis: Benefits to Fitness, Symptoms, Hippocampal Volumes, and Functional Connectivity. <i>Schizophrenia Bulletin</i> , 2022, 48, 1394-1405. | 2.3 | 12        |
| 24 | Orbitofrontal cortex volume and intrinsic religiosity in non-clinical psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 124-130.  | 0.9 | 11        |
| 25 | Disruptions in neural connectivity associated with reduced susceptibility to a depth inversion illusion in youth at ultra high risk for psychosis. <i>NeuroImage: Clinical</i> , 2016, 12, 681-690.             | 1.4 | 11        |
| 26 | Differentiating implicit and explicit theory of mind and associated neural networks in youth at Clinical High Risk (CHR) for psychosis. <i>Schizophrenia Research</i> , 2019, 208, 173-181.                     | 1.1 | 11        |
| 27 | Timing dysfunction and cerebellar resting state functional connectivity abnormalities in youth at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2021, 51, 1289-1298.                        | 2.7 | 11        |
| 28 | Nicotine usage is associated with elevated processing speed, spatial working memory, and visual learning performance in youth at ultrahigh-risk for psychosis. <i>Psychiatry Research</i> , 2014, 220, 687-690. | 1.7 | 9         |
| 29 | Cortical Morphometry in the Psychosis Risk Period: A Comprehensive Perspective of Surface Features. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 434-443.                   | 1.1 | 9         |
| 30 | Computerized analysis of facial expressions in serious mental illness. <i>Schizophrenia Research</i> , 2022, 241, 44-51.  | 1.1 | 8         |
| 31 | Speech illusions and working memory performance in non-clinical psychosis. <i>Schizophrenia Research</i> , 2018, 195, 391-395.  | 1.1 | 6         |
| 32 | Motor sequence learning and pattern recognition in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2019, 208, 454-456.   | 1.1 | 5         |
| 33 | Secondary Sources of Negative Symptoms in Those Meeting Criteria for a Clinical High-Risk Syndrome. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 210-218.  | 1.0 | 5         |
| 34 | Transcranial direct current stimulation and emotion processing deficits in psychosis and depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 69-84.                       | 1.8 | 4         |
| 35 | Perceived stress influences anhedonia and social functioning in a community sample enriched for psychosis-risk. <i>Journal of Psychiatric Research</i> , 2021, 135, 96-103.                                     | 1.5 | 3         |
| 36 | Genuine and non-genuine smiles in individuals meeting criteria for a clinical high-risk syndrome. <i>Microbial Biotechnology</i> , 2021, , .  | 0.9 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Alterations in Emotional Diversity Correspond With Increased Severity of Attenuated Positive and Negative Symptoms in the Clinical High-Risk Syndrome. <i>Frontiers in Psychiatry</i> , 2021, 12, 755027. | 1.3 | 2         |
| 38 | Clues from caregiver emotional language usage highlight the link between putative social environment and the psychosis-risk syndrome. <i>Schizophrenia Research</i> , 2022, , .                           | 1.1 | 2         |
| 39 | Postural Control and Verbal and Visual Working Memory Correlates in Nonclinical Psychosis. <i>Neuropsychobiology</i> , 2020, 79, 293-300.   | 0.9 | 1         |
| 40 | Psychotic Disorders and Risk-States in Adolescence: Etiology, Developmental Considerations, and Treatment. , 2021, , .  |     | 0         |
| 41 | Responses to positive affect and unique resting-state connectivity in individuals at clinical high-risk for psychosis. <i>NeuroImage: Clinical</i> , 2022, 33, 102946.                                    | 1.4 | 0         |