

# Miriam Gerstenberg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7258646/miriam-gerstenberg-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

558  
citations

11  
h-index

23  
g-index

23  
ext. papers

715  
ext. citations

4.2  
avg, IF

3.92  
L-index

#	Paper	IF	Citations
23	Oxidative stress and antioxidant parameters in patients with major depressive disorder compared to healthy controls before and after antidepressant treatment: results from a meta-analysis. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, 1658-67	4.6	113
22	Aberrant coupling within and across the default mode, task-positive, and salience network in subjects at risk for psychosis. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1095-104	1.3	110
21	O1.1. ETRO: EVALUATION OF THE TREATMENT APPROACH ROBIN (STANDARDIZED MANUAL AND SMARTPHONE APP) FOR ADOLESCENTS WITH CLINICAL HIGH RISK FOR DEVELOPING A PSYCHOTIC DISORDER. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S1-S1	1.3	78
20	S33. ETRO - A PROSPECTIVE FOLLOW-UP STUDY OF THE COMBINED TREATMENT APPROACH ROBIN FOR ADOLESCENTS WITH HIGH RISK FOR DEVELOPING A PSYCHOTIC DISORDER: THERAPY MODULES ENHANCED BY A SMARTPHONE APPLICATION. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S336-S336	1.3	78
19	Developmental changes in sleep and their relationships to psychiatric illnesses. <i>Current Opinion in Psychiatry</i> , <b>2013</b> , 26, 572-9	4.9	34
18	Reduced sleep spindle density in early onset schizophrenia: a preliminary finding. <i>Schizophrenia Research</i> , <b>2015</b> , 166, 355-7	3.6	29
17	Increased frontal sleep slow wave activity in adolescents with major depression. <i>NeuroImage: Clinical</i> , <b>2016</b> , 10, 250-6	5.3	22
16	Frequency and correlates of DSM-5 attenuated psychosis syndrome in a sample of adolescent inpatients with nonpsychotic psychiatric disorders. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, e1449-58	4.6	18
15	A systematic meta-analysis of the association of Neuregulin 1 (NRG1), D-amino acid oxidase (DAO), and DAO activator (DAOA)/G72 polymorphisms with schizophrenia. <i>Journal of Neural Transmission</i> , <b>2018</b> , 125, 89-102	4.3	16
14	Prediction Analysis for Transition to Schizophrenia in Individuals at Clinical High Risk for Psychosis: The Relationship of , and Variants with Negative Symptoms and Cognitive Deficits. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 292	5	11
13	Bipolar Prodrome Symptom Scale - Abbreviated Screen for Patients: Description and validation. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 357-365	6.6	11
12	Reduced sleep spindle density in adolescent patients with early-onset schizophrenia compared to major depressive disorder and healthy controls. <i>Schizophrenia Research</i> , <b>2020</b> , 221, 20-28	3.6	8
11	Outcome of Youth with Early-Phase Schizophrenia-Spectrum Disorders and Psychosis Not Otherwise Specified Treated with Second-Generation Antipsychotics: 12 Week Results from a Prospective, Naturalistic Cohort Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2015</b> , 25, 535-47	2.9	6
10	Influence of demographic characteristics on attenuated positive psychotic symptoms in a young, help-seeking, at-risk population. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 53-56	3.3	6
9	Demographic and Clinical Characteristics, Including Subsyndromal Symptoms Across Bipolar-Spectrum Disorders in Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2020</b> , 30, 222-234	2.9	4
8	Evaluation of the Combined Treatment Approach "Robin" (Standardized Manual and Smartphone App) for Adolescents at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 384	5	4
7	Neuregulin 1 (NRG1) gene expression predicts functional outcomes in individuals at clinical high-risk for psychosis. <i>Psychiatry Research</i> , <b>2018</b> , 266, 143-146	9.9	3

6	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 568982	5	3
5	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 600	8.6	2
4	Media use and emotional distress under COVID-19 lockdown in a clinical sample referred for internalizing disorders: A Swiss adolescents' perspective.. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 147, 313-323	5.3	1
3	F30. SMARTPHONE APPLICATION ROBIN: FEASIBILITY, ENGAGEMENT AND SATISFACTION OF A SMARTPHONE APPLICATION APPROACH TO SUPPORT TREATMENT OF (ATTENUATED) PSYCHOTIC SYMPTOMS IN ADOLESCENTS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S230-S230	1.3	1
2	White matter microstructure and the clinical risk for psychosis: a diffusion tensor imaging study of individuals with basic symptoms and at ultra-high risk. <i>NeuroImage: Clinical</i> , <b>2022</b> , 103067	5.3	0
1	Rare copy number variants in individuals at clinical high risk for psychosis: Enrichment of synaptic/brain-related functional pathways. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2020</b> , 183, 140-151	3.5	