

# Hossein Ghanadzadeh Gilani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7259222/publications.pdf>

Version: 2024-02-01

67  
papers

1,278  
citations

304743

22  
h-index

434195

31  
g-index

67  
all docs

67  
docs citations

67  
times ranked

621  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficiency increase in hypercrosslinked polymer based on polystyrene in CO <sub>2</sub> adsorption process. <i>Polymer Bulletin</i> , 2022, 79, 3681-3702.	3.3	17
2	Kinetic, isotherm, thermodynamic, and adsorption capacity studies of magnetic <i>Spirulina</i> microalgae onto zinc ( $\text{Zn}^{2+}$ ). <i>Environmental Progress and Sustainable Energy</i> , 2022, 41, e13751.	2.3	1
3	Experimental Data and Thermodynamic Modeling of the Liquid-Liquid Equilibrium Ternary System (Water + Acetic Acid + 1-Octanol) at Several Temperatures. <i>Journal of Chemical &amp; Engineering Data</i> , 2022, 67, 404-415.	1.9	3
4	Ternary Liquid-Liquid Equilibrium for Phosphoric Acid Extraction from Aqueous Solutions with 1-Pentanol or Methyl Butyl Ketone at T = (298.2, 308.2, and 318.2) K. <i>Journal of Chemical &amp; Engineering Data</i> , 2021, 66, 2401-2411.	1.9	1
5	Characterization of hypercrosslinked polymer adsorbent based on carbazole to achieve higher CO <sub>2</sub> capture. <i>Environmental Progress and Sustainable Energy</i> , 2021, 40, e13586.	2.3	22
6	Extraction of formic acid from aqueous solution using polyethylene glycol /phosphate salt aqueous two-phase system. <i>Indian Chemical Engineer</i> , 2020, , 1-12.	1.5	1
7	CO <sub>2</sub> , N <sub>2</sub> , and H <sub>2</sub> Adsorption by Hyper-Cross-Linked Polymers and Their Selectivity Evaluation by Gas-Solid Equilibrium. <i>Journal of Chemical &amp; Engineering Data</i> , 2020, 65, 4905-4913.	1.9	41
8	Experimental Data and Thermodynamic Modeling of Liquid-Liquid Equilibrium for Valeric Acid Extraction from Aqueous Solutions with Methyl Ethyl Ketone and Methyl Isobutyl Ketone at Several Temperatures. <i>Journal of Chemical &amp; Engineering Data</i> , 2020, 65, 2422-2434.	1.9	5
9	Investigation of Eosin B Removal from Aqueous Solution Employing Combined Graphene Oxide Adsorption and Zinc Oxide Coagulation Processes. <i>Fibers and Polymers</i> , 2019, 20, 1411-1417.	2.1	8
10	Experimental Data of Citric Acid Extraction from Aqueous Solution with 1-Decanol by Using Liquid-Liquid Equilibrium. <i>Journal of Chemical &amp; Engineering Data</i> , 2018, 63, 3227-3236.	1.9	9
11	Liquid-liquid equilibria study of the (water+phosphoric acid+hexyl or cyclohexyl acetate) systems at T=(298.15, 308.15, and 318.15)K: Measurement and thermodynamic modelling. <i>Journal of Chemical Thermodynamics</i> , 2016, 98, 200-207.	2.0	35
12	Liquid Phase Equilibria of Aqueous Mixtures of Carboxylic Acids (C <sub>1</sub> -C <sub>4</sub> ) with Ethylbenzene: Thermodynamic and Mathematical Modeling. <i>Journal of Chemical &amp; Engineering Data</i> , 2016, 61, 3391-3397.	1.9	11
13	Extraction of Cu(II) ions from aqueous media using PEG/Sulphate salt aqueous two-phase system. <i>Separation Science and Technology</i> , 2016, 51, 601-608.	2.5	17
14	Liquid-liquid equilibrium data in aqueous solutions of propionic and butyric acids with 1-heptanol at T=(298.15, 308.15, and 318.15) K. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 1408-1415.	2.7	13
15	Experimental and correlational study of phase equilibria in aqueous mixtures of phosphoric acid with aromatic hydrocarbons at various temperatures. <i>Journal of Chemical Thermodynamics</i> , 2015, 91, 121-126.	2.0	13
16	Kinetic, isotherm, and thermodynamic investigations of uranium(VI) adsorption on synthesized ion-exchange chelating resin and prediction with an artificial neural network. <i>Desalination and Water Treatment</i> , 2015, 55, 1076-1087.	1.0	27
17	Preparation, characterization and analytical application of stannic molybdophosphate immobilized on multiwalled carbon nanotubes as a new adsorbent for the removal of strontium from wastewater. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014, 303, 2445.	1.5	0
18	Dielectric analysis of binary systems of primary diols with 1-hexanol and 1,4-dioxane at various temperatures. <i>Journal of Molecular Liquids</i> , 2014, 196, 270-279.	4.9	14

#	ARTICLE	IF	CITATIONS
19	Tie line data for the (water+butyric acid+n-butyl alcohol or amyl alcohol) at T=(298.2, 308.2, and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 Td 2014, 71, 103-111.	2.0	12
20	Experimental and Correlational Study of Phase Equilibria in Aqueous Solutions of Formic and Butyric Acids with Isoamyl Acetate and Methyl Isoamyl Ketone at $T = 298.15$ K. Journal of Chemical & Engineering Data, 2014, 59, 917-925.	1.9	14
21	Solubility and tie line data for the aqueous solutions of butyric acid with 1-octanol and 2-ethyl-1-hexanol at various temperatures. Fluid Phase Equilibria, 2014, 361, 45-53.	2.5	13
22	Adsorptive Removal of Thorium(IV) from Aqueous Solutions Using Synthesized Polyamidoxime Chelating Resin: Equilibrium, Kinetic, and Thermodynamic Studies. Journal of Dispersion Science and Technology, 2014, 35, 501-509.	2.4	22
23	Phase equilibrium data for aqueous solutions of formic acid with 2-ethyl-1-hexanol at T=(298.2, 308.2,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 Td	2.7	17
24	Ternary liquid-liquid equilibrium data for the (water+butyric acid+n-hexane or n-hexanol) systems at T=(298.2, 308.2, and 318.2)K. Journal of Chemical Thermodynamics, 2013, 60, 63-70.	2.0	30
25	Liquid-liquid equilibrium data for systems containing of formic acid, water, and primary normal alcohols at T=298.2K. Fluid Phase Equilibria, 2013, 354, 24-28.	2.5	20
26	Experimental study of phase equilibria in aqueous mixtures of phosphoric acid with isoamyl acetate and methyl isoamyl ketone at T=(298.2, 308.2, and 318.2)K. Fluid Phase Equilibria, 2013, 337, 32-38.	2.5	28
27	Tie-line data for the aqueous solutions of phenol with organic solvents at T=298.2K. Journal of Chemical Thermodynamics, 2013, 58, 142-148.	2.0	50
28	(Liquid+liquid) equilibria of aqueous solutions of butyric acid with n-heptane and toluene at T=(298.2,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td	2.6	26
29	Tie-line data for water-formic acid-1-decanol ternary system at T=298.2, 303.2, 313.2, and 323.2K. Thermochimica Acta, 2012, 547, 141-145.	2.7	18
30	Experimental determination and correlation of tie line data for the system (water+butyric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td	2.5	17
31	A thermodynamic study of solute-solvent interactions through dielectric properties of the mixtures consisting of 1,4-butanediol, 1-octanol, and 1,4-dioxane at different temperatures. Journal of Chemical Thermodynamics, 2012, 55, 203-212.	2.0	49
32	Tie-line data for aqueous mixtures of butyric acid with isobutyl acetate at various temperatures. Korean Journal of Chemical Engineering, 2012, 29, 1615-1621.	2.7	3
33	Liquid phase equilibria of the system (water+phosphoric acid+1-octanol) at T=(298.2, 308.2, and 318.2)K. Fluid Phase Equilibria, 2012, 316, 109-116.	2.5	32
34	Mathematical model of liquid-liquid equilibrium for a ternary system using the GMDH-type neural network and genetic algorithm. Applied Mathematical Modelling, 2012, 36, 4096-4105.	4.2	47
35	Binodal curves and tie line data of the water-propionic acid-iso-butyl acetate at T=(298.2, 308.2, 318.2,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 Td	2.7	9
36	Dielectric data of binary mixtures of 1,2-butanediol with 2-ethyl-1-hexanol and 1,4-dioxane at T=(298.2,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td	2.0	32

#	ARTICLE	IF	CITATIONS
37	Measurement and correlation of phase equilibrium data of the mixtures consisting of butyric acid, water, cyclohexanone at different temperatures. <i>Journal of Chemical Thermodynamics</i> , 2012, 47, 288-294.	2.0	30
38	Ternary equilibrium data of mixtures consisting of 2-butanol, water, and heavy alcohols at T=298.2K. <i>Journal of Chemical Thermodynamics</i> , 2012, 49, 39-45.	2.0	18
39	(Liquid+liquid) equilibrium data of (water+phosphoric acid+solvents) systems at T=(308.2 and 318.2)K. <i>Journal of Chemical Thermodynamics</i> , 2012, 53, 52-59.	2.0	36
40	Liquid-Liquid Equilibrium Calculation for Ternary Aqueous Mixtures of Ethanol and Acetic Acid with 2-Ethyl-1-hexanol Using the GMDH-Type Neural Network. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 10158-10167.	3.7	2
41	Experimental and correlated tie-line data for aqueous mixtures of 2-butanol with 2-ethyl-1-hexanol at various temperatures. <i>Fluid Phase Equilibria</i> , 2011, 310, 192-197.	2.5	9
42	Phase diagrams for the aqueous solutions of butyric acid with cyclohexane at different temperatures: Experimental and correlated data. <i>Thermochimica Acta</i> , 2011, 523, 154-160.	2.7	17
43	Phase equilibria in ternary aqueous mixtures of 1,3-butanediol with 2-ethyl-1-hexanol at T=(298.2, 303.2) K. <i>Journal of Chemical Thermodynamics</i> , 2011, 43, 1078-1084.	2.5	14
44	(Liquid+liquid) equilibria in ternary aqueous mixtures of phosphoric acid with organic solvents at T=298.2K. <i>Journal of Chemical Thermodynamics</i> , 2010, 42, 695-699.	2.0	27
45	Estimation of VLE of binary systems (tert-butanol+2-ethyl-1-hexanol) and (n-butanol+2-ethyl-1-hexanol) using GMDH-type neural network. <i>Journal of Chemical Thermodynamics</i> , 2010, 42, 1352-1355.	2.0	32
46	(Liquid+liquid) equilibria for ternary mixtures of (water+propionic acid+organic solvent) at T=303.2K. <i>Journal of Chemical Thermodynamics</i> , 2010, 42, 267-273.	2.0	14
47	Dielectric properties of binary mixtures of three butanediols with 1,4-dioxane and 2-ethyl-1-hexanol at T=298.2K. <i>Journal of Chemical Thermodynamics</i> , 2010, 42, 967-972.	2.0	41
48	Experimental and Theoretical Study of the Phase Equilibria in Ternary Aqueous Mixtures of 1,4-Butanediol with Alcohols at 298.2 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2009, 54, 1009-1014.	1.9	16
49	Measurement and prediction of tie-line data for mixtures of (water+1-propanol+diisopropyl ether): LLE diagrams as a function of temperature. <i>Fluid Phase Equilibria</i> , 2009, 277, 126-130.	2.5	11
50	Estimation of Liquid-Liquid Equilibrium for a Quaternary System Using the GMDH Algorithm. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 2129-2134.	3.7	20
51	Liquid phase equilibria of (water+phosphoric acid+1-butanol or butyl acetate) ternary systems at T=308.2K. <i>Journal of Chemical Thermodynamics</i> , 2008, 40, 1666-1670.	2.0	33
52	(Liquid+liquid) equilibria of (water+propionic acid+2-ethyl-1-hexanol): Experimental data and correlation. <i>Journal of Chemical Thermodynamics</i> , 2008, 40, 879-884.	2.0	35
53	Estimation of (vapour+liquid) equilibrium of binary systems (tert-butanol+2-ethyl-1-hexanol) and (n-butanol+2-ethyl-1-hexanol) using an artificial neural network. <i>Journal of Chemical Thermodynamics</i> , 2008, 40, 1152-1156.	2.0	15
54	Dielectric study and molecular interaction of halogenated compounds in non-polar solvent at different temperatures. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
55	Liquid-liquid equilibrium data for water+ethanol+trans-decalin: Measurement and predication. Fluid Phase Equilibria, 2006, 243, 45-50.	2.5	14
56	Effect of poly-HEMA hydrophilic gel environment on the photo-physical behavior of rhodamine dyes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 61, 659-663.	3.9	14
57	Dielectric study of molecular association in the binary mixtures (2-ethyl-1-hexanol+alcohol) and (cyclohexane+alcohol) at 298.2 K. Journal of Chemical Thermodynamics, 2005, 37, 357-362.	2.0	37
58	Isobaric vapor-liquid phase equilibria for the binary systems of tert-butanol+2-ethyl-1-hexanol and n-butanol+2-ethyl-1-hexanol. Fluid Phase Equilibria, 2005, 233, 123-128.	2.5	4
59	Comments concerning $\alpha$ -(liquid+liquid) phase behavior for systems containing (aromatic+TBA+methylcyclohexane). Journal of Chemical Thermodynamics, 2005, 37, 389-391.	2.0	1
60	LLE of ternary mixtures of water/acetone/2-ethyl-1-hexanol at different temperatures. Fluid Phase Equilibria, 2004, 219, 165-169.	2.5	10
61	(Liquid+liquid) phase behavior for systems containing (aromatic+TBA+methylcyclohexane). Journal of Chemical Thermodynamics, 2004, 36, 161-165.	2.0	4
62	(Liquid+liquid) equilibria for (water+acetic acid+2-ethyl-1-hexanol): experimental data and prediction. Journal of Chemical Thermodynamics, 2004, 36, 1001-1006.	2.0	50
63	Liquid-Liquid Equilibria of Water + 1-Butanol + 2-Ethyl-1-hexanol System. Journal of Chemical & Engineering Data, 2004, 49, 783-786.	1.9	20
64	(Liquid+liquid) equilibria in (water+ethanol+2-ethyl-1-hexanol) at T=(298.2, 303.2, 308.2, and 313.2) K. Journal of Chemical Thermodynamics, 2003, 35, 1393-1401.	2.0	23
65	Liquid-liquid phase equilibria of the ternary system of water/TBA/2-ethyl-1-hexanol. Fluid Phase Equilibria, 2002, 202, 337-344.	2.5	20
66	Volume and polarisability anisotropy of hexoxy and heptoxy cyanobiphenyl liquid crystals and the eutectic mixture of E607. Journal of Molecular Liquids, 2001, 94, 37-49.	4.9	13
67	On the molecular structure and aggregative properties of Sudan dyes in the anisotropic host. Journal of Molecular Liquids, 2000, 88, 299-308.	4.9	30