

Jan Svihra

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7259540/jan-svihra-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

438
citations

11
h-index

20
g-index

44
ext. papers

547
ext. citations

2.4
avg, IF

4.03
L-index

#	Paper	IF	Citations
27	Costs analysis of the treatment of imported malaria. <i>Malaria Journal</i> , 2012 , 11, 1	3.6	93
26	Quality of life of women with urinary incontinence: cross-cultural performance of 15 language versions of the I-QOL. <i>Quality of Life Research</i> , 2005 , 14, 1901-13	3.7	79
25	Efficacy and safety of onabotulinumtoxinA therapy are sustained over 4 years of treatment in patients with neurogenic detrusor overactivity: Final results of a long-term extension study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 368-375	2.3	47
24	BPOCU scaled polynomial constant unit activation function. <i>Neural Computing and Applications</i> , 2021 , 33, 3385-3401	4.8	42
23	Successful embolization of a renal artery pseudoaneurysm with arteriovenous fistula and extravasations using Onyx after partial nephrectomy for renal cell carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2009 , 32, 163-5	2.7	31
22	Disability-adjusted life years (DALYs) in general population with pelvic organ prolapse: a study based on the prolapse quality-of-life questionnaire (P-QOL). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 182, 22-6	2.4	19
21	Prevalence of Urinary Incontinence in Females Performing High-Impact Exercises. <i>International Journal of Sports Medicine</i> , 2017 , 38, 210-216	3.6	18
20	Validation of the Slovakian version of the P-QOL questionnaire. <i>International Urogynecology Journal</i> , 2010 , 21, 53-61	2	15
19	The impact of physical activity measured by the International Physical Activity questionnaire on the prevalence of stress urinary incontinence in young women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 228, 308-312	2.4	12
18	Prevalence and risk of sport types to stress urinary incontinence in sportswomen: A cross-sectional study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1957-1964	2.3	11
17	Gender-specific external barriers to seeking care for urinary incontinence. <i>Patient Preference and Adherence</i> , 2012 , 6, 773-9	2.4	9
16	Impact of clean intermittent catheterization on quality adjusted life years (QALYs) in spinal cord injury patients with neurogenic urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018 , 37, 250-256	2.3	7
15	Acceptance of COVID-19 Vaccination among Healthcare and Non-Healthcare Workers of Hospitals and Outpatient Clinics in the Northern Region of Slovakia. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	7
14	ICS teaching module: Analysis of voiding, pressure flow analysis (basic module). <i>Neurourology and Urodynamics</i> , 2016 , 35, 36-8	2.3	6
13	Evaluation of duloxetine and innovative pelvic floor muscle training in women with stress urinary incontinence (DULOXING): Study protocol clinical trial (SPIRIT Compliant). <i>Medicine (United States)</i> , 2020 , 99, e18834	1.8	5
12	Effect of an exercise programme for reducing abdominal fat on overactive bladder symptoms in young overweight women. <i>International Urogynecology Journal</i> , 2020 , 31, 895-902	2	5
11	The impact of different intensities of exercise on body weight reduction and overactive bladder symptoms- randomised trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 242, 144-149	2.4	3

10	Comparison of body composition and overactive bladder symptoms in overweight female university students. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 237, 18-22 ⁴	2.4	2
9	The Relationship between Overweight and Overactive Bladder Symptoms. <i>Obesity Facts</i> , 2020 , 13, 297-306	3.6	2
8	Involvement of calcium regulating ion channels in contractility of human isolated urinary bladder. <i>General Physiology and Biophysics</i> , 2018 , 37, 391-398	2.1	2
7	A randomized interventional parallel study to evaluate the effect of pelvic floor muscle training with stabilization exercises of high and low intensity in women with stress urinary incontinence: The PELSTAB study. <i>Medicine (United States)</i> , 2020 , 99, e21264	1.8	2
6	Cranberry in the prophylaxis of urinary tract infections in patients with multiple sclerosis and intermittent catheterization. A pilot placebo-controlled trial. <i>Urologie Pro Praxi</i> , 2017 , 18, 77-80	0.1	1
5	A randomized, intervention parallel multicentre study to evaluate duloxetine and innovative pelvic floor muscle training in women with uncomplicated stress urinary incontinence-the DULOXING study. <i>International Urogynecology Journal</i> , 2021 , 32, 193-201	2	1
4	Influence of sports groups on the risk of stress urinary incontinence in sportswomen. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 264, 374-379	2.4	0
3	Impact of innovative pelvic floor muscle training on quality-adjusted life years (QALYs) in women with stress urinary incontinence treated by duloxetine. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 264, 25-30	2.4	0
2	Pelvic floor muscle training, the risk of falls and urgency urinary incontinence in older women. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021 , 1	2.7	
1	Authors' response: Re: Rosier PFWM, Kirschner-Hermanns R, Svihra J, Homma Y, Wein AJ. ICS teaching module: Analysis of voiding, pressure flow analysis (basic module). <i>Neurourol Urodyn</i> . 2014 Sep 11. doi: 10.1002/nau.22660. <i>Neurourology and Urodynamics</i> , 2016 , 35, 542-3	2.3	