

Katarzyna Czerwińska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7261415/publications.pdf>

Version: 2024-02-01

100
papers

1,529
citations

304602

22
h-index

434063

31
g-index

100
all docs

100
docs citations

100
times ranked

1395
citing authors

#	ARTICLE	IF	CITATIONS
1	Carbazole effect on ground- and excited-state properties of rhenium(<i>III</i>) carbonyl complexes with extended <i>terpy</i> -like ligands. Dalton Transactions, 2021, 50, 3943-3958.	1.6	11
2	Square planar Au(III), Pt(II) and Cu(II) complexes with quinoline-substituted 2,2',6',2''-terpyridine ligands: From <i>in vitro</i> to <i>in vivo</i> biological properties. European Journal of Medicinal Chemistry, 2021, 218, 113404.	2.6	32
3	Ground- and excited-state properties of Re(I) carbonyl complexes – Effect of triimine ligand core and appended heteroaromatic groups. Dyes and Pigments, 2021, 192, 109472.	2.0	7
4	Vanadium(IV) Complexes with Methyl-Substituted 8-Hydroxyquinolines: Catalytic Potential in the Oxidation of Hydrocarbons and Alcohols with Peroxides and Biological Activity. Molecules, 2021, 26, 6364.	1.7	4
5	Towards better understanding of the photophysics of platinum(<i>II</i>) coordination compounds with anthracene- and pyrene-substituted 2,6-bis(thiazol-2-yl)pyridines. Dalton Transactions, 2020, 49, 13440-13448.	1.6	5
6	Platinum(II) coordination compound with 4'-[4-(dimethylamino)phenyl]-2,2',6',2''-terpyridine – The new insight into the luminescence behavior and substituent effect. Polyhedron, 2020, 182, 114502.	1.0	4
7	<i>In vitro</i> antiproliferative effect of vanadium complexes bearing 8-hydroxyquinoline-based ligands – the substituent effect. Dalton Transactions, 2020, 49, 6596-6606.	1.6	22
8	Platinum(<i>II</i>) complexes showing high cytotoxicity toward A2780 ovarian carcinoma cells. Dalton Transactions, 2019, 48, 13081-13093.	1.6	19
9	Copper(<i>II</i>) complexes with 2,2',6',2''-terpyridine, 2,6-di(thiazol-2-yl)pyridine and 2,6-di(pyrazin-2-yl)pyridine substituted with quinolines. Synthesis, structure, antiproliferative activity, and catalytic activity in the oxidation of alkanes and alcohols with peroxides. Dalton Transactions, 2019, 48, 12656-12673.	1.6	44
10	Experimental and theoretical insights into spectroscopy and electrochemistry of Re(I) carbonyl with oxazoline-based ligand. Polyhedron, 2019, 171, 551-558.	1.0	8
11	Influence of the pyrazine substituent on the structure and magnetic properties of dicyanamide-bridged cobalt(<i>II</i>) complexes. Dalton Transactions, 2019, 48, 17266-17280.	1.6	14
12	Platinum(II) coordination compounds with 4'-pyridyl functionalized 2,2',6',2''-terpyridines as an alternative to enhanced chemotherapy efficacy and reduced side-effects. Journal of Inorganic Biochemistry, 2019, 201, 110809.	1.5	12
13	Aryl substituted 2,6-di(thiazol-2-yl)pyridines – excited-state characterization and potential for OLEDs. Dyes and Pigments, 2019, 169, 89-104.	2.0	12
14	Cyclometalated alkynylgold(III) complexes of 2-phenylpyridine and 2-(<i>p</i> -tolyl)-pyridine – Synthesis, photophysical and electroluminescence properties. Journal of Luminescence, 2018, 198, 251-259.	1.5	2
15	Spectroscopy, electrochemistry and antiproliferative properties of Au(<i>III</i>), Pt(<i>II</i>) and Cu(<i>II</i>) complexes bearing modified 2,2',6',2''-terpyridine ligands. Dalton Transactions, 2018, 47, 6444-6463.		37
16	High Catalytic Activity of Vanadium Complexes in Alkane Oxidations with Hydrogen Peroxide: An Effect of 8-Hydroxyquinoline Derivatives as Noninnocent Ligands. Inorganic Chemistry, 2018, 57, 1824-1839.	1.9	51
17	Synthesis, structures and catalytic activity of <i>p</i> -tolylimido rhenium(V) complexes incorporating quinoline-derived ligands. Inorganica Chimica Acta, 2017, 455, 683-695.	1.2	12
18	Chloride Platinum(II) Coordination Compounds with 4'-Substituted Terpyridine Ligands as Donor-Acceptor-Donor Systems – Structural, Electrochemical and Luminescence Studies.. ChemistrySelect, 2017, 2, 1071-1078.	0.7	2

#	ARTICLE	IF	CITATIONS
19	Cytotoxic gold(III) complexes incorporating a 2,2':6',2''-terpyridine ligand framework – the impact of the substituent in the 4'-position of a terpy ring. Dalton Transactions, 2017, 46, 3381-3392.	1.6	30
20	Copper(II) complexes of functionalized 2,2':6',2''-terpyridines and 2,6-di(thiazol-2-yl)pyridine: structure, spectroscopy, cytotoxicity and catalytic activity. Dalton Transactions, 2017, 46, 9591-9604.	1.6	69
21	Synthesis, spectroscopic, electrochemical and computational studies of rhenium(I) tricarbonyl complexes based on bidentate-coordinated 2,6-di(thiazol-2-yl)pyridine derivatives. Dalton Transactions, 2017, 46, 9605-9620.	1.6	26
22	Synthesis, structural diversity and luminescent properties of cadmium(II) coordination assemblies with 2-(2-aminophenyl)-1H-benzimidazole and pseudohalide ions. Journal of Luminescence, 2017, 181, 103-113.	1.5	11
23	Tuning the photophysical properties of 4'-substituted terpyridines – an experimental and theoretical study. Organic and Biomolecular Chemistry, 2016, 14, 3793-3808.	1.5	46
24	Thiocyanate copper complexes with pyrazole-derived ligands – synthesis, crystal structures, DFT calculations and magnetic properties. CrystEngComm, 2016, 18, 9042-9055.	1.3	20
25	Solid-state and solution photoluminescence of platinum(II) complexes with 4'-substituted terpyridine ligands – structural, spectroscopic and electrochemical studies. CrystEngComm, 2016, 18, 5528-5536.	1.3	14
26	Novel Re(I) tricarbonyl coordination compound of 5-amino-1,10-phenanthroline – Synthesis, structural, photophysical and computational studies. Journal of Luminescence, 2016, 171, 166-175.	1.5	12
27	Exploration of Cd(II)/pseudohalide/di-2-pyridyl ketone chemistry – rational synthesis, structural analysis and photoluminescence. CrystEngComm, 2016, 18, 2650-2663.	1.3	14
28	Synthesis, crystal structure and magnetic properties of the complex [ReCl ₃ (tppz)]·MeCN. RSC Advances, 2015, 5, 101616-101622.	1.7	5
29	New p-tolylimido rhenium(V) complexes with carboxylate-based ligands: synthesis, structures and their catalytic potential in oxidations with peroxides. Dalton Transactions, 2014, 43, 5759-5776.	1.6	24
30	A density functional study of oxorhenium(V) complexes incorporating quinoline or isoquinoline carboxylic acids: structural, spectroscopic, and electronic properties. Structural Chemistry, 2014, 25, 1607-1623.	1.0	4
31	Synthesis, spectroscopic characterization, X-ray structure, and DFT calculations of [Cu(tppz)(SCN) ₂]. Structural Chemistry, 2013, 24, 89-96.	1.0	16
32	Structural diversity and magnetic properties of thiocyanate copper(II) complexes. Polyhedron, 2013, 52, 1276-1286.	1.0	53
33	Syntheses, structures, thermal and luminescent properties of cadmium(II) complexes based on quinazoline and phthalazine. Polyhedron, 2013, 54, 272-284.	1.0	29
34	N- and S-bonded thiocyanate copper(II) complexes of 2,6-bis-(benzimidazolyl)pyridine – Synthesis, spectroscopic characterization, X-ray structure and DFT calculations. Polyhedron, 2012, 45, 221-228.	1.0	35
35	Novel rhenium(V) complexes of 8-hydroxyquinoline derivatives – Synthesis, spectroscopic characterization, X-ray structure and DFT calculations. Polyhedron, 2012, 33, 388-395.	1.0	12
36	X-ray studies, spectroscopic characterisation and DFT calculations for Mn(II), Ni(II) and Cu(II) complexes with 5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine. Structural Chemistry, 2011, 22, 77-87.	1.0	23

#	ARTICLE	IF	CITATIONS
37	Rhenium(V) oxocomplexes incorporating 2-(2H-benzotriazol-2-yl)-4,6-di-tert-pentylphenolate ligand: X-ray studies, spectroscopic characterization and DFT calculations. <i>Structural Chemistry</i> , 2011, 22, 765-774.	1.0	5
38	Cu(II), Ni(II), and Hg(II) thiocyanate complexes incorporating 4,5-diazafluoren-9-one: synthesis, spectroscopic characterization, X-ray studies, and magnetic properties. <i>Structural Chemistry</i> , 2011, 22, 1053-1064.	1.0	10
39	Novel p-tolylimido rhenium(V) complexes incorporating quinoline-2-carboxylate ion " Synthesis, X-ray studies, spectroscopic characterization and DFT calculations. <i>Inorganica Chimica Acta</i> , 2011, 370, 7-17.	1.2	10
40	Novel oxorhenium complex of 4,5-diaza-fluoren-9-one-synthesis, spectroscopic characterization, X-Ray structure and DFT calculations. <i>Inorganic Chemistry Communication</i> , 2011, 14, 17-21.	1.8	2
41	Novel oxorhenium complex of 2-(2-pyridyl)-4-methylthiazole-5-carboxylic acid " Synthesis, spectroscopic characterization, X-ray structure and DFT calculations. <i>Journal of Molecular Structure</i> , 2011, 994, 256-262.	1.8	2
42	Rhenium(I) carbonyl complex of 4,7-diphenyl-1,10-phenanthroline" Spectroscopic properties, X-Ray structure, theoretical studies of ground and excited electronic states. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 3068-3075.	0.8	19
43	Synthesis, X-ray studies, spectroscopic characterization and DFT calculations of p-tolylimido rhenium(V) complexes bearing an imidazole-based ligand. <i>Polyhedron</i> , 2011, 30, 142-153.	1.0	15
44	Novel copper complexes based on the thiocyanate bridge " Synthesis, X-ray studies and magnetic properties. <i>Polyhedron</i> , 2011, 30, 832-840.	1.0	34
45	Synthesis, X-ray studies, spectroscopic investigation, and DFT calculations of [ReBr ₃ (dppt)(OPPh ₃)]. <i>Structural Chemistry</i> , 2010, 21, 761-769.	1.0	10
46	p-Tolylimido rhenium(V) complexes " Synthesis, X-ray studies, spectroscopic characterization and DFT calculations. <i>Polyhedron</i> , 2010, 29, 2381-2392.	1.0	8
47	Novel rhenium(II) complex of 2,3,5,6-tetra(2-pyridyl)pyrazine " Synthesis, X-ray studies, spectroscopic characterization and DFT calculations. <i>Inorganic Chemistry Communication</i> , 2010, 13, 904-908.	1.8	5
48	Synthesis, spectroscopic characterization, X-ray structure, and DFT calculations of [ReOBr ₂ (hmquin-7-COOH)(AsPh ₃)]. <i>Structural Chemistry</i> , 2009, 20, 361-368.	1.0	4
49	Synthesis, spectroscopic characterization, X-ray structure and DFT calculations of [ReOCl ₂ (8-Sqn)(OPPh ₃)]. <i>Structural Chemistry</i> , 2009, 20, 911-918.	1.0	1
50	Synthesis, spectroscopic characterization, crystal and molecular structure of [ReOBr(hmquin-7-COOH) ₂] and [ReOCl(hmquin-7-COOH) ₂].MeCN complexes. DFT and TD-DFT calculations for [ReOBr(hmquin-7-COOH) ₂]. <i>Polyhedron</i> , 2009, 28, 493-500.	1.0	15
51	Novel oxorhenium complexes with 2-(2-hydroxy-5-methylphenyl)benzotriazolato ligand. X-ray studies, spectroscopic characterization and DFT calculations. <i>Polyhedron</i> , 2009, 28, 1211-1220.	1.0	15
52	Reactivity of [ReOX ₃ (PPh ₃) ₂] and [ReOX ₃ (AsPh ₃) ₂] towards 2-(2-hydroxyphenyl)-1H-benzimidazole: Synthesis, X-ray studies, spectroscopic characterization and DFT calculations for [ReOX ₂ (hpb)(EPh ₃)] and [ReO(OMe)(hpb) ₂].MeCN. <i>Polyhedron</i> , 2009, 28, 2949-2964.	1.0	23
53	Synthesis, spectroscopic characterisation, crystal and molecular structure of [ReOBr(quin-2-c) ₂] and [ReOCl(quin-2-c) ₂] complexes: DFT and TD-DFT calculations for [ReOBr(quin-2-c) ₂]. <i>Polyhedron</i> , 2008, 27, 187-195.	1.0	17
54	Reactivity of oxorhenium(V) complexes towards 8-hydroxyquinoline-2-carboxylic acid: X-ray structure of [ReOCl ₂ (hquin-2-COOH)(AsPh ₃)].MeCN and [ReOCl ₂ (hquin-2-COOH)(PPh ₃)].MeCN complexes. DFT and TDDFT calculations for [ReOCl ₂ (hquin-2-COOH)(AsPh ₃)]. <i>Polyhedron</i> , 2008, 27, 366-374.	1.0	13

#	ARTICLE	IF	CITATIONS
55	Novel dioxorhenium complex with bis(3,5-dimethylpyrazol-1-yl)methane ligand – Synthesis, spectroscopic characterization, X-ray structure and DFT calculations. <i>Polyhedron</i> , 2008, 27, 797-804.	1.0	8
56	Oxorhenium(V) complexes with 2-(1-H-pyrazol-3-yl)phenolato ligand. X-ray structures of [ReOCl ₂ (C ₉ H ₇ N ₂ O)(PPh ₃)]·MeCN and [ReOX ₂ (C ₉ H ₇ N ₂ O)(AsPh ₃)]·MeCN (X=Cl, Br) complexes. DFT and TD-DFT calculations for [ReOCl ₂ (C ₉ H ₇ N ₂ O)(PPh ₃)]. <i>Polyhedron</i> , 2008, 27, 923-932.	1.0	12
57	Reactivity of oxorhenium(V) complexes towards quinoline carboxylic acids. X-ray structure of [ReOCl ₂ (hquin-7-COOH)(PPh ₃)]·OPPh ₃ , [ReOBr ₂ (hquin-7-COOH)(PPh ₃)] and [ReOX ₂ (hmquin-7-COOH)(PPh ₃)]. DFT and TD-DFT calculations for [ReOCl ₂ (hquin-7-COOH)(PPh ₃)]. <i>Polyhedron</i> , 2008, 27, 1121-1130.	1.0	16
58	Synthesis, spectroscopic characterization, crystal and molecular structure of [ReOX ₂ (bopyH)(PPh ₃)] complexes: DFT calculations for [ReOCl ₂ (bopyH)(PPh ₃)]. <i>Polyhedron</i> , 2008, 27, 1262-1269.	1.0	11
59	Novel oxorhenium complexes with 2-(2-hydroxyphenyl)-2-benzothiazolinato ligand: X-ray studies, spectroscopic characterization and DFT calculations. <i>Polyhedron</i> , 2008, 27, 1679-1689.	1.0	35
60	Seven-coordinate rhenium(III) complexes of 1-(2-pyridylazo)-2-naphtholate: X-ray studies, spectroscopic characterization and DFT calculations. <i>Polyhedron</i> , 2008, 27, 3013-3019.	1.0	14
61	Crystal, molecular and electronic structure of [ReCl ₂ (1,2-N ₂ COPh ²⁺ ,O)(PPh ₃) ₂]. <i>Journal of Coordination Chemistry</i> , 2008, 61, 1066-1077.	0.8	4
62	A novel oxo-bridged rhenium complex with Re centers in different coordination environments – Synthesis, spectroscopic characterization and X-ray structure. <i>Inorganic Chemistry Communication</i> , 2007, 10, 494-497.	1.8	5
63	An unusual oxo-bridged rhenium complex with the Re centers in different coordination environments. <i>Polyhedron</i> , 2007, 26, 1259-1268.	1.0	4
64	X-ray structure, spectroscopic characterisation and DFT calculations of the [Re(CO) ₃ (dppt)Cl] complex. <i>Polyhedron</i> , 2007, 26, 1590-1596.	1.0	15
65	A novel tricarbonyl rhenium complex of 2,6-bis(pyrazo-1-yl)-pyridine – X-ray structure, spectroscopic characterization and DFT calculations. <i>Polyhedron</i> , 2007, 26, 2470-2476.	1.0	10
66	Synthesis, crystal, molecular, and electronic structure of [ReOCl ₃ (bpzm)] complex. <i>Polyhedron</i> , 2007, 26, 2581-2588.	1.0	11
67	Oxorhenium complexes with the 8-quinolinolato ligand. X-ray structure and DFT calculations for [ReOX ₂ (hqn)(AsPh ₃)] and [ReOX ₂ (hqn)(PPh ₃)] complexes. <i>Polyhedron</i> , 2007, 26, 2837-2844.	1.0	13
68	New oxorhenium complexes with the 8-quinolinolato ligand: X-ray structure and DFT calculations for [ReOBr(hqn) ₂]. <i>Polyhedron</i> , 2007, 26, 2957-2963.	1.0	12
69	Reactivity of [ReOX ₃ (PPh ₃) ₂] complexes towards pyridazine. X-ray structures of [{ReOCl ₂ } ₂ (1/4-O)(1/4-pyd) ₂]·C ₆ H ₆ and [{ReOBr ₂ } ₂ (1/4-O)(1/4-pyd) ₂]·CH ₃ CN, and DFT calculations for [{ReOCl ₂ } ₂ (1/4-O)(1/4-pyd) ₂]. <i>Polyhedron</i> , 2007, 26, 3054-3062.	1.0	8
70	X-ray structure, spectroscopic characterisation and DFT calculations of the [Re(CO) ₃ (2,2-biquinoline)Cl] complex. <i>Polyhedron</i> , 2007, 26, 3336-3342.	1.0	5
71	New oxorhenium complexes with 2-(2-hydroxyphenyl)-2-benzoxazolinato ligand. X-ray structure and DFT calculations for [ReOX ₂ (hbo)(AsPh ₃)] and [ReOX ₂ (hbo)(PPh ₃)] complexes. <i>Polyhedron</i> , 2007, 26, 3455-3464.	1.0	13
72	Oxorhenium(V) complexes with quinoline-2-carboxylate ligand. X-ray structure of [ReOCl ₂ (quin-2-c)(PPh ₃)] and [ReOBr ₂ (quin-2-c)(AsPh ₃)] complexes: DFT and TD-DFT calculations for [ReOCl ₂ (quin-2-c)(PPh ₃)]. <i>Polyhedron</i> , 2007, 26, 3686-3694.	1.0	30

#	ARTICLE	IF	CITATIONS
73	Novel rhenium(III) complexes with 5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine: X-ray structures and DFT calculations for [ReCl ₃ (OPPh ₃)(dppt)] and [ReCl ₃ (PPh ₃)(dppt)] complexes. <i>Polyhedron</i> , 2007, 26, 4427-4435.	1.0	11
74	A novel rhenium(III) complex with bis(pyrazol-1-yl)methane: X-ray structure and DFT calculations for [ReCl ₃ (bpzm)(PPh ₃)]. <i>Polyhedron</i> , 2007, 26, 4833-4840.	1.0	3
75	X-ray structure of [Re(NO) ₂ Br ₂ (PPh ₃) ₂] and DFT studies of [Re(NO) ₂ Br ₂ (PPh ₃) ₂]. <i>Journal of Coordination Chemistry</i> , 2006, 59, 445-456.	0.8	0
76	Synthesis, crystal, molecular and electronic structure of the [ReOCl ₂ (pzH) ₂ (OAsPh ₃)](ReO ₄) and [ReCl ₂ (pzH) ₂]($\frac{1}{4}$ -O) complexes. <i>Polyhedron</i> , 2006, 25, 1111-1124.	1.0	12
77	Synthesis, crystal, molecular and electronic structure of the [Re(NO)Cl ₂ (PPh ₃)(PPh ₂ py-P,N)] complex. <i>Polyhedron</i> , 2006, 25, 1985-1993.	1.0	21
78	Synthesis, crystal, molecular and electronic structure of [ReOCl ₃ (phen)] and [ReCl ₂ (phen)(PPh ₃) ₂](ReO ₄) complexes. <i>Polyhedron</i> , 2006, 25, 2537-2549.	1.0	16
79	Natural bond orbital analysis and density functional study of linear and bent oxo-bridged dimers of rhenium(V). <i>Computational and Theoretical Chemistry</i> , 2006, 766, 1-8.	1.5	7
80	The synthesis, spectroscopic characterisation, crystal and molecular structure of the [ReCl ₃ (NO)(OPPh ₃)(pyz)] complex. DFT calculations for [ReCl ₃ (NO)(OPPh ₃)(pyz)] and [ReCl ₃ (NO)(OPPh ₃)(PPh ₃)]. <i>Polyhedron</i> , 2005, 24, 267-279.	1.0	7
81	Reactions of [ReX ₅ (NO)] ²⁺ with triphenylstibine. Spectroscopic investigations of [ReX ₂ (NO)(SbPh ₃) ₃], X-ray structures of [ReCl ₂ (NO)(SbPh ₃) ₃] and [ReBr ₂ Cl(SbPh ₃) ₃] and DFT calculations for [ReCl ₂ (NO)(SbPh ₃) ₃]. <i>Polyhedron</i> , 2005, 24, 419-426.	1.0	4
82	Crystal, molecular and electronic structure of the [ReCl ₃ (bipy)(PPh ₃)] complex. <i>Polyhedron</i> , 2005, 24, 701-709.	1.0	11
83	Reactivity of [ReOX ₃ (PPh ₃) ₂] complexes towards 1,4-diaminobenzene: X-ray structure and DFT calculations of the [Re(4-NC ₆ H ₄ NH ₂)Cl ₃ (PPh ₃) ₂]. <i>Polyhedron</i> , 2005, 24, 1454-1460.	1.0	10
84	Synthesis, crystal, molecular and electronic structure of rhenium nitrosyl with pyrazole in the coordination sphere. <i>Inorganic Chemistry Communication</i> , 2005, 8, 960-965.	1.8	3
85	Structural and spectroscopic properties of dinuclear rhenium complexes containing (ReO)(μ -O) core. <i>Coordination Chemistry Reviews</i> , 2005, 249, 591-612.	9.5	34
86	Linear and bent oxo-bridged dinuclear rhenium(V) complexes with terminal and bridging pyrazole ligands. <i>Inorganica Chimica Acta</i> , 2004, 357, 1011-1022.	1.2	24
87	Synthesis, crystal, molecular and electronic structure of the [ReBr ₃ (NO)(AsPh ₃)(pzH)] complex. <i>Polyhedron</i> , 2004, 23, 2523-2531.	1.0	22
88	Synthesis, spectroscopic characterization, crystal and molecular structure of fac-[ReO ₃ Br(phen)]. <i>Journal of Coordination Chemistry</i> , 2004, 57, 1-7.	0.8	4
89	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 939-947.	0.7	14
90	Synthesis and spectroscopic investigation of the pyrazole complexes. The X-ray structure of [ReOBr ₃ (OAsPh ₃)(pzH)]. <i>Inorganic Chemistry Communication</i> , 2003, 6, 1436-1440.	1.8	6

#	ARTICLE	IF	CITATIONS
91	The synthesis, spectroscopic characterisation, crystal and molecular structure of two novel bent oxo-bridged dimers of rhenium(V) with 1¼-benzotriazolate ligands. <i>Polyhedron</i> , 2003, 22, 2869-2875.	1.0	10
92	The Synthesis, Crystal, Molecular and Electronic Structure of [ReCl ₂ (NO)(py) ₃]. <i>Journal of Coordination Chemistry</i> , 2003, 56, 417-425.	0.8	3
93	The Molecular and Electronic Structure of [ReOX ₃ (AsPh ₃)(OAsPh ₃)] Complexes (X = Cl, Br). <i>Journal of Coordination Chemistry</i> , 2002, 55, 1315-1325.	0.8	5
94	Reactivity of [ReOX ₃ (AsPh ₃) ₂] (X=Cl, Br) complexes towards gaseous nitric oxide.. <i>Polyhedron</i> , 2002, 21, 2617-2629.	1.0	15
95	THE SYNTHESIS, CRYSTAL, MOLECULAR AND ELECTRONIC STRUCTURES OF TRIBROMO(NITROSYL)BIS(TRIPHENYLPHOSPHINE OXIDE) RHENIUM(II) AND TRIBROMO(NITROSYL)BIS(TRIPHENYLPHOSPHINE)RHENIUM(I). <i>Journal of Coordination Chemistry</i> , 2001, 52, 361-373.	0.8	22
96	New synthetic routes to some nitrosyl rhenium complexes. Crystal, molecular and electronic structure of [ReCl ₃ (NO)(PPh ₃) ₂] and [ReCl ₂ (CO)(NO)(PPh ₃) ₂] complexes. <i>Polyhedron</i> , 1999, 18, 2313-2320.	1.0	21
97	THE SYNTHESIS, CRYSTAL, MOLECULAR AND ELECTRONIC STRUCTURE OF TRICHLORO(NITROSYL)BIS(TRIPHENYL-PHOSPHINE OXIDE)RHENIUM(II). <i>Journal of Coordination Chemistry</i> , 1999, 48, 125-135.	0.8	22
98	The crystal and electronic structure of the complex [ReCl ₄ (PPh ₃) ₂]. <i>Polyhedron</i> , 1996, 15, 2813-2817.	1.0	19
99	The X-ray crystal structure of [Re(NO)(Ph)Br ₃ (PPh ₃)] complex. <i>Polyhedron</i> , 1996, 15, 3713-3716.	1.0	19
100	Preparation and spectroscopic characterization of [Re(NO)2X2LL ₂] (X = Cl, Br, I; L ₂ = 2PPh ₃ , dppe). application of [Re(NO)2BBr2LL ₂] in oxidation of olefins. <i>Polyhedron</i> , 1995, 14, 555-561.	1.0	9