

# Hong Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7261870/publications.pdf>

Version: 2024-02-01

124  
papers

4,176  
citations

125106

35  
h-index

156644

58  
g-index

124  
all docs

124  
docs citations

124  
times ranked

5396  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multifunctional, Bioinspired, and Moisture Responsive Graphene Oxide/Tapioca Starch Nanocomposites. <i>Advanced Materials Technologies</i> , 2022, 7, 2100447.	3.0	10
2	Facile and low-cost preparation of Co and N co-doped hierarchical porous carbon as a functional separator for Li-S batteries. <i>Electrochimica Acta</i> , 2022, 401, 139380.	2.6	11
3	Fe-Substituted Pt/HZSM-48 for Superior Selectivity of $C_{12}$ in n-Dodecane Hydroisomerization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2022, 61, 1056-1065.	1.8	14
4	On the $\frac{1}{4}$ ders band formation and propagation in NiTi shape memory alloys. <i>Journal of Materials Science and Technology</i> , 2022, 116, 22-29.	5.6	20
5	Shear strain evolution during tension-induced $\frac{1}{4}$ ders-type deformation of polycrystalline NiTi plates. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 839, 142774.	2.6	8
6	Effect of laser scanning speed on the microstructure, phase transformation and mechanical property of NiTi alloys fabricated by LPBF. <i>Materials and Design</i> , 2022, 215, 110460.	3.3	30
7	Multistimulus-Responsive Graphene Oxide/ $Fe_3O_4$ /Starch Soft Actuators. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 16772-16779.	4.0	18
8	Bulky macroporous titanium silicalite-1 free of extraframework titanium for phenol hydroxylation. <i>Microporous and Mesoporous Materials</i> , 2022, 336, 111884.	2.2	3
9	Enhanced electrochemical performance of $La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-\delta}$ cathode via Ba-doping for intermediate-temperature solid oxide fuel cells. <i>Nano Research</i> , 2022, 15, 3264-3272.	5.8	11
10	Design of highly stable metal/ZSM-5 catalysts for the shape-selective alkylation of toluene with methanol to p-xylene. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 3348-3358.	3.0	9
11	Improved Durability of High-Performance Intermediate-Temperature Solid Oxide Fuel Cells with a Ba-Doped $La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-\delta}$ Cathode. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 33052-33063.	4.0	7
12	Facile preparation of nitrogen-doped hierarchical porous carbon as a sulfur cathode host for high performance lithium-sulfur batteries. <i>Microporous and Mesoporous Materials</i> , 2021, 312, 110749.	2.2	7
13	Controlled initiation and propagation of stress-induced martensitic transformation in functionally graded NiTi. <i>Journal of Alloys and Compounds</i> , 2021, 851, 156103.	2.8	27
14	Achieving ultra-large elastic strains in Nb thin films on NiTi phase-transforming substrate by the principle of lattice strain matching. <i>Materials and Design</i> , 2021, 197, 109257.	3.3	12
15	In-situ high energy X-ray diffraction study of microscopic deformation behavior of martensite variant reorientation in NiTi wire. <i>Applied Materials Today</i> , 2021, 22, 100904.	2.3	8
16	Kinetics simulation of propylene epoxidation over different Ti species in TS $\alpha$ -1. <i>AIChE Journal</i> , 2021, 67, e17261.	1.8	5
17	Grain Size Effect of the $\beta$ Phase Precipitation on Martensitic Transformation and Mechanical Properties of Ni-Mn-Sn-Fe Heusler Alloys. <i>Materials</i> , 2021, 14, 2339.	1.3	5
18	Transferring elastic strain in Mo/Nb/TiNi multilayer nanocomposites by the principle of lattice strain matching. <i>Composites Part B: Engineering</i> , 2021, 215, 108784.	5.9	11

#	ARTICLE	IF	CITATIONS
19	Nanocrystalline strain glass TiNiPt and its superelastic behavior. <i>Physical Review B</i> , 2021, 104, .	1.1	13
20	3D-Printing Damage-Tolerant Architected Metallic Materials with Shape Recoverability via Special Deformation Design of Constituent Material. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 39915-39924.	4.0	17
21	Effects of the Pore Structure and Acid-Base Property of X Zeolites on Side-Chain Alkylation of Toluene with Methanol. <i>Industrial &amp; Engineering Chemistry Research</i> , 2021, 60, 14381-14396.	1.8	8
22	Step-wise R phase transformation rendering high-stability two-way shape memory effect of a NiTiFe-Nb nanowire composite. <i>Acta Materialia</i> , 2021, 219, 117258.	3.8	10
23	Preparation of bioinspired graphene oxide/PMMA nanocomposite with improved mechanical properties. <i>Composites Science and Technology</i> , 2021, 216, 109046.	3.8	12
24	“Lattice Strain Matching-Enabled” Nanocomposite Design to Harness the Exceptional Mechanical Properties of Nanomaterials in Bulk Forms. <i>Advanced Materials</i> , 2020, 32, e1904387.	11.1	13
25	Ab initio prediction of phase stability of martensitic structures in binary NiTi under hydrostatic tension. <i>Physica Scripta</i> , 2020, 95, 035701.	1.2	2
26	Structural evolution of topologically closed packed phase in a Ni-based single crystal superalloy. <i>Acta Materialia</i> , 2020, 185, 233-244.	3.8	35
27	High performance Nb/TiNi nanocomposites produced by packaged accumulative roll bonding. <i>Composites Part B: Engineering</i> , 2020, 202, 108403.	5.9	22
28	Highly stable TS-1 extrudates for 1-butene epoxidation through improving the heat conductivity. <i>Catalysis Science and Technology</i> , 2020, 10, 6152-6160.	2.1	9
29	Investigation of failure mechanisms of nacre at macro and nano scales. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 112, 104018.	1.5	12
30	In-situ synchrotron high energy X-ray diffraction study of micro-mechanical behaviour of R phase reorientation in nanocrystalline NiTi alloy. <i>Acta Materialia</i> , 2020, 194, 565-576.	3.8	34
31	Achieving 5.9% elastic strain in kilograms of metallic glasses: Nanoscopic strain engineering goes macro. <i>Materials Today</i> , 2020, 37, 18-26.	8.3	25
32	Monoclinic angle, shear response, and minimum energy pathways of NiTiCu martensite phases from ab initio calculations. <i>Acta Materialia</i> , 2019, 178, 59-67.	3.8	4
33	Determining intrinsic stress and strain state of fibre-textured thin films by X-ray diffraction measurements using combined asymmetrical and Bragg-Brentano configurations. <i>Materials and Design</i> , 2019, 181, 108063.	3.3	21
34	Experimental and numerical data for transformation propagation in NiTi shape memory structures. <i>Data in Brief</i> , 2019, 27, 104566.	0.5	3
35	A eutectic dual-phase design towards superior mechanical properties of heusler-type ferromagnetic shape memory alloys. <i>Acta Materialia</i> , 2019, 181, 278-290.	3.8	21
36	Computational and experimental analyses of martensitic transformation propagation in shape memory alloys. <i>Journal of Alloys and Compounds</i> , 2019, 806, 1522-1528.	2.8	16

#	ARTICLE	IF	CITATIONS
37	Role of hydrostatic pressure on the phase stability, the ground state, and the transformation pathways of NiTi alloy. <i>Scripta Materialia</i> , 2018, 151, 57-60.	2.6	14
38	Synthesis of 2D MFI zeolites in the form of self-interlocked nanosheet stacks with tuneable structural and chemical properties for catalysis. <i>Applied Materials Today</i> , 2018, 11, 22-33.	2.3	12
39	2D versus 3D MFI zeolite: The effect of Si/Al ratio on the accessibility of acid sites and catalytic performance. <i>Materials Today Chemistry</i> , 2018, 8, 1-12.	1.7	11
40	Microwave-Irradiation-Assisted Combustion toward Modified Graphite as Lithium Ion Battery Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 909-914.	4.0	53
41	Dual Phase Synergy Enabled Large Elastic Strains of NanoInclusions in a Dislocation Slip Matrix Composite. <i>Nano Letters</i> , 2018, 18, 2976-2983.	4.5	12
42	Growth Orientation Control of Co Nanowires Fabricated by Electrochemical Deposition Using Porous Alumina Templates. <i>Crystal Growth and Design</i> , 2018, 18, 479-487.	1.4	9
43	Surface oxidation of NiTi during thermal exposure in flowing argon environment. <i>Materials and Design</i> , 2018, 140, 123-133.	3.3	25
44	Surface oxidation of NiTi and its effects on thermal and mechanical properties. <i>Intermetallics</i> , 2018, 103, 52-62.	1.8	40
45	Phase Formation in Ti-Ni Binary System during Solid-State Synthesis. <i>Shape Memory and Superelasticity</i> , 2018, 4, 351-359.	1.1	4
46	High pyrolysis temperature biochars reduce nitrogen availability and nitrous oxide emissions from an acid soil. <i>GCB Bioenergy</i> , 2018, 10, 930-945.	2.5	22
47	Complex transformation field created by geometrical gradient design of NiTi shape memory alloy. <i>Functional Materials Letters</i> , 2017, 10, 1740011.	0.7	18
48	Experiments on deformation behaviour of functionally graded NiTi structures. <i>Data in Brief</i> , 2017, 13, 562-568.	0.5	14
49	NiTi-Enabled Composite Design for Exceptional Performances. <i>Shape Memory and Superelasticity</i> , 2017, 3, 67-81.	1.1	6
50	Effect of Cold Work and Partial Annealing on Thermomechanical Behaviour of Ti-50.5at%Ni. <i>Shape Memory and Superelasticity</i> , 2017, 3, 57-66.	1.1	18
51	In situ synchrotron high-energy X-ray diffraction study of microscopic deformation behavior of a hard-soft dual phase composite containing phase transforming matrix. <i>Acta Materialia</i> , 2017, 130, 297-309.	3.8	49
52	Functionally graded shape memory alloys: Design, fabrication and experimental evaluation. <i>Materials and Design</i> , 2017, 124, 225-237.	3.3	77
53	Characterization of hard- and softwood biochars pyrolyzed at high temperature. <i>Environmental Geochemistry and Health</i> , 2017, 39, 403-415.	1.8	37
54	A unique "fishtail-like" four-way shape memory effect of compositionally graded NiTi. <i>Scripta Materialia</i> , 2017, 127, 84-87.	2.6	32

#	ARTICLE	IF	CITATIONS
55	Stress serration and arch-shaped $\frac{1}{4}$ ders stress plateau behaviour of Ti $\hat{e}$ 50.8 at% Ni wire prepared by selective electrical resistance over-aging. <i>Smart Materials and Structures</i> , 2016, 25, 115035.	1.8	7
56	Study on Synergistic Mechanism of Inhibitor Mixture Based on Electron Transfer Behavior. <i>Scientific Reports</i> , 2016, 6, 33252.	1.6	40
57	Synchrotron high energy X-ray diffraction study of microstructure evolution of severely cold drawn NiTi wire during annealing. <i>Acta Materialia</i> , 2016, 115, 35-44.	3.8	63
58	Effect of SiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> ratio on the performance of nanocrystal ZSM-5 zeolite catalysts in methanol to gasoline conversion. <i>Applied Catalysis A: General</i> , 2016, 523, 312-320.	2.2	100
59	Biochar nutrient availability rather than its water holding capacity governs the growth of both C3 and C4 plants. <i>Journal of Soils and Sediments</i> , 2016, 16, 801-810.	1.5	33
60	Copper and zinc adsorption by softwood and hardwood biochars under elevated sulphate-induced salinity and acidic pH conditions. <i>Chemosphere</i> , 2016, 142, 64-71.	4.2	169
61	Microstructure, transformation behavior and mechanical properties of a (Ti <sub>50</sub> Ni <sub>38</sub> Cu <sub>12</sub> ) <sub>93</sub> Nb <sub>7</sub> alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 627, 348-350.	2.6	13
62	The transformation behavior of M-type barium ferrites due to Co $\hat{e}$ Ti substitution. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 4668-4674.	1.1	11
63	Phase formation, magnetic properties and Raman spectra of Co $\hat{e}$ Ti co-substitution M-type barium ferrites. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 119, 525-532.	1.1	24
64	Synthesis of inter-crystalline mesoporous ZSM-5 generated by self-interlocked MFI nanosheet stacks. <i>RSC Advances</i> , 2015, 5, 63765-63776.	1.7	13
65	Structural and magnetic properties of M $\hat{e}$ Ti (M $\hat{A}$ = $\hat{A}$ Ni or Zn) co-substituted M-type barium ferrite by a novel sintering process. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 1060-1065.	1.1	11
66	Changes in $\hat{e}$ 15N in a soil $\hat{e}$ plant system under different biochar feedstocks and application rates. <i>Biology and Fertility of Soils</i> , 2014, 50, 275-283.	2.3	70
67	A phenomenological model of the mechanisms of lignocellulosic biomass pyrolysis processes. <i>Computers and Chemical Engineering</i> , 2014, 60, 231-241.	2.0	40
68	A facile synthesis strategy for structural property control of mesoporous alumina and its effect on catalysis for biodiesel production. <i>Advanced Powder Technology</i> , 2014, 25, 1220-1226.	2.0	27
69	Supercapacitor and nanoscale research towards electrochemical energy storage. <i>International Journal of Smart and Nano Materials</i> , 2013, 4, 2-26.	2.0	57
70	Ti $\hat{e}$ 50.8at.% Ni wire with variable mechanical properties created by spatial electrical resistance over-aging. <i>Journal of Alloys and Compounds</i> , 2013, 577, S245-S250.	2.8	12
71	Phase selective route to Ni(OH) <sub>2</sub> with enhanced supercapacitance: Performance dependent hydrolysis of Ni(Ac) <sub>2</sub> at hydrothermal conditions. <i>Electrochimica Acta</i> , 2012, 78, 1-10.	2.6	83
72	First identification of primary nanoparticles in the aggregation of HMF. <i>Nanoscale Research Letters</i> , 2012, 7, 38.	3.1	24

#	ARTICLE	IF	CITATIONS
73	Functionally graded NiTi strips prepared by laser surface anneal. <i>Acta Materialia</i> , 2012, 60, 1658-1668.	3.8	80
74	Hydrophobic precipitation of carbonaceous spheres from fructose by a hydrothermal process. <i>Carbon</i> , 2012, 50, 2155-2161.	5.4	95
75	Anodization process of Sn in oxalic acid at low applied voltages. <i>Electrochimica Acta</i> , 2012, 59, 441-448.	2.6	15
76	A unified thermodynamic theory for the formation of anodized metal oxide structures. <i>Electrochimica Acta</i> , 2012, 62, 424-432.	2.6	35
77	Compositionally graded NiTi plate prepared by diffusion annealing. <i>Scripta Materialia</i> , 2012, 67, 305-308.	2.6	33
78	Liquid-Solid Reactions and Microstructure of SiC-5120 Steel Composite Brake Material. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012, 43, 658-664.	1.1	3
79	Martensitic and magnetic transformation behaviours in $Mn_{50}Ni_{42}Sn_8Co_x$ polycrystalline alloys. <i>Journal of Applied Physics</i> , 2011, 44, 385403.	1.3	10
80	Metallurgical origin of the effect of Fe doping on the martensitic and magnetic transformation behaviours of $Ni_{50}Mn_{40-x}Sn_{10}Fe_x$ magnetic shape memory alloys. <i>Intermetallics</i> , 2011, 19, 445-452.	1.8	42
81	Martensitic transformation and magnetic properties in ferromagnetic shape memory alloy $Ni_{43}Mn_{46}Sn_{11}Co_x$ . <i>Intermetallics</i> , 2011, 19, 1605-1611.	1.8	18
82	Effect of Co addition on martensitic phase transformation and magnetic properties of $Mn_{50}Ni_{40-x}In_{10}Co_x$ polycrystalline alloys. <i>Intermetallics</i> , 2011, 19, 1839-1848.	1.8	39
83	Laser annealing of functionally graded NiTi thin plate. <i>Scripta Materialia</i> , 2011, 65, 1109-1112.	2.6	24
84	Preparation of nanoporous tin oxide by electrochemical anodization in alkaline electrolytes. <i>Electrochimica Acta</i> , 2011, 56, 8797-8801.	2.6	59
85	Formation mechanism of novel two-dimensional single crystalline dendritic copper plates in an aqueous environment. <i>Acta Materialia</i> , 2011, 59, 7177-7188.	3.8	6
86	Current oscillations during potentiostatic anodization of tin in alkaline electrolytes. <i>Electrochimica Acta</i> , 2011, 56, 7051-7057.	2.6	20
87	Preparation and rheology of biochar, lignite char and coal slurry fuels. <i>Fuel</i> , 2011, 90, 1689-1695.	3.4	74
88	Thermal arrest analysis of thermoelastic martensitic transformations in shape memory alloys. <i>Journal of Materials Research</i> , 2011, 26, 1243-1252.	1.2	4
89	Metamagnetic phase transformation in $Mn_{50}Ni_{37}In_{10}Co_3$ polycrystalline alloy. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	40
90	MILD SOLUTION ROUTE TO MIXED-PHASE $MnO_2$ WITH ENHANCED ELECTROCHEMICAL CAPACITANCE. <i>Functional Materials Letters</i> , 2011, 04, 57-60.	0.7	45

#	ARTICLE	IF	CITATIONS
91	Transformation temperatures and shape memory characteristics of a Ti-45Ni-5Cu(at %) alloy annealed by Joule heating. <i>Physica Scripta</i> , 2010, T139, 014068.	1.2	1
92	Lithium storage in hollow spherical ZnFe <sub>2</sub> O <sub>4</sub> as anode materials for lithium ion batteries. <i>Electrochemistry Communications</i> , 2010, 12, 847-850.	2.3	216
93	Thermal and stress-induced martensitic transformations in quaternary Ni <sub>50</sub> Mn <sub>37</sub> (In, Sb) <sub>13</sub> ferromagnetic shape memory alloys. <i>Intermetallics</i> , 2010, 18, 1690-1694.	1.8	16
94	Transformation intervals and elastic strain energies of B2-B19' martensitic transformation of NiTi. <i>Intermetallics</i> , 2010, 18, 2431-2434.	1.8	28
95	Reaction forming of silicon carbide ceramic using phenolic resin derived porous carbon preform. <i>Journal of the European Ceramic Society</i> , 2009, 29, 2395-2402.	2.8	48
96	Effect of ageing treatment on the deformation behaviour of Ti-50.9 at.% Ni. <i>Acta Materialia</i> , 2009, 57, 4773-4781.	3.8	56
97	Microstructure and magnetic properties of Ni-rich Ni <sub>54</sub> Mn <sub>25.7</sub> Ga <sub>20.3</sub> ferromagnetic shape memory alloy thin film. <i>Journal of Magnetism and Magnetic Materials</i> , 2008, 320, 1078-1082.	1.0	10
98	Effect of ageing treatment on the transformation behaviour of Ti-50.9at.% Ni alloy. <i>Acta Materialia</i> , 2008, 56, 736-745.	3.8	154
99	Electrochemical reduction of nano-SiO <sub>2</sub> in hard carbon as anode material for lithium ion batteries. <i>Electrochemistry Communications</i> , 2008, 10, 1876-1878.	2.3	300
100	Effect of annealing on deformation-induced martensite stabilisation of NiTi. <i>Intermetallics</i> , 2008, 16, 209-214.	1.8	37
101	Cyclic ageing of Ti-50.8at.% Ni alloy. <i>Intermetallics</i> , 2008, 16, 394-398.	1.8	21
102	Phase separation and magnetic properties of Co-Ni-Al ferromagnetic shape memory alloys. <i>Intermetallics</i> , 2008, 16, 447-452.	1.8	30
103	Strain dependence of the Clausius-Clapeyron relation for thermoelastic martensitic transformations in NiTi. <i>Smart Materials and Structures</i> , 2007, 16, S22-S27.	1.8	46
104	SEM observation of the "orange peel effect" of materials. <i>Materials Letters</i> , 2007, 61, 1433-1435.	1.3	12
105	Factors influencing the stress-induced fcc $\rightarrow$ hcp martensitic transformation in Co-32Ni single crystal. <i>Acta Materialia</i> , 2006, 54, 4895-4904.	3.8	18
106	Thermally induced fcc $\rightarrow$ hcp martensitic transformation in Co-Ni. <i>Acta Materialia</i> , 2005, 53, 3625-3634.	3.8	40
107	Stress-induced FCC $\rightarrow$ HCP martensitic transformation in CoNi. <i>Journal of Alloys and Compounds</i> , 2004, 368, 157-163.	2.8	47
108	Thermal analysis of the effect of aging on the transformation behaviour of Ti-50.9at.% Ni. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 360, 350-355.	2.6	27

#	ARTICLE	IF	CITATIONS
109	Lithium Intercalation into Mechanically Milled Natural Graphite: Electrochemical and Kinetic Characterization. <i>Journal of the Electrochemical Society</i> , 2002, 149, A1.	1.3	57
110	Effect of Ferroelastic Cycling via Martensite Reorientation on the Transformation Behaviour of Nickel-Titanium. <i>Materials Transactions</i> , 2002, 43, 792-797.	0.4	8
111	Symmetrical Cell for Electrochemical AC Impedance Studies of Lithium Intercalation into Graphite. <i>Electrochemical and Solid-State Letters</i> , 2001, 4, A89.	2.2	38
112	Effect of atmosphere on the mechanical milling of natural graphite. <i>Carbon</i> , 2000, 38, 2077-2085.	5.4	163
113	The concern of elasticity in stress-induced martensitic transformation in NiTi. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999, 260, 240-245.	2.6	73
114	Mechanically activated reduction of nickel oxide with graphite. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 1998, 29, 449-455.	1.0	24
115	High coercivity Ba hexaferrite prepared by mechanical alloying. <i>Journal of Alloys and Compounds</i> , 1995, 221, 70-73.	2.8	58
116	Mechanochemical reduction of CuO by graphite. <i>Scripta Metallurgica Et Materialia</i> , 1995, 32, 681-684.	1.0	35
117	Mechanochemical Reduction of V <sub>2</sub> O <sub>5</sub> . <i>Journal of Solid State Chemistry</i> , 1994, 110, 136-141.	1.4	47
118	Combustion Reaction of Zinc Oxide with Magnesium during Mechanical Milling. <i>Journal of Solid State Chemistry</i> , 1993, 107, 258-263.	1.4	43
119	Reduction of tantalum chloride by magnesium during reaction milling. <i>Journal of Materials Science Letters</i> , 1993, 12, 1088-1091.	0.5	17
120	Synthesis of titanium oxynitride by mechanical milling. <i>Journal of Materials Science</i> , 1993, 28, 5663-5667.	1.7	28
121	Poly(ethylene oxide) electrolytes containing mixed salts. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1993, 31, 157-163.	2.4	17
122	De-mixing of Nd <sub>2</sub> Fe <sub>14</sub> B during mechanical milling. <i>Applied Physics Letters</i> , 1992, 60, 833-834.	1.5	30
123	Poly(ethylene oxide)-Based Zn(II) Halide Electrolytes. <i>Journal of the Electrochemical Society</i> , 1992, 139, 1646-1654.	1.3	23
124	Conductivity in PEO-based Zn(II) polymer electrolytes. <i>Solid State Ionics</i> , 1990, 40-41, 663-665.	1.3	23