

# Naresh Kumar

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7262455/naresh-kumar-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35  
papers

1,467  
citations

20  
h-index

37  
g-index

37  
ext. papers

1,589  
ext. citations

6.4  
avg, IF

4.98  
L-index

#	Paper	IF	Citations
35	Xanthene-based Fluorescence Turn-on Probe for Highly Acidic pH Range in Aqueous Solution. <i>Journal of Fluorescence</i> , <b>2021</b> , 31, 853-860	2.4	
34	Beyond zinc coordination: Bioimaging applications of Zn(II)-complexes. <i>Coordination Chemistry Reviews</i> , <b>2021</b> , 427, 213550	23.2	20
33	Fluorescent molecular probe-based activity and inhibition monitoring of histone deacetylases. <i>Chemical Communications</i> , <b>2021</b> , 57, 11153-11164	5.8	1
32	The role of nitric oxide in ocular surface physiology and pathophysiology. <i>Ocular Surface</i> , <b>2021</b> , 21, 37-51	6.5	3
31	Rapid no-wash labeling of PYP-tag proteins with reactive fluorogenic ligands affords stable fluorescent protein conjugates for long-term cell imaging studies. <i>Chemical Science</i> , <b>2020</b> , 11, 3694-3701	9.4	6
30	Water-soluble aluminium fluorescent sensor based on aggregation-induced emission enhancement. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 15302-15310	3.6	20
29	Photoactive yellow protein and its chemical probes: an approach to protein labelling in living cells. <i>Journal of Biochemistry</i> , <b>2019</b> , 166, 121-127	3.1	4
28	Design and Applications of Small Molecular Probes for Calcium Detection. <i>Chemistry - an Asian Journal</i> , <b>2019</b> , 14, 4493-4505	4.5	13
27	Sensitive and selective detection of uranyl ions based on aggregate-breaking mechanism. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2019</b> , 373, 139-145	4.7	4
26	Live-Cell Imaging of DNA Methylation Based on Synthetic-Molecule/Protein Hybrid Probe. <i>Chemical Record</i> , <b>2018</b> , 18, 1672-1680	6.6	2
25	New water-soluble fluorescent sensors based on calix[4]arene biscrown-6 for selective detection of cesium. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2018</b> , 364, 355-362	4.7	9
24	New sensitive and selective calixarene-based fluorescent sensors for the detection of Cs <sup>+</sup> in an organoaqueous medium. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 7162-7170	3.6	20
23	A Highly Selective Potassium Sensor for the Detection of Potassium in Living Tissues. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 14902-14911	4.8	16
22	A review of mechanisms for fluorescent Turn-on probes to detect Al <sup>3+</sup> ions. <i>RSC Advances</i> , <b>2016</b> , 6, 106413-106434	3.7	121
21	Chemically derived optical sensors for the detection of cesium ions. <i>Coordination Chemistry Reviews</i> , <b>2016</b> , 310, 1-15	23.2	30
20	Development and sensing applications of fluorescent motifs within the mitochondrial environment. <i>Chemical Communications</i> , <b>2015</b> , 51, 15614-28	5.8	85
19	Calixarene-Based Fluorescent Sensors for Cesium Cations Containing BODIPY Fluorophore. <i>Journal of Physical Chemistry A</i> , <b>2015</b> , 119, 6065-73	2.8	31

18	Resonance energy transfer-based fluorescent probes for Hg <sup>2+</sup> , Cu <sup>2+</sup> and Fe <sup>2+</sup> /Fe <sup>3+</sup> ions. <i>Analyst, The</i> , <b>2014</b> , 139, 543-58	5	87
17	Rhodamine-dimethyliminocinnamyl based electrochemical sensors for selective detection of iron (II). <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 190, 127-133	8.5	44
16	d-PET coupled ESIPT phenomenon for fluorescent turn-on detection of hydrogen sulfide. <i>RSC Advances</i> , <b>2013</b> , 3, 17770	3.7	24
15	Selective sensing of mercury(II) using PVC-based membranes incorporating recently synthesized 1,3-alternate thiacalix[4]crown ionophore. <i>Environmental Science and Pollution Research</i> , <b>2013</b> , 20, 3086-3091	5.7	13
14	Recent developments of fluorescent probes for the detection of gasotransmitters (NO, CO and H <sub>2</sub> S). <i>Coordination Chemistry Reviews</i> , <b>2013</b> , 257, 2335-2347	23.2	144
13	Thiacalix[4]crown based optical chemosensor for Fe <sup>3+</sup> , Li <sup>+</sup> and cysteine: a Fe <sup>3+</sup> /Li <sup>+</sup> ion synchronized allosteric regulation. <i>Dalton Transactions</i> , <b>2013</b> , 42, 981-6	4.3	26
12	A naphthalimide based chemosensor for Zn <sup>2+</sup> , pyrophosphate and H <sub>2</sub> O <sub>2</sub> : sequential logic operations at the molecular level. <i>Chemical Communications</i> , <b>2013</b> , 49, 877-9	5.8	79
11	Highly selective fluorescent probe for detection and visualization of palladium ions in mixed aqueous media. <i>RSC Advances</i> , <b>2013</b> , 3, 1097-1102	3.7	39
10	Rhodamine based fluorescence turn-on chemosensor for nanomolar detection of Fe <sup>3+</sup> ions. <i>Sensors and Actuators B: Chemical</i> , <b>2013</b> , 178, 228-232	8.5	66
9	Calix[4]arene-based fluorescent receptor for selective turn-on detection of Hg <sup>2+</sup> ions. <i>Supramolecular Chemistry</i> , <b>2013</b> , 25, 28-33	1.8	3
8	Rhodamine appended thiacalix[4]arene of 1,3-alternate conformation for nanomolar detection of Hg <sup>2+</sup> ions. <i>Sensors and Actuators B: Chemical</i> , <b>2012</b> , 161, 311-316	8.5	25
7	Thiacalix[4]arene-cinnamaldehyde derivative: ICT-induced preferential nanomolar detection of Ag <sup>+</sup> among different transition metal ions. <i>Organic and Biomolecular Chemistry</i> , <b>2012</b> , 10, 1769-74	3.9	11
6	A charge transfer assisted fluorescent probe for selective detection of hydrogen peroxide among different reactive oxygen species. <i>Chemical Communications</i> , <b>2012</b> , 48, 4719-21	5.8	52
5	Highly selective fluorescence turn-on chemodosimeter based on rhodamine for nanomolar detection of copper ions. <i>Organic Letters</i> , <b>2012</b> , 14, 406-9	6.2	175
4	Ratiometric nanomolar detection of Cu <sup>2+</sup> ions in mixed aqueous media: a Cu <sup>2+</sup> /Li <sup>+</sup> ions switchable allosteric system based on thiacalix[4]crown. <i>Dalton Transactions</i> , <b>2012</b> , 41, 10189-93	4.3	36
3	Ratiometric detection of Hg <sup>2+</sup> ions: an allosterically synchronized Hg <sup>2+</sup> /Li <sup>+</sup> switch based on thiacalix[4]crown. <i>Dalton Transactions</i> , <b>2011</b> , 40, 5170-5	4.3	31
2	Naphthalimide appended rhodamine derivative: through bond energy transfer for sensing of Hg <sup>2+</sup> ions. <i>Organic Letters</i> , <b>2011</b> , 13, 1422-5	6.2	202
1	FRET-induced nanomolar detection of Fe <sup>2+</sup> based on cinnamaldehyde-rhodamine derivative. <i>Tetrahedron Letters</i> , <b>2011</b> , 52, 4333-4336	2	25

