

Yan-Ping Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/726250/publications.pdf>

Version: 2024-02-01

175
papers

4,607
citations

101384

36
h-index

149479

56
g-index

181
all docs

181
docs citations

181
times ranked

5619
citing authors

#	ARTICLE	IF	CITATIONS
1	Advances on methods and easy separated support materials for enzymes immobilization. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 102, 332-342.	5.8	296
2	Advances and applications of graphitic carbon nitride as sorbent in analytical chemistry for sample pretreatment: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 84, 12-21.	5.8	126
3	Magnetic graphene solid-phase extraction for the determination of carbamate pesticides in tomatoes coupled with high performance liquid chromatography. <i>Talanta</i> , 2015, 141, 212-219.	2.9	118
4	Magnetic polyethyleneimine functionalized reduced graphene oxide as a novel magnetic solid-phase extraction adsorbent for the determination of polar acidic herbicides in rice. <i>Analytica Chimica Acta</i> , 2017, 949, 23-34.	2.6	111
5	Supramolecular Hybrid Hydrogel Based on Host-Guest Interaction and Its Application in Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19544-19551.	4.0	102
6	Recent advances and applications of carbon nanotubes based composites in magnetic solid-phase extraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 118, 652-665.	5.8	102
7	Determination of diethylstilbestrol in milk using carbon nanotube-reinforced hollow fiber solid-phase microextraction combined with high-performance liquid chromatography. <i>Talanta</i> , 2012, 97, 222-228.	2.9	92
8	Tunable Temperature-Responsive Supramolecular Hydrogels Formed by Prodrugs As a Codelivery System. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 10623-10630.	4.0	90
9	The Bioactive Secondary Metabolites from <i>Talaromyces</i> species. <i>Natural Products and Bioprospecting</i> , 2016, 6, 1-24.	2.0	89
10	Screening of enzyme inhibitors from traditional Chinese medicine by magnetic immobilized β -glucosidase coupled with capillary electrophoresis. <i>Talanta</i> , 2017, 164, 548-555.	2.9	78
11	Preparation of Fe ₃ O ₄ nanoparticle enclosure hydroxylated multi-walled carbon nanotubes for the determination of aconitines in human serum samples. <i>Analytica Chimica Acta</i> , 2012, 724, 54-60.	2.6	75
12	Magnetic molecularly imprinted polymer for the selective extraction of quercetin from <i>Calendula officinalis</i> extract. <i>Talanta</i> , 2015, 134, 650-656.	2.9	70
13	Magnetic reduced graphene oxide functionalized with β -cyclodextrin as magnetic solid-phase extraction adsorbents for the determination of phytohormones in tomatoes coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2016, 1441, 24-33.	1.8	69
14	Isolation of Secondary Metabolites from the Soil-Derived Fungus <i>Clonostachys rosea</i> YRS-06, a Biological Control Agent, and Evaluation of Antibacterial Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 2298-2306.	2.4	69
15	Optimization of ultrasonic cell grinder extraction of anthocyanins from blueberry using response surface methodology. <i>Ultrasonics Sonochemistry</i> , 2017, 34, 325-331.	3.8	69
16	Recent advances on support materials for lipase immobilization and applicability as biocatalysts in inhibitors screening methods—A review. <i>Analytica Chimica Acta</i> , 2020, 1101, 9-22.	2.6	66
17	Tyrosinase immobilization on aminated magnetic nanoparticles by physical adsorption combined with covalent crosslinking with improved catalytic activity, reusability and storage stability. <i>Analytica Chimica Acta</i> , 2018, 1006, 90-98.	2.6	64
18	UPLC-MS/MS analysis for antioxidant components of <i>Lycii Fructus</i> based on spectrum-effect relationship. <i>Talanta</i> , 2018, 180, 389-395.	2.9	63

#	ARTICLE	IF	CITATIONS
19	Isolation and identification of antioxidant and α -glucosidase inhibitory compounds from fruit juice of <i>Nitraria tangutorum</i> . <i>Food Chemistry</i> , 2017, 227, 93-101.	4.2	62
20	Magnetic nitrogen-doped reduced graphene oxide as a novel magnetic solid-phase extraction adsorbent for the separation of bisphenol endocrine disruptors in carbonated beverages. <i>Talanta</i> , 2019, 201, 194-203.	2.9	59
21	α -Glucosidase immobilization on chitosan-enriched magnetic composites for enzyme inhibitors screening. <i>International Journal of Biological Macromolecules</i> , 2017, 105, 308-316.	3.6	56
22	Molecularly imprinted polymer for the specific solid-phase extraction of kirenol from <i>Siegesbeckia pubescens</i> herbal extract. <i>Talanta</i> , 2012, 89, 505-512.	2.9	51
23	Magnetic polyethyleneimine functionalized reduced graphene oxide as a novel magnetic sorbent for the separation of polar non-steroidal anti-inflammatory drugs in waters. <i>Talanta</i> , 2019, 191, 526-534.	2.9	50
24	Application of β -cyclodextrin-modified, carbon nanotube-reinforced hollow fiber to solid-phase microextraction of plant hormones. <i>Journal of Chromatography A</i> , 2014, 1374, 23-30.	1.8	48
25	Sensitive colorimetric detection of melamine in processed raw milk using asymmetrically PEGylated gold nanoparticles. <i>Talanta</i> , 2019, 194, 475-484.	2.9	45
26	Precisely Traceable Drug Delivery of Azoreductase-Responsive Prodrug for Colon Targeting via Multimodal Imaging. <i>Analytical Chemistry</i> , 2020, 92, 9039-9047.	3.2	44
27	Quality control of traditional Chinese medicines: a review. <i>Chinese Journal of Natural Medicines</i> , 2013, 11, 596-607.	0.7	43
28	Prodrugs forming multifunctional supramolecular hydrogels for dual cancer drug delivery. <i>Journal of Materials Chemistry B</i> , 2013, 1, 5532.	2.9	42
29	Further New Gypenosides from <i>Jiaogulan</i> (<i>Gynostemma pentaphyllum</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 5926-5934.	2.4	42
30	Ionic liquid-based electromembrane extraction and its comparison with traditional organic solvent based electromembrane extraction for the determination of strychnine and brucine in human urine. <i>Journal of Chromatography A</i> , 2014, 1352, 1-7.	1.8	41
31	Magnetic retrieval of chitosan: Extraction of bioactive constituents from green tea beverage samples. <i>Analyst</i> , 2012, 137, 910-916.	1.7	40
32	Highly dispersed magnetic molecularly imprinted nanoparticles with well-defined thin film for the selective extraction of glycoprotein. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2620-2627.	2.9	40
33	Molecularly imprinted polymer microspheres for solid-phase extraction of protocatechuic acid in <i>Rhizoma homalomenae</i> . <i>Journal of Separation Science</i> , 2011, 34, 2602-2610.	1.3	39
34	Magnetic molecularly imprinted polymer for the selective extraction of sildenafil, vardenafil and their analogs from herbal medicines. <i>Talanta</i> , 2013, 115, 482-489.	2.9	38
35	Silica grafted with silanized carbon dots as a nano-on-micro packing material with enhanced hydrophilic selectivity. <i>Mikrochimica Acta</i> , 2017, 184, 2629-2636.	2.5	38
36	Phytochemicals and Biological Activities of <i>Dipsacus</i> Species. <i>Chemistry and Biodiversity</i> , 2011, 8, 414-430.	1.0	37

#	ARTICLE	IF	CITATIONS
37	Graphitic carbon nitrides modified hollow fiber solid phase microextraction for extraction and determination of uric acid in urine and serum coupled with gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 1004, 53-59.	1.2	37
38	Magnetic boronate modified molecularly imprinted polymers on magnetite microspheres modified with porous TiO ₂ (Fe ₃ O ₄ @pTiO ₂ @MIP) with enhanced adsorption capacity for glycoproteins and with wide operational pH range. <i>Mikrochimica Acta</i> , 2018, 185, 565.	2.5	37
39	Phytochemicals and biological activities of <i>Ligularia</i> species. <i>Natural Products and Bioprospecting</i> , 2011, 1, 1-24.	2.0	36
40	Talaromycolides Aâ€”C, Novel Phenyl-Substituted Phthalides Isolated from the Green Chinese Onion-Derived Fungus <i>Talaromyces pinophilus</i> AF-02. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9558-9564.	2.4	34
41	A three-dimensional graphene oxide supramolecular hydrogel for infrared light-responsive cascade release of two anticancer drugs. <i>Chemical Communications</i> , 2016, 52, 14384-14387.	2.2	32
42	Selective determination of aromatic acids by new magnetic hydroxylated MWCNTs and MOFs based composite. <i>Talanta</i> , 2017, 168, 136-145.	2.9	32
43	N-doped carbon nanotubes-reinforced hollow fiber solid-phase microextraction coupled with high performance liquid chromatography for the determination of phytohormones in tomatoes. <i>Talanta</i> , 2018, 185, 132-140.	2.9	32
44	Ratiometric target-triggered fluorescent silicon nanoparticles probe for quantitative visualization of tyrosinase activity. <i>Talanta</i> , 2019, 197, 113-121.	2.9	32
45	Diversity of Chemical Constituents from <i>Saxifraga Montana</i> H.. <i>Journal of the Chinese Chemical Society</i> , 2008, 55, 863-870.	0.8	31
46	Monitoring multi-class pesticide residues in fresh grape by hollow fibre sorptive extraction combined with gas chromatographyâ€”mass spectrometry. <i>Food Chemistry</i> , 2011, 127, 784-790.	4.2	31
47	Simultaneous determination of plasticizer di(2-ethylhexyl)phthalate and its metabolite in human urine by temperature controlled ionic liquid dispersive liquidâ€”liquid microextraction combined with high performance liquid chromatography. <i>Analytical Methods</i> , 2013, 5, 1427.	1.3	31
48	Synthesis of magnetic molecularly imprinted nanoparticles with multiple recognition sites for the simultaneous and selective capture of two glycoproteins. <i>Journal of Materials Chemistry B</i> , 2018, 6, 688-696.	2.9	31
49	Multiple functional ionic liquids based dispersive liquidâ€”liquid microextraction combined with high performance chromatography for the determination of phenolic compounds in water samples. <i>Talanta</i> , 2014, 125, 329-335.	2.9	30
50	Simultaneous determination of aflatoxin B1 and zearalenone by magnetic nanoparticle filled amino-modified multi-walled carbon nanotubes. <i>Analytical Methods</i> , 2018, 10, 3353-3363.	1.3	30
51	Electromembrane extraction based on carbon nanotubes reinforced hollow fiber for the determination of plant hormones. <i>New Journal of Chemistry</i> , 2015, 39, 9191-9199.	1.4	29
52	Sesquiterpenoids and other constituents from the flower buds of <i>Tussilago farfara</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 920-929.	0.7	28
53	â€œGreenâ€”colorimetric assay for the selective detection of trivalent chromium based on <i>Xanthoceras sorbifolia</i> tannin attached to gold nanoparticles. <i>Analytical Methods</i> , 2014, 6, 5720.	1.3	28
54	Boronate-affinity based magnetic molecularly imprinted nanoparticles for the efficient extraction of the model glycoprotein horseradish peroxidase. <i>Mikrochimica Acta</i> , 2017, 184, 3729-3737.	2.5	28

#	ARTICLE	IF	CITATIONS
55	Nanocellulose 3, 5- <i>o</i> -Dimethylphenylcarbamate Derivative Coated Chiral Stationary Phase: Preparation and Enantioseparation Performance. <i>Chirality</i> , 2016, 28, 376-381.	1.3	27
56	Sesquiterpenoids with Various Carbocyclic Skeletons from the Flowers of <i>Chrysanthemum indicum</i> . <i>Journal of Natural Products</i> , 2017, 80, 298-307.	1.5	27
57	Simultaneous determination of bifenoxy, dichlobenil and diclofop methyl by hollow carbon nanospheres enhanced magnetic carboxylic multi-walled carbon nanotubes. <i>Analytica Chimica Acta</i> , 2018, 1011, 40-49.	2.6	27
58	Efficient synthesis of camptothecin propargylamine derivatives in water catalyzed by macroporous adsorption resin-supported gold nanoparticles. <i>Green Chemistry</i> , 2017, 19, 1399-1406.	4.6	25
59	Highly selective colorimetric detection of putrescine in fish products using <i>o</i> -phthalaldehyde derivatization reaction. <i>Food Chemistry</i> , 2018, 259, 245-250.	4.2	25
60	β -Glucosidase immobilization on chitosan-modified cellulose filter paper: Preparation, property and application. <i>International Journal of Biological Macromolecules</i> , 2019, 122, 298-305.	3.6	25
61	Recent advances of magnetic extractants in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 129, 115951.	5.8	25
62	Synthesis of orange-emissive silicon nanoparticles as a fluorescence probe for sensitive and selective detection of L-methionine and copper. <i>Talanta</i> , 2021, 231, 122369.	2.9	25
63	β -Glucosidase-Triggered Reaction for Fluorometric and Colorimetric Assays Based on the Formation of Silicon-Containing Nanoparticles. <i>Analytical Chemistry</i> , 2021, 93, 15412-15419.	3.2	25
64	Sesquiterpenoids from the Aerial Parts of <i>Inula japonica</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 1269-1276.	1.0	24
65	pH-Responsive supramolecular hydrogels for codelivery of hydrophobic and hydrophilic anticancer drugs. <i>RSC Advances</i> , 2014, 4, 58982-58989.	1.7	23
66	An online immobilized β -glucosidase microreactor for enzyme kinetics and inhibition assays. <i>RSC Advances</i> , 2015, 5, 56841-56847.	1.7	23
67	Prodrug-Based Cascade Self-Assembly Strategy for Precisely Controlled Combination Drug Therapy. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 21149-21159.	4.0	23
68	A New Cembranoid Diterpene and Other Related Metabolites from the South-China-Sea Soft Coral <i>Lobophytum crassum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 567-572.	1.0	22
69	Terpenoids from the Flower of <i>Cacalia Tangutica</i> . <i>Journal of the Chinese Chemical Society</i> , 2005, 52, 369-374.	0.8	21
70	Determination of gallic acid and salidroside in <i>Rhodiola</i> and its preparation by capillary electrophoresis. <i>Journal of Analytical Chemistry</i> , 2006, 61, 365-368.	0.4	21
71	Polyphenols Isolated from <i>Xanthoceras sorbifolia</i> Husks and Their Anti-Tumor and Radical-Scavenging Activities. <i>Molecules</i> , 2016, 21, 1694.	1.7	21
72	Flavonoids as key bioactive components of <i>Oxytropis falcata</i> bunge, a traditional anti-inflammatory and analgesic Tibetan medicine. <i>Natural Product Research</i> , 2020, 34, 3335-3352.	1.0	21

#	ARTICLE	IF	CITATIONS
73	Diversity of Sesquiterpenoids from <i>Carpesium cernuum</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 595-601.	1.0	20
74	Development of ionic liquid based electromembrane extraction and its application to the enrichment of acidic compounds in pig kidney tissues. <i>RSC Advances</i> , 2015, 5, 37682-37690.	1.7	20
75	Hypoglycemic triterpenes from <i>Gynostemma pentaphyllum</i> . <i>Phytochemistry</i> , 2018, 155, 171-181.	1.4	20
76	Solid/liquid phase microextraction of five bisphenol-type endocrine disrupting chemicals by using a hollow fiber reinforced with graphene oxide nanoribbons, and determination by HPLC-PDA. <i>Mikrochimica Acta</i> , 2019, 186, 375.	2.5	20
77	Sesquiterpenoids and Lignans from <i>Ligularia virgaurea</i> spp. <i>oligocephala</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 870-875.	1.0	19
78	Triterpenoids and other Constituents from <i>Euphorbia Humifusa</i> . <i>Journal of the Chinese Chemical Society</i> , 2007, 54, 1565-1572.	0.8	19
79	Novel Sesquiterpenes from <i>Ligularia virgaurea</i> spp. <i>oligocephala</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 1802-1810.	1.0	19
80	New Terpenoid Constituents of the Southwestern Caribbean Sea Whip <i>Pseudopterogorgia elisabethae</i> (Bayer), Including a Unique Pentanorditerpene. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 493-502.	1.2	19
81	Determination of aristolochic acid in urine using hollow fiber liquid-phase microextraction combined with high-performance liquid chromatography. <i>Biomedical Chromatography</i> , 2010, 24, 1350-1355.	0.8	19
82	Sesquiterpenoids from <i>Inula racemosa</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 570-574.	0.7	19
83	Direct colorimetric detection of aspartic acid in rat brain based on oriented aggregation of Janus gold nanoparticle. <i>Sensors and Actuators B: Chemical</i> , 2018, 274, 668-675.	4.0	19
84	A colon-targeted podophyllotoxin nanoprodrug: synthesis, characterization, and supramolecular hydrogel formation for the drug combination. <i>Journal of Materials Chemistry B</i> , 2021, 9, 3200-3209.	2.9	19
85	Application of SiO ₂ hollow fibers for sorptive microextraction and gas chromatography-mass spectrometry determination of organochlorine pesticides in herbal matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1501-1508.	1.9	18
86	In vitro anti-inflammatory effects of diterpenoids and sesquiterpenoids from traditional Chinese medicine <i>Siegesbeckia pubescens</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3944-3947.	1.0	18
87	Fluorescence turn-on of silicon-containing nanoparticles for the determination of resorcinol. <i>Mikrochimica Acta</i> , 2021, 188, 46.	2.5	18
88	Selective determination of aromatic amino acids by magnetic hydroxylated MWCNTs and MOFs based composite. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1059, 27-34.	1.2	17
89	Further sesquiterpenoids from the rhizomes of <i>Homalomena occulta</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 1162-1167.	1.0	17
90	Visualizing the spatial distribution of endogenous molecules in wolfberry fruit at different development stages by matrix-assisted laser desorption/ionization mass spectrometry imaging. <i>Talanta</i> , 2021, 234, 122687.	2.9	17

#	ARTICLE	IF	CITATIONS
91	Noncovalent Dual-Locked Near-Infrared Fluorescent Probe for Precise Imaging of Tumor via Hypoxia/Glutathione Activation. <i>Analytical Chemistry</i> , 2022, 94, 6574-6581.	3.2	17
92	Pubescone, a Novel 11(7 β)-abeo-14 α -norcarabrane Sesquiterpenoid from <i>Siegesbeckia pubescens</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 2081-2085.	1.0	16
93	Simultaneous quantification of twelve active components in Yiqing granule by ultra-performance liquid chromatography: application to quality control study. <i>Biomedical Chromatography</i> , 2011, 25, 1045-1053.	0.8	16
94	New Labdane-Type Diterpenoids from <i>Leonurus heterophyllus</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 618-625.	1.0	16
95	An immobilization enzyme for screening lipase inhibitors from Tibetan medicines. <i>Journal of Chromatography A</i> , 2020, 1615, 460711.	1.8	16
96	A porous boron nitride nanorods-based QuEChERS analysis method for detection of five neonicotinoid pesticide residues in goji berries. <i>Journal of Chromatography A</i> , 2022, 1670, 462968.	1.8	16
97	A new highly oxygenated daphnane diterpene esters from the flower buds of <i>Daphne genkwa</i> . <i>Natural Product Research</i> , 2015, 29, 1878-1883.	1.0	15
98	Sesquiterpenoids from the Rhizomes of <i>Homalomena occulta</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 211-216.	2.0	15
99	Antioxidants and β -glucosidase inhibitors from <i>Liucha</i> (young leaves and shoots of <i>Sibiraea laevigata</i>) Tj ETQg1 1 0.784314 rg	4.2	15
100	Bioinspired Hydroxyapatite Coating Infiltrated with a Graphene Oxide Hybrid Supramolecular Hydrogel Orchestrates Antibacterial and Self-Lubricating Performance. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 31702-31714.	4.0	15
101	CZE Determination of Flavonoids in <i>Halenia elliptica</i> . <i>Chromatographia</i> , 2006, 63, 449-452.	0.7	14
102	Chemical constituents from <i>Tagetes erecta</i> flowers. <i>Chemistry of Natural Compounds</i> , 2011, 47, 281-283.	0.2	14
103	New cytotoxic steroids from the leaves of <i>Clerodendrum trichotomum</i> . <i>Steroids</i> , 2013, 78, 711-716.	0.8	14
104	Two new tigliane diterpene esters from the flower buds of <i>Daphne genkwa</i> . <i>Journal of Asian Natural Products Research</i> , 2013, 15, 502-506.	0.7	14
105	A physical entrapment method for the preparation of carbon nanotube reinforced macroporous adsorption resin with enhanced selective extraction performance. <i>Nanoscale</i> , 2015, 7, 18619-18627.	2.8	13
106	Chemical Constituents from <i>Cynoglossum gansuense</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 776-782.	1.0	12
107	Determination of flavonoids in the flowers of <i>Paulownia tomentosa</i> by high-performance liquid chromatography. <i>Journal of Analytical Chemistry</i> , 2009, 64, 282-288.	0.4	12
108	Ultra-performance LC-photodiode array-ESI-MS/MS screening method for the detection of radical-scavenging natural antioxidants from <i>Radix et Rhizoma Rhei</i> . <i>Journal of Separation Science</i> , 2011, 34, 268-277.	1.3	12

#	ARTICLE	IF	CITATIONS
109	Quantitative analysis of five toxic alkaloids in <i>Aconitum pendulum</i> using ultra-performance convergence chromatography (UPC ²) coupled with mass spectrometry. <i>RSC Advances</i> , 2015, 5, 103869-103875.	1.7	12
110	Holistic Analysis of Seven Active Ingredients by Micellar Electrokinetic Chromatography from Three Medicinal Herbs Composing Shuanghuanglian. <i>Journal of Chromatographic Science</i> , 2015, 53, 1786-1793.	0.7	12
111	A new isocoumarin from the aerial parts of <i>Aconitum gymnandrum</i> . <i>Natural Product Research</i> , 2016, 30, 1746-1752.	1.0	12
112	Kinetics and inhibition study of tyrosinase by pressure mediated microanalysis. <i>Analytical Biochemistry</i> , 2017, 525, 54-59.	1.1	12
113	Bungsteroid A: One Unusual C ₃₄ Pentacyclic Steroid Analogue from <i>Zanthoxylum bungeanum</i> Maxim. <i>Journal of Organic Chemistry</i> , 2020, 85, 10806-10812.	1.7	12
114	Reinforced Supramolecular Hydrogels from Attapulgitic and Cyclodextrin Pseudopolyrotaxane for Sustained Intra-articular Drug Delivery. <i>Macromolecular Bioscience</i> , 2021, 21, e2000299.	2.1	12
115	Two New Eudesmane Sesquiterpenoids from the Flowers of <i>Chrysanthemum indicum</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 145-148.	2.0	11
116	Diterpenoid Alkaloids and One Lignan from the Roots of <i>Aconitum pendulum</i> Busch. <i>Natural Products and Bioprospecting</i> , 2019, 9, 419-423.	2.0	11
117	Flavonoids from the Flowers of <i>Matricaria chamomilla</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 910-911.	0.2	10
118	Nanocellulose Derivative/Silica Hybrid Core-Shell Chiral Stationary Phase: Preparation and Enantioseparation Performance. <i>Molecules</i> , 2016, 21, 561.	1.7	10
119	Improved surface imprinting based on a simplified mass-transfer process for the selective extraction of IgG. <i>Journal of Materials Chemistry B</i> , 2017, 5, 7512-7518.	2.9	10
120	Sodium(I)-doped graphitic carbon nitride with appropriate interlayer distance as a highly selective sorbent for strontium(II) prior to its determination by ICP-OES. <i>Mikrochimica Acta</i> , 2020, 187, 76.	2.5	10
121	Lipase immobilization on magnetic cellulose microspheres for rapid screening inhibitors from traditional herbal medicines. <i>Talanta</i> , 2021, 231, 122374.	2.9	10
122	Noncovalent Theranostic Prodrug for Hypoxia-Activated Drug Delivery and Real-Time Tracking. <i>Analytical Chemistry</i> , 2021, 93, 15080-15087.	3.2	10
123	Comprehensive analysis of phenolic compounds in four varieties of goji berries at different ripening stages by UPLC-MS/MS. <i>Journal of Food Composition and Analysis</i> , 2022, 106, 104279.	1.9	10
124	Determination of Phenolic Glucosides in <i>Gentiana piasezkii</i> by Capillary Zone Electrophoresis. <i>Chromatographia</i> , 2005, 62, 643-647.	0.7	9
125	Antraquinones and stilbenes from the roots and rhizomes of Rhubarb. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 1036-1041.	0.7	9
126	Isolation and Identification of Saponins from the Natural Pasture <i>Asterothamnus centrali-asiaticus</i> Employing Preparative Two-Dimensional Reversed-Phase Liquid Chromatography/Hydrophilic Interaction Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4950-4957.	2.4	9

#	ARTICLE	IF	CITATIONS
127	Quality evaluation of six bioactive constituents in goji berry based on capillary electrophoresis field amplified sample stacking. <i>Electrophoresis</i> , 2018, 39, 2117-2124.	1.3	9
128	Antioxidant and α -glucosidase inhibitory ingredients identified from Jerusalem artichoke flowers. <i>Natural Product Research</i> , 2019, 33, 584-588.	1.0	9
129	Narjatamolide, an Unusual Homogaiaene Sesquiterpene Lactone from <i>Nardostachys jatamansi</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 11006-11010.	1.7	9
130	Sandwich-like, potassium(I) doped g-C ₃ N ₄ with tunable interlayer distance as a high selective extractant for the determination of Ba(II). <i>Talanta</i> , 2020, 215, 120916.	2.9	9
131	Several chromones from the stems of <i>Polygonum aubertii</i> Henry. <i>Journal of Asian Natural Products Research</i> , 2010, 12, 623-628.	0.7	8
132	Spatial distribution analysis of phospholipids in rice by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry imaging. <i>Journal of Chromatography A</i> , 2021, 1651, 462302.	1.8	8
133	Fungicidal Activity and Mechanism of Action of Glabridin from <i>Glycyrrhiza glabra</i> L.. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10966.	1.8	8
134	Simultaneous Determination of Seven Alkaloids in <i>Phellodendron chinense</i> Schneid by High-Performance Liquid Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1416-1421.	0.7	7
135	4-aminobenzo-18-crown-6 functionalized magnetic nanoparticles as a solid-phase extraction adsorbent for the determination of Pb ²⁺ . <i>Analytical Methods</i> , 2019, 11, 1735-1742.	1.3	7
136	A fluorescent molecularly imprinted device for the on-line analysis of AFP in human serum. <i>Journal of Materials Chemistry B</i> , 2019, 7, 6187-6194.	2.9	7
137	Recent advances and application of carbon nitride framework materials in sample preparation. <i>TrAC - Trends in Analytical Chemistry</i> , 2022, 153, 116661.	5.8	7
138	Triterpenoids and steroids from <i>Ixeridium gracile</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 399-401.	0.2	6
139	Chemical constituents from <i>Ligularia nanchuanica</i> . <i>Chemistry of Natural Compounds</i> , 2011, 46, 997-1000.	0.2	6
140	Five New Sesquiterpenoids from <i>Chrysanthemum indicum</i> . <i>Chinese Journal of Chemistry</i> , 2012, 30, 1255-1260.	2.6	6
141	Simultaneous Determination of Eight Flavonoids in the Flowers of <i>Matricaria chamomilla</i> by High Performance Liquid Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2014, 97, 778-783.	0.7	6
142	Optimisation of green ultrasonic cell grinder extraction of iridoid glycosides from <i>Cornifolium fructus</i> by response surface methodology. <i>International Journal of Food Science and Technology</i> , 2014, 49, 616-625.	1.3	6
143	Multivariate statistical analysis based on a chromatographic fingerprint for the evaluation of important environmental factors that affect the quality of <i>Angelica sinensis</i> . <i>Analytical Methods</i> , 2014, 6, 8268-8276.	1.3	6
144	Determination of Amino Acids in Plasma and Nutritional Supplements by Capillary Electrophoresis with Copper(II) Coordination. <i>Analytical Letters</i> , 2015, 48, 25-36.	1.0	6

#	ARTICLE	IF	CITATIONS
145	New sesquiterpenes and benzofuran derivatives from the aerial parts of <i>Asterothamnus centrali-asiaticus</i> . <i>Tetrahedron</i> , 2016, 72, 4910-4917.	1.0	6
146	A Bisboronic Acid Sensor for Ultra-High Selective Glucose Assay by ¹⁹ F NMR Spectroscopy. <i>Analytical Chemistry</i> , 2021, 93, 7220-7225.	3.2	6
147	Colorimetric detection of human alpha-2-macroglobulin by janus imprinted nanoparticles constructed dual molecular imprinting immunosandwich strategy. <i>Analytica Chimica Acta</i> , 2021, 1184, 339039.	2.6	6
148	Investigation of Enantiomer Separation by LC with a New Bonded Cellulose 3,5-Dimethylphenylcarbamate Chiral Stationary Phase. <i>Chromatographia</i> , 2006, 64, 273-280.	0.7	5
149	Two New Sesquiterpenes from <i>Salvia roborowskii</i> Maxim. <i>Helvetica Chimica Acta</i> , 2009, 92, 335-338.	1.0	5
150	Holistic analysis of seven constituents from three medicinal herbs composing Wuji pills in a single run by ultra performance liquid chromatography: application to quality control study. <i>Analytical Methods</i> , 2012, 4, 2989.	1.3	5
151	Chemical constituents from <i>Ligularia purdomii</i> (Turrill) Chittenden. <i>Biochemical Systematics and Ecology</i> , 2017, 72, 8-11.	0.6	5
152	Simultaneous quantification of three tropane alkaloids in goji berries by cleanup of the graphene/hexagonal boron nitride hybrids and ultra-high performance liquid chromatography tandem mass spectrometry. <i>Journal of Separation Science</i> , 2020, 43, 3636-3645.	1.3	5
153	Pharmacokinetics, tissue distribution, and safety evaluation of a ligustilide derivative (LIGc). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 182, 113140.	1.4	5
154	Magnetic N-rich carbon nitride framework material for the high selectivity extraction and determination of La(III). <i>Talanta</i> , 2021, 225, 122086.	2.9	5
155	A highly sensitive colorimetric sensing platform based on silver nanocomposites for alkaline phosphatase. <i>Analytical Methods</i> , 2022, 14, 2431-2438.	1.3	5
156	Antibacterial metal-phenolic nanosheets as smart carriers for the controlled release of epirubicin hydrochloride. <i>Nanoscale</i> , 2022, 14, 9806-9817.	2.8	5
157	3D graphene oxide supramolecular hybrid hydrogel with well-ordered interior microstructure prepared by a host-guest inclusion-induced self-assembly strategy. <i>RSC Advances</i> , 2016, 6, 94723-94730.	1.7	4
158	New sesquiterpene polyol esters from the root bark of <i>Pseudolarix kaempferi</i> . <i>Phytochemistry Letters</i> , 2016, 17, 1-5.	0.6	4
159	Separation of antioxidant and α -glucosidase inhibitory flavonoids from the aerial parts of <i>Asterothamnus centrali-asiaticus</i> . <i>Natural Product Research</i> , 2017, 31, 1365-1369.	1.0	4
160	PEGylated NALC-functionalized gold nanoparticles for colorimetric discrimination of chiral tyrosine. <i>Analyst</i> , 2020, 145, 7397-7405.	1.7	4
161	Polyaniline spinel particles with ultrahigh-performance liquid chromatography tandem mass spectrometry for rapid vitamin B9 determination in rice. <i>Talanta</i> , 2022, 241, 123278.	2.9	4
162	Rapid and sensitive determination of polyphenols composition of unifloral honey samples with their antioxidant capacities. <i>Cogent Chemistry</i> , 2015, 1, 1100527.	2.5	3

#	ARTICLE	IF	CITATIONS
163	Optimization of a Decoction Process for an Herbal Formula Using a Response Surface Methodology. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 1776-1784.	0.7	3
164	One-Step in Situ Preparation of Fe ₃ O ₄ /Carboxylated Multi-Walled Carbon Nanotube Hybrid for the Determination of Caffeine in Carbonated Beverages. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 290-296.	2.0	3
165	Supramolecular hydrogel-infiltrated ceramics composite coating with combined antibacterial and self-lubricating performance. <i>Journal of Materials Chemistry B</i> , 2021, 9, 9852-9862.	2.9	3
166	Hollow urchin-shaped manganese dioxide microspheres immobilized acetylcholinesterase for rapid screening inhibitors from traditional herbal medicines. <i>Journal of Chromatography A</i> , 2022, 1665, 462824.	1.8	3
167	New eudesmane-type sesquiterpenoids from the root bark of <i>Pseudolarix kaempferi</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1180-1187.	0.7	2
168	Diverse Terpenoids from the Leaves of <i>Clerodendrum trichotomum</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 999-1000.	0.2	2
169	Simultaneous determination of multiple components in <i>Farfarae Flos</i> by UHPLC-DAD and its application in quality control of decoction pieces. <i>Journal of Liquid Chromatography and Related Technologies</i> , 0, , 1-10.	0.5	2
170	Three-dimensional tree-like branched TiO ₂ nanorods for the highly selective enrichment and determination of lead. <i>Mikrochimica Acta</i> , 2022, 189, 222.	2.5	2
171	Crystal Structure and Absolute Configuration of Pendulone. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2008, 24, X209-X210.	0.1	1
172	Determination of Seven Flavonoids in <i>Ixeridium gracile</i> (DC.) Shih by High-Performance Liquid Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2009, 92, 773-778.	0.7	1
173	Holistic analysis of seven constituents from five medicinal herbs composing Wuhu powders in a single run by ultra performance liquid chromatography: application to quality control study. <i>Analytical Methods</i> , 2013, 5, 7058.	1.3	1
174	Fingerprint analysis of <i>Oxytropis falcate</i> using ultra-performance liquid chromatography–electrospray ionization tandem mass spectrometry (UPLC-ESI-MS). <i>Analytical Methods</i> , 2015, 7, 6810-6820.	1.3	1
175	Hybrid Organic-Inorganic Materials Containing a Nanocellulose Derivative as Chiral Selector. <i>Methods in Molecular Biology</i> , 2019, 1985, 171-181.	0.4	0