Constantine I Vardavas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7262952/publications.pdf Version: 2024-02-01



85

#	Article	IF	CITATIONS
1	COVID-19 and smoking: A systematic review of the evidence. Tobacco Induced Diseases, 2020, 18, 20.	0.3	914
2	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
3	Short-term Pulmonary Effects of Using an Electronic Cigarette. Chest, 2012, 141, 1400-1406.	0.4	442
4	Physical fitness levels among European adolescents: the HELENA study. British Journal of Sports Medicine, 2011, 45, 20-29.	3.1	325
5	Objectively Measured Physical Activity and Sedentary Time in European Adolescents: The HELENA Study. American Journal of Epidemiology, 2011, 174, 173-184.	1.6	259
6	Assessing, understanding and modifying nutritional status, eating habits and physical activity in European adolescents: The HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. Public Health Nutrition, 2008, 11, 288-299.	1.1	224
7	SmokeHaz. Chest, 2016, 150, 164-179.	0.4	180
8	Determinants and prevalence of e-cigarette use throughout the European Union: a secondary analysis of 26â€566 youth and adults from 27 Countries. Tobacco Control, 2015, 24, 442-448.	1.8	159
9	Two-year trends and predictors of e-cigarette use in 27 European Union member states. Tobacco Control, 2017, 26, 98-104.	1.8	148
10	Nutrition and Lifestyle in European Adolescents: The HELENA (Healthy Lifestyle in Europe by Nutrition) Tj ETQqO	0 0 rgBT /0 2.9	Overlock 10 T 142
11	Sedentary patterns and media availability in European adolescents: The HELENA study. Preventive Medicine, 2010, 51, 50-55.	1.6	136
12	The independent role of prenatal and postnatal exposure to active and passive smoking on the development of early wheeze in children. European Respiratory Journal, 2016, 48, 115-124.	3.1	116
13	Smoking and smoking cessation during early pregnancy and its effect on adverse pregnancy outcomes and fetal growth. European Journal of Pediatrics, 2010, 169, 741-748.	1.3	110
14	Effects of single and combined toxic exposures on the gut microbiome: Current knowledge and future directions. Toxicology Letters, 2019, 312, 72-97.	0.4	106
15	Recommended Levels of Physical Activity to Avoid an Excess of Body Fat in European Adolescents. American Journal of Preventive Medicine, 2010, 39, 203-211.	1.6	100
16	Reliability and validity of a screen time-based sedentary behaviour questionnaire for adolescents: The HELENA study. European Journal of Public Health, 2012, 22, 373-377.	0.1	99
17	Biological evidence for the acute health effects of secondhand smoke exposure. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2010, 298, L3-L12.	1.3	93

Impact of tobacco control policies on smoking prevalence and quit ratios in 27 European Union
1.8
1.8

#	Article	IF	CITATIONS
19	Levels of physical activity among adults 18–64 years old in 28 European countries. Preventive Medicine, 2015, 81, 87-91.	1.6	84
20	Burden of disease attributable to second-hand smoke exposure: A systematic review. Preventive Medicine, 2019, 129, 105833.	1.6	84
21	ESR/ERS statement paper on lung cancer screening. European Radiology, 2020, 30, 3277-3294.	2.3	83
22	Association of objectively assessed physical activity with total and central body fat in Spanish adolescents; The HELENA Study. International Journal of Obesity, 2009, 33, 1126-1135.	1.6	82
23	Adolescents perceived effectiveness of the proposed European graphic tobacco warning labels. European Journal of Public Health, 2009, 19, 212-217.	0.1	79
24	Adherence to CPAP therapy improves quality of life and reduces symptoms among obstructive sleep apnea syndrome patients. Sleep and Breathing, 2012, 16, 563-569.	0.9	79
25	Cardiorespiratory fitness and ideal cardiovascular health in European adolescents. Heart, 2015, 101, 766-773.	1.2	79
26	Current evidence on the associations of breastfeeding, infant formula, and cow's milk introduction with type 1 diabetes mellitus: a systematic review. Nutrition Reviews, 2012, 70, 509-519.	2.6	76
27	Poly-tobacco use among adults in 44 countries during 2008–2012: Evidence for an integrative and comprehensive approach in tobacco control. Drug and Alcohol Dependence, 2014, 139, 60-70.	1.6	71
28	Integrated primary health care in Greece, a missing issue in the current health policy agenda: a systematic review. International Journal of Integrated Care, 2009, 9, e88.	0.1	69
29	The antioxidant and phylloquinone content of wildly grown greens in Crete. Food Chemistry, 2006, 99, 813-821.	4.2	65
30	Physical Activity Is Associated with Attention Capacity in Adolescents. Journal of Pediatrics, 2016, 168, 126-131.e2.	0.9	65
31	Smoking policy and prevalence in Greece: an overview. European Journal of Public Health, 2007, 17, 211-213.	0.1	64
32	Self-reported sleep duration, white blood cell counts and cytokine profiles in European adolescents: the HELENA study. Sleep Medicine, 2014, 15, 1251-1258.	0.8	62
33	Muscular fitness, fatness and inflammatory biomarkers in adolescents. Pediatric Obesity, 2014, 9, 391-400.	1.4	60
34	Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014–2017. Preventive Medicine, 2018, 116, 13-18.	1.6	58
35	ESR/ERS statement paper on lung cancer screening. European Respiratory Journal, 2020, 55, 1900506.	3.1	57
36	Dietary animal and plant protein intakes and their associations with obesity and cardio-metabolic indicators in European adolescents: the HELENA cross-sectional study. Nutrition Journal, 2015, 14, 10.	1.5	55

#	Article	IF	CITATIONS
37	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017–2018). Journal of Epidemiology, 2021, 31, 145-151.	1.1	55
38	Pooling Birth Cohorts in Allergy and Asthma: European Union-Funded Initiatives – A MeDALL, CHICOS, ENRIECO, and GA2LEN Joint Paper. International Archives of Allergy and Immunology, 2013, 161, 1-10.	0.9	54
39	Changes in smoking cessation assistance in the European Union between 2012 and 2017: pharmacotherapy versus counselling versus e-cigarettes. Tobacco Control, 2019, 28, tobaccocontrol-2017-054117.	1.8	54
40	Trends in cardiovascular risk factors in Greece before and during the financial crisis: the impact of social disparities. European Journal of Public Health, 2014, 24, 974-979.	0.1	51
41	Cigarette design and marketing features are associated with increased smoking susceptibility and perception of reduced harm among smokers in 27 EU countries. Tobacco Control, 2015, 24, e233-e240.	1.8	49
42	Lipid concentrations of wild edible greens in Crete. Food Chemistry, 2006, 99, 822-834.	4.2	47
43	Breakfast habits among European adolescents and their association with sociodemographic factors: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) study. Public Health Nutrition, 2012, 15, 1879-1889.	1.1	46
44	Smoking status in relation to serum folate and dietary vitamin intake. Tobacco Induced Diseases, 2008, 4, 8.	0.3	45
45	Is dairy consumption associated with low cardiovascular disease risk in <scp>E</scp> uropean adolescents? Results from the <scp>HELENA S</scp> tudy. Pediatric Obesity, 2014, 9, 401-410.	1.4	45
46	Combined influence of healthy diet and active lifestyle on cardiovascular disease risk factors in adolescents. Scandinavian Journal of Medicine and Science in Sports, 2014, 24, 553-562.	1.3	45
47	Factors Associated with Active Smoking, Quitting, and Secondhand Smoke Exposure among Pregnant Women in Greece. Journal of Epidemiology, 2010, 20, 355-362.	1.1	44
48	Influence of parental socio-economic status on diet quality of European adolescents: results from the HELENA study. British Journal of Nutrition, 2014, 111, 1303-1312.	1.2	44
49	Calcium, nutrient and food intake of Greek Orthodox Christian monks during a fasting and non-fasting week. Public Health Nutrition, 2008, 11, 1022-1029.	1.1	43
50	Hair nicotine/cotinine concentrations as a method of monitoring exposure to tobacco smoke among infants and adults. Human and Experimental Toxicology, 2012, 31, 258-265.	1.1	40
51	Increased sedentary behaviour is associated with unhealthy dietary patterns in European adolescents participating in the HELENA study. European Journal of Clinical Nutrition, 2014, 68, 300-308.	1.3	39
52	The association between peer, parental influence and tobacco product features and earlier age of onset of regular smoking among adults in 27 European countries. European Journal of Public Health, 2015, 25, 814-818.	0.1	39
53	Study protocol of EUREST-PLUS - European Regulatory Science on Tobacco: Policy Implementation to Reduce Lung Disease. Tobacco Induced Diseases, 2018, 16, A2.	0.3	39
54	The Causal Relationship Between Passive Smoking and Inflammation on the Development of Cardiovascular Disease: A Review of the Evidence. Inflammation and Allergy: Drug Targets, 2009, 8, 328-333.	1.8	39

CONSTANTINE I VARDAVAS

#	Article	IF	CITATIONS
55	Environmental tobacco smoke exposure in motor vehicles: a preliminary study. Tobacco Control, 2006, 15, 415-415.	1.8	38
56	Prevalence and determinants of tobacco use among adults in Greece: 4 year trends. European Journal of Public Health, 2013, 23, 772-776.	0.1	38
57	Inflammation profile in overweight/obese adolescents in Europe: an analysis in relation to iron status. European Journal of Clinical Nutrition, 2015, 69, 247-255.	1.3	37
58	Cardiovascular disease risk factors and dietary habits of farmers from Crete 45 years after the first description of the Mediterranean diet. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 440-446.	3.1	36
59	The combined effect of physical activity and sedentary behaviors on a clustered cardio-metabolic risk score: The Helena study. International Journal of Cardiology, 2015, 186, 186-195.	0.8	36
60	Design and marketing features influencing choice of e-cigarettes and tobacco in the EU: Table 1. European Journal of Public Health, 2016, 26, 838-841.	0.1	36
61	Relationship of secondhand smoke exposure with sociodemographic factors and smoke-free legislation in the European Union. European Journal of Public Health, 2016, 26, 344-349.	0.1	36
62	Prevalence and reasons for use of Heated Tobacco Products (HTP) in Europe: an analysis of Eurobarometer data in 28 countries. Lancet Regional Health - Europe, The, 2021, 8, 100159.	3.0	36
63	Association of breakfast consumption with objectively measured and self-reported physical activity, sedentary time and physical fitness in European adolescents: the HELENA (Healthy Lifestyle in Europe by) Tj ET	Qq1 11.10.78	43 ₿% rgBT /○
64	Association between chocolate consumption and fatness in European adolescents. Nutrition, 2014, 30, 236-239.	1.1	35
65	The role of context in implementation research for non-communicable diseases: Answering the â€~how-to' dilemma. PLoS ONE, 2019, 14, e0214454.	1.1	35
66	The Conceptual Model and Methods of Wave 1 (2016) of the EUREST-PLUS ITC 6 European Countries Survey. Tobacco Induced Diseases, 2018, 16, A3.	0.3	35
67	Prevalence and correlates of physical inactivity in adults across 28 European countries. European Journal of Public Health, 2021, 31, 840-845.	0.1	34
68	Environmental tobacco smoke in hospitality venues in Greece. BMC Public Health, 2007, 7, 302.	1.2	33
69	Use of Conventional and Novel Smokeless Tobacco Products Among US Adolescents. Pediatrics, 2013, 132, e578-e586.	1.0	33
70	Passive smoking alters circulating naÃ⁻ve/memory lymphocyte T ell subpopulations in children. Pediatric Allergy and Immunology, 2010, 21, 1171-1178.	1.1	32
71	Prenatal Second-Hand Smoke Exposure Measured with Urine CotinineÂMayÂReduce Gross Motor Development at 18 Months of Age. Journal of Pediatrics, 2015, 167, 246-252.e2.	0.9	32
72	Exposure to different sources of second-hand smoke during pregnancy and its effect on urinary cotinine and tobacco-specific nitrosamine (NNAL) concentrations. Tobacco Control, 2013, 22, 194-200.	1.8	31

#	Article	IF	CITATIONS
73	Predictors and Patterns of Cigarette and Smokeless Tobacco Use Among Adolescents in 32 Countries, 2007–2011. Journal of Adolescent Health, 2014, 54, 47-53.	1.2	31
74	Public perspective on the governmental response, communication and trust in the governmental decisions in mitigating COVID-19 early in the pandemic across the G7 countries. Preventive Medicine Reports, 2021, 21, 101252.	0.8	31
75	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	31
76	Smoking cessation can improve quality of life among COPD patients: Validation of the clinical COPD questionnaire into Greek. BMC Pulmonary Medicine, 2011, 11, 13.	0.8	30
77	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. Gaceta Sanitaria, 2020, 34, 77-82.	0.6	30
78	Passive exposure of non-smokers to E-Cigarette aerosols: Sensory irritation, timing and association with volatile organic compounds. Environmental Research, 2020, 182, 108963.	3.7	29
79	Use and Awareness of Heated Tobacco Products in Europe. Journal of Epidemiology, 2022, 32, 139-144.	1.1	28
80	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A4.	0.3	27
81	Prevalence of obesity and physical inactivity among farmers from Crete (Greece), four decades after the seven countries study. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 156-162.	1.1	26
82	Does adherence to the Mediterranean diet have a protective effect against active and passive smoking?. Public Health, 2011, 125, 121-128.	1.4	26
83	Composition and chemical health hazards of the most common electronic cigarette liquids in nine European countries. Inhalation Toxicology, 2018, 30, 361-369.	0.8	26
84	More Physically Active and Leaner Adolescents Have Higher Energy Intake. Journal of Pediatrics, 2014, 164, 159-166.e2.	0.9	25
85	Inflammation in metabolically healthy and metabolically abnormal adolescents: The HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 77-83.	1.1	25
86	Eating behaviour, insulin resistance and cluster of metabolic risk factors in European adolescents. The HELENA Study. Appetite, 2012, 59, 140-147.	1.8	24
87	Association between unmet dental needs and school absenteeism because of illness or injury among U.S. school children and adolescents aged 6–17years, 2011–2012. Preventive Medicine, 2015, 72, 83-88.	1.6	24
88	Ashtrays and Signage as Determinants of a Smoke-Free Legislation's Success. PLoS ONE, 2013, 8, e72945.	1.1	23
89	A systematic review of secondhand smoke exposure in a car. Chronic Respiratory Disease, 2015, 12, 120-131.	1.0	23
90	Influence of sex, age, pubertal maturation and body mass index on circulating white blood cell counts in healthy European adolescents—the HELENA study. European Journal of Pediatrics, 2015, 174, 999-1014.	1.3	23

#	Article	IF	CITATIONS
91	Impact of cigarette price differences across the entire European Union on cross-border purchase of tobacco products among adult cigarette smokers. Tobacco Control, 2016, 25, 333-340.	1.8	23
92	Attitudes towards Electronic Cigarettes Regulation in Indoor Workplaces and Selected Public and Private Places: A Population-Based Cross-Sectional Study. PLoS ONE, 2014, 9, e114256.	1.1	23
93	Predictors of Childhood Exposure to Parental Secondhand Smoke in the House and Family Car. International Journal of Environmental Research and Public Health, 2009, 6, 433-444.	1.2	22
94	The role of the non-smoker in enforcing smoke-free laws. Journal of Public Health Policy, 2011, 32, 46-59.	1.0	22
95	Iron and vitamin status biomarkers and its association with physical fitness in adolescents: the HELENA study. Journal of Applied Physiology, 2012, 113, 566-573.	1.2	22
96	A Comparison of Cessation Counseling Received by Current Smokers at US Dentist and Physician Offices During 2010–2011. American Journal of Public Health, 2014, 104, e67-e75.	1.5	22
97	Greece's tobacco policy: another myth?. Lancet, The, 2006, 367, 1485-1486.	6.3	21
98	Biomarkers of passive smoking among Greek preschool children. European Journal of Pediatrics, 2006, 165, 891-896.	1.3	21
99	Nursing education and practice in a changing environment: The case of Greece. Nurse Education Today, 2009, 29, 840-844.	1.4	21
100	Implementing family practice research in countries with limited resources: a stepwise model experienced in Crete, Greece. Family Practice, 2010, 27, 48-54.	0.8	21
101	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.1	21
102	Key points in preventing tobacco use among adolescents. Tobacco Induced Diseases, 2010, 8, 1.	0.3	20
103	Nursing education and beliefs towards tobacco cessation and control: a cross- sectional national survey (GHPSS) among nursing students in Greece. Tobacco Induced Diseases, 2011, 9, 4.	0.3	20
104	Physical activity, sedentary time, and liver enzymes in adolescents: the HELENA study. Pediatric Research, 2014, 75, 798-802.	1.1	20
105	Ideal cardiovascular health and inflammation in European adolescents: The HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 447-455.	1.1	20
106	Respiratory irritants in e-cigarette refill liquids across nine European countries: aÂthreat to respiratory health?. European Respiratory Journal, 2017, 50, 1701698.	3.1	20
107	Correlates of ideal cardiovascular health in European adolescents: The HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 187-194.	1.1	20
108	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A10.	0.3	20

#	Article	IF	CITATIONS
109	Health literacy and sources of health education among adolescents in Greece. International Journal of Adolescent Medicine and Health, 2009, 21, 179-86.	0.6	19
110	Lunch at school, at home or elsewhere. Where do adolescents usually get it and what do they eat? Results of the HELENA Study. Appetite, 2013, 71, 332-339.	1.8	19
111	The acute effect of cigarette smoking on the respiratory function and FENO production among young smokers. Experimental Lung Research, 2013, 39, 359-364.	0.5	19
112	Temporal Trends in Smokeless Tobacco Use Among US Middle and High School Students, 2000-2011. JAMA - Journal of the American Medical Association, 2013, 309, 1992.	3.8	19
113	Characteristics and outcomes of e-cigarette exposure incidents reported to 10 European Poison Centers: a retrospective data analysis. Tobacco Induced Diseases, 2017, 15, 36.	0.3	19
114	Passive Exposure to E-cigarette Emissions: Immediate Respiratory Effects. Tobacco Prevention and Cessation, 2018, 4, 18.	0.2	19
115	Geographical information systems as a tool for monitoring tobacco industry advertising. Tobacco Control, 2009, 18, 190-196.	1.8	18
116	The recent and projected public health and economic benefits of cigarette taxation in Greece. Tobacco Control, 2014, 23, 452-454.	1.8	18
117	Effectiveness of Text versus Pictorial Health Warning Labels and Predictors of Support for Plain Packaging of Tobacco Products within the European Union. European Addiction Research, 2015, 21, 47-52.	1.3	18
118	Correlates of self-reported exposure to advertising of tobacco products and electronic cigarettes across 28 European Union member states. Tobacco Control, 2017, 26, e130-e133.	1.8	18
119	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii78-iii83.	0.1	18
120	Smoking habits of Greek preschool children's parents. BMC Public Health, 2007, 7, 112.	1.2	17
121	E-cigarette use and support for banning e-cigarette use in public places in the European Union. Preventive Medicine, 2017, 105, 10-14.	1.6	17
122	Self-Identified Tobacco Use and Harm Perceptions Among US Youth. Pediatrics, 2018, 141, e20173523.	1.0	17
123	Depression, periodontitis, caries and missing teeth in the USA, NHANES 2009–2014. Family Medicine and Community Health, 2020, 8, e000583.	0.6	17
124	Determinants of use of smoking cessation aids in 27 European countries. Preventive Medicine, 2014, 65, 99-102.	1.6	16
125	Trends and Correlates of Waterpipe use in the European Union: Analysis of Selected Eurobarometer Surveys (2009–2017). Nicotine and Tobacco Research, 2019, 21, 469-474.	1.4	15
126	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. Preventive Medicine, 2021, 145, 106412.	1.6	15

#	Article	IF	CITATIONS
127	Fatty acid and salt contents of snacks in the Cretan and Cypriot market: A child and adolescent dietary hazard. Food Chemistry, 2007, 101, 924-931.	4.2	14
128	Development, design, and conceptual issues of project zero exposure: A program to protect young children from tobacco smoke exposure. BMC Public Health, 2011, 11, 508.	1.2	14
129	A 50-year follow-up of the Seven Countries Study: Prevalence of cardiovascular risk factors, food and nutrient intakes among Cretans. Hormones, 2013, 12, 379-385.	0.9	14
130	Disparities and Trends in Indoor Exposure to Secondhand Smoke among U.S. Adolescents: 2000-2009. PLoS ONE, 2013, 8, e83058.	1.1	14
131	The relationship between cotinine concentrations and inflammatory markers among highly secondhand smoke exposed non-smoking adolescents. Cytokine, 2014, 66, 17-22.	1.4	14
132	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A1.	0.3	14
133	Fatty acid composition of Greek margarines and their change in fatty acid content over the past decades. International Journal of Food Sciences and Nutrition, 2011, 62, 685-691.	1.3	13
134	Measuring the burden of herpes zoster and post herpetic neuralgia within primary care in rural Crete, Greece. BMC Family Practice, 2011, 12, 136.	2.9	13
135	Mechanisms of stress, energy homeostasis and insulin resistance in European adolescents – the HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 1082-1089.	1.1	13
136	Experimentation with e-cigarettes as a smoking cessation aid: a cross-sectional study in 28 European Union member states. BMJ Open, 2016, 6, e012084.	0.8	13
137	Are political views related to smoking and support for tobacco control policies? A survey across 28 European countries. Tobacco Induced Diseases, 2017, 15, 45.	0.3	13
138	Training General Practitioners in Evidence-Based Tobacco Treatment: An Evaluation of the Tobacco Treatment Training Network in Crete (TiTAN-Crete) Intervention. Health Education and Behavior, 2018, 45, 888-897.	1.3	13
139	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii91-iii97.	0.1	13
140	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A15.	0.3	13
141	Smoke-free hospitals in Greece: Personnel perceptions, compliance and smoking habit. Tobacco Induced Diseases, 2009, 5, 8.	0.3	12
142	The association between active/passive smoking and toxic metals among pregnant women in Greece. Xenobiotica, 2011, 41, 456-463.	0.5	12
143	Five-Year Trends of Second-Hand Smoke Exposure in Greece: A Comparison Between Complete, Partial, and Prelegislation Levels. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2012, 25, 349-354.	0.7	12
144	Tobacco taxation: the importance of earmarking the revenue to health care and tobacco control. Tobacco Induced Diseases, 2012, 10, 21.	0.3	12

#	Article	IF	CITATIONS
145	Physical activity attenuates the negative effect of low birth weight on leptin levels in European adolescents; The HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 344-349.	1.1	12
146	Going up in ashes? Smoking-attributable morbidity, hospital admissions and expenditure in Greece. European Journal of Public Health, 2014, 24, 477-479.	0.1	12
147	From the Classroom to Facebook. American Journal of Health Promotion, 2016, 30, 390-393.	0.9	12
148	Maintained Smoking Cessation for 6 Months Equilibrates the Percentage of Sputum <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mtext>CD</mml:mtext><mml:msup>< mathvariant="bold">8<mml:mo>+</mml:mo></mml:msup></mml:mrow></mml:math> Lymphocyte Cells with That of Nonsmokers. Mediators of Inflammation, 2009, 2009, 1-8.	mml:mn 1.4	11
149	Biomarker evaluation of Greek adolescents' exposure to secondhand smoke. Human and Experimental Toxicology, 2010, 29, 459-466.	1.1	11
150	Dealing with tobacco use and dependence within primary health care: time for action. Tobacco Induced Diseases, 2013, 11, 6.	0.3	11
151	Gender and racial differences in smoking of long/ultra-long and king size cigarettes among U.S. adult smokers, NHANES 1999–2012. Drug and Alcohol Dependence, 2014, 136, 28-35.	1.6	11
152	5-Year trends in the intention to quit smoking amidst the economic crisis and after recently implemented tobacco control measures in Greece. Addictive Behaviors, 2014, 39, 140-145.	1.7	11
153	Cocaine, polysubstance abuse, and oral health outcomes, NHANES 2009 to 2014. Journal of Periodontology, 2020, 91, 1039-1048.	1.7	11
154	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii38-iii45.	0.1	11
155	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A14.	0.3	11
156	Patterns of tobacco use, quit attempts, readiness to quit and selfefficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A9.	0.3	11
157	European Tobacco Products Directive (TPD): current impact and future steps. Tobacco Control, 2022, 31, 198-201.	1.8	11
158	Transmission of SARS-CoV-2 in educational settings in 2020: a review. BMJ Open, 2022, 12, e058308.	0.8	11
159	The association between cigarette rod length, slim design, and blood cadmium levels among U.S. smokers: NHANES 1999–2010. Preventive Medicine, 2014, 65, 87-91.	1.6	10
160	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 6263.	1.2	10
161	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii46-iii54.	0.1	10
162	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii26-iii33.	0.1	10

#	Article	IF	CITATIONS
163	Burden of disease from exposure to secondhand smoke in children in Europe. Pediatric Research, 2021, 90, 216-222.	1.1	10
164	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii34-iii37.	0.1	10
165	Measuring for change: A multi-centre pre-post trial of an air quality feedback intervention to promote smoke-free homes. Environment International, 2020, 140, 105738.	4.8	10
166	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A11.	0.3	10
167	Greece: action at last!. Tobacco Control, 2009, 18, 79-80.	1.8	10
168	Cigarette Rod Length and Its Impact on Serum Cotinine and Urinary Total NNAL Levels, NHANES 2007-2010. Nicotine and Tobacco Research, 2014, 16, 100-107.	1.4	9
169	Support for smoke-free cars when children are present: a secondary analysis of 164,819 U.S. adults in 2010/2011. European Journal of Pediatrics, 2014, 173, 1459-1466.	1.3	9
170	Geographic variation and socio-demographic determinants of the co-occurrence of risky health behaviours in 27 European Union member states. Journal of Public Health, 2016, 38, e13-e20.	1.0	9
171	Prevalence of oral conditions among methamphetamine users: NHANES 2009–2014. Journal of Public Health Dentistry, 2021, 81, 21-28.	0.5	9
172	Quitting behaviors and cessation assistance used among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	9
173	Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A12.	0.3	9
174	The Secondhand Smoke Exposure Scale (SHSES): A hair nicotine validated tool for assessing exposure to secondhand smoke among elderly adults in primary care. Tobacco Prevention and Cessation, 2017, 3, 9.	0.2	9
175	Second Hand Smoke Exposure and Excess Heart Disease and Lung Cancer Mortality among Hospital Staff in Crete, Greece: A Case Study. International Journal of Environmental Research and Public Health, 2008, 5, 125-129.	1.2	8
176	Does adherence to the Mediterranean diet modify the impact of smoking on health?. Public Health, 2009, 123, 459-460.	1.4	8
177	What Defines an Effective Anti-Tobacco TV Advertisement? A Pilot Study among Greek Adolescents. International Journal of Environmental Research and Public Health, 2010, 7, 78-88.	1.2	8
178	Differences in nutrient intake during a Greek Orthodox Christian fasting and non-fasting week, as assessed by a food composition database and chemical analyses of 7-day weighed food samples. Journal of Food Composition and Analysis, 2011, 24, 22-28.	1.9	8
179	Associations between macronutrient intake and serum lipid profile depend on body fat in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. British Journal of Nutrition, 2014, 112, 2049-2059.	1.2	8
180	Plain packaging of tobacco products in the European Union: an EU success story?. European Respiratory Journal, 2017, 50, 1701232.	3.1	8

#	Article	IF	CITATIONS
181	Discrepancies in reported <i>versus</i> measured nicotine content of e-cigarette refill liquids across nine European countries before and after the implementation of the EU Tobacco Products Directive. European Respiratory Journal, 2020, 55, 1900941.	3.1	8
182	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A13.	0.3	8
183	Extent and correlates of self-reported exposure to tobacco advertising, promotion and sponsorship in smokers: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	8
184	Prevalence and correlates of different smoking bans in homes and cars among smokers in 6 Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A8.	0.3	8
185	Carotid ultrasonography improves residual risk stratification in guidelines-defined high cardiovascular risk patients. European Journal of Preventive Cardiology, 2022, 29, 1773-1784.	0.8	8
186	Time interval from cigarette smoke exposure to blood donation and markers of inflammation: should a smoking cut-off be designated?. Xenobiotica, 2010, 40, 613-620.	0.5	7
187	The Relationship between Venue Indoor Air Quality and Urinary Cotinine Levels among Semiopen-Air Café Employees: What Factors Determine the Level of Exposure?. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2011, 24, 35-41.	0.7	7
188	The impact of the Cyprus comprehensive smoking ban on air quality and economic business of hospitality venues. BMC Public Health, 2013, 13, 76.	1.2	7
189	Proposed Cutoff for Identifying Adult Smokeless Tobacco Users With Urinary Total 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanonol: An Aggregated Analysis of NHANES 2007–2010 Data. Nicotine and Tobacco Research, 2013, 15, 1956-1961.	1.4	7
190	Compliance of e-cigarette refill liquids with regulations on labelling, packaging and technical design characteristics in nine European member states. Tobacco Control, 2020, 29, tobaccocontrol-2019-055061.	1.8	7
191	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokers—findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii55-iii61.	0.1	7
192	Tobacco dependence treatment for special populations: challenges and opportunities. Revista Brasileira De Psiquiatria, 2021, 43, 75-82.	0.9	7
193	Cost-effectiveness of emergency preparedness measures in response to infectious respiratory disease outbreaks: a systematic review and econometric analysis. BMJ Open, 2021, 11, e045113.	0.8	7
194	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A19.	0.3	7
195	Impact of the ENSP eLearning platform on improving knowledge, attitudes and self-efficacy for treating tobacco dependence: An assessment across 15 European countries. Tobacco Induced Diseases, 2020, 18, 40.	0.3	7
196	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A5.	0.3	7
197	Bans on smoking in public places: policy enforcement needed. Lancet, The, 2007, 370, 133-134.	6.3	6
198	The role of secondâ€hand smoking on the prevalence of Type 2 diabetes mellitus in elderly men and women living in Mediterranean islands: the MEDIS study. Diabetic Medicine, 2010, 27, 242-243.	1.2	6

CONSTANTINE I VARDAVAS

#	Article	IF	CITATIONS
199	Acute pulmonary effects of sidestream secondhand smoke at simulated car concentrations. Xenobiotica, 2013, 43, 509-513.	0.5	6
200	Changes in tobacco industry advertising around high schools in Greece following an outdoor advertising ban: a follow-up study: TableÂ1. Tobacco Control, 2013, 22, 299-301.	1.8	6
201	The relationship between proximity of tobacco retail outlets to schools and tobacco use among school personnel in sub-Saharan Africa. Preventive Medicine, 2014, 69, 21-27.	1.6	6
202	Smoking cessation delivery by general practitioners in Crete, Greece. European Journal of Public Health, 2018, 28, 542-547.	0.1	6
203	H2O2O funding for respiratory research: scaling up for the prevention and treatment of lung diseases. European Respiratory Journal, 2019, 54, 1901417.	3.1	6
204	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016–2018). Tobacco Control, 2022, 31, 765-769.	1.8	6
205	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A16.	0.3	6
206	Tobacco treatment TrAining Network in Crete (TiTAN-Crete): protocol for a controlled before-after study. Tobacco Prevention and Cessation, 2016, 2, .	0.2	6
207	Electronic Cigarette Use in 12 European Countries: Results From the TackSHS Survey. Journal of Epidemiology, 2023, 33, 276-284.	1.1	6
208	Euthanasia in Greece: Greek nurses' involvement and beliefs. International Journal of Palliative Nursing, 2009, 15, 242-248.	0.2	5
209	Design and study protocol of the maternal smoking cessation during pregnancy study, (M-SCOPE). BMC Public Health, 2011, 11, 903.	1.2	5
210	The association between alcohol and tobacco use among elementary and high school students in Crete, Greece. Tobacco Induced Diseases, 2012, 10, 15.	0.3	5
211	Trends in metabolic syndrome risk factors among adolescents in rural Crete between 1989 and 2011. Hormones, 2014, 13, 259-267.	0.9	5
212	Secondhand smoke exposure within semi-open air cafes and tobacco specific 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) concentrations among nonsmoking employees. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 875-881.	0.6	5
213	Trends in age verification among U.S. adolescents attempting to buy cigarettes at retail stores, 2000–2009. Preventive Medicine, 2014, 61, 61-65.	1.6	5
214	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii10-iii17.	0.1	5
215	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016–18 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii68-iii77.	0.1	5
216	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. European Journal of Public Health, 2020, 30, iii84-iii90.	0.1	5

#	Article	IF	CITATIONS
217	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. Nicotine and Tobacco Research, 2022, 24, 85-92.	1.4	5
218	Cost, prevalence and correlates of cigarillo use in 28 European countries in 2017. Central European Journal of Public Health, 2019, 27, 182-187.	0.4	5
219	Current practices and perceived barriers to tobaccotreatment delivery among healthcare professionals from 15 European countries. The EPACTT Plus project. Tobacco Prevention and Cessation, 2020, 6, 6.	0.2	5
220	The association between economic recession and public support for increased tobacco taxation in 27 European countries. Scandinavian Journal of Public Health, 2014, 42, 589-592.	1.2	4
221	Systematic reviews and meta-analyses on the effects of active and passive smoking on respiratory health outcomes: the SmokeHaz online resource. Lancet, The, 2014, 384, S42.	6.3	4
222	Prevalence and determinants of SHS exposure in public and private areas after the 2010 smoke-free legislation in Greece. International Journal of Environmental Health Research, 2014, 24, 401-411.	1.3	4
223	Use of smokeless tobacco and cigarettes among Nigerian youths: implications for tobacco control policies in Africa. Journal of Substance Use, 2014, 19, 75-80.	0.3	4
224	The association between occupational secondhand smoke exposure and life satisfaction among adults in the European Union. Tobacco Induced Diseases, 2017, 15, 19.	0.3	4
225	Do dietary patterns determine levels of vitamin B 6 , folate, and vitamin B 12 intake and corresponding biomarkers in European adolescents? The Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. Nutrition, 2018, 50, 8-17.	1.1	4
226	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii18-iii25.	0.1	4
227	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii98-iii107.	0.1	4
228	Profile of incidental exposures to e-cigarette liquids in Europe, 2018–2019. Human and Experimental Toxicology, 2021, 40, 1045-1050.	1.1	4
229	Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project â€. Indoor Air, 2021, 31, 1601-1613.	2.0	4
230	Tobacco Treatment Guideline for High Risk Groups: A pilot study in patients with Chronic Obstructive Pulmonary Disease. Tobacco Induced Diseases, 2018, 16, 13.	0.3	4
231	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. Tobacco Induced Diseases, 2018, 16, A17.	0.3	4
232	State specific estimates of vaccine hesitancy among US adults. Population Medicine, 2021, 3, 1-9.	0.3	4
233	Adverse Reactions to Blood Donation Among Adolescents. JAMA - Journal of the American Medical Association, 2008, 300, 1759.	3.8	3
234	Adverse circulatory effects of passive smoking during infancy: surprisingly strong, manifest early, easily avoided. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 386-392.	0.7	3

#	Article	IF	CITATIONS
235	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii62-iii67.	0.1	3
236	Factors associated with abstinence after a recent smoking cessation attempt across 28 European Union member states. Tobacco Prevention and Cessation, 2021, 7, 1-11.	0.2	3
237	Porphyridium purpureum microalga physiological and ultrastructural changes under copper intoxication. Toxicology Reports, 2021, 8, 988-993.	1.6	3
238	Determinants of Blood Cadmium, Lead, Arsenic, Uranium, Mercury and Molybdenum Levels among Pregnant Women in Crete, Greece. Epidemiology, 2009, 20, S174.	1.2	3
239	EUREST PLUS - European Regulatory Science on Tobacco: Policy implementation to reduce lung diseases - Proposal (Horizon2020). Tobacco Prevention and Cessation, 2016, 2, .	0.2	3
240	Factors associated with rates of tobacco treatment delivery by General Practitioners in Greece: Missed opportunities for prevention?. Tobacco Induced Diseases, 2018, 16, 21.	0.3	3
241	Counselling for smoking cessation during pregnancy reduces tobacco-specific nitrosamine (NNAL) concentrations: A randomized controlled trial. European Journal of Midwifery, 2018, 2, 14.	0.5	3
242	Tobacco products in the European Union Common Entry Gate (EU-CEG): A tool for monitoring the EU tobacco products directive. Tobacco Prevention and Cessation, 2022, 8, 1-11.	0.2	3
243	Reporting system of suspected adverse effects from electronic cigarettes and refill liquids in Europe. Tobacco Prevention and Cessation, 2021, 7, 1-7.	0.2	3
244	How do Europeans quit using tobacco, e-cigarettes and heated tobacco products? A cross-sectional analysis in 28 European countries. BMJ Open, 2022, 12, e059068.	0.8	3
245	Review of industry reports on EU priority tobacco additives part A: Main outcomes and conclusions. Tobacco Prevention and Cessation, 2022, 8, 1-18.	0.2	3
246	Regulating duty free sales and tobacco advertising in airports: a call for action. Tobacco Induced Diseases, 2011, 9, 7.	0.3	2
247	Patient-reported receipt of oral cancer screenings and smoking cessation counseling from US oral health care providers. Journal of the American Dental Association, 2019, 150, 995-1003.	0.7	2
248	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii108-iii112.	0.1	2
249	Transition from experimentation with tobacco and nicotine products to regular smoking in Europe. Tobacco Induced Diseases, 2018, 16, .	0.3	2
250	Active and passive smoking of the blood donor in relation to markers of inflammation in transfused blood. Toxicology Letters, 2009, 189, S158.	0.4	1
251	'Environmentally friendly' brand promotion activities: cigarette butt clean-up campaigns. Tobacco Control, 2010, 19, 259-259.	1.8	1
252	Electronic Cigarettes: The Issues behind the Moral Quandary. Progress in Respiratory Research, 0, , 258-267.	0.1	1

#	Article	IF	CITATIONS
253	Smoking Control Is a Priority to Promote Heart, Lung, Blood, and Sleep Health. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 1471-1473.	2.5	1
254	Beware tobacco companies' spurious financial arguments. BMJ: British Medical Journal, 2011, 342, d1145-d1145.	2.4	1
255	E-cigarette experimentation and support for tobacco control policies in the European Union. , 2016, , .		1
256	Exposure to e-cigarette advertising in the European Union. , 2016, , .		1
257	Evaluation of respiratory irritants among the most popular e-cigarette refill liquids across 9 European countries. , 2017, , .		1
258	Associations of e-cigarette experimentation with support for tobacco control policies in the European Union, 2012-2014. Tobacco Induced Diseases, 2018, 16, 1-8.	0.3	1
259	Impact of the Tobacco Treatment Guidelines for High Risk Groups (TOB.g): A pilot study among physicians specializing in CVD, Diabetes and COPD. Tobacco Prevention and Cessation, 2018, 4, 13.	0.2	1
260	The TOBg Tobacco Treatment Guidelines for Adolescents: A real-world pilot study. Tobacco Prevention and Cessation, 2018, 4, 27.	0.2	1
261	Short-term impact of the EuroPean Accredited Curriculum on Tobacco Treatment Training (EPACTT) program. Tobacco Prevention and Cessation, 2018, 4, 28.	0.2	1
262	EUREST-FLAVOURS: European Regulatory Science on Tobacco to support the assessment of characterising flavours in tobacco products. Tobacco Induced Diseases, 2018, 16, .	0.3	1
263	A pilot study of the Tobacco Treatment Guidelines for High-Risk Groups (TOB-G) for pregnant and postpartum women. European Journal of Midwifery, 2018, 2, 16.	0.5	1
264	WHO FCTC Article 14 enforcement in Albania: An urgent issue to tackle. Tobacco Prevention and Cessation, 2019, 5, 6.	0.2	1
265	Review of industry reports on EU priority tobacco additives part B: Methodological limitations. Tobacco Prevention and Cessation, 2022, 8, 1-16.	0.2	1
266	Atmospheric and Biological Markers of Exposure of Secondhand Smoke Exposure in a Car: A Systematic Review. Chest, 2013, 144, 478A.	0.4	0
267	Adult Smokers of Regular, King-sized and Long/Ultralong Cigarettes in NHANES 2007-2010: User Characteristics and Their Tobacco Specific Carcinogen Levels. Chest, 2013, 144, 1008A.	0.4	0
268	Occupational SHS Exposure Within Semi-Open Air Venues and Tobacco Specific Carcinogen Uptake. Chest, 2013, 144, 481A.	0.4	0
269	Secondhand Smoke Exposure in Public Places in Greece Following the Implementation of a Smoke-Free Legislation: A 2 Year Follow-up. Chest, 2013, 144, 482A.	0.4	0
270	Education for a tobacco free world: the 11th meeting of the International Society for the Prevention of Tobacco Induced Diseases (ISPTID). Tobacco Induced Diseases, 2014, 12, A1.	0.3	0

#	Article	IF	CITATIONS
271	Prenatal Second-Hand Smoke Exposure Measured with Urine Cotinine May Reduce Gross Motor Development at 18 Months of Age. Obstetrical and Gynecological Survey, 2015, 70, 731-732.	0.2	0
272	Acknowledgement of manuscript reviewers 2015. Tobacco Induced Diseases, 2016, 14, .	0.3	0
273	E-Zigaretten: Ein vielschichtiges moralisches Dilemma. Karger Kompass Pneumologie, 2017, 5, 10-20.	0.0	0
274	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europe—findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. European Journal of Public Health, 2020, 30, iii1-iii3.	0.1	0
275	Tobacco toxicity and regulatory science. , 2021, , 337-347.		0
276	Smokers' support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. Open Research Europe, 0, 1, 52.	2.0	0
277	Science for tobacco control policies. Tobacco Prevention and Cessation, 2016, 2, .	0.2	0
278	Tobacco prevention in Greek school community. Tobacco Induced Diseases, 2018, 16, .	0.3	0
279	Classification, labelling and packaging of the most popular e-cigarette refill liquids across 9 European countries. Tobacco Induced Diseases, 2018, 16, .	0.3	0
280	Passive exposure to e-cigarette emissions: irritation symptoms, severity and duration. Tobacco Induced Diseases, 2018, 16, .	0.3	0
281	Chemical analysis and hazard identification of the most common electronic cigarette liquids in nine European countries. Tobacco Induced Diseases, 2018, 16, .	0.3	0
282	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A18.	0.3	0
283	Recommendations for treating electronic cigarette and heated tobacco product dependence. Tobacco Prevention and Cessation, 2021, 7, 1-2.	0.2	0
284	The predictors and association between knowledge of vaccines and vaccination among adults and children in 28 European Countries, 2019. Population Medicine, 2022, 4, 1-8.	0.3	0
285	Examining the level of preparedness of the nursing profession in the US to combat COVID-19 and lessons learned for public health programs, practice, and policy. Population Medicine, 2022, 4, 1-13.	0.3	0
286	Smokers' support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. Open Research Europe, 0, 1, 52.	2.0	0