

# Constantine I Vardavas

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7262952/constantine-i-vardavvas-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

259  
papers

6,388  
citations

37  
h-index

70  
g-index

292  
ext. papers

8,037  
ext. citations

4.2  
avg, IF

6.57  
L-index

#	Paper	IF	Citations
259	The predictors and association between knowledge of vaccines and vaccination among adults and children in 28 European Countries, 2019. <i>Population Medicine</i> , <b>2022</b> , 4, 1-8	1.2	
258	Tobacco products in the European Union Common Entry Gate (EU-CEG): A tool for monitoring the EU tobacco products directive.. <i>Tobacco Prevention and Cessation</i> , <b>2022</b> , 8, 10	1.2	0
257	Transmission of SARS-CoV-2 in educational settings in 2020: a review.. <i>BMJ Open</i> , <b>2022</b> , 12, e058308	3	1
256	How do Europeans quit using tobacco, e-cigarettes and heated tobacco products? A cross-sectional analysis in 28 European countries.. <i>BMJ Open</i> , <b>2022</b> , 12, e059068	3	
255	Examining the level of preparedness of the nursing profession in the US to combat COVID-19 and lessons learned for public health programs, practice, and policy. <i>Population Medicine</i> , <b>2022</b> , 4, 1-13	1.2	
254	State specific estimates of vaccine hesitancy among US adults. <i>Population Medicine</i> , <b>2021</b> , 3, 1-9	1.2	1
253	Electronic cigarette use in 12 European countries. Results from the TackSHS survey. <i>Journal of Epidemiology</i> , <b>2021</b> ,	3.4	1
252	Recommendations for treating electronic cigarette and heated tobacco product dependence. <i>Tobacco Prevention and Cessation</i> , <b>2021</b> , 7, 67	1.2	
251	Burden of disease from exposure to secondhand smoke in children in Europe. <i>Pediatric Research</i> , <b>2021</b> , 90, 216-222	3.2	4
250	Prevalence and correlates of physical inactivity in adults across 28 European countries. <i>European Journal of Public Health</i> , <b>2021</b> , 31, 840-845	2.1	4
249	Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project. <i>Indoor Air</i> , <b>2021</b> , 31, 1601-1613	5.4	1
248	Cost-effectiveness of emergency preparedness measures in response to infectious respiratory disease outbreaks: a systematic review and econometric analysis. <i>BMJ Open</i> , <b>2021</b> , 11, e045113	3	2
247	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. <i>Preventive Medicine</i> , <b>2021</b> , 145, 106412	4.3	4
246	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017-2018). <i>Journal of Epidemiology</i> , <b>2021</b> , 31, 145-151	3.4	18
245	Public perspective on the governmental response, communication and trust in the governmental decisions in mitigating COVID-19 early in the pandemic across the G7 countries. <i>Preventive Medicine Reports</i> , <b>2021</b> , 21, 101252	2.6	12
244	Profile of incidental exposures to e-cigarette liquids in Europe, 2018-2019. <i>Human and Experimental Toxicology</i> , <b>2021</b> , 40, 1045-1050	3.4	1
243	Prevalence of oral conditions among methamphetamine users: NHANES 2009-2014. <i>Journal of Public Health Dentistry</i> , <b>2021</b> , 81, 21-28	1.6	5

242	Factors associated with abstinence after a recent smoking cessation attempt across 28 European Union member states. <i>Tobacco Prevention and Cessation</i> , <b>2021</b> , 7, 5	1.2	2
241	Tobacco toxicity and regulatory science <b>2021</b> , 337-347		
240	microalga physiological and ultrastructural changes under copper intoxication. <i>Toxicology Reports</i> , <b>2021</b> , 8, 988-993	4.8	2
239	Prevalence and reasons for use of Heated Tobacco Products (HTP) in Europe: an analysis of Eurobarometer data in 28 countries. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 8, 100159		8
238	USE AND AWARENESS OF HEATED TOBACCO PRODUCTS IN EUROPE. <i>Journal of Epidemiology</i> , <b>2021</b> ,	3.4	11
237	Reporting system of suspected adverse effects from electronic cigarettes and refill liquids in Europe.. <i>Tobacco Prevention and Cessation</i> , <b>2021</b> , 7, 71	1.2	0
236	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii91-iii97	2.1	7
235	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive-findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii84-iii90	2.1	3
234	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii34-iii37	2.1	5
233	ESR/ERS statement paper on lung cancer screening. <i>European Respiratory Journal</i> , <b>2020</b> , 55,	13.6	27
232	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii38-iii45	2.1	5
231	Measuring for change: A multi-centre pre-post trial of an air quality feedback intervention to promote smoke-free homes. <i>Environment International</i> , <b>2020</b> , 140, 105738	12.9	4
230	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii4-iii9	2.1	13
229	Compliance of e-cigarette refill liquids with regulations on labelling, packaging and technical design characteristics in nine European member states. <i>Tobacco Control</i> , <b>2020</b> , 29, 531-536	5.3	5
228	Depression, periodontitis, caries and missing teeth in the USA, NHANES 2009-2014. <i>Family Medicine and Community Health</i> , <b>2020</b> , 8,	4.7	2
227	Impact of the ENSP eLearning platform on improving knowledge, attitudes and self-efficacy for treating tobacco dependence: An assessment across 15 European countries. <i>Tobacco Induced Diseases</i> , <b>2020</b> , 18, 40	3.2	3
226	Current practices and perceived barriers to tobacco-treatment delivery among healthcare professionals from 15 European countries. The EPACTT Plus project. <i>Tobacco Prevention and Cessation</i> , <b>2020</b> , 6, 6	1.2	1
225	A pilot study of the Tobacco Treatment Guidelines for High-Risk Groups (TOB-G) for pregnant and postpartum women. <i>European Journal of Midwifery</i> , <b>2020</b> , 2, 16	0.7	0

224	ESR/ERS statement paper on lung cancer screening. <i>European Radiology</i> , <b>2020</b> , 30, 3277-3294	8	34
223	Cocaine, polysubstance abuse, and oral health outcomes, NHANES 2009 to 2014. <i>Journal of Periodontology</i> , <b>2020</b> , 91, 1039	4.6	5
222	Discrepancies in reported measured nicotine content of e-cigarette refill liquids across nine European countries before and after the implementation of the EU Tobacco Products Directive. <i>European Respiratory Journal</i> , <b>2020</b> , 55,	13.6	4
221	Passive exposure of non-smokers to E-Cigarette aerosols: Sensory irritation, timing and association with volatile organic compounds. <i>Environmental Research</i> , <b>2020</b> , 182, 108963	7.9	22
220	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii10-iii17	2.1	3
219	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950-2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1160-1203	40	228
218	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii62-iii67	2.1	1
217	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii108-iii112	2.1	2
216	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii18-iii25	2.1	2
215	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	4
214	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europe-findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii1-iii3	2.1	
213	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii78-iii83	2.1	12
212	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii98-iii107	2.1	2
211	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016-18 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii68-iii77	2.1	2
210	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii46-iii54	2.1	2
209	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokers-findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii55-iii61	2.1	4
208	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , <b>2020</b> , 30, iii26-iii33	2.1	6
207	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. <i>Gaceta Sanitaria</i> , <b>2020</b> , 34, 77-82	2.2	17

206	Tobacco dependence treatment for special populations: challenges and opportunities. <i>Revista Brasileira De Psiquiatria</i> , <b>2020</b> , 43, 75-82	2.6	3
205	Burden of disease attributable to second-hand smoke exposure: A systematic review. <i>Preventive Medicine</i> , <b>2019</b> , 129, 105833	4.3	34
204	The role of context in implementation research for non-communicable diseases: Answering the 'how-to' dilemma. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214454	3.7	17
203	Effects of single and combined toxic exposures on the gut microbiome: Current knowledge and future directions. <i>Toxicology Letters</i> , <b>2019</b> , 312, 72-97	4.4	69
202	Impact of tobacco control policies on smoking prevalence and quit ratios in 27 European Union countries from 2006 to 2014. <i>Tobacco Control</i> , <b>2019</b> , 28, 101-109	5.3	61
201	Changes in smoking cessation assistance in the European Union between 2012 and 2017: pharmacotherapy versus counselling versus e-cigarettes. <i>Tobacco Control</i> , <b>2019</b> , 28, 95-100	5.3	36
200	WHO FCTC Article 14 enforcement in Albania: An urgent issue to tackle. <i>Tobacco Prevention and Cessation</i> , <b>2019</b> , 5, 6	1.2	1
199	Cost, prevalence and correlates of cigarillo use in 28 European countries in 2017. <i>Central European Journal of Public Health</i> , <b>2019</b> , 27, 182-187	1.2	3
198	Patient-reported receipt of oral cancer screenings and smoking cessation counseling from US oral health care providers: National Health and Nutrition Examination Survey, 2015-2016. <i>Journal of the American Dental Association</i> , <b>2019</b> , 150, 995-1003	1.9	0
197	Trends and Correlates of Waterpipe use in the European Union: Analysis of Selected Eurobarometer Surveys (2009-2017). <i>Nicotine and Tobacco Research</i> , <b>2019</b> , 21, 469-474	4.9	7
196	Self-Identified Tobacco Use and Harm Perceptions Among US Youth. <i>Pediatrics</i> , <b>2018</b> , 141,	7.4	14
195	Inflammation in metabolically healthy and metabolically abnormal adolescents: The HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2018</b> , 28, 77-83	4.5	15
194	Correlates of ideal cardiovascular health in European adolescents: The HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2018</b> , 28, 187-194	4.5	11
193	Training General Practitioners in Evidence-Based Tobacco Treatment: An Evaluation of the Tobacco Treatment Training Network in Crete (TiTAN-Crete) Intervention. <i>Health Education and Behavior</i> , <b>2018</b> , 45, 888-897	4.2	12
192	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A13	3.2	4
191	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A16	3.2	4
190	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A14	3.2	6
189	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A15	3.2	8

188	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A19	3.2	5
187	Transition from experimentation with tobacco and nicotine products to regular smoking in Europe. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16,	3.2	2
186	Study Protocol of European Regulatory Science on Tobacco (EUREST-PLUS): Policy implementation to reduce lung disease. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A2	3.2	33
185	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A1	3.2	11
184	Extent and correlates of self-reported exposure to tobacco advertising, promotion, and sponsorship in smokers: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16,	3.2	4
183	Quitting behaviors and cessation assistance used among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16,	3.2	5
182	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A5	3.2	3
181	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A4	3.2	19
180	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16,	3.2	16
179	Patterns of tobacco use, quit attempts, readiness to quit and self-efficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A9	3.2	6
178	Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A12	3.2	5
177	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A11	3.2	7
176	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A10	3.2	12
175	The Conceptual Model and Methods of Wave 1 (2016) of the EUREST-PLUS ITC 6 European Countries Survey. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A3	3.2	28
174	Passive exposure to e-cigarette emissions: Immediate respiratory effects. <i>Tobacco Prevention and Cessation</i> , <b>2018</b> , 4, 18	1.2	15
173	Associations of e-cigarette experimentation with support for tobacco control policies in the European Union, 2012-2014. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, 09	3.2	1
172	Tobacco Treatment Guideline for High Risk Groups: A pilot study in patients with Chronic Obstructive Pulmonary Disease. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, 13	3.2	1
171	Impact of the Tobacco Treatment Guidelines for High Risk Groups (TOB.g): A pilot study among physicians specializing in CVD, Diabetes and COPD. <i>Tobacco Prevention and Cessation</i> , <b>2018</b> , 4, 13	1.2	1

170	Factors associated with rates of tobacco treatment delivery by General Practitioners in Greece: Missed opportunities for prevention?. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, 21	3.2	3
169	The TOBg Tobacco Treatment Guidelines for Adolescents: A real-world pilot study. <i>Tobacco Prevention and Cessation</i> , <b>2018</b> , 4, 27	1.2	
168	Short-term impact of the EuroPeAn Accredited Curriculum on Tobacco Treatment Training (EPACTT) program. <i>Tobacco Prevention and Cessation</i> , <b>2018</b> , 4, 28	1.2	1
167	Counselling for smoking cessation during pregnancy reduces tobacco-specific nitrosamine (NNAL) concentrations: A randomized controlled trial. <i>European Journal of Midwifery</i> , <b>2018</b> , 2, 14	0.7	1
166	Prevalence and correlates of different smoking bans in homes and cars among smokers in six countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A8	3.2	6
165	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A18	3.2	
164	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. <i>Tobacco Induced Diseases</i> , <b>2018</b> , 16, A17	3.2	4
163	Do dietary patterns determine levels of vitamin B, folate, and vitamin B intake and corresponding biomarkers in European adolescents? The Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. <i>Nutrition</i> , <b>2018</b> , 50, 8-17	4.8	3
162	Composition and chemical health hazards of the most common electronic cigarette liquids in nine European countries. <i>Inhalation Toxicology</i> , <b>2018</b> , 30, 361-369	2.7	20
161	Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014-2017. <i>Preventive Medicine</i> , <b>2018</b> , 116, 13-18	4.3	41
160	Smoking cessation delivery by general practitioners in Crete, Greece. <i>European Journal of Public Health</i> , <b>2018</b> , 28, 542-547	2.1	5
159	Ideal cardiovascular health and inflammation in European adolescents: The HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2017</b> , 27, 447-455	4.5	10
158	E-Zigaretten: Ein vielschichtiges moralisches Dilemma. <i>Karger Kompass Pneumologie</i> , <b>2017</b> , 5, 10-20	0	
157	Characteristics and outcomes of e-cigarette exposure incidents reported to 10 European Poison Centers: a retrospective data analysis. <i>Tobacco Induced Diseases</i> , <b>2017</b> , 15, 36	3.2	14
156	Correlates of self-reported exposure to advertising of tobacco products and electronic cigarettes across 28 European Union member states. <i>Tobacco Control</i> , <b>2017</b> , 26, e130-e133	5.3	14
155	E-cigarette use and support for banning e-cigarette use in public places in the European Union. <i>Preventive Medicine</i> , <b>2017</b> , 105, 10-14	4.3	12
154	The association between occupational secondhand smoke exposure and life satisfaction among adults in the European Union. <i>Tobacco Induced Diseases</i> , <b>2017</b> , 15, 19	3.2	3
153	Respiratory irritants in e-cigarette refill liquids across nine European countries: a threat to respiratory health?. <i>European Respiratory Journal</i> , <b>2017</b> , 50,	13.6	14

152	Two-year trends and predictors of e-cigarette use in 27 European Union member states. <i>Tobacco Control</i> , <b>2017</b> , 26, 98-104	5.3	117
151	Are political views related to smoking and support for tobacco control policies? A survey across 28 European countries. <i>Tobacco Induced Diseases</i> , <b>2017</b> , 15, 45	3.2	9
150	The Secondhand Smoke Exposure Scale (SHSES): A hair nicotine validated tool for assessing exposure to secondhand smoke among elderly adults in primary care. <i>Tobacco Prevention and Cessation</i> , <b>2017</b> , 3, 9	1.2	5
149	Experimentation with e-cigarettes as a smoking cessation aid: a cross-sectional study in 28 European Union member states. <i>BMJ Open</i> , <b>2016</b> , 6, e012084	3	11
148	Acknowledgement of manuscript reviewers 2015. <i>Tobacco Induced Diseases</i> , <b>2016</b> , 14,	3.2	78
147	From the Classroom to Facebook: A Fresh Approach for Youth Tobacco Prevention. <i>American Journal of Health Promotion</i> , <b>2016</b> , 30, 390-3	2.5	9
146	Geographic variation and socio-demographic determinants of the co-occurrence of risky health behaviours in 27 European Union member states. <i>Journal of Public Health</i> , <b>2016</b> , 38, e13-20	3.5	5
145	Impact of cigarette price differences across the entire European Union on cross-border purchase of tobacco products among adult cigarette smokers. <i>Tobacco Control</i> , <b>2016</b> , 25, 333-40	5.3	18
144	Relationship of secondhand smoke exposure with sociodemographic factors and smoke-free legislation in the European Union. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 344-9	2.1	29
143	The independent role of prenatal and postnatal exposure to active and passive smoking on the development of early wheeze in children. <i>European Respiratory Journal</i> , <b>2016</b> , 48, 115-24	13.6	76
142	Physical Activity Is Associated with Attention Capacity in Adolescents. <i>Journal of Pediatrics</i> , <b>2016</b> , 168, 126-131.e2	3.6	42
141	Tobacco treatment TrAining Network in Crete (TiTAN-Crete): protocol for a controlled before-after study. <i>Tobacco Prevention and Cessation</i> , <b>2016</b> , 2,	1.2	6
140	SmokeHaz: Systematic Reviews and Meta-analyses of the Effects of Smoking on Respiratory Health. <i>Chest</i> , <b>2016</b> , 150, 164-79	5.3	115
139	Design and marketing features influencing choice of e-cigarettes and tobacco in the EU. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 838-841	2.1	25
138	Prenatal Second-Hand Smoke Exposure Measured with Urine Cotinine May Reduce Gross Motor Development at 18 Months of Age. <i>Journal of Pediatrics</i> , <b>2015</b> , 167, 246-52.e2	3.6	25
137	Association between unmet dental needs and school absenteeism because of illness or injury among U.S. school children and adolescents aged 6-17 years, 2011-2012. <i>Preventive Medicine</i> , <b>2015</b> , 72, 83-8	4.3	19
136	The combined effect of physical activity and sedentary behaviors on a clustered cardio-metabolic risk score: The Helena study. <i>International Journal of Cardiology</i> , <b>2015</b> , 186, 186-95	3.2	28
135	Dietary animal and plant protein intakes and their associations with obesity and cardio-metabolic indicators in European adolescents: the HELENA cross-sectional study. <i>Nutrition Journal</i> , <b>2015</b> , 14, 10	4.3	40



134	Levels of physical activity among adults 18-64 years old in 28 European countries. <i>Preventive Medicine</i> , <b>2015</b> , 81, 87-91	4.3	55
133	A systematic review of secondhand smoke exposure in a car: Attributable changes in atmospheric and biological markers. <i>Chronic Respiratory Disease</i> , <b>2015</b> , 12, 120-31	3	14
132	Influence of sex, age, pubertal maturation and body mass index on circulating white blood cell counts in healthy European adolescents: the HELENA study. <i>European Journal of Pediatrics</i> , <b>2015</b> , 174, 999-1014	4.1	13
131	Smoking Control Is a Priority to Promote Heart, Lung, Blood, and Sleep Health. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2015</b> , 191, 1471-3	10.2	1
130	Inflammation profile in overweight/obese adolescents in Europe: an analysis in relation to iron status. <i>European Journal of Clinical Nutrition</i> , <b>2015</b> , 69, 247-55	5.2	25
129	Cardiorespiratory fitness and ideal cardiovascular health in European adolescents. <i>Heart</i> , <b>2015</b> , 101, 766-73	5.3	61
128	Determinants and prevalence of e-cigarette use throughout the European Union: a secondary analysis of 26 566 youth and adults from 27 Countries. <i>Tobacco Control</i> , <b>2015</b> , 24, 442-8	5.3	134
127	Cigarette design and marketing features are associated with increased smoking susceptibility and perception of reduced harm among smokers in 27 EU countries. <i>Tobacco Control</i> , <b>2015</b> , 24, e233-40	5.3	37
126	Effectiveness of text versus pictorial health warning labels and predictors of support for plain packaging of tobacco products within the European Union. <i>European Addiction Research</i> , <b>2015</b> , 21, 47-52	4.6	15
125	The association between peer, parental influence and tobacco product features and earlier age of onset of regular smoking among adults in 27 European countries. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 814-8	2.1	33
124	Adverse circulatory effects of passive smoking during infancy: surprisingly strong, manifest early, easily avoided. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2014</b> , 103, 386-92	3.1	2
123	The relationship between cotinine concentrations and inflammatory markers among highly secondhand smoke exposed non-smoking adolescents. <i>Cytokine</i> , <b>2014</b> , 66, 17-22	4	13
122	Going up in ashes? Smoking-attributable morbidity, hospital admissions and expenditure in Greece. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 477-9	2.1	10
121	Association between chocolate consumption and fatness in European adolescents. <i>Nutrition</i> , <b>2014</b> , 30, 236-9	4.8	30
120	Systematic reviews and meta-analyses on the effects of active and passive smoking on respiratory health outcomes: the SmokeHaz online resource. <i>Lancet, The</i> , <b>2014</b> , 384, S42	4.0	2
119	Prevalence and determinants of SHS exposure in public and private areas after the 2010 smoke-free legislation in Greece. <i>International Journal of Environmental Health Research</i> , <b>2014</b> , 24, 401-11	3.6	4
118	Self-reported sleep duration, white blood cell counts and cytokine profiles in European adolescents: the HELENA study. <i>Sleep Medicine</i> , <b>2014</b> , 15, 1251-8	4.6	46
117	The relationship between proximity of tobacco retail outlets to schools and tobacco use among school personnel in sub-Saharan Africa. <i>Preventive Medicine</i> , <b>2014</b> , 69, 21-7	4.3	5

116	Trends in cardiovascular risk factors in Greece before and during the financial crisis: the impact of social disparities. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 974-9	2.1	43
115	Physical activity, sedentary time, and liver enzymes in adolescents: the HELENA study. <i>Pediatric Research</i> , <b>2014</b> , 75, 798-802	3.2	18
114	The recent and projected public health and economic benefits of cigarette taxation in Greece. <i>Tobacco Control</i> , <b>2014</b> , 23, 452-4	5.3	13
113	Support for smoke-free cars when children are present: a secondary analysis of 164,819 U.S. adults in 2010/2011. <i>European Journal of Pediatrics</i> , <b>2014</b> , 173, 1459-66	4.1	8
112	11th Annual Conference of the International Society for the Prevention of Tobacco Induced Diseases (ISPTID). <i>Tobacco Induced Diseases</i> , <b>2014</b> , 12, A1-A37	3.2	
111	Secondhand smoke exposure within semi-open air cafes and tobacco specific 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) concentrations among nonsmoking employees. <i>International Journal of Occupational Medicine and Environmental Health</i> , <b>2014</b> , 27, 875-81	1.5	5
110	Predictors and patterns of cigarette and smokeless tobacco use among adolescents in 32 countries, 2007-2011. <i>Journal of Adolescent Health</i> , <b>2014</b> , 54, 47-53	5.8	22
109	More physically active and leaner adolescents have higher energy intake. <i>Journal of Pediatrics</i> , <b>2014</b> , 164, 159-166.e2	3.6	18
108	The association between cigarette rod length, slim design, and blood cadmium levels among U.S. smokers: NHANES 1999-2010. <i>Preventive Medicine</i> , <b>2014</b> , 65, 87-91	4.3	7
107	Gender and racial differences in smoking of long/ultra-long and king size cigarettes among U.S. adult smokers, NHANES 1999-2012. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 136, 28-35	4.9	8
106	Trends in age verification among U.S. adolescents attempting to buy cigarettes at retail stores, 2000-2009. <i>Preventive Medicine</i> , <b>2014</b> , 61, 61-5	4.3	4
105	Mechanisms of stress, energy homeostasis and insulin resistance in European adolescents--the HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 1082-9	4.5	10
104	5-Year trends in the intention to quit smoking amidst the economic crisis and after recently implemented tobacco control measures in Greece. <i>Addictive Behaviors</i> , <b>2014</b> , 39, 140-5	4.2	8
103	Poly-tobacco use among adults in 44 countries during 2008-2012: evidence for an integrative and comprehensive approach in tobacco control. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 139, 60-70	4.9	63
102	Combined influence of healthy diet and active lifestyle on cardiovascular disease risk factors in adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2014</b> , 24, 553-62	4.6	30
101	A comparison of cessation counseling received by current smokers at US dentist and physician offices during 2010-2011. <i>American Journal of Public Health</i> , <b>2014</b> , 104, e67-75	5.1	14
100	Use of smokeless tobacco and cigarettes among Nigerian youths: implications for tobacco control policies in Africa. <i>Journal of Substance Use</i> , <b>2014</b> , 19, 75-80	0.8	3
99	Trends in metabolic syndrome risk factors among adolescents in rural Crete between 1989 and 2011. <i>Hormones</i> , <b>2014</b> , 13, 259-67	3.1	3

98	Nutrition and lifestyle in european adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) study. <i>Advances in Nutrition</i> , <b>2014</b> , 5, 615S-623S	10	86
97	The association between economic recession and public support for increased tobacco taxation in 27 European countries. <i>Scandinavian Journal of Public Health</i> , <b>2014</b> , 42, 589-92	3	3
96	Association of breakfast consumption with objectively measured and self-reported physical activity, sedentary time and physical fitness in European adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 2226-36	3.3	26
95	Associations between macronutrient intake and serum lipid profile depend on body fat in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. <i>British Journal of Nutrition</i> , <b>2014</b> , 112, 2049-59	3.6	7
94	Is dairy consumption associated with low cardiovascular disease risk in European adolescents? Results from the HELENA Study. <i>Pediatric Obesity</i> , <b>2014</b> , 9, 401-10	4.6	37
93	Influence of parental socio-economic status on diet quality of European adolescents: results from the HELENA study. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 1303-12	3.6	34
92	Cigarette rod length and its impact on serum cotinine and urinary total NNAL levels, NHANES 2007-2010. <i>Nicotine and Tobacco Research</i> , <b>2014</b> , 16, 100-7	4.9	8
91	Increased sedentary behaviour is associated with unhealthy dietary patterns in European adolescents participating in the HELENA study. <i>European Journal of Clinical Nutrition</i> , <b>2014</b> , 68, 300-8	5.2	33
90	Determinants of use of smoking cessation aids in 27 European countries. <i>Preventive Medicine</i> , <b>2014</b> , 65, 99-102	4.3	13
89	Muscular fitness, fatness and inflammatory biomarkers in adolescents. <i>Pediatric Obesity</i> , <b>2014</b> , 9, 391-400	4.6	47
88	Attitudes towards electronic cigarettes regulation in indoor workplaces and selected public and private places: a population-based cross-sectional study. <i>PLoS ONE</i> , <b>2014</b> , 9, e114256	3.7	21
87	Dealing with tobacco use and dependence within primary health care: time for action. <i>Tobacco Induced Diseases</i> , <b>2013</b> , 11, 6	3.2	9
86	The impact of the Cyprus comprehensive smoking ban on air quality and economic business of hospitality venues. <i>BMC Public Health</i> , <b>2013</b> , 13, 76	4.1	6
85	Physical activity attenuates the negative effect of low birth weight on leptin levels in European adolescents; the HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2013</b> , 23, 344-9	4.5	10
84	Lunch at school, at home or elsewhere. Where do adolescents usually get it and what do they eat? Results of the HELENA Study. <i>Appetite</i> , <b>2013</b> , 71, 332-9	4.5	16
83	Acute pulmonary effects of sidestream secondhand smoke at simulated car concentrations. <i>Xenobiotica</i> , <b>2013</b> , 43, 509-13	2	6
82	Prevalence and determinants of tobacco use among adults in Greece: 4 year trends. <i>European Journal of Public Health</i> , <b>2013</b> , 23, 772-6	2.1	30
81	The acute effect of cigarette smoking on the respiratory function and FENO production among young smokers. <i>Experimental Lung Research</i> , <b>2013</b> , 39, 359-64	2.3	16

80	Changes in tobacco industry advertising around high schools in Greece following an outdoor advertising ban: a follow-up study. <i>Tobacco Control</i> , <b>2013</b> , 22, 299-301	5.3	4
79	Use of conventional and novel smokeless tobacco products among US adolescents. <i>Pediatrics</i> , <b>2013</b> , 132, e578-86	7.4	30
78	Pooling birth cohorts in allergy and asthma: European Union-funded initiatives - a MeDALL, CHICOS, ENRIECO, and GALEN joint paper. <i>International Archives of Allergy and Immunology</i> , <b>2013</b> , 161, 1-10	3.7	38
77	Proposed cutoff for identifying adult smokeless tobacco users with urinary total 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanonol: an aggregated analysis of NHANES 2007-2010 data. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 1956-61	4.9	7
76	Exposure to different sources of second-hand smoke during pregnancy and its effect on urinary cotinine and tobacco-specific nitrosamine (NNAL) concentrations. <i>Tobacco Control</i> , <b>2013</b> , 22, 194-200	5.3	27
75	Temporal trends in smokeless tobacco use among US middle and high school students, 2000-2011. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 309, 1992-4	27.4	14
74	A 50-year follow-up of the Seven Countries Study: Prevalence of cardiovascular risk factors, food and nutrient intakes among Cretans. <i>Hormones</i> , <b>2013</b> , 12, 379-85	3.1	11
73	Ashtrays and signage as determinants of a smoke-free legislation's success. <i>PLoS ONE</i> , <b>2013</b> , 8, e72945	3.7	17
72	Disparities and trends in indoor exposure to secondhand smoke among U.S. adolescents: 2000-2009. <i>PLoS ONE</i> , <b>2013</b> , 8, e83058	3.7	14
71	Current evidence on the associations of breastfeeding, infant formula, and cow's milk introduction with type 1 diabetes mellitus: a systematic review. <i>Nutrition Reviews</i> , <b>2012</b> , 70, 509-19	6.4	58
70	Hair nicotine/cotinine concentrations as a method of monitoring exposure to tobacco smoke among infants and adults. <i>Human and Experimental Toxicology</i> , <b>2012</b> , 31, 258-65	3.4	34
69	Five-year trends of second-hand smoke exposure in Greece: a comparison between complete, partial, and prelegislation levels. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , <b>2012</b> , 25, 349-358	3.8	12
68	Eating behaviour, insulin resistance and cluster of metabolic risk factors in European adolescents. The HELENA study. <i>Appetite</i> , <b>2012</b> , 59, 140-7	4.5	21
67	The association between alcohol and tobacco use among elementary and high school students in Crete, Greece. <i>Tobacco Induced Diseases</i> , <b>2012</b> , 10, 15	3.2	5
66	Short-term pulmonary effects of using an electronic cigarette: impact on respiratory flow resistance, impedance, and exhaled nitric oxide. <i>Chest</i> , <b>2012</b> , 141, 1400-1406	5.3	352
65	Tobacco taxation: the importance of earmarking the revenue to health care and tobacco control. <i>Tobacco Induced Diseases</i> , <b>2012</b> , 10, 21	3.2	11
64	Adherence to CPAP therapy improves quality of life and reduces symptoms among obstructive sleep apnea syndrome patients. <i>Sleep and Breathing</i> , <b>2012</b> , 16, 563-9	3.1	63
63	Iron and vitamin status biomarkers and its association with physical fitness in adolescents: the HELENA study. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 566-73	3.7	18

62	Reliability and validity of a screen time-based sedentary behaviour questionnaire for adolescents: The HELENA study. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 373-7	2.1	72
61	Breakfast habits among European adolescents and their association with sociodemographic factors: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) study. <i>Public Health Nutrition</i> , <b>2012</b> , 15, 1879-89	3.3	36
60	The association between active/passive smoking and toxic metals among pregnant women in Greece. <i>Xenobiotica</i> , <b>2011</b> , 41, 456-63	2	10
59	Fatty acid composition of Greek margarines and their change in fatty acid content over the past decades. <i>International Journal of Food Sciences and Nutrition</i> , <b>2011</b> , 62, 685-91	3.7	10
58	Does adherence to the Mediterranean diet have a protective effect against active and passive smoking?. <i>Public Health</i> , <b>2011</b> , 125, 121-8	4	21
57	Measuring the burden of herpes zoster and post herpetic neuralgia within primary care in rural Crete, Greece. <i>BMC Family Practice</i> , <b>2011</b> , 12, 136	2.6	11
56	Development, design, and conceptual issues of project zero exposure: A program to protect young children from tobacco smoke exposure. <i>BMC Public Health</i> , <b>2011</b> , 11, 508	4.1	12
55	Design and study protocol of the maternal smoking cessation during pregnancy study, (M-SCOPE). <i>BMC Public Health</i> , <b>2011</b> , 11, 903	4.1	5
54	Smoking cessation can improve quality of life among COPD patients: validation of the clinical COPD questionnaire into Greek. <i>BMC Pulmonary Medicine</i> , <b>2011</b> , 11, 13	3.5	25
53	Nursing education and beliefs towards tobacco cessation and control: a cross-sectional national survey (GHPSS) among nursing students in Greece. <i>Tobacco Induced Diseases</i> , <b>2011</b> , 9, 4	3.2	14
52	Regulating duty free sales and tobacco advertising in airports: a call for action. <i>Tobacco Induced Diseases</i> , <b>2011</b> , 9, 7	3.2	1
51	Differences in nutrient intake during a Greek Orthodox Christian fasting and non-fasting week, as assessed by a food composition database and chemical analyses of 7-day weighed food samples. <i>Journal of Food Composition and Analysis</i> , <b>2011</b> , 24, 22-28	4.1	7
50	The relationship between venue indoor air quality and urinary cotinine levels among semiopen-air cafe employees: what factors determine the level of exposure?. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , <b>2011</b> , 24, 35-41	3.8	7
49	Physical fitness levels among European adolescents: the HELENA study. <i>British Journal of Sports Medicine</i> , <b>2011</b> , 45, 20-9	10.3	226
48	Objectively measured physical activity and sedentary time in European adolescents: the HELENA study. <i>American Journal of Epidemiology</i> , <b>2011</b> , 174, 173-84	3.8	210
47	The role of the non-smoker in enforcing smoke-free laws. <i>Journal of Public Health Policy</i> , <b>2011</b> , 32, 46-59	2.9	16
46	The role of second-hand smoking on the prevalence of Type 2 diabetes mellitus in elderly men and women living in Mediterranean islands: the MEDIS study. <i>Diabetic Medicine</i> , <b>2010</b> , 27, 242-3	3.5	5
45	Passive smoking alters circulating naïve/memory lymphocyte T-cell subpopulations in children. <i>Pediatric Allergy and Immunology</i> , <b>2010</b> , 21, 1171-8	4.2	23

44	What defines an effective anti-tobacco TV advertisement? A pilot study among Greek adolescents. <i>International Journal of Environmental Research and Public Health</i> , <b>2010</b> , 7, 78-88	4.6	6
43	Implementing family practice research in countries with limited resources: a stepwise model experienced in Crete, Greece. <i>Family Practice</i> , <b>2010</b> , 27, 48-54	1.9	15
42	Cardiovascular disease risk factors and dietary habits of farmers from Crete 45 years after the first description of the Mediterranean diet. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 440-6		28
41	Biomarker evaluation of Greek adolescents' exposure to secondhand smoke. <i>Human and Experimental Toxicology</i> , <b>2010</b> , 29, 459-66	3.4	10
40	'Environmentally friendly' brand promotion activities: cigarette butt clean-up campaigns. <i>Tobacco Control</i> , <b>2010</b> , 19, 259	5.3	1
39	Biological evidence for the acute health effects of secondhand smoke exposure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2010</b> , 298, L3-L12	5.8	62
38	Sedentary patterns and media availability in European adolescents: The HELENA study. <i>Preventive Medicine</i> , <b>2010</b> , 51, 50-5	4.3	112
37	Recommended levels of physical activity to avoid an excess of body fat in European adolescents: the HELENA Study. <i>American Journal of Preventive Medicine</i> , <b>2010</b> , 39, 203-11	6.1	75
36	Time interval from cigarette smoke exposure to blood donation and markers of inflammation: should a smoking cut-off be designated?. <i>Xenobiotica</i> , <b>2010</b> , 40, 613-20	2	5
35	Factors associated with active smoking, quitting, and secondhand smoke exposure among pregnant women in Greece. <i>Journal of Epidemiology</i> , <b>2010</b> , 20, 355-62	3.4	31
34	Smoking and smoking cessation during early pregnancy and its effect on adverse pregnancy outcomes and fetal growth. <i>European Journal of Pediatrics</i> , <b>2010</b> , 169, 741-8	4.1	92
33	Key points in preventing tobacco use among adolescents. <i>Tobacco Induced Diseases</i> , <b>2010</b> , 8, 1	3.2	16
32	Predictors of childhood exposure to parental secondhand smoke in the house and family car. <i>International Journal of Environmental Research and Public Health</i> , <b>2009</b> , 6, 433-44	4.6	16
31	Health literacy and sources of health education among adolescents in Greece. <i>International Journal of Adolescent Medicine and Health</i> , <b>2009</b> , 21, 179-86	1.1	13
30	Adolescents perceived effectiveness of the proposed European graphic tobacco warning labels. <i>European Journal of Public Health</i> , <b>2009</b> , 19, 212-7	2.1	69
29	Euthanasia in Greece: Greek nurses' involvement and beliefs. <i>International Journal of Palliative Nursing</i> , <b>2009</b> , 15, 242-8	0.9	2
28	Maintained smoking cessation for 6 months equilibrates the percentage of sputum CD8+ lymphocyte cells with that of nonsmokers. <i>Mediators of Inflammation</i> , <b>2009</b> , 2009, 812102	4.3	8
27	Geographical information systems as a tool for monitoring tobacco industry advertising. <i>Tobacco Control</i> , <b>2009</b> , 18, 190-6	5.3	10

26	Smoke-free hospitals in Greece: Personnel perceptions, compliance and smoking habit. <i>Tobacco Induced Diseases</i> , <b>2009</b> , 5, 8	3.2	9
25	Association of objectively assessed physical activity with total and central body fat in Spanish adolescents; the HELENA Study. <i>International Journal of Obesity</i> , <b>2009</b> , 33, 1126-35	5.5	63
24	Prevalence of obesity and physical inactivity among farmers from Crete (Greece), four decades after the Seven Countries Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2009</b> , 19, 156-62	4.5	16
23	Does adherence to the Mediterranean diet modify the impact of smoking on health?. <i>Public Health</i> , <b>2009</b> , 123, 459-60; author reply 460	4	7
22	Nursing education and practice in a changing environment: the case of Greece. <i>Nurse Education Today</i> , <b>2009</b> , 29, 840-4	3.7	16
21	The causal relationship between passive smoking and inflammation on the development of cardiovascular disease: a review of the evidence. <i>Inflammation and Allergy: Drug Targets</i> , <b>2009</b> , 8, 328-33		31
20	Integrated primary health care in Greece, a missing issue in the current health policy agenda: a systematic review. <i>International Journal of Integrated Care</i> , <b>2009</b> , 9, e88	2	54
19	Determinants of Blood Cadmium, Lead, Arsenic, Uranium, Mercury and Molybdenum Levels among Pregnant Women in Crete, Greece. <i>Epidemiology</i> , <b>2009</b> , 20, S174	3.1	3
18	Assessing, understanding and modifying nutritional status, eating habits and physical activity in European adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 288-99	3.3	190
17	Adverse reactions to blood donation among adolescents. <i>JAMA - Journal of the American Medical Association</i> , <b>2008</b> , 300, 1759-60; author reply 1760	27.4	2
16	Calcium, nutrient and food intake of Greek Orthodox Christian monks during a fasting and non-fasting week. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 1022-9	3.3	32
15	Second hand smoke exposure and excess heart disease and lung cancer mortality among hospital staff in Crete, Greece: a case study. <i>International Journal of Environmental Research and Public Health</i> , <b>2008</b> , 5, 125-9	4.6	6
14	Smoking status in relation to serum folate and dietary vitamin intake. <i>Tobacco Induced Diseases</i> , <b>2008</b> , 4, 8	3.2	32
13	Fatty acid and salt contents of snacks in the Cretan and Cypriot market: A child and adolescent dietary hazard. <i>Food Chemistry</i> , <b>2007</b> , 101, 924-931	8.5	10
12	Smoking habits of Greek preschool children's parents. <i>BMC Public Health</i> , <b>2007</b> , 7, 112	4.1	12
11	Environmental tobacco smoke in hospitality venues in Greece. <i>BMC Public Health</i> , <b>2007</b> , 7, 302	4.1	23
10	Smoking policy and prevalence in Greece: an overview. <i>European Journal of Public Health</i> , <b>2007</b> , 17, 211-3.1	3.1	59
9	Bans on smoking in public places: policy enforcement needed. <i>Lancet, The</i> , <b>2007</b> , 370, 133-134	4.0	4

8	Environmental tobacco smoke exposure in motor vehicles: a preliminary study. <i>Tobacco Control</i> , <b>2006</b> , 15, 415	5.3	32
7	Greece's tobacco policy: another myth?. <i>Lancet, The</i> , <b>2006</b> , 367, 1485-6	4.0	19
6	The antioxidant and phylloquinone content of wildy grown greens in Crete. <i>Food Chemistry</i> , <b>2006</b> , 99, 813-821	8.5	57
5	Lipid concentrations of wild edible greens in Crete. <i>Food Chemistry</i> , <b>2006</b> , 99, 822-834	8.5	39
4	Biomarkers of passive smoking among Greek preschool children. <i>European Journal of Pediatrics</i> , <b>2006</b> , 165, 891-6	4.1	16
3	Electronic Cigarettes: The Issues behind the Moral Quandary. <i>Progress in Respiratory Research</i> , 258-267		1
2	Effectiveness of non-pharmaceutical measures (NPIs) on COVID-19 in Europe: A systematic literature review		1
1	Smokers' support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. <i>Open Research Europe</i> , 1, 52		