Thomas J Cleij

List of Publications by Citations

Source: https://exaly.com/author-pdf/7263428/thomas-j-cleij-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 2,733 25 50 g-index

96 3,012 5.6 4.62 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
89	The Relation Between Open-Circuit Voltage and the Onset of Photocurrent Generation by Charge-Transfer Absorption in Polymer: Fullerene Bulk Heterojunction Solar Cells. <i>Advanced Functional Materials</i> , 2008 , 18, 2064-2070	15.6	468
88	Effect of temperature on the morphological and photovoltaic stability of bulk heterojunction polymer:fullerene solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2008 , 92, 753-760	6.4	253
87	Low Band Gap Donor Acceptor Conjugated Polymers toward Organic Solar Cells Applications. <i>Macromolecules</i> , 2007 , 40, 65-72	5.5	206
86	Strategy for Enhancing the Dielectric Constant of Organic Semiconductors Without Sacrificing Charge Carrier Mobility and Solubility. <i>Advanced Functional Materials</i> , 2015 , 25, 150-157	15.6	150
85	Recent Advances in Electrosynthesized Molecularly Imprinted Polymer Sensing Platforms for Bioanalyte Detection. <i>Sensors</i> , 2019 , 19,	3.8	98
84	Alkyl-Chain-Length-Independent Hole Mobility via Morphological Control with Poly(3-alkylthiophene) Nanofibers. <i>Advanced Functional Materials</i> , 2010 , 20, 792-802	15.6	87
83	Controlling the Morphology and Efficiency of Hybrid ZnO:Polythiophene Solar Cells Via Side Chain Functionalization. <i>Advanced Energy Materials</i> , 2011 , 1, 90-96	21.8	78
82	MIPs for commercial application in low-cost sensors and assays - An overview of the current status quo. <i>Sensors and Actuators B: Chemical</i> , 2020 , 325, 128973	8.5	63
81	Selective identification of macrophages and cancer cells based on thermal transport through surface-imprinted polymer layers. <i>ACS Applied Materials & District Research</i> , 5, 7258-67	9.5	62
80	Controlling the morphology of nanofiber-P3HT:PCBM blends for organic bulk heterojunction solar cells. <i>Organic Electronics</i> , 2009 , 10, 1248-1251	3.5	56
79	Label-Free Detection of Escherichia coli Based on Thermal Transport through Surface Imprinted Polymers. <i>ACS Sensors</i> , 2016 , 1, 1140-1147	9.2	53
78	Bulk heterojunction organic solar cells based on soluble poly(thienylene vinylene) derivatives. <i>Organic Electronics</i> , 2008 , 9, 740-746	3.5	53
77	The heat-transfer method: a versatile low-cost, label-free, fast, and user-friendly readout platform for biosensor applications. <i>ACS Applied Materials & Discrete Section</i> , 13309-18	9.5	50
76	Impedimetric detection of histamine in bowel fluids using synthetic receptors with pH-optimized binding characteristics. <i>Analytical Chemistry</i> , 2013 , 85, 1475-83	7.8	48
75	Electrosensitive polyacrylic acid/fibrin hydrogel facilitates cell seeding and alignment. Biomacromolecules, 2012, 13, 1448-57	6.9	42
74	Precursor route poly(thienylene vinylene) for organic solar cells: Photophysics and photovoltaic performance. <i>Solar Energy Materials and Solar Cells</i> , 2006 , 90, 2815-2828	6.4	42
73	Thermal Detection of Cardiac Biomarkers Heart-Fatty Acid Binding Protein and ST2 Using a Molecularly Imprinted Nanoparticle-Based Multiplex Sensor Platform. <i>ACS Sensors</i> , 2019 , 4, 2838-2845	9.2	31

72	Band Gap Modifications in Functionalized Poly(methylphenylsilanes). <i>Macromolecules</i> , 2000 , 33, 89-96	5.5	30
71	Structural, Photophysical, and Conductive Properties of n-Hexyl Substituted Hybrid Polysilylene P olysilyne Networks. <i>Macromolecules</i> , 1996 , 29, 7362-7373	5.5	30
70	Broadening the absorption of conjugated polymers by "click" functionalization with phthalocyanines. <i>Dalton Transactions</i> , 2011 , 40, 3979-88	4.3	29
69	Biomimetic Bacterial Identification Platform Based on Thermal Wave Transport Analysis (TWTA) through Surface-Imprinted Polymers. <i>ACS Infectious Diseases</i> , 2017 , 3, 388-397	5.5	27
68	Label-free Protein Detection Based on the Heat-Transfer MethodA Case Study with the Peanut Allergen Ara h 1 and Aptamer-Based Synthetic Receptors. <i>ACS Applied Materials & Company </i>	9.5	27
67	Heat-transfer-method-based cell culture quality assay through cell detection by surface imprinted polymers. <i>Langmuir</i> , 2015 , 31, 2043-50	4	26
66	Kinetic and Mechanistic Study onp-Quinodimethane Formation in the Sulfinyl Precursor Route for the Polymerization of Poly(p-phenylenevinylene) (PPV). <i>Macromolecules</i> , 2010 , 43, 7424-7433	5.5	25
65	Phase behavior of PCBM blends with different conjugated polymers. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 12285-92	3.6	25
64	Poly(4,7,10-trioxaundecylmethylsilylene) and Poly(4,7,10,13-tetraoxatetradecylmethylsilylene): Nonionic Water-Soluble Polysilylenes. <i>Macromolecules</i> , 1995 , 28, 8696-8698	5.5	25
63	Introducing Thermal Wave Transport Analysis (TWTA): A Thermal Technique for Dopamine Detection by Screen-Printed Electrodes Functionalized with Molecularly Imprinted Polymer (MIP) Particles. <i>Molecules</i> , 2016 , 21,	4.8	25
62	Label-Free Detection of Small Organic Molecules by Molecularly Imprinted Polymer Functionalized Thermocouples: Toward In Vivo Applications. <i>ACS Sensors</i> , 2017 , 2, 583-589	9.2	23
61	Development of multichannel quartz crystal microbalances for MIP-based biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 892-899	1.6	23
60	Towards water compatible MIPs for sensing in aqueous media. <i>Journal of Molecular Recognition</i> , 2012 , 25, 344-51	2.6	23
59	A three-step synthetic approach to asymmetrically functionalized 4H-cyclopenta[2,1-b:3,4-bgdithiophenes. <i>Journal of Organic Chemistry</i> , 2010 , 75, 7202-9	4.2	23
58	Opto-electrical and morphological characterization of water soluble conjugated polymers for eco-friendly hybrid solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 3262-3268	6.4	22
57	Discovery of an Anionic Polymerization Mechanism for High Molecular Weight PPV Derivatives via the Sulfinyl Precursor Route. <i>Macromolecules</i> , 2011 , 44, 7610-7616	5.5	22
56	Exploring the Dithiocarbamate Precursor Route: Observation of a Base Induced Regioregularity Excess in Poly[(2-methoxy-5-(3?,7?-dimethyloctyloxy))-1,4-phenylenevinylene] (MDMOPPV). <i>Macromolecules</i> , 2009 , 42, 3661-3668	5.5	21
55	Zipping up \$ he crushed fullereneSC60H30:C60 by fifteen-fold, consecutive intramolecular H2 losses. <i>Chemical Communications</i> , 2002 , 370-1	5.8	21

54	Miniaturised eight-channel impedance spectroscopy unit as sensor platform for biosensor applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011 , 208, 1357-1363	1.6	20
53	A deeper Insight into the Dithiocarbamate Precursor Route: Synthesis of Soluble Poly(thienylene vinylene) Derivatives for Photovoltaic Applications. <i>Macromolecules</i> , 2010 , 43, 10231-10240	5.5	20
52	Nonionic Water-Soluble Polysilynes. Synthesis and Properties of a Novel Class of Functionalized Materials. <i>Macromolecules</i> , 1999 , 32, 3286-3294	5.5	20
51	Mobile Application for Impedance-Based Biomimetic Sensor Readout. <i>IEEE Sensors Journal</i> , 2013 , 13, 2659-2665	4	19
50	Synthesis and characterization of water-soluble poly(p-phenylene vinylene) derivatives via the dithiocarbamate precursor route. <i>European Polymer Journal</i> , 2011 , 47, 1827-1835	5.2	19
49	Point of Care Diagnostics in Resource-Limited Settings: A Review of the Present and Future of PoC in Its Most Needed Environment. <i>Biosensors</i> , 2020 , 10,	5.9	19
48	Development of novel processable electron accepting conjugated polymers containing fluoranthene units in the main chain. <i>Polymer</i> , 2009 , 50, 5007-5015	3.9	18
47	Surface grafted molecularly imprinted polymeric receptor layers for thermal detection of the New Psychoactive substance 2-methoxphenidine. <i>Sensors and Actuators A: Physical</i> , 2019 , 295, 586-595	3.9	15
46	Molecular imprinted polymer films on RFID tags: a first step towards disposable packaging sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013 , 210, 938-944	1.6	15
45	Water-soluble poly(4,7,10,13-tetraoxatetradecylmethylsilane):enhanced yield and improved purity via polymerization usinggraphite-potassium (C8K) as reducing agent. <i>Chemical Communications</i> , 1997 , 329-330	5.8	15
44	Versatile post-polymerization functionalization of poly(p-phenylene vinylene) copolymers containing carboxylic acid substituents: development of a universal method towards functional conjugated copolymers. <i>Polymer Chemistry</i> , 2010 , 1, 1313	4.9	14
43	Cyclic voltammetry studies of n-type polymers with non-alternant fluoranthene units. <i>Electrochimica Acta</i> , 2009 , 54, 1584-1588	6.7	14
42	Nonionic Water-Soluble Polysilanes: Global Conformation in Solution and the Occurrence of Preferential Solvation. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 2237-2241	3.4	14
41	Living polymerization via anionic initiation for the synthesis of well-defined PPV materials. <i>Macromolecular Rapid Communications</i> , 2012 , 33, 242-7	4.8	13
40	Single-Shot Detection of Neurotransmitters in Whole-Blood Samples by Means of the Heat-Transfer Method in Combination with Synthetic Receptors. <i>Sensors</i> , 2017 , 17,	3.8	13
39	2,5-Substituted PPV-Derivatives with Different Polarities: The Effect of Side Chain Polarity on Solubility, Optical and Electronic Properties. <i>Macromolecular Chemistry and Physics</i> , 2007 , 208, 196-206	2.6	13
38	An Efficient Acid-Induced Conversion of Dithiocarbamate Precursor Polymers into Conjugated Materials. <i>Macromolecules</i> , 2011 , 44, 711-718	5.5	11
37	Unprecedented thermo- and ion-responsive behavior of a non-ionic water-soluble polysilane. <i>Advanced Materials</i> , 1997 , 9, 961-964	24	11

(2019-2020)

36	The Liberalization of Microfluidics: Form 2 Benchtop 3D Printing as an Affordable Alternative to Established Manufacturing Methods. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020 , 217, 1900935	1.6	9
35	Detection of L-nicotine with dissipation mode quartz crystal microbalance using molecular imprinted polymers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 905-910	1.6	9
34	Synthesis and Properties of Poly(p-fluoranthene vinylene): A Novel Conjugated Polymer with Nonalternant Repeating Units. <i>Macromolecules</i> , 2006 , 39, 2438-2440	5.5	9
33	Synthesis and Structure of cis-1,4-Di(1-pyrenyl)decamethylcyclohexasilane. <i>Organometallics</i> , 2003 , 22, 2249-2258	3.8	9
32	Substrate displacement colorimetry for the detection of diarylethylamines. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 137-144	8.5	9
31	A Novel Biomimetic Tool for Assessing Vitamin K Status Based on Molecularly Imprinted Polymers. <i>Nutrients</i> , 2018 , 10,	6.7	8
30	Electroluminescence and Chemiluminescence of Porous Silicon in Nonaqueous Solution. <i>Journal of the Electrochemical Society</i> , 1994 , 141, 1157-1161	3.9	8
29	Imprinted Polymers as Synthetic Receptors in Sensors for Food Safety. <i>Biosensors</i> , 2021 , 11,	5.9	8
28	Syntheses of poly[(dimethyl)-co-(4,7,10,13-tetraoxatetradecylmethylsilanes)]. An evaluation of the use of C8K versus Na in the preparation of polysilanes. <i>Macromolecular Chemistry and Physics</i> , 2000 , 201, 1742-1747	2.6	7
27	Evidence of the improvement of photovoltaic efficiency by polar molecule orientation in a new semiconducting polymer. <i>Solar Energy Materials and Solar Cells</i> , 2007 , 91, 1816-1824	6.4	6
26	Occurrence of Radical Cation Localization in Chemically Modified Poly(methylphenylsilane): Poly(methylphenyl-co-4-dimethylaminophenylmethylsilane)s and Poly(methylphenyl-co-4-bromophenylmethylsilane)s. <i>Chemistry of Materials</i> , 2000 , 12, 84-89	9.6	6
25	Thermal Detection of Glucose in Urine Using a Molecularly Imprinted Polymer as a Recognition Element. <i>ACS Sensors</i> , 2021 ,	9.2	6
24	Optimization and characterization of a flow cell for heat-transfer-based biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017 , 214, 1600758	1.6	5
23	Phosphodiester Hydrogels for Cell Scaffolding and Drug Release Applications. <i>Macromolecular Bioscience</i> , 2019 , 19, e1900090	5.5	5
22	In situ monitoring and optimization of CuAAC-mediated protein functionalization of biosurfaces. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 992-1000	8.5	5
21	A Molecularly Imprinted Polymer-based Dye Displacement Assay for the Rapid Visual Detection of Amphetamine in Urine. <i>Molecules</i> , 2020 , 25,	4.8	5
20	Biomimetic sensing of Escherichia coli at the solid-liquid interface: From surface-imprinted polymer synthesis toward real sample sensing in food safety. <i>Microchemical Journal</i> , 2021 , 169, 106554	4.8	5
19	Biomimetic Bacterial Identification Platform Based on Thermal Transport Analysis Through Surface Imprinted Polymers: From Proof of Principle to Proof of Application. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019 , 216, 1800688	1.6	4

18	Formation of huge cyclic oligomers in the condensation polymerization of bis(9-hydroxy-1,4,7-trioxanonyl) substituted naphthalene and benzenes with both aromatic and aliphatic bis-acid chlorides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998 , 725-736		4
17	Rapid Colorimetric Screening of Elevated Phosphate in Urine: A Charge-Transfer Interaction. <i>ACS Omega</i> , 2020 , 5, 21054-21066	3.9	4
16	Colorimetric Sensing of Amoxicillin Facilitated by Molecularly Imprinted Polymers. <i>Polymers</i> , 2021 , 13,	4.5	4
15	SIP-Based Thermal Detection Platform for the Direct Detection of Bacteria Obtained from a Contaminated Surface. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1700777	1.6	3
14	Studying the Drug Delivery Kinetics of a Nanoporous Matrix Using a MIP-Based Thermal Sensing Platform. <i>Polymers</i> , 2017 , 9,	4.5	3
13	Comb-Branched Polymer Electrolytes Based on Poly[(4,7,10,13-tetraoxatetradecyl)methylsilane] and Lithium Perchlorate. <i>Macromolecules</i> , 1999 , 32, 8663-8665	5.5	3
12	Application of electrodeposited piezo-resistive polypyrrole for a pressure-sensitive bruxism sensor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 1505-1509	1.6	3
11	Studying the Effect of Adhesive Layer Composition on MIP-Based Thermal Biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019 , 216, 1800941	1.6	2
10	An Efficient Thermal Elimination Pathway toward Phosphodiester Hydrogels via a Precursor Approach. <i>Macromolecular Chemistry and Physics</i> , 2020 , 221, 1900466	2.6	2
9	Modular Science Kit as a support platform for STEM learning in primary and secondary school. Journal of Chemical Education, 2021 , 98, 439-444	2.4	2
8	Heat Transfer as a New Sensing Technique for the Label-Free Detection of Biomolecules. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2017 , 383-407	2	1
7	MIP-based Sensor Platforms for Detection of Analytes in Nano- and Micromolar Range 2012 , 91-124		1
6	Tetra-alkoxy substituted PPV derivatives: a new class of highly soluble liquid crystalline conjugated polymers. <i>Polymer Chemistry</i> , 2011 , 2, 1279	4.9	1
5	Synthesis and characterization of high molecular weight phthalocyanine-PPV copolymers through post-polymerization functionalization. <i>Journal of Porphyrins and Phthalocyanines</i> , 2011 , 15, 659-666	1.8	1
4	Low-bandgap poly(thienylene vinylene) for organic solar cells: photophysics and photovoltaic performance 2006 , 6192, 309		1
3	Non-Ionic Water-Soluble Polysilanes and Polysilynes, Chameleons in Solution. <i>ACS Symposium Series</i> , 2000 , 238-254	0.4	1
2	Identifying Potential Machine Learning Algorithms for the Simulation of Binding Affinities to Molecularly Imprinted Polymers. <i>Computation</i> , 2021 , 9, 103	2.2	1
1	Polyphosphate-Based Hydrogels as Drug-Loaded Wound Dressing: An In Vitro Study. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 2871-2879	4.3	O