

Jeong-Chil Yoo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7263629/publications.pdf>

Version: 2024-02-01

28
papers

243
citations

1039880

9
h-index

996849

15
g-index

28
all docs

28
docs citations

28
times ranked

152
citing authors

#	ARTICLE	IF	CITATIONS
1	Egg survival is related to the colour matching of eggs to nest background in Black-tailed Gulls. <i>Journal of Ornithology</i> , 2010, 151, 765-770.	0.5	24
2	Distribution of Waterbirds in Rice Fields and Their Use of Foraging Habitats. <i>Waterbirds</i> , 2015, 38, 173-183.	0.2	24
3	Can You Recognize My Stepparents? A Study of Host-Specific Male Call Divergence in the Common Cuckoo. <i>PLoS ONE</i> , 2014, 9, e90468.	1.1	21
4	Multivariate analysis and self-organizing mapping applied to analysis of nest-site selection in Black-tailed Gulls. <i>Ecological Modelling</i> , 2006, 193, 602-614.	1.2	20
5	Spatial patterns, ecological niches, and interspecific competition of avian brood parasites: inferring from a case study of Korea. <i>Ecology and Evolution</i> , 2014, 4, 3689-3702.	0.8	20
6	Seasonal and diurnal patterns of population vocal activity in avian brood parasites. <i>Ibis</i> , 2020, 162, 1001-1011.	1.0	19
7	Patterns of Waterbirds Abundance and Habitat Use in Rice Fields. <i>Korean Journal of Environmental Agriculture</i> , 2012, 31, 359-367.	0.0	17
8	Common cuckoo females may escape male sexual harassment by color polymorphism. <i>Scientific Reports</i> , 2019, 9, 7515.	1.6	16
9	Foraging Habitat Preferences of Herons and Egrets. <i>Journal of Ecology and Environment</i> , 2007, 30, 237-244.	1.6	13
10	Feeding activity of cattle egrets and intermediate egrets at different stages of rice culture in Korea. <i>Journal of Ecology and Environment</i> , 2010, 33, 149-155.	1.6	9
11	Hybridization between the Black-Faced Spoonbill (<i>Platalea minor</i>) and Eurasian Spoonbill (<i>Platalea</i>)	0.2	7
12	First observation on courtship behavior of short-tailed viper snake, <i>Gloydius saxatilis</i> (Squamata:)	0.2	7
13	Habitat Selection by Black-tailed Gulls on Hongdo Island, Korea. <i>Waterbirds</i> , 2008, 31, 495-501.	0.2	6
14	Habitat Characteristics of Anuran Species Inhabiting Rice Fields of Western Mid-South Korea. <i>Korean Journal of Ecology and Environment</i> , 2019, 52, 366-377.	0.3	6
15	Evaluation of environmental factors to predict breeding success of Black-tailed Gulls. <i>Ecological Informatics</i> , 2006, 1, 331-339.	2.3	5
16	Nestling Diet of Three Sympatric Egret Species: Rice Fields Support Breeding Egret Populations in Korea. <i>Ornithological Science</i> , 2016, 15, 55-62.	0.3	5
17	Asymmetry of eye color in the common cuckoo. <i>Scientific Reports</i> , 2017, 7, 7612.	1.6	5
18	Genetic diversity and population structure of the Black-faced Spoonbill (<i>Platalea minor</i>) among its breeding sites in South Korea: Implication for conservation. <i>Biochemical Systematics and Ecology</i> , 2017, 71, 106-113.	0.6	3

#	ARTICLE	IF	CITATIONS
19	The Impact of Agricultural Activities on Habitat Use by the Wood Sandpiper and Common Greenshank in Rice Fields. <i>Ornithological Science</i> , 2021, 20, .	0.3	3
20	Hormone profiles of obligate avian brood parasites during the breeding season. <i>Ibis</i> , 2016, 158, 371-379.	1.0	2
21	Host-dependent dispersal demonstrates both-sex host specificity in cuckoos. <i>Behavioral Ecology</i> , 2021, 32, 248-256.	1.0	2
22	Effects of Pesticide Use on the Distributions of Grey Herons (<i>Ardea cinerea</i>) and Great Egrets (<i>Ardea</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.3	2
23	The relationship between nest location and breeding success in the colonial nesting Azure-winged Magpie <i>Cyanopica cyanus</i> breeding in Japanese Yew <i>Taxus cuspidata</i> tree plantations. <i>Bird Study</i> , 2020, 67, 311-317.	0.4	2
24	Nest characteristics and composition of the colonial nesting Azure-winged magpie <i>Cyanopica cyanus</i> in South Korea. <i>PeerJ</i> , 0, 10, e13637.	0.9	2
25	Use of stable isotopes ($\delta^{2}H$, $\delta^{13}C$ and $\delta^{15}N$) to infer the migratory connectivity of Terek Sandpipers (<i>Xenus</i>) Tj ETQq1 1 0.784314 rgBT 10-17.	0.4	1
26	Black-Faced Spoonbill <i>Platalea minor</i> Population Trends, Breeding Success, and Nest Characteristics in the Chilsan Archipelago, South Korea. <i>Ornithological Science</i> , 2021, 20, .	0.3	1
27	Rejection of Conspecific Eggs Associated with the Appearance of Eggs, in the Azure-Winged Magpie <i>Cyanopica cyanus</i> in Korea. <i>Ornithological Science</i> , 2022, 21, .	0.3	1
28	Mismatching between nest volume and clutch volume reduces egg survival and fledgling success in black-tailed gulls. <i>Environmental Epigenetics</i> , 2016, 62, 451-456.	0.9	0