Jeong-Chil Yoo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7263629/publications.pdf

Version: 2024-02-01

1039880 996849 28 243 9 15 citations g-index h-index papers 28 28 28 152 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-------------------|---------------------------------|
| 1 | Rejection of Conspecific Eggs Associated with the Appearance of Eggs, in the Azure-Winged Magpie Cyanopica cyanus in Korea. Ornithological Science, 2022, 21, . | 0.3 | 1 |
| 2 | Host-dependent dispersal demonstrates both-sex host specificity in cuckoos. Behavioral Ecology, 2021, 32, 248-256. | 1.0 | 2 |
| 3 | Effects of Pesticide Use on the Distributions of Grey Herons (Ardea cinerea) and Great Egrets (Ardea) Tj ETQq1 1 | 0.784314 | rgBT /Overlo |
| 4 | Black-Faced Spoonbill Platalea minor Population Trends, Breeding Success, and Nest Characteristics in the Chilsan Archipelago, South Korea. Ornithological Science, 2021, 20, . | 0.3 | 1 |
| 5 | The Impact of Agricultural Activities on Habitat Use by the Wood Sandpiper and Common Greenshank in Rice Fields. Ornithological Science, 2021, 20, . | 0.3 | 3 |
| 6 | Seasonal and diurnal patterns of population vocal activity in avian brood parasites. Ibis, 2020, 162, 1001-1011. | 1.0 | 19 |
| 7 | Use of stable isotopes ($\hat{1}$ 2H, $\hat{1}$ 13C and $\hat{1}$ 15N) to infer the migratory connectivity of Terek Sandpipers (Xenus) Tj 10-17. | ETQq1 1 0. 0.4 | .784314 rg <mark>BT</mark> 1 |
| 8 | The relationship between nest location and breeding success in the colonial nesting Azure-winged Magpie <i>Cyanopica cyanus</i> breeding in Japanese Yew <i>Taxus cuspidata</i> tree plantations. Bird Study, 2020, 67, 311-317. | 0.4 | 2 |
| 9 | Common cuckoo females may escape male sexual harassment by color polymorphism. Scientific Reports, 2019, 9, 7515. | 1.6 | 16 |
| 10 | Habitat Characteristics of Anuran Species Inhabiting Rice Fields of Western Mid-South Korea. Korean Journal of Ecology and Environment, 2019, 52, 366-377. | 0.3 | 6 |
| 11 | Genetic diversity and population structure of the Black-faced Spoonbill (Platalea minor) among its breeding sites in South Korea: Implication for conservation. Biochemical Systematics and Ecology, 2017, 71, 106-113. | 0.6 | 3 |
| 12 | Hybridization between the Black-Faced Spoonbill (Platalea minor) and Eurasian Spoonbill (Platalea) Tj ETQq0 0 0 | rgBT/Ove | rlock 10 Tf 50 |
| 13 | First observation on courtship behavior of short-tailed viper snake, Gloydius saxatilis (Squamata:) Tj ETQq $1\ 1\ 0.7$ | 84314 rgB 0.2 | BT [Overlock] |
| 14 | Asymmetry of eye color in the common cuckoo. Scientific Reports, 2017, 7, 7612. | 1.6 | 5 |
| 15 | Mismatching between nest volume and clutch volume reduces egg survival and fledgling success in black-tailed gulls. Environmental Epigenetics, 2016, 62, 451-456. | 0.9 | 0 |
| 16 | Hormone profiles of obligate avian brood parasites during the breeding season. Ibis, 2016, 158, 371-379. | 1.0 | 2 |
| 17 | Nestling Diet of Three Sympatric Egret Species: Rice Fields Support Breeding Egret Populations in Korea. Ornithological Science, 2016, 15, 55-62. | 0.3 | 5 |
| 18 | Distribution of Waterbirds in Rice Fields and Their Use of Foraging Habitats. Waterbirds, 2015, 38, 173-183. | 0.2 | 24 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | "cu-coo― Can You Recognize My Stepparents? – A Study of Host-Specific Male Call Divergence in the Common Cuckoo. PLoS ONE, 2014, 9, e90468. | 1.1 | 21 |
| 20 | Spatial patterns, ecological niches, and interspecific competition of avian brood parasites: inferring from a case study of Korea. Ecology and Evolution, 2014, 4, 3689-3702. | 0.8 | 20 |
| 21 | Patterns of Waterbirds Abundance and Habitat Use in Rice Fields. Korean Journal of Environmental Agriculture, 2012, 31, 359-367. | 0.0 | 17 |
| 22 | Egg survival is related to the colour matching of eggs to nest background in Black-tailed Gulls. Journal of Ornithology, 2010, 151, 765-770. | 0.5 | 24 |
| 23 | Feeding activity of cattle egrets and intermediate egrets at different stages of rice culture in Korea. Journal of Ecology and Environment, 2010, 33, 149-155. | 1.6 | 9 |
| 24 | Habitat Selection by Black-tailed Gulls on Hongdo Island, Korea. Waterbirds, 2008, 31, 495-501. | 0.2 | 6 |
| 25 | Foraging Habitat Preferences of Herons and Egrets. Journal of Ecology and Environment, 2007, 30, 237-244. | 1.6 | 13 |
| 26 | Evaluation of environmental factors to predict breeding success of Black-tailed Gulls. Ecological Informatics, 2006, 1, 331-339. | 2.3 | 5 |
| 27 | Multivariate analysis and self-organizing mapping applied to analysis of nest-site selection in Black-tailed Gulls. Ecological Modelling, 2006, 193, 602-614. | 1.2 | 20 |
| 28 | Nest characteristics and composition of the colonial nesting Azure-winged magpie <i>Cyanopica cyanus</i> in South Korea. PeerJ, 0, 10, e13637. | 0.9 | 2 |