

Ping-Chih Hsu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7263820/publications.pdf>

Version: 2024-02-01

41
papers

838
citations

623574

14
h-index

526166

27
g-index

41
all docs

41
docs citations

41
times ranked

1198
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidermal Growth Factor Receptor (EGFR) Pathway, Yes-Associated Protein (YAP) and the Regulation of Programmed Death-Ligand 1 (PD-L1) in Non-Small Cell Lung Cancer (NSCLC). <i>International Journal of Molecular Sciences</i> , 2019, 20, 3821.	1.8	116
2	YAP regulates PD-L1 expression in human NSCLC cells. <i>Oncotarget</i> , 2017, 8, 114576-114587.	0.8	96
3	YAP promotes erlotinib resistance in human non-small cell lung cancer cells. <i>Oncotarget</i> , 2016, 7, 51922-51933.	0.8	94
4	Targeting YAP in malignant pleural mesothelioma. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 2663-2676.	1.6	55
5	YAP1 regulates ABCG2 and cancer cell side population in human lung cancer cells. <i>Oncotarget</i> , 2017, 8, 4096-4109.	0.8	43
6	Inhibition of yes-associated protein down-regulates PD-L1 (CD274) expression in human malignant pleural mesothelioma. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3139-3148.	1.6	43
7	The Crosstalk between Src and Hippo/YAP Signaling Pathways in Non-Small Cell Lung Cancer (NSCLC). <i>Cancers</i> , 2020, 12, 1361.	1.7	39
8	Response to afatinib in treatment-naïve patients with advanced mutant epidermal growth factor receptor lung adenocarcinoma with brain metastases. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 81-89.	1.1	29
9	The Role of Yes-Associated Protein (YAP) in Regulating Programmed Death-Ligand 1 (PD-L1) in Thoracic Cancer. <i>Biomedicines</i> , 2018, 6, 114.	1.4	28
10	Consolidation treatment of durvalumab after chemoradiation in real-world patients with stage III unresectable non-small cell lung cancer. <i>Thoracic Cancer</i> , 2020, 11, 1541-1549.	0.8	28
11	The efficacy of 40 mg versus dose de-escalation to less than 40 mg of afatinib (Giotrif) as the first-line therapy for patients with primary lung adenocarcinoma harboring favorable epidermal growth factor mutations. <i>Oncotarget</i> , 2017, 8, 97602-97612.	0.8	25
12	Inhibition of yes-associated protein suppresses brain metastasis of human lung adenocarcinoma in a murine model. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3073-3085.	1.6	23
13	Cucurbitacin E inhibits the Yes-associated protein signaling pathway and suppresses brain metastasis of human non-small cell lung cancer in a murine model. <i>Oncology Reports</i> , 2019, 42, 697-707.	1.2	19
14	Durvalumab as Consolidation Therapy in Post-Concurrent Chemoradiation (CCRT) in Unresectable Stage III Non-Small Cell Lung Cancer Patients: A Multicenter Observational Study. <i>Vaccines</i> , 2021, 9, 1122.	2.1	18
15	Feasibility and effectiveness of afatinib for poor performance status patients with EGFR-mutation-positive non-small-cell lung cancer: a retrospective cohort study. <i>BMC Cancer</i> , 2021, 21, 859.	1.1	15
16	The Combination of Afatinib and Bevacizumab in Untreated EGFR-Mutated Advanced Lung Adenocarcinoma: A Multicenter Observational Study. <i>Pharmaceuticals</i> , 2020, 13, 331.	1.7	14
17	The Co-Expression of Programmed Death-Ligand 1 (PD-L1) in Untreated EGFR-Mutated Metastatic Lung Adenocarcinoma. <i>Biomedicines</i> , 2020, 8, 36.	1.4	14
18	Recurrent Pneumonitis Induced by Atezolizumab (Anti-Programmed Death Ligand 1) in NSCLC Patients Who Previously Experienced Anti-Programmed Death 1 Immunotherapy-Related Pneumonitis. <i>Journal of Thoracic Oncology</i> , 2018, 13, e227-e230.	0.5	13

#	ARTICLE	IF	CITATIONS
19	Downregulation of lumican enhanced mitotic defects and aneuploidy in lung cancer cells. <i>Cell Cycle</i> , 2020, 19, 97-108.	1.3	12
20	Risk Stratification Using a Novel Nomogram for 2190 EGFR-Mutant NSCLC Patients Receiving the First or Second Generation EGFR-TKI. <i>Cancers</i> , 2022, 14, 977.	1.7	12
21	Cul4A overexpression associated with Gli1 expression in malignant pleural mesothelioma. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 2385-2396.	1.6	10
22	Comparison of Different Tyrosine Kinase Inhibitors for Treatment of Poor Performance Status Patients with EGFR-Mutated Lung Adenocarcinoma. <i>Cancers</i> , 2022, 14, 674.	1.7	10
23	Immunotherapy and Vaccination in Surgically Resectable Non-Small Cell Lung Cancer (NSCLC). <i>Vaccines</i> , 2021, 9, 689.	2.1	9
24	Epidermal growth factor receptor tyrosine kinase inhibitors for de novo T790M mutation: A retrospective study of 44 patients. <i>Thoracic Cancer</i> , 2022, 13, 1888-1897.	0.8	8
25	Efficacy of platinum-based combination chemotherapy in advanced lung adenocarcinoma harboring sensitive epidermal growth factor receptor (EGFR) mutations with acquired resistance to first-line EGFR tyrosine kinase inhibitor (TKI). <i>Cancer Treatment and Research Communications</i> , 2016, 9, 48-55.	0.7	7
26	DCLK1 is correlated with MET and ERK5 expression, and associated with prognosis in malignant pleural mesothelioma. <i>International Journal of Oncology</i> , 2017, 51, 91-103.	1.4	7
27	Oral vinorelbine plus cisplatin with concomitant radiotherapy as induction therapy for stage III non-small cell lung cancer: Results of a single-arm prospective cohort study. <i>Thoracic Cancer</i> , 2019, 10, 1683-1691.	0.8	6
28	The different overall survival between single-agent EGFR-TKI treatment and with bevacizumab in non-small cell lung cancer patients with brain metastasis. <i>Scientific Reports</i> , 2022, 12, 4398.	1.6	6
29	Forced Overexpression of Signal Transducer and Activator of Transcription 3 (STAT3) Activates Yes-Associated Protein (YAP) Expression and Increases the Invasion and Proliferation Abilities of Small Cell Lung Cancer (SCLC) Cells. <i>Biomedicines</i> , 2022, 10, 1704.	1.4	6
30	A Real-World Analysis of Patients with Untreated Metastatic Epidermal Growth Factor Receptor (EGFR)-Mutated Lung Adenocarcinoma Receiving First-Line Erlotinib and Bevacizumab Combination Therapy. <i>Oncology and Therapy</i> , 2021, 9, 489-503.	1.0	5
31	Overall Response to First-Line Tyrosine Kinase Inhibitor and Second-Line Chemotherapy Is Predictive of Survival Outcome in Epidermal Growth Factor Receptor-Mutated Adenocarcinoma. <i>Chemotherapy</i> , 2014, 60, 201-210.	0.8	4
32	Front-line treatment of ceritinib improves efficacy over crizotinib for Asian patients with anaplastic lymphoma kinase fusion NSCLC: The role of systemic progression control. <i>Thoracic Cancer</i> , 2019, 10, 2274-2281.	0.8	4
33	Continuous epidermal growth factor receptor-tyrosine kinase inhibitor administration in primary lung adenocarcinoma patients harboring favorable mutations with controlled target lung tumors dose not hinder survival benefit despite small new lesions. <i>Biomedical Journal</i> , 2016, 39, 121-129.	1.4	3
34	Impaired interferon- γ expression in plasmacytoid dendritic cells in asthma. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 183-195.	1.3	3
35	Afatinib Treatment Alone or with Bevacizumab in a Real-World Cohort of Non-Small Cell Lung Cancer Patients with Epidermal Growth Factor Receptor Mutation. <i>Cancers</i> , 2022, 14, 316.	1.7	3
36	Comparison of Efficacy of 2% Chlorhexidine Gluconate-Alcohol and 10% Povidone-Iodine-Alcohol against Catheter-Related Bloodstream Infections and Bacterial Colonization at Central Venous Catheter Insertion Sites: A Prospective, Single-Center, Open-Label, Crossover Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2242.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Using betaxolol for the prevention of paronychia induced by epidermal growth factor receptor inhibitors: a caseâ€“control cohort study. <i>International Journal of Dermatology</i> , 2021, 60, 179-184.	0.5	2
38	Topical dicloxacillin solution wash for papulopustular eruptions and purpuric drug eruptions due to epidermal growth factor inhibitors. <i>International Journal of Dermatology</i> , 2021, 60, e278-e281.	0.5	2
39	The Effectiveness and Safety of Immune Checkpoint Inhibitors in Non-Small Cell Lung Cancer Patients With Stage III/IV: A Multicenter Study. <i>Frontiers in Oncology</i> , 2021, 11, 671127.	1.3	2
40	Blood Cadmium Levels and Oxygen Desaturation during the 6-Minute Walk Test in Patients with Chronic Obstructive Pulmonary Disease. <i>Medicina (Lithuania)</i> , 2021, 57, 1160.	0.8	1
41	Nuclear p120 catenin is a component of the perichromosomal layer and coordinates sister chromatid segregation during mitosis in lung cancer cells. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	1