

Helen Anne Snooks

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7263875/helen-anne-snooks-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,083
citations

29
h-index

43
g-index

122
ext. papers

2,415
ext. citations

2.9
avg, IF

4.31
L-index

#	Paper	IF	Citations
109	Patients' experiences of attending emergency departments where primary care services are located: qualitative findings from patient and clinician interviews from a realist evaluation.. <i>BMC Emergency Medicine</i> , 2022 , 22, 12	2.4	0
108	STRategies to manage Emergency ambulance Telephone Callers with sustained High needs: an Evaluation using linked Data (STRETCHED) - a study protocol.. <i>BMJ Open</i> , 2022 , 12, e053123	3	1
107	The effectiveness of primary care streaming in emergency departments on decision-making and patient flow and safety - A realist evaluation.. <i>International Emergency Nursing</i> , 2022 , 62, 101155	2.4	1
106	Improving emergency treatment for patients with acute stroke: the PEARS research programme, including the PASTA cluster RCT. <i>Programme Grants for Applied Research</i> , 2022 , 10, 1-96	1.5	
105	Learning from diagnostic errors to improve patient safety when GPs work in or alongside emergency departments: incorporating realist methodology into patient safety incident report analysis. <i>BMC Emergency Medicine</i> , 2021 , 21, 139	2.4	1
104	A classification of primary care streaming pathways in UK emergency departments: Findings from a multi-methods study comprising cross-sectional survey; site visits with observations, semi-structured and informal interviews. <i>International Emergency Nursing</i> , 2021 , 56, 101000	2.4	2
103	Identifying safe care processes when GPs work in or alongside emergency departments: a realist evaluation. <i>British Journal of General Practice</i> , 2021 , 71, e931-e940	1.6	1
102	Call volume, triage outcomes, and protocols during the first wave of the COVID-19 pandemic in the United Kingdom: Results of a national survey. <i>Journal of the American College of Emergency Physicians Open</i> , 2021 , 2, e12492	1.6	5
101	Randomised feasibility study of prehospital recognition and antibiotics for emergency patients with sepsis (PhRASE). <i>Scientific Reports</i> , 2021 , 11, 18586	4.9	0
100	Public involvement and engagement in primary and emergency care research: the story from PRIME Centre Wales. <i>International Journal of Population Data Science</i> , 2020 , 5, 1363	1.4	2
99	Public involvement and engagement in primary and emergency care research. <i>International Journal of Population Data Science</i> , 2020 , 5, 1363	1.4	2
98	Electronic health records in ambulances: the ERA multiple-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-140	1.5	4
97	Emergency admission risk stratification tools in UK primary care: a cross-sectional survey of availability and use. <i>British Journal of General Practice</i> , 2020 , 70, e740-e748	1.6	0
96	Protocol for Take-home naloxone In Multicentre Emergency (TIME) settings: feasibility study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 96	1.9	1
95	Care-pathways for patients presenting to emergency ambulance services with self-harm: national survey. <i>Emergency Medicine Journal</i> , 2020 , 37, 752-755	1.5	1
94	Emergency department clinical leads' experiences of implementing primary care services where GPs work in or alongside emergency departments in the UK: a qualitative study. <i>BMC Emergency Medicine</i> , 2020 , 20, 62	2.4	4
93	Effect of an Enhanced Paramedic Acute Stroke Treatment Assessment on Thrombolysis Delivery During Emergency Stroke Care: A Cluster Randomized Clinical Trial. <i>JAMA Neurology</i> , 2020 , 77, 840-848	17.2	12

92	Rapid Analgesia for Prehospital hip Disruption (RAPID): findings from a randomised feasibility study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 77	1.9	9
91	The impact of general practitioners working in or alongside emergency departments: a rapid realist review. <i>BMJ Open</i> , 2019 , 9, e024501	3	25
90	Epidemiology of emergency ambulance service calls related to mental health problems and self harm: a national record linkage study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 34	3.6	18
89	Paramedic Acute Stroke Treatment Assessment (PASTA): study protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 121	2.8	6
88	A co-produced method to involve service users in research: the SUCCESS model. <i>BMC Medical Research Methodology</i> , 2019 , 19, 34	4.7	9
87	Use and impact of the prehospital 12-lead ECG in the primary PCI era (PHECG2): protocol for a mixed-method study. <i>Open Heart</i> , 2019 , 6, e001156	3	
86	Is fascia iliaca compartment block administered by paramedics for suspected hip fracture acceptable to patients? A qualitative study. <i>BMJ Open</i> , 2019 , 9, e033398	3	0
85	Developing new ways of measuring the quality and impact of ambulance service care: the PhOEBE mixed-methods research programme. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-90	1.5	5
84	Using deterministic record linkage to link ambulance and emergency department data: is it possible without patient identifiers? A case study from the UK. <i>International Journal of Population Data Science</i> , 2019 , 4, 1104	1.4	1
83	Paramedics' experiences of administering fascia iliaca compartment block to patients in South Wales with suspected hip fracture at the scene of injury: results of focus groups. <i>BMJ Open</i> , 2019 , 9, e026073	3	15
82	Does deprivation affect the demand for NHS Direct? Observational study of routine data from Wales. <i>BMJ Open</i> , 2019 , 9, e029203	3	1
81	03 Opioid overdose death in wales from 2012 to 2015: a linked data autopsy study. <i>Emergency Medicine Journal</i> , 2019 , 36, e3.1-e3	1.5	
80	PP16 Prehospital recognition and antibiotics for 999 patients with sepsis: feasibility study results. <i>Emergency Medicine Journal</i> , 2019 , 36, e8.1-e8	1.5	
79	What are emergency ambulance services doing to meet the needs of people who call frequently? A national survey of current practice in the United Kingdom. <i>BMC Emergency Medicine</i> , 2019 , 19, 82	2.4	5
78	Effects and costs of implementing predictive risk stratification in primary care: a randomised stepped wedge trial. <i>BMJ Quality and Safety</i> , 2019 , 28, 697-705	5.4	17
77	Implementation and use of computerised clinical decision support (CCDS) in emergency pre-hospital care: a qualitative study of paramedic views and experience using Strong Structuration Theory. <i>Implementation Science</i> , 2018 , 13, 91	8.4	10
76	Prehospital recognition and antibiotics for 999 patients with sepsis: protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 64	1.9	7
75	Predictive risk stratification model: a randomised stepped-wedge trial in primary care (PRISMATIC). <i>Health Services and Delivery Research</i> , 2018 , 6, 1-164	1.5	5

74	Use of scratchcards for allocation concealment in a prehospital randomised controlled trial. <i>Emergency Medicine Journal</i> , 2018 , 35, 708-710	1.5	6
73	Care pathways for low-risk transient ischaemic attack. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2018 , 10, 256-259	0.3	
72	Referral pathways for patients with TIA avoiding hospital admission: a scoping review. <i>BMJ Open</i> , 2017 , 7, e013443	3	3
71	Paramedic Assessment of Older Adults After Falls, Including Community Care Referral Pathway: Cluster Randomized Trial. <i>Annals of Emergency Medicine</i> , 2017 , 70, 495-505.e28	2.1	20
70	Rapid analgesia for prehospital hip disruption (RAPID): protocol for feasibility study of randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2017 , 3, 8	1.9	13
69	PP15 Consent as an ethical consideration in the conduct of prehospital ambulance randomised controlled clinical trials: a systematic review. <i>Emergency Medicine Journal</i> , 2017 , 34, e5.2-e5	1.5	
68	Assessment of consent models as an ethical consideration in the conduct of prehospital ambulance randomised controlled clinical trials: a systematic review. <i>BMC Medical Research Methodology</i> , 2017 , 17, 142	4.7	14
67	A review of enhanced paramedic roles during and after hospital handover of stroke, myocardial infarction and trauma patients. <i>BMC Emergency Medicine</i> , 2017 , 17, 5	2.4	8
66	Advice given by NHS Direct in Wales: do deprived patients get more urgent decisions? Study of routine data. <i>Journal of Epidemiology and Community Health</i> , 2017 ,	5.1	3
65	01 Investigating the population characteristics, processes and outcomes of pre-hospital psychiatric and self-harm emergencies in Scotland: a national record linkage study. <i>Emergency Medicine Journal</i> , 2017 , 34, 695.1-695	1.5	
64	PP24 The transient ischaemic attack 999 emergency referral (tier) feasibility trial: development of a complex intervention. <i>Emergency Medicine Journal</i> , 2017 , 34, e9.1-e9	1.5	
63	PP30 Rapid analgesia for prehospital hip disruption (rapid: feasibility study progress). <i>Emergency Medicine Journal</i> , 2017 , 34, e12-e12	1.5	
62	Support and Assessment for Fall Emergency Referrals (SAFER) 2: a cluster randomised trial and systematic review of clinical effectiveness and cost-effectiveness of new protocols for emergency ambulance paramedics to assess older people following a fall with referral to community-based care when appropriate. <i>Health Technology Assessment</i> , 2017 , 21, 1-218	4.4	28
61	All Wales Injury Surveillance System revised: development of a population-based system to evaluate single-level and multilevel interventions. <i>Injury Prevention</i> , 2016 , 22 Suppl 1, i50-5	3.2	13
60	Costs, effects and implementation of routine data emergency admission risk prediction models in primary care for patients with, or at risk of, chronic conditions: a systematic review protocol. <i>BMJ Open</i> , 2016 , 6, e009653	3	3
59	It could be a 'Golden Goose': a qualitative study of views in primary care on an emergency admission risk prediction tool prior to implementation. <i>BMC Family Practice</i> , 2016 , 17, 1	2.6	61
58	Non-accidental non-fatal poisonings attended by emergency ambulance crews: an observational study of data sources and epidemiology. <i>BMJ Open</i> , 2016 , 6, e011049	3	2
57	Perceptions of paramedics and emergency staff about the care they provide to people who self-harm: Constructivist metasynthesis of the qualitative literature. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 529-35	4.1	31

56	A SYSTEMATIC REVIEW OF RAPID ACCESS MODELS OF CARE AND THEIR EFFECTS ON DELAYS IN EMERGENCY DEPARTMENTS. <i>Emergency Medicine Journal</i> , 2015 , 32, e15.3-e16	1.5	
55	Community-based interventions to prevent fatal overdose from illegal drugs: a systematic review protocol. <i>BMJ Open</i> , 2015 , 5, e008981	3	2
54	Involving older people in a multi-centre randomised trial of a complex intervention in pre-hospital emergency care: implementation of a collaborative model. <i>Trials</i> , 2015 , 16, 298	2.8	11
53	SNAPSHOT OF INITIATIVES TO SUPPORT TIMELY PATIENT HANDOVER FROM AMBULANCES TO THE EMERGENCY DEPARTMENT. <i>Emergency Medicine Journal</i> , 2015 , 32, e16.2-e16	1.5	2
52	THE JAM IN THE SANDWICH, DOWN HERE IN A&E': STAFF PERSPECTIVES ON THE IMPACT AND CAUSES OF HANDOVER DELAYS BETWEEN THE AMBULANCE SERVICE AND THE EMERGENCY DEPARTMENT. <i>Emergency Medicine Journal</i> , 2015 , 32, e16.3-e17	1.5	
51	Support and Assessment for Fall Emergency Referrals (SAFER 1): cluster randomised trial of computerised clinical decision support for paramedics. <i>PLoS ONE</i> , 2014 , 9, e106436	3.7	29
50	Paramedic-supplied 'Take Home' Naloxone: protocol for cluster randomised feasibility study. <i>BMJ Open</i> , 2014 , 4, e004712	3	5
49	Effects of prehospital 12-lead ECG on processes of care and mortality in acute coronary syndrome: a linked cohort study from the Myocardial Ischaemia National Audit Project. <i>Heart</i> , 2014 , 100, 944-50	5.1	75
48	Perceptions of paramedic and emergency care workers of those who self harm: a systematic review of the quantitative literature. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 449-56	4.1	34
47	How hard can it be to include research evidence and evaluation in local health policy implementation? Results from a mixed methods study. <i>Implementation Science</i> , 2013 , 8, 17	8.4	46
46	Involving service users in trials: developing a standard operating procedure. <i>Trials</i> , 2013 , 14, 219	2.8	39
45	Qualitative research within trials: developing a standard operating procedure for a clinical trials unit. <i>Trials</i> , 2013 , 14, 54	2.8	39
44	Predictive risk stratification model: a progressive cluster-randomised trial in chronic conditions management (PRISMATIC) research protocol. <i>Trials</i> , 2013 , 14, 301	2.8	18
43	Effectiveness and cost-effectiveness of a universal parenting skills programme in deprived communities: multicentre randomised controlled trial. <i>BMJ Open</i> , 2013 , 3,	3	29
42	New models of emergency prehospital care that avoid unnecessary conveyance to emergency department: translation of research evidence into practice?. <i>Scientific World Journal</i> , 2013 , 2013, 182102	2.2	13
41	Bureaucracy stifles medical research in Britain: a tale of three trials. <i>BMC Medical Research Methodology</i> , 2012 , 12, 122	4.7	29
40	Elderly falls: a national survey of UK ambulance services. <i>Emergency Medicine Journal</i> , 2012 , 29, 1009-10	1.5	13
39	Support and assessment for fall emergency referrals (SAFER 2) research protocol: cluster randomised trial of the clinical and cost effectiveness of new protocols for emergency ambulance paramedics to assess and refer to appropriate community-based care. <i>BMJ Open</i> , 2012 , 2,	3	20

38	The association between illness representation profiles and use of unscheduled urgent and emergency health care services. <i>British Journal of Health Psychology</i> , 2011 , 16, 862-79	8.3	14
37	Should randomised controlled trials be the gold standard for research on preventive interventions for children?. <i>Journal of Children's Services</i> , 2011 , 6, 228-235	0.9	40
36	Costs and effects of a 'healthy living' approach to community development in two deprived communities: findings from a mixed methods study. <i>BMC Public Health</i> , 2011 , 11, 25	4.1	5
35	Complexity of the decision-making process of ambulance staff for assessment and referral of older people who have fallen: a qualitative study. <i>Emergency Medicine Journal</i> , 2011 , 28, 44-50	1.5	47
34	Telenursing in the UK: A Brief Profile of National Health Service Direct 2011 , 143-152		
33	The need to improve the interface between in-hours and out-of-hours GP care, and between out-of-hours care and self-care. <i>Family Practice</i> , 2010 , 27, 664-72	1.9	9
32	Delays in response and triage times reduce patient satisfaction and enablement after using out-of-hours services. <i>Family Practice</i> , 2010 , 27, 652-63	1.9	20
31	Alternative services to deliver urgent care in the community. <i>Emergency Medicine Journal</i> , 2010 , 27, 183-5	5	6
30	Measuring the impact and costs of a universal group based parenting programme: protocol and implementation of a trial. <i>BMC Public Health</i> , 2010 , 10, 364	4.1	11
29	Streamline triage and manage user expectations: lessons from a qualitative study of GP out-of-hours services. <i>British Journal of General Practice</i> , 2010 , 60, e83-97	1.6	10
28	Support and Assessment for Fall Emergency Referrals (SAFER 1) trial protocol. Computerised on-scene decision support for emergency ambulance staff to assess and plan care for older people who have fallen: evaluation of costs and benefits using a pragmatic cluster randomised trial. <i>BMC Emergency Medicine</i> , 2010 , 10, 2	2.4	26
27	Is it cost effective to introduce paramedic practitioners for older people to the ambulance service? Results of a cluster randomised controlled trial. <i>Emergency Medicine Journal</i> , 2009 , 26, 446-51	1.5	38
26	What are the highest priorities for research in emergency prehospital care?. <i>Emergency Medicine Journal</i> , 2009 , 26, 549-50	1.5	53
25	An evaluation of the appropriateness of advice and healthcare contacts made following calls to NHS Direct Wales. <i>BMC Health Services Research</i> , 2009 , 9, 178	2.9	6
24	A randomised controlled trial comparing fixation of mandibular angle fractures with a single miniplate placed either transbuccally and intra-orally, or intra-orally alone. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2009 , 38, 241-5	2.9	40
23	Real nursing? The development of telenursing. <i>Journal of Advanced Nursing</i> , 2008 , 61, 631-40	3.1	52
22	Getting involved means making a difference? Insider views on the impact of a 'healthy living' community intervention. <i>Critical Public Health</i> , 2008 , 18, 211-224	2.6	7
21	Equity and service innovation: the implementation of a bibliotherapy scheme in Wales. <i>Journal of Health Services Research and Policy</i> , 2008 , 13 Suppl 2, 26-31	2.4	7

20	Thematic Research network for emergency and UnScheduled Treatment (TRUST): scoping the potential. <i>BMC Emergency Medicine</i> , 2008 , 8, 2	2.4	2
19	Safety of paramedics with extended skills. <i>Academic Emergency Medicine</i> , 2008 , 15, 607-12	3.4	32
18	Small-Scale Evaluation in Health 2008 ,		5
17	Sorting patients: the weakest link in the emergency care system. <i>Emergency Medicine Journal</i> , 2007 , 24, 74	1.5	4
16	Gastroenterology services in the UK. The burden of disease, and the organisation and delivery of services for gastrointestinal and liver disorders: a review of the evidence. <i>Gut</i> , 2007 , 56 Suppl 1, 1-113	19.2	89
15	Effectiveness of paramedic practitioners in attending 999 calls from elderly people in the community: cluster randomised controlled trial. <i>BMJ, The</i> , 2007 , 335, 919	5.9	131
14	'Should I stay or should I go?' Deciding whether to go to hospital after a 999 call. <i>Journal of Health Services Research and Policy</i> , 2007 , 12 Suppl 1, S1-32-8	2.4	33
13	Emergency care of older people who fall: a missed opportunity. <i>Quality and Safety in Health Care</i> , 2006 , 15, 390-2		66
12	Hearing half the message? A re-audit of the care of patients with acute asthma by emergency ambulance crews in London. <i>Quality and Safety in Health Care</i> , 2005 , 14, 455-8		3
11	Gaps between policy, protocols and practice: a qualitative study of the views and practice of emergency ambulance staff concerning the care of patients with non-urgent needs. <i>Quality and Safety in Health Care</i> , 2005 , 14, 251-7		43
10	Towards primary care for non-serious 999 callers: results of a controlled study of "Treat and Refer" protocols for ambulance crews. <i>Quality and Safety in Health Care</i> , 2004 , 13, 435-43		50
9	On-scene alternatives for emergency ambulance crews attending patients who do not need to travel to the accident and emergency department: a review of the literature. <i>Emergency Medicine Journal</i> , 2004 , 21, 212-5	1.5	71
8	Results of an evaluation of the effectiveness of triage and direct transportation to minor injuries units by ambulance crews. <i>Emergency Medicine Journal</i> , 2004 , 21, 105-11	1.5	25
7	Safety of telephone consultation for "non-serious" emergency ambulance service patients. <i>Quality and Safety in Health Care</i> , 2004 , 13, 363-73		54
6	Computer assisted assessment and advice for "non-serious" 999 ambulance service callers: the potential impact on ambulance despatch. <i>Emergency Medicine Journal</i> , 2003 , 20, 178-83	1.5	52
5	NHS emergency response to 999 calls: alternatives for cases that are neither life threatening nor serious. <i>BMJ, The</i> , 2002 , 325, 330-3	5.9	55
4	Trends in demand for emergency ambulance services in Wiltshire over nine years: observational study. <i>BMJ, The</i> , 2002 , 324, 646-7	5.9	41
3	Can warfarin be continued during dental extraction? Results of a randomized controlled trial. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2002 , 40, 248-52	1.4	140

2	Out-of-hospital intravenous cannulation: the perspective of patients treated by London Ambulance Service paramedics. <i>Academic Emergency Medicine</i> , 2000 , 7, 127-33	3.4	8
1	Appropriateness of intravenous cannulation by paramedics: a London study. <i>Prehospital Emergency Care</i> , 2000 , 4, 156-63	2.8	6