Tal Frenkel Rutenberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7263922/publications.pdf

Version: 2024-02-01

29 papers

288 citations

933264 10 h-index 940416 16 g-index

31 all docs

31 docs citations

times ranked

31

478 citing authors

#	Article	IF	Citations
1	Is There a Benefit for Liposomal Bupivacaine Compared to a Traditional Periarticular Injection in Total Knee Arthroplasty Patients With a History of Chronic Opioid Use?. Journal of Arthroplasty, 2016, 31, 1702-1705.	1.5	47
2	Morbidity and mortality after fragility hip fracture surgery in patients receiving vitamin K antagonists and direct oral anticoagulants. Thrombosis Research, 2018, 166, 106-112.	0.8	39
3	Timing of physiotherapy following fragility hip fracture: delays cost lives. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 1519-1524.	1.3	19
4	The role of immunoglobulin prophylaxis for prevention of cytomegalovirus infection in pediatric hematopoietic stem cell transplantation recipients. Pediatric Blood and Cancer, 2017, 64, e26420.	0.8	18
5	Outcome of non-surgical treatment of proximal femur fractures in the fragile elderly population. Injury, 2019, 50, 1347-1352.	0.7	18
6	The results of two-stage revision TKA using Ceftazidime–Vancomycin-impregnated cement articulating spacers in Tsukayama Type II periprosthetic joint infections. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 3122-3130.	2.3	16
7	Surgical treatment of low-grade chondrosarcoma involving the appendicular skeleton: long-term functional and oncological outcomes. Archives of Orthopaedic and Trauma Surgery, 2019, 139, 1659-1666.	1.3	16
8	The medial border of the tibial tuberosity as an auxiliary tool for tibial component rotational alignment during total knee arthroplasty (TKA). Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1736-1742.	2.3	14
9	A comparison of treatment setting for elderly patients with hip fracture, is the geriatric ward superior to conventional orthopedic hospitalization?. Injury, 2017, 48, 1584-1588.	0.7	12
10	Arthroscopic rotator cuff surgery following shoulder trauma improves outcome despite additional pathologies and slow recovery. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3804-3809.	2.3	10
11	Outcome of fragility hip fractures in elderly patients: Does diabetes mellitus and its severity matter?. Archives of Gerontology and Geriatrics, 2021, 93, 104297.	1.4	10
12	Surgical Site Infections in Elderly Fragility Hip Fractures Patients Undergoing Warfarin Treatment. Journal of Orthopaedic Trauma, 2019, 33, 518-524.	0.7	9
13	Conservative treatment for pyogenic flexor tenosynovitis: a single institution experience. Journal of Plastic Surgery and Hand Surgery, 2020, 54, 14-18.	0.4	9
14	Revision total knee arthroplasty for patellar dislocation in patients with malrotated TKA components. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 777-783.	1.3	7
15	The Use of a Supra-Acetabular Antibiotic-Loaded Cement Shelf to Improve Hip Stability in First-Stage Infected Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2574-2578.	1.5	6
16	Which patients are less likely to improve after arthroscopic rotator cuff repair?. Acta Orthopaedica Et Traumatologica Turcica, 2019, 53, 356-359.	0.3	6
17	Prediction of readmissions in the first post-operative year following hip fracture surgery. European Journal of Trauma and Emergency Surgery, 2020, 46, 939-946.	0.8	6
18	Rate and Outcome of Acute Kidney Injury Following Hip Fracture Surgery in Diabetic Older Patients Treated with Renin–Angiotensin–Aldosterone Antagonists. Drugs and Aging, 2019, 36, 667-674.	1.3	4

#	Article	IF	CITATIONS
19	Are extracapsular and intracapsular hip-fracture patients two distinct rehabilitation subpopulations?. Disability and Rehabilitation, 2022, 44, 4761-4766.	0.9	4
20	Unplanned excision of soft tissue sarcoma: does it impact the accuracy of intra-operative pathologic assessment at time of re-excision?. International Orthopaedics, 2021, 45, 2983-2991.	0.9	4
21	Correlation between preoperative imaging parameters and postoperative basic kinematics-based functional outcome in patients with tibial plateau fractures. Clinical Biomechanics, 2019, 65, 87-91.	0.5	3
22	Earlier Initiation of Postoperative Physical Therapy Decreases Opioid Use after Total Knee Arthroplasty. Journal of Knee Surgery, 2020, , .	0.9	3
23	Thickness of the Subcutaneous Fat as a Risk Factor for Surgical Site Infection Following Fragility Hip Fracture Surgery. Geriatric Orthopaedic Surgery and Rehabilitation, 2022, 13, 215145932210802.	0.6	3
24	Antibiotic prophylaxis as a quality of care indicator: does it help in the fight against surgical site infections following fragility hip fractures?. Archives of Orthopaedic and Trauma Surgery, 2020, , 1.	1.3	2
25	Dynamic locking plate vs. cannulated cancellous screw for displaced intracapsular hip fracture: A comparative study. Journal of Orthopaedics, 2021, 24, 15-18.	0.6	1
26	Do cancer patients undergoing surgery for a non-neoplastic related fragility hip fracture have worse outcomes? A retrospective study. Archives of Orthopaedic and Trauma Surgery, 2021, , 1.	1.3	1
27	Structured, Protocol-Based Pulse-Oximetry Measurement Improves the Evaluation of Hypoxemic Patients at Hospital Admission. Israel Medical Association Journal, 2018, 20, 147-150.	0.1	1
28	Impact of the Holocaust on the outcomes of elderly patients sustaining a fragility hip fracture. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 39-44.	1.3	0
29	Lateral Column Lengthening for Flexible Flat Foot: Was It Short to Begin With?. Israel Medical Association Journal, 2021, 23, 506-509.	0.1	0