

Giuseppe Radaelli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7264989/giuseppe-radaelli-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,756
citations

25
h-index

38
g-index

77
ext. papers

1,993
ext. citations

3.1
avg, IF

4.18
L-index

#	Paper	IF	Citations
76	Dietary effects on biomarkers of growth, stress, and welfare of diploid and triploid Atlantic salmon (<i>Salmo salar</i>) during parr-smolt transformation. <i>Aquaculture Reports</i> , 2022 , 24, 101123	2.3	1
75	Antioxidant Responses Induced by PFAS Exposure in Freshwater Fish in the Veneto Region. <i>Antioxidants</i> , 2022 , 11, 1115	7.1	0
74	Aspects of Reproductive Biology of the European Hake (<i>Merluccius merluccius</i>) in the Northern and Central Adriatic Sea (GSA 17-Central Mediterranean Sea). <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 389	2.4	2
73	Salinity, Temperature and Ammonia Acute Stress Response in Seabream (<i>Lepidotrigla cavata</i>) Juveniles: A Multidisciplinary Study. <i>Animals</i> , 2021 , 11,	3.1	7
72	Nano-immobilized flumequine with preserved antibacterial efficacy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 191, 111019	6	2
71	How different rearing temperatures affect growth and stress status of Siberian sturgeon <i>Acipenser baerii</i> larvae. <i>Journal of Fish Biology</i> , 2020 , 96, 913-924	1.9	10
70	Effect of dietary supplementation with yeast cell wall extracts on performance and gut response in broiler chickens. <i>Journal of Animal Science and Biotechnology</i> , 2020 , 11, 40	6	8
69	Productive Results, Oxidative Stress and Contaminant Markers in European Sea Bass: Conventional vs. Organic Feeding. <i>Animals</i> , 2020 , 10,	3.1	2
68	How Different Stocking Densities Affect Growth and Stress Status of Early Stage Larvae. <i>Animals</i> , 2020 , 10,	3.1	4
67	Stealth Iron Oxide Nanoparticles for Organotropic Drug Targeting. <i>Biomacromolecules</i> , 2019 , 20, 1375-1384	3.4	21
66	Biologically safe colloidal suspensions of naked iron oxide nanoparticles for in situ antibiotic suppression. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 102-111	6	7
65	Self-assembly of chlorin-e6 on FeO nanoparticles: Application for larvicidal activity against <i>Aedes aegypti</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2019 , 194, 21-31	6.7	14
64	Effect of feed restriction timing on live performance, breast myopathy occurrence, and muscle fiber degeneration in 2 broiler chicken genetic lines. <i>Poultry Science</i> , 2019 , 98, 5465-5476	3.9	10
63	Histochemistry of goblet cells and micro-computed tomography to study the digestive system in the long-snouted seahorse <i>Hippocampus guttulatus</i> . <i>Aquaculture</i> , 2019 , 502, 400-409	4.4	7
62	Assessing the health status of farmed mussels (<i>Mytilus galloprovincialis</i>) through histological, microbiological and biomarker analyses. <i>Journal of Invertebrate Pathology</i> , 2018 , 153, 165-179	2.6	14
61	Effects of dietary soy isoflavones on estrogenic activity, cortisol level, health and growth in rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Aquaculture Research</i> , 2018 , 49, 1469-1479	1.9	10
60	Histological development of the long-snouted seahorse <i>Hippocampus guttulatus</i> during ontogeny. <i>Journal of Fish Biology</i> , 2018 , 93, 72-87	1.9	10

59	Growth and stress factors in ballan wrasse (<i>Labrus bergylta</i>) larval development. <i>Aquaculture Research</i> , 2017 , 48, 2567-2580	1.9	14
58	Effect of age on the occurrence of muscle fiber degeneration associated with myopathies in broiler chickens submitted to feed restriction. <i>Poultry Science</i> , 2017 , 96, 309-319	3.9	48
57	Oxytetracycline Delivery in Adult Female Zebrafish by Iron Oxide Nanoparticles. <i>Zebrafish</i> , 2016 , 13, 495-503	1.9	19
56	The effects of starving and feeding on Dover sole (<i>Solea solea</i> , Soleidae, Linnaeus, 1758) stress response and early larval development. <i>Aquaculture Research</i> , 2015 , 46, 2512-2526	1.9	16
55	Effect of genotype, gender and feed restriction on growth, meat quality and the occurrence of white striping and wooden breast in broiler chickens. <i>Poultry Science</i> , 2015 , 94, 2996-3004	3.9	103
54	Optimizing feed efficiency and nitrogen excretion in growing rabbits by increasing dietary energy with high-starch, high-soluble fibre, low-insoluble fibre supply at low protein levels. <i>Livestock Science</i> , 2015 , 172, 59-68	1.7	12
53	Transfer of silica-coated magnetic (Fe ₃ O ₄) nanoparticles through food: a molecular and morphological study in zebrafish. <i>Zebrafish</i> , 2014 , 11, 567-79	2	35
52	Induction of brown cells in <i>Venerupis philippinarum</i> exposed to benzo(a)pyrene. <i>Fish and Shellfish Immunology</i> , 2014 , 40, 233-8	4.3	7
51	Histopathology and stress biomarkers in the clam <i>Venerupis philippinarum</i> from the Venice Lagoon (Italy). <i>Fish and Shellfish Immunology</i> , 2014 , 39, 42-50	4.3	13
50	Expression of CYP4 and GST α genes in <i>Venerupis philippinarum</i> exposed to benzo(a)pyrene. <i>Annals of Anatomy</i> , 2014 , 196, 241-6	2.9	7
49	Soluble fibre, starch and protein level in diets for growing rabbits: Effects on digestive efficiency and productive traits. <i>Animal Feed Science and Technology</i> , 2013 , 180, 73-82	3	13
48	Genomic cloning and promoter functional analysis of myostatin-2 in shi drum, <i>Umbrina cirrosa</i> : conservation of muscle-specific promoter activity. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2013 , 164, 99-110	2.3	6
47	Expression of heat shock protein 70 in the liver of extensively and intensively kept heavy pigs. <i>Animal</i> , 2013 , 7, 1362-6	3.1	3
46	Seasonal Effect on Hematological and Innate Immune Parameters in Sea Bass (<i>Dicentrarchus labrax</i>) 2013 , 3-8		
45	Expression of 8-OHdG in <i>Zosterisessor ophiocephalus</i> from the Venetian lagoon, Italy. <i>European Journal of Histochemistry</i> , 2013 , 57, e8	2.1	7
44	Probiotic supplementation promotes calcification in <i>Danio rerio</i> larvae: a molecular study. <i>PLoS ONE</i> , 2013 , 8, e83155	3.7	40
43	Sublethal effects of trimethoprim on four freshwater organisms. <i>Ecotoxicology and Environmental Safety</i> , 2012 , 82, 114-21	7	29
42	Rodlet cells development in the intestine of sea bass (<i>Dicentrarchus labrax</i>). <i>Microscopy Research and Technique</i> , 2012 , 75, 1321-8	2.8	7

41	Malnutrition may affect common sole (<i>Solea solea</i> L.) growth, pigmentation and stress response: molecular, biochemical and histological implications. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2012 , 161, 361-71	2.6	24
40	Evaluation of oxidative stress biomarkers in <i>Zosterisessor ophiocephalus</i> from the Venice Lagoon, Italy. <i>Aquatic Toxicology</i> , 2011 , 101, 512-20	5.1	17
39	Seasonal effects on hematological and innate immune parameters in sea bass <i>Dicentrarchus labrax</i> . <i>Fish and Shellfish Immunology</i> , 2011 , 31, 1081-7	4.3	38
38	Whole body cortisol and expression of HSP70, IGF-I and MSTN in early development of sea bass subjected to heat shock. <i>General and Comparative Endocrinology</i> , 2011 , 174, 44-50	3	37
37	Immunohistochemical localization of IGF-I, IGF-II and MSTN proteins during development of triploid sea bass (<i>Dicentrarchus labrax</i>). <i>European Journal of Histochemistry</i> , 2010 , 54, e16	2.1	12
36	Effect of dietary soluble fibre level and protein source on growth, digestion, caecal activity and health of fattening rabbits. <i>World Rabbit Science</i> , 2010 , 18,	0.9	16
35	Whole-body concentrations of cortisol and sex steroids in white sturgeon (<i>Acipenser transmontanus</i> , Richardson 1836) during early development and stress response. <i>Aquaculture International</i> , 2009 , 17, 7-14	2.6	36
34	Effects of exposure to overcrowding on rodlet cells of the teleost fish <i>Dicentrarchus labrax</i> (L.). <i>Veterinary Research Communications</i> , 2009 , 33, 619-29	2.9	12
33	Alternative matrices for cortisol measurement in fish. <i>Aquaculture Research</i> , 2009 , 41, 1261	1.9	10
32	Alternative stress indicators in sea bass <i>Dicentrarchus labrax</i> , L.. <i>Journal of Fish Biology</i> , 2008 , 72, 747-752	9	35
31	Immunohistochemical localization of constitutive and inducible heat shock protein 70 in carp (<i>Cyprinus carpio</i>) and trout (<i>Oncorhynchus mykiss</i>) exposed to transport stress. <i>European Journal of Histochemistry</i> , 2008 , 52, 191-8	2.1	14
30	Real-time polymerase chain reaction, in situ hybridization and immunohistochemical localization of insulin-like growth factor-I and myostatin during development of <i>Dicentrarchus labrax</i> (Pisces: Osteichthyes). <i>Cell and Tissue Research</i> , 2008 , 331, 643-58	4.2	34
29	Digestible fibre to ADF ratio and starch level in diets for growing rabbits. <i>Italian Journal of Animal Science</i> , 2007 , 6, 752-754	2.2	7
28	Characterization and functional analysis of the 5'flanking region of myosin light chain-2 gene expressed in white muscle of the gilthead sea bream (<i>Sparus aurata</i>). <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2007 , 2, 187-99	2	17
27	Quantitative RT-PCR analysis and immunohistochemical localization of HSP70 in sea bass <i>Dicentrarchus labrax</i> exposed to transport stress. <i>European Journal of Histochemistry</i> , 2007 , 51, 125-35	2.1	42
26	Cloning and expression of insulin-like growth factors I and II in the shi drum (<i>Umbrina cirrosa</i>). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2006 , 144, 137-51	2.3	34
25	Long-term culture of muscle explants from <i>Sparus aurata</i> . <i>Tissue and Cell</i> , 2006 , 38, 399-415	2.7	24
24	Histochemical analysis of glycoconjugate secretion in the alimentary canal of <i>Anguilla anguilla</i> L. <i>Acta Histochemica</i> , 2005 , 106, 477-87	2	72

23	alpha2-Macroglobulin in the marine fish <i>Sparus aurata</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2005 , 141, 440-9	2.6	13
22	Evaluation of different protein sources in fingerling grey mullet <i>Mugil cephalus</i> practical diets. <i>Aquaculture International</i> , 2005 , 13, 291-303	2.6	13
21	Cellular localisation of insulin-like growth factor binding protein-2 (IGFBP-2) during development of the marine fish, <i>Sparus aurata</i> . <i>Cell and Tissue Research</i> , 2005 , 319, 121-31	4.2	4
20	Myostatin precursor is present in several tissues in teleost fish: a comparative immunolocalization study. <i>Cell and Tissue Research</i> , 2003 , 311, 239-50	4.2	57
19	Localization of IGF-I, IGF-I receptor, and IGFBP-2 in developing <i>Umbrina cirrosa</i> (Pisces: Osteichthyes). <i>General and Comparative Endocrinology</i> , 2003 , 130, 232-44	3	37
18	Expression and cellular localization of insulin-like growth factor-II protein and mRNA in <i>Sparus aurata</i> during development. <i>Journal of Endocrinology</i> , 2003 , 178, 285-99	4.7	37
17	Morphological and histochemical differences in the structure of the alimentary canal in feeding and runt (feed deprived) white sturgeons (<i>Acipenser transmontanus</i>). <i>Journal of Applied Ichthyology</i> , 2002 , 18, 341-346	0.9	24
16	Characterization of the myostatin gene and a linked microsatellite marker in shi drum (<i>Umbrina cirrosa</i> , Sciaenidae). <i>Aquaculture</i> , 2002 , 205, 49-60	4.4	26
15	Characterization of the myostatin gene in the gilthead seabream (<i>Sparus aurata</i>): sequence, genomic structure, and expression pattern. <i>Marine Biotechnology</i> , 2001 , 3, 224-30	3.4	138
14	Carbohydrate histochemistry of the alimentary canal of the shi drum, <i>Umbrina cirrosa</i> L. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2001 , 30, 345-9	1.1	28
13	Neurotransmitters and putative neuromodulators in the gut of <i>Anguilla anguilla</i> (L.). Localizations in the enteric nervous and endocrine systems. <i>European Journal of Histochemistry</i> , 2000 , 44, 295-306	2.1	33
12	Ultrastructural features of the gut in the white sturgeon, <i>Acipenser transmontanus</i> . <i>Histology and Histopathology</i> , 2000 , 15, 429-39	1.4	16
11	Post-hatching development of the gut and lateral muscle in the sole. <i>Journal of Fish Biology</i> , 1999 , 55, 44-65	1.9	38
10	A morphological and histochemical analysis of the neuroendocrine system of the gut in <i>Acipenser transmontanus</i> . <i>Journal of Applied Ichthyology</i> , 1999 , 15, 81-86	0.9	6
9	Influence of beta-adrenergic antagonists on cell proliferation rates in the kidney of untreated and diethylnitrosamine-treated male F344 rats. <i>Chemico-Biological Interactions</i> , 1999 , 118, 217-31	5	2
8	Morphological and histochemical peculiarities of the gut in the white sturgeon, <i>Acipenser transmontanus</i> . <i>European Journal of Histochemistry</i> , 1999 , 43, 135-45	2.1	20
7	Muscle growth in response to changing demands of functions in the teleost <i>Sparus aurata</i> (L.) during development from hatching to juvenile. <i>Anatomy and Embryology</i> , 1998 , 198, 487-504		38
6	Different putative neuromodulators are present in the nerves which distribute to the teleost skeletal muscle. <i>Histology and Histopathology</i> , 1998 , 13, 939-47	1.4	6

5	Regeneration of skeletal muscle in two teleost fish: Sparus aurata and Brachydanio rerio. <i>Cell and Tissue Research</i> , 1997 , 289, 311-22	4.2	61
4	Differentiation and growth of muscle in the fish Sparus aurata (L): I. Myosin expression and organization of fibre types in lateral muscle from hatching to adult. <i>Journal of Muscle Research and Cell Motility</i> , 1995 , 16, 213-22	3.5	41
3	Differentiation and growth of muscle in the fish Sparus aurata (L): II. Hyperplastic and hypertrophic growth of lateral muscle from hatching to adult. <i>Journal of Muscle Research and Cell Motility</i> , 1995 , 16, 223-36	3.5	113
2	Evaluation of the tumor-promoting activity of two beta-adrenoreceptor blocking agents, propranolol and atenolol, in liver of Fischer 344 rats. <i>Carcinogenesis</i> , 1994 , 15, 2531-9	4.6	14
1	Post-hatching development of the gut and lateral muscle in the sole55, 44		2