

Shitong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7265513/publications.pdf>

Version: 2024-02-01

66
papers

6,748
citations

70961

41
h-index

102304

66
g-index

68
all docs

68
docs citations

68
times ranked

5660
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly efficient blue-emissive electroluminescence: nondestructive color regulation effect of orthogonal cyano-substitution in hybrid locally-excited and charge-transfer (HLCT) backbone emitters. <i>Materials Today Chemistry</i> , 2022, 24, 100785.	1.7	11
2	Achieving full-color emission of Cu nanocluster self-assembly nanosheets by the virtue of halogen effects. <i>Soft Matter</i> , 2021, 17, 4550-4558.	1.2	5
3	Lamellar Organic Light-Emitting Crystals Exhibiting Spectral Gain and 3.6% External Quantum Efficiency in Transistors. , 2021, 3, 428-432.		20
4	Novel Deep Blue Hybridized Local and Charge Transfer Host Emitter for High Quality Fluorescence/Phosphor Hybrid Quasi White Organic Light Emitting Diode. <i>Advanced Functional Materials</i> , 2021, 31, 2100704.	7.8	63
5	A Novel Deep Blue LE-Dominated HLCT Excited State Design Strategy and Material for OLED. <i>Molecules</i> , 2021, 26, 4560.	1.7	22
6	Direct observation of excited state conversion in solid state from a TICT-Type mechanochromic luminogen. <i>Journal of Luminescence</i> , 2021, 237, 118179.	1.5	9
7	Morphology Dependent Luminescence and Optical Waveguide Property in Large Size Organic Charge Transfer Cococrystals with Anisotropic Spatial Distribution of Transition Dipole Moment. <i>Advanced Optical Materials</i> , 2020, 8, 1901280.	3.6	34
8	Pressure-Induced Blue-Shifted and Enhanced Emission: A Cooperative Effect between Aggregation-Induced Emission and Energy-Transfer Suppression. <i>Journal of the American Chemical Society</i> , 2020, 142, 1153-1158.	6.6	178
9	Improving the Efficiency of Multilayer Organic Light Emitting Transistors by Exploring the Hole Blocking Effect. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000657.	1.9	11
10	Highly efficient deep-blue light-emitting material based on V-Shaped donor-acceptor triphenylamine-phenanthro[9,10-d]imidazole molecule. <i>Dyes and Pigments</i> , 2020, 180, 108511.	2.0	31
11	Insight from Molecular Packing: Charge Transfer and Emission Modulation through Cococrystal Strategies. <i>Crystal Growth and Design</i> , 2020, 20, 5203-5210.	1.4	32
12	The origin of the unusual red-shifted aggregation-state emission of triphenylamine-imidazole molecules: excimers or a photochemical reaction?. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1411-1420.	3.2	23
13	Dendrimer Based, High Luminescence Conjugated Microporous Polymer Films for Highly Sensitive and Selective Volatile Organic Compound Sensor Arrays. <i>Advanced Functional Materials</i> , 2020, 30, 1910275.	7.8	71
14	A single-molecule conformation modulating crystalline polymorph of a physical pyrene dimer: blue and green emissions of a pyrene excimer. <i>Journal of Materials Chemistry C</i> , 2020, 8, 3367-3373.	2.7	46
15	Achieving Highly Efficient Pure Organic Single Molecule White Light Emitter: The Coenhanced Fluorescence and Phosphorescence Dual Emission by Tailoring Alkoxy Substituents. <i>Advanced Optical Materials</i> , 2020, 8, 1901995.	3.6	54
16	Highly efficient non-doped blue fluorescent OLEDs with low efficiency roll-off based on hybridized local and charge transfer excited state emitters. <i>Chemical Science</i> , 2020, 11, 5058-5065.	3.7	114
17	Enhanced deep-red emission in donor-acceptor molecular architecture: The role of ancillary acceptor of cyanophenyl. <i>Chinese Chemical Letters</i> , 2019, 30, 1947-1950.	4.8	9
18	Investigation on excited-state properties and electroluminescence performance of Donor-Acceptor materials based on quinoxaline derivatives. <i>Organic Electronics</i> , 2019, 75, 105414.	1.4	24

#	ARTICLE	IF	CITATIONS
19	Visualization of Ultrasensitive and Recyclable Dual-Channel Fluorescence Sensors for Chemical Warfare Agents Based on the State Dehybridization of Hybrid Locally Excited and Charge Transfer Materials. <i>Analytical Chemistry</i> , 2019, 91, 10927-10931.	3.2	43
20	One Stimulus In Situ Induces Two Sequential Luminescence Switchings in the Same Solventâ€Fuming Process: Anthracene Excimer as the Intermediate. <i>Advanced Functional Materials</i> , 2019, 29, 1901895.	7.8	46
21	Unusual temperature-sensitive excimer fluorescence from discrete π - π dimer stacking of anthracene in a crystal. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 14511-14515.	1.3	30
22	Highly Efficient Orange-Red/Red Excimer Fluorescence from Dimeric π - π Stacking of Perylene and Its Nanoparticle Applications. <i>Journal of Physical Chemistry C</i> , 2019, 123, 13047-13056.	1.5	53
23	Modulation of Excited State Property Based on Benzo[a, c]phenazine Acceptor: Three Typical Excited States and Electroluminescence Performance. <i>Frontiers in Chemistry</i> , 2019, 7, 141.	1.8	14
24	Achieving Persistent, Efficient, and Robust Roomâ€Temperature Phosphorescence from Pure Organics for Versatile Applications. <i>Advanced Materials</i> , 2019, 31, e1807222.	11.1	270
25	One-dimensional π - π stacking induces highly efficient pure organic room-temperature phosphorescence and ternary-emission single-molecule white light. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12502-12508.	2.7	81
26	Excimer formation and evolution of excited state properties in discrete dimeric stacking of an anthracene derivative: a computational investigation. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 12129-12137.	1.3	95
27	Efficient near-infrared emission based on donor-acceptor molecular architecture: The role of ancillary acceptor of cyanophenyl. <i>Dyes and Pigments</i> , 2018, 149, 430-436.	2.0	44
28	Monodisperse π - π Stacking Anthracene Dimer under Pressure: Unique Fluorescence Behaviors and Experimental Determination of Interplanar Distance at Excimer Equilibrium Geometry. <i>Advanced Optical Materials</i> , 2018, 6, 1800085.	3.6	63
29	Single-Electron Oxidation/Alterable C3- and C10-Arylation of 9-MeO-phenanthrene. <i>Organic Letters</i> , 2018, 20, 3591-3595.	2.4	10
30	Enhancing the Electroluminescent Efficiency of Acridine-Based Donorâ€Acceptor Materials: Quasi-Equivalent Hybridized Local and Charge-Transfer State. <i>Journal of Physical Chemistry C</i> , 2018, 122, 18376-18382.	1.5	45
31	Breaking the Efficiency Limit of Fluorescent OLEDs by Hybridized Local and Charge-Transfer Host Materials. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 5240-5245.	2.1	66
32	Ternary Emission of Fluorescence and Dual Phosphorescence at Room Temperature: A Singleâ€Molecule White Light Emitter Based on Pure Organic Azaâ€Aromatic Material. <i>Advanced Functional Materials</i> , 2018, 28, 1802407.	7.8	141
33	Photoluminescence: Rehybridization of Nitrogen Atom Induced Photoluminescence Enhancement under Pressure Stimulation (<i>Adv. Funct. Mater.</i> 1/2017). <i>Advanced Functional Materials</i> , 2017, 27, .	7.8	1
34	Pressure Tuning Dual Fluorescence of 4-(<i>N,N</i> -Dimethylamino)benzonitrile. <i>Journal of Physical Chemistry C</i> , 2017, 121, 4909-4916.	1.5	21
35	Enhancing Fluorescence of Naphthalimide Derivatives by Suppressing the Intersystem Crossing. <i>Journal of Physical Chemistry C</i> , 2017, 121, 23218-23223.	1.5	18
36	Discrete face-to-face stacking of anthracene inducing high-efficiency excimer fluorescence in solids via a thermally activated phase transition. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10061-10067.	2.7	80

#	ARTICLE	IF	CITATIONS
37	Isomerization effect of triphenylamine-acridine derivatives on excited-state modification, photophysical property and electroluminescence performance. <i>Dyes and Pigments</i> , 2017, 146, 558-566.	2.0	27
38	Efficient Near-Infrared (NIR) Organic Light-Emitting Diodes Based on Donor-Acceptor Architecture: An Improved Emissive State from Mixing to Hybridization. <i>Advanced Optical Materials</i> , 2017, 5, 1700441.	3.6	71
39	Rehybridization of Nitrogen Atom Induced Photoluminescence Enhancement under Pressure Stimulation. <i>Advanced Functional Materials</i> , 2017, 27, 1602276.	7.8	92
40	Design and Modulation on the Excited State Properties in Organic Electrofluorescence Materials. , 2017, , .		0
41	Porous Organic Polymer Films with Tunable Work Functions and Selective Hole and Electron Flows for Energy Conversions. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3049-3053.	7.2	121
42	Effect of cyano-substitution in distyrylbenzene derivatives on their fluorescence and electroluminescence properties. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7478-7484.	2.7	40
43	Hybridization and de-hybridization between the locally-excited (LE) state and the charge-transfer (CT) state: a combined experimental and theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 24176-24184.	1.3	117
44	Excimer-induced high-efficiency fluorescence due to pairwise anthracene stacking in a crystal with long lifetime. <i>Chemical Communications</i> , 2016, 52, 7356-7359.	2.2	164
45	Twist Angle and Rotation Freedom Effects on Luminescent Donor-Acceptor Materials: Crystal Structures, Photophysical Properties, and OLED Application. <i>Advanced Optical Materials</i> , 2016, 4, 2109-2118.	3.6	61
46	Bis(2-(benzo[d]thiazol-2-yl)-5-fluorophenolate)beryllium: a high-performance electron transport material for phosphorescent organic light-emitting devices. <i>RSC Advances</i> , 2016, 6, 5008-5015.	1.7	10
47	Highly Efficient Nondoped Green Organic Light-Emitting Diodes with Combination of High Photoluminescence and High Exciton Utilization. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3041-3049.	4.0	126
48	Efficient pyrene-imidazole derivatives for organic light-emitting diodes. <i>RSC Advances</i> , 2016, 6, 17239-17245.	1.7	30
49	Conjugated Microporous Polymer Films: Designed Synthesis, Conducting Properties, and Photoenergy Conversions. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13594-13598.	7.2	182
50	Investigation from chemical structure to photoluminescent mechanism: a type of carbon dots from the pyrolysis of citric acid and an amine. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5976-5984.	2.7	599
51	Achieving a Significantly Increased Efficiency in Nondoped Pure Blue Fluorescent OLED: A Quasi-Equivalent Hybridized Excited State. <i>Advanced Functional Materials</i> , 2015, 25, 1755-1762.	7.8	381
52	Novel PA-doped polybenzimidazole membranes with high doping level, high proton conductivity and high stability for HT-PEMFCs. <i>RSC Advances</i> , 2015, 5, 53870-53873.	1.7	24
53	Highly efficient near ultraviolet organic light-emitting diode based on a meta-linked donor-acceptor molecule. <i>Chemical Science</i> , 2015, 6, 3797-3804.	3.7	245
54	The effect of meta coupling on colour purity, quantum yield, and exciton utilizing efficiency in deep-blue emitters from phenanthroimidazole isomers. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 31894-31901.	1.3	15

#	ARTICLE	IF	CITATIONS
55	Magneto-Induced Electroluminescence as a Tool to Discern the Origin of Delayed Fluorescence: Reverse Intersystem Crossing or Triplet-Triplet Annihilation?. <i>Advanced Optical Materials</i> , 2014, 2, 142-148.	3.6	70
56	Highly efficient deep blue light emitting devices based on triphenylsilane modified phenanthro[9,10- <i>cd</i>]imidazole. <i>Laser and Photonics Reviews</i> , 2014, 8, L6-L10.	4.4	54
57	Highly Efficient Near-Infrared Organic Light-Emitting Diode Based on a Butterfly-Shaped Donor-Acceptor Chromophore with Strong Solid-State Fluorescence and a Large Proportion of Radiative Excitons. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2119-2123.	7.2	604
58	Employing ~100% Excitons in OLEDs by Utilizing a Fluorescent Molecule with Hybridized Local and Charge-Transfer Excited State. <i>Advanced Functional Materials</i> , 2014, 24, 1609-1614.	7.8	527
59	High Yields of Singlet Excitons in Organic Electroluminescence through Two Paths of Cold and Hot Excitons. <i>Advanced Optical Materials</i> , 2014, 2, 510-515.	3.6	216
60	Novel violet emitting material synthesized by stepwise chemical reactions. <i>Journal of Materials Chemistry C</i> , 2014, 2, 5019.	2.7	27
61	Highly efficient deep-blue OLED with an extraordinarily narrow FWHM of 35 nm and a γ coordinate ≤ 0.05 based on a fully twisting donor-acceptor molecule. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4733-4736.	2.7	123
62	Construction of high efficiency non-doped deep blue emitters based on phenanthroimidazole: remarkable substitution effects on the excited state properties and device performance. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 20772-20779.	1.3	65
63	A Hybridized Local and Charge-Transfer Excited State for Highly Efficient Fluorescent OLEDs: Molecular Design, Spectral Character, and Full Exciton Utilization. <i>Advanced Optical Materials</i> , 2014, 2, 892-901.	3.6	357
64	Enhanced proportion of radiative excitons in non-doped electro-fluorescence generated from an imidazole derivative with an orthogonal donor-acceptor structure. <i>Chemical Communications</i> , 2013, 49, 11302.	2.2	198
65	Evidence of the Reverse Intersystem Crossing in Intra-Molecular Charge-Transfer Fluorescence-Based Organic Light-Emitting Devices Through Magneto-Induced Electroluminescence Measurements. <i>Advanced Optical Materials</i> , 2013, 1, 362-366.	3.6	84
66	Aromatic S-Heterocycle and Fluorene Derivatives as Solution-Processed Blue Fluorescent Emitters: Structure-Property Relationships for Different Sulfur Oxidation States. <i>Journal of Physical Chemistry C</i> , 2013, 117, 14189-14196.	1.5	47