

Huabao Xiong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7266904/publications.pdf>

Version: 2024-02-01

23
papers

1,782
citations

567281

15
h-index

677142

22
g-index

26
all docs

26
docs citations

26
times ranked

3372
citing authors

#	ARTICLE	IF	CITATIONS
1	Arctigenin inhibits abnormal germinal center reactions and attenuates murine lupus by inhibiting IFN-I pathway. <i>European Journal of Pharmacology</i> , 2022, 919, 174808.	3.5	0
2	HIPK2 directs cell type-specific regulation of STAT3 transcriptional activity in Th17 cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2117112119.	7.1	2
3	5-aminolevulinic acid-photodynamic therapy ameliorates cutaneous granuloma by killing drug-resistant <i>Mycobacterium marinum</i> . <i>Photodiagnosis and Photodynamic Therapy</i> , 2022, 38, 102839.	2.6	10
4	Photodynamic therapy, a promising treatment approach for cutaneous infectious granulomas. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022, , 102952.	2.6	2
5	Toll-like Receptor 4 Inhibitor TAK-242 Improves Fulminant Hepatitis by Regulating Accumulation of Myeloid-Derived Suppressor Cell. <i>Inflammation</i> , 2021, 44, 671-681.	3.8	5
6	IL-17B/IL-17RB signaling cascade contributes to self-renewal and tumorigenesis of cancer stem cells by regulating Beclin-1 ubiquitination. <i>Oncogene</i> , 2021, 40, 2200-2216.	5.9	22
7	Sox9 Is Crucial for Mesenchymal Stem Cells to Enhance Cutaneous Wound Healing. <i>International Journal of Stem Cells</i> , 2021, 14, 465-474.	1.8	4
8	Immune dysregulation in SHARPIN-deficient mice is dependent on CYLD-mediated cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	10
9	BET N-terminal bromodomain inhibition selectively blocks Th17 cell differentiation and ameliorates colitis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 2952-2957.	7.1	91
10	Distinct Roles of Brd2 and Brd4 in Potentiating the Transcriptional Program for Th17 Cell Differentiation. <i>Molecular Cell</i> , 2017, 65, 1068-1080.e5.	9.7	108
11	Autophagy regulates accumulation and functional activity of granulocytic myeloid-derived suppressor cells via STAT3 signaling in endotoxin shock. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 2796-2807.	3.8	22
12	A systems approach identifies HIPK2 as a key regulator of kidney fibrosis. <i>Nature Medicine</i> , 2012, 18, 580-588.	30.7	131
13	Transcription factor IRF8 directs a silencing programme for TH17 cell differentiation. <i>Nature Communications</i> , 2011, 2, 314.	12.8	107
14	AP-1 Activated by Toll-like Receptors Regulates Expression of IL-23 p19. <i>Journal of Biological Chemistry</i> , 2009, 284, 24006-24016.	3.4	120
15	Endothelial Cell Annexin A2 Regulates Polyubiquitination and Degradation of Its Binding Partner S100A10/p11. <i>Journal of Biological Chemistry</i> , 2008, 283, 19192-19200.	3.4	116
16	Cutting Edge: Autoantigen Ro52 Is an Interferon Inducible E3 Ligase That Ubiquitinates IRF-8 and Enhances Cytokine Expression in Macrophages. <i>Journal of Immunology</i> , 2007, 179, 26-30.	0.8	178
17	IRF-8/Interferon (IFN) Consensus Sequence-binding Protein Is Involved in Toll-like Receptor (TLR) Signaling and Contributes to the Cross-talk between TLR and IFN- β Signaling Pathways. <i>Journal of Biological Chemistry</i> , 2006, 281, 10073-10080.	3.4	127
18	Ubiquitin-dependent Degradation of Interferon Regulatory Factor-8 Mediated by Cbl Down-regulates Interleukin-12 Expression. <i>Journal of Biological Chemistry</i> , 2005, 280, 23531-23539.	3.4	42

#	ARTICLE	IF	CITATIONS
19	Toll-Like Receptors on Tumor Cells Facilitate Evasion of Immune Surveillance. <i>Cancer Research</i> , 2005, 65, 5009-5014.	0.9	486
20	Microtubule-Associated Serine/Threonine Kinase-205 kDa and Fc γ 3 Receptor Control IL-12 p40 Synthesis and NF- κ B Activation. <i>Journal of Immunology</i> , 2004, 172, 2559-2568.	0.8	15
21	Complex Formation of the Interferon (IFN) Consensus Sequence-binding Protein with IRF-1 Is Essential for Murine Macrophage IFN- γ -induced iNOS Gene Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 2271-2277.	3.4	59
22	Activation of the Murine Interleukin-12 p40 Promoter by Functional Interactions between NFAT and ICSBP. <i>Journal of Biological Chemistry</i> , 2003, 278, 39372-39382.	3.4	93
23	Suppression of IFN- γ Production from <i>Listeria monocytogenes</i> -Specific T Cells by Endogenously Produced Nitric Oxide. <i>Cellular Immunology</i> , 1996, 172, 118-125.	3.0	32