

Jing Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7267000/publications.pdf>

Version: 2024-02-01

43
papers

848
citations

516710

16
h-index

501196

28
g-index

43
all docs

43
docs citations

43
times ranked

1071
citing authors

#	ARTICLE	IF	CITATIONS
1	Photocaging of Activity-Based Ubiquitin Probes via a C-Terminal Backbone Modification Strategy. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	14
2	Photocaging of Activity-Based Ubiquitin Probes via a C-Terminal Backbone Modification Strategy. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	4
3	Efficient synthesis of terminal-diazirine-based histone peptide probes. <i>Tetrahedron Letters</i> , 2022, , 153878.	1.4	0
4	Chemical synthesis of disulfide surrogate peptides by using beta-carbon dimethyl modified diaminiacids. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 9021-9025.	2.8	5
5	Chemical Synthesis of diSUMO Photoaffinity Probes for the Identification of PolySUMO Chain-Specific Interacting Proteins. <i>CCS Chemistry</i> , 2021, 3, 1157-1168.	7.8	4
6	A mechanistic study on the regioselective Ni-catalyzed methylation-alkenylation of alkyne with AlMe ₃ and allylic alcohol. <i>Organic Chemistry Frontiers</i> , 2021, 9, 163-172.	4.5	9
7	One-Pot Synthesis of a Bis-Thio-Acetone Linked Ubiquitinated Histones Using 1,3-Dibromoacetone. <i>Journal of Organic Chemistry</i> , 2020, 85, 15631-15637.	3.2	6
8	A mechanistic study on Cu(i) catalyzed carboxylation of the C-F bond with CO ₂ : a DFT study. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 9065-9071.	2.8	7
9	An E1-Catalyzed Chemoenzymatic Strategy to Isopeptide-N-Ethylated Deubiquitylase-Resistant Ubiquitin Probes. <i>Angewandte Chemie</i> , 2020, 132, 13598-13603.	2.0	3
10	Chemical synthesis and biological activity of peptides incorporating an ether bridge as a surrogate for a disulfide bond. <i>Chemical Science</i> , 2020, 11, 7927-7932.	7.4	20
11	Chemical Synthesis of Six-Atom Thioether Bridged Diaminodiacid for Solid-Phase Synthesis of Peptide Disulfide Bond Mimics. <i>ChemistrySelect</i> , 2020, 5, 1359-1363.	1.5	6
12	An E1-Catalyzed Chemoenzymatic Strategy to Isopeptide-N-Ethylated Deubiquitylase-Resistant Ubiquitin Probes. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13496-13501.	13.8	23
13	Semisynthesis of Ubiquitin and SUMO-Rhodamine 110-Glycine through Aminolysis of Boc-Protected Thioester Counterparts. <i>Journal of Organic Chemistry</i> , 2019, 84, 14861-14867.	3.2	5
14	Efficient Semi-Synthesis of Atypical Ubiquitin Chains and Ubiquitin-Based Probes Forged by Thioether Isopeptide Bonds. <i>Chemistry - A European Journal</i> , 2019, 25, 16668-16675.	3.3	5
15	Acid-sensitive auxiliary assisted atypical diubiquitin synthesis exploiting thiol-ene coupling. <i>Tetrahedron Letters</i> , 2019, 60, 151123.	1.4	2
16	An activity-based probe developed by a sequential dehydroalanine formation strategy targets HECT E3 ubiquitin ligases. <i>Chemical Communications</i> , 2019, 55, 7109-7112.	4.1	25
17	Robust synthesis of C-terminal cysteine-containing peptide acids through a peptide hydrazide-based strategy. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5698-5702.	2.8	10
18	Non-reducible disulfide bond replacement implies that disulfide exchange is not required for hepcidin-ferroportin interaction. <i>Chemical Communications</i> , 2019, 55, 2821-2824.	4.1	6

#	ARTICLE	IF	CITATIONS
19	Cysteine-Aminoethylation-Assisted Chemical Ubiquitination of Recombinant Histones. <i>Journal of the American Chemical Society</i> , 2019, 141, 3654-3663.	13.7	62
20	Chemical Synthesis of Natural Polyubiquitin Chains through Auxiliary-Mediated Ligation of an Expressed Ubiquitin Isomer. <i>Organic Letters</i> , 2018, 20, 329-332.	4.6	19
21	Mechanism and Origin of the Stereoselectivity in the Palladium-Catalyzed <i>trans</i> Hydroboration of Internal 1,3-Enynes with an Azaborine-Based Phosphine Ligand. <i>Chemistry - A European Journal</i> , 2018, 24, 178-186.	3.3	35
22	Selective modification of natural nucleophilic residues in peptides and proteins using arylpalladium complexes. <i>Organic Chemistry Frontiers</i> , 2018, 5, 3186-3193.	4.5	30
23	Synthesis of Peptide Disulfide-Bond Mimics by Using Fully Orthogonally Protected Diaminodiacids. <i>Organic Letters</i> , 2018, 20, 6074-6078.	4.6	20
24	Efficient semi-synthesis of ubiquitin-7-amino-4-methylcoumarin. <i>Tetrahedron</i> , 2018, 74, 3931-3935.	1.9	10
25	Aerobic oxidative esterification of 5-hydroxymethylfurfural to dimethyl furan-2,5-dicarboxylate by using homogeneous and heterogeneous PdCoBi/C catalysts under atmospheric oxygen. <i>Green Chemistry</i> , 2018, 20, 3050-3058.	9.0	58
26	Mechanistic Study of Copper-Catalyzed Decarboxylative C-N Cross-Coupling with Hypervalent Iodine Oxidant. <i>Organometallics</i> , 2017, 36, 2081-2087.	2.3	11
27	Dmb/ivDde protected diaminodiacids for solid-phase synthesis of peptide disulfide-bond mimics. <i>Tetrahedron Letters</i> , 2017, 58, 1677-1680.	1.4	17
28	Efficient synthesis of hydrocarbon-bridged diaminodiacids through nickel-catalyzed reductive cross-coupling. <i>Tetrahedron Letters</i> , 2017, 58, 3970-3973.	1.4	12
29	Mechanism for the enhanced reactivity of 4-mercaptopyrrol thioesters in native chemical ligation. <i>RSC Advances</i> , 2016, 6, 68312-68321.	3.6	15
30	Efficient chemical synthesis for the analogue of ubiquitin-based probe Ub-AMC with native bioactivity. <i>RSC Advances</i> , 2016, 6, 47926-47930.	3.6	7
31	Desulfurization Mechanism of Cysteine in Synthesis of Polypeptides. <i>Chinese Journal of Chemical Physics</i> , 2015, 28, 269-276.	1.3	2
32	Diaminodiacid-based solid-phase synthesis of all-hydrocarbon stapled α -helical peptides. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 6286-6290.	2.8	24
33	Selective conversion of furfural to cyclopentanone or cyclopentanol using different preparation methods of Cu-Co catalysts. <i>Green Chemistry</i> , 2015, 17, 1038-1046.	9.0	168
34	Density Functional Theory Calculations on Ni-Ligand Bond Dissociation Enthalpies. <i>Chinese Journal of Chemical Physics</i> , 2014, 27, 640-646.	1.3	1
35	Engineered fluorescence tags for in vivo protein labelling. <i>RSC Advances</i> , 2014, 4, 7235-7245.	3.6	18
36	Hydride Dissociation Energies of Six-Membered Heterocyclic Organic Hydrides Predicted by ONIOM-G4Method. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 63-75.	5.4	16

#	ARTICLE	IF	CITATIONS
37	Mechanistic Origin of Regioselectivity in Nickel-Catalyzed Olefin Hydroheteroarylation through C-H Activation. <i>Organometallics</i> , 2012, 31, 4356-4366.	2.3	56
38	Chemical synthesis of a cyclotide via intramolecular cyclization of peptide O-esters. <i>Science China Chemistry</i> , 2012, 55, 64-69.	8.2	32
39	A computational study of C-X (X = H, C, F, Cl) bond dissociation enthalpies (BDEs) in polyhalogenated methanes and ethanes. <i>Journal of Physical Organic Chemistry</i> , 2011, 24, 65-73.	1.9	18
40	Design of new neutral organic superelectron donors: a theoretical study. <i>Journal of Physical Organic Chemistry</i> , 2010, 23, 75-83.	1.9	14
41	QUANTUM-CHEMICAL PREDICTION OF FORMATION ENTHALPY OF CYCLOALKANE. <i>Journal of Theoretical and Computational Chemistry</i> , 2010, 09, 155-166.	1.8	0
42	A Theoretical Study on C-COOH Homolytic Bond Dissociation Enthalpies. <i>Journal of Physical Chemistry A</i> , 2010, 114, 6263-6272.	2.5	42
43	Heterocyclic analogs of phenol as novel potential antioxidants. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 1038-1047.	1.9	7