

Falk Hoffmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7268005/publications.pdf>

Version: 2024-02-01

160
papers

5,155
citations

87723

38
h-index

138251

58
g-index

216
all docs

216
docs citations

216
times ranked

5937
citing authors

#	ARTICLE	IF	CITATIONS
1	International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 37-51.	2.2	188
2	International trends in antipsychotic use: A study in 16 countries, 2005–2014. <i>European Neuropsychopharmacology</i> , 2017, 27, 1064-1076.	0.3	185
3	Use of psychotropic drugs in patients with autism spectrum disorders: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 8-28.	2.2	150
4	Trends and patterns of antidepressant use in children and adolescents from five western countries, 2005–2012. <i>European Neuropsychopharmacology</i> , 2016, 26, 411-419.	0.3	145
5	Prevalence of dementia in nursing home and community-dwelling older adults in Germany. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 555-559.	1.4	107
6	Determinants of diagnostic delay in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Rheumatology</i> , 2019, 58, 1634-1638.	0.9	100
7	Incidence of Lower-limb Amputations in the Diabetic Compared to the Non-diabetic Population. Findings from Nationwide Insurance Data, Germany, 2005–2007. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009, 117, 500-504.	0.6	99
8	Trends in ADHD medication use in children and adolescents in five western countries, 2005–2012. <i>European Neuropsychopharmacology</i> , 2017, 27, 484-493.	0.3	98
9	Nearly 80 systematic reviews were published each day: Observational study on trends in epidemiology and reporting over the years 2000-2019. <i>Journal of Clinical Epidemiology</i> , 2021, 138, 1-11.	2.4	94
10	Time-Dependent Impact of Diabetes on Mortality in Patients After Major Lower Extremity Amputation. <i>Diabetes Care</i> , 2011, 34, 1350-1354.	4.3	88
11	Prevalence and treatment of hip and knee osteoarthritis in people aged 60 years or older in Germany: an analysis based on health insurance claims data. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 2339-2349.	1.3	87
12	Use of complementary and alternative medicine in children and adolescents with autism spectrum disorder: A systematic review. <i>Autism</i> , 2017, 21, 387-402.	2.4	84
13	Comorbidities in Patients with Rheumatoid Arthritis and Their Association with Patient-reported Outcomes: Results of Claims Data Linked to Questionnaire Survey. <i>Journal of Rheumatology</i> , 2019, 46, 564-571.	1.0	75
14	Antipsychotic Prescription in Children and Adolescents. <i>Deutsches A&#x0308;rztblatt International</i> , 2014, 111, 25-34.	0.6	65
15	Review on use of German health insurance medication claims data for epidemiological research. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 349-356.	0.9	63
16	Lower-extremity amputations in people with and without diabetes in Germany, 2008–2012 – an analysis of more than 30 million inhabitants. <i>Clinical Epidemiology</i> , 2018, Volume 10, 475-488.	1.5	60
17	Prevalence, comorbidities and outpatient treatment of anorexia and bulimia nervosa in German children and adolescents. <i>Eating and Weight Disorders</i> , 2013, 18, 157-165.	1.2	58
18	ADHD in Germany: Trends in Diagnosis and Pharmacotherapy. <i>Deutsches A&#x0308;rztblatt International</i> , 2017, 114, 141-148.	0.6	58

#	ARTICLE	IF	CITATIONS
19	Variation in antibiotic prescriptions: is area deprivation an explanation? Analysis of 1.2 million children in Germany. <i>Infection</i> , 2013, 41, 121-127.	2.3	56
20	Diagnoses of autism spectrum disorders in Germany: Time trends in administrative prevalence and diagnostic stability. <i>Autism</i> , 2018, 22, 283-290.	2.4	55
21	A multi-national comparison of antipsychotic drug use in children and adolescents, 2005–2012. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 55.	1.2	54
22	Systematic reviews with published protocols compared to those without: more effort, older search. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 102-110.	2.4	53
23	Impact of safety warnings on antipsychotic prescriptions in dementia: Nothing has changed but the years and the substances. <i>European Neuropsychopharmacology</i> , 2013, 23, 1034-1042.	0.3	51
24	The effect of diabetes on incidence and mortality in end-stage renal disease in Germany. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1634-1640.	0.4	50
25	Psychopharmacological treatment in children and adolescents with autism spectrum disorders in Germany. <i>Research in Developmental Disabilities</i> , 2013, 34, 2551-2563.	1.2	50
26	Diabetes prevalence based on health insurance claims: large differences between companies. <i>Diabetic Medicine</i> , 2011, 28, 919-923.	1.2	48
27	Transition to adult rheumatology care is necessary to maintain DMARD therapy in young people with juvenile idiopathic arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 269-275.	1.6	48
28	Mortality and hospitalization at the end of life in newly admitted nursing home residents with and without dementia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 833-839.	1.6	46
29	Hospitalizations of nursing home residents at the end of life: A systematic review. <i>Palliative Medicine</i> , 2019, 33, 1282-1298.	1.3	46
30	Pain, depressive symptoms and medication in German patients with rheumatoid arthritis—results from the linking patient-reported outcomes with claims data for health services research in rheumatology (<sc>PROCLAIR</sc>) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 766-774.	0.9	44
31	Determinants of psychological well-being in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1017-1024.	0.5	44
32	Renal Insufficiency and Medication in Nursing Home Residents. <i>Deutsches A&#x0308;rztblatt International</i> , 2016, 113, 92-8.	0.6	43
33	Impact of geriatric comorbidity and polypharmacy on cholinesterase inhibitors prescribing in dementia. <i>BMC Psychiatry</i> , 2011, 11, 190.	1.1	38
34	Age and sex differences in hospitalisation of nursing home residents: a systematic review. <i>BMJ Open</i> , 2016, 6, e011912.	0.8	38
35	Time-Dependent Impact of Diabetes on Mortality in Patients With Stroke. <i>Diabetes Care</i> , 2012, 35, 1868-1875.	4.3	37
36	Prescribing of antipsychotic drugs in patients with dementia: a comparison with age-matched and sex-matched non-demented controls. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1308-1316.	0.9	36

#	ARTICLE	IF	CITATIONS
37	Polypharmacy and Renal Failure in Nursing Home Residents: Results of the Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes (IMREN) Study. <i>Drugs and Aging</i> , 2016, 33, 45-51.	1.3	36
38	Prevalence and Comorbidities of Adolescent Depression in Germany. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2012, 40, 399-404.	0.4	36
39	Inappropriate Medication in Non-Hospitalized Patients With Renal Insufficiency: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 853-862.	1.3	35
40	The disease management program for type 2 diabetes in Germany enhances process quality of diabetes care - a follow-up survey of patient's experiences. <i>BMC Health Services Research</i> , 2010, 10, 55.	0.9	34
41	Diagnoses indicating pain and analgesic drug prescription in patients with dementia: a comparison to age- and sex-matched controls. <i>BMC Geriatrics</i> , 2014, 14, 20.	1.1	34
42	High prevalence of diabetes in patients with rheumatoid arthritis: results from a questionnaire survey linked to claims data. <i>Rheumatology</i> , 2018, 57, 329-336.	0.9	33
43	Agranulocytosis attributed to metamizole: An analysis of spontaneous reports in EudraVigilance 1985-2017. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 116-125.	1.2	32
44	Diabetes 'Epidemic'™ in Germany? A Critical Look at Health Insurance Data Sources. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 410-415.	0.6	31
45	Study protocol of the ASD-Net, the German research consortium for the study of Autism Spectrum Disorder across the lifespan: from a better etiological understanding, through valid diagnosis, to more effective health care. <i>BMC Psychiatry</i> , 2017, 17, 206.	1.1	31
46	Perceptions of German GPs on benefits and risks of benzodiazepines and Z-drugs. <i>Swiss Medical Weekly</i> , 2013, 143, w13745.	0.8	30
47	Outpatient treatment in German adolescents with depression: an analysis of nationwide health insurance data. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 972-979.	0.9	29
48	Pro re nata (as needed) medication in nursing homes: the longer you stay, the more you get?. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 995-1001.	0.8	29
49	Pathways to a diagnosis of autism spectrum disorder in Germany: a survey of parents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2019, 13, 16.	1.2	29
50	Survival in patients with incident dementia compared with a control group: a five-year follow-up. <i>International Psychogeriatrics</i> , 2012, 24, 1522-1530.	0.6	28
51	Who gets dipyrone (metamizole) in Germany? Prescribing by age, sex and region. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015, 40, 285-288.	0.7	27
52	Impact of diabetes on costs before and after major lower extremity amputations in Germany. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 467-472.	1.2	26
53	Trends in psychopharmacologic treatment of tic disorders in children and adolescents in Germany. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 199-207.	2.8	26
54	Influenza and pneumococcal vaccination in patients with rheumatoid arthritis in comparison with age- and sex-matched controls: results of a claims data analysis. <i>Rheumatology International</i> , 2016, 36, 1255-1263.	1.5	26

#	ARTICLE	IF	CITATIONS
55	Age and sex differences in emergency department visits of nursing home residents: a systematic review. <i>BMC Geriatrics</i> , 2018, 18, 151.	1.1	26
56	Internalised stigma in adults with autism: A German multi-center survey. <i>Psychiatry Research</i> , 2019, 276, 94-99.	1.7	26
57	More systematic reviews were registered in PROSPERO each year, but few records' status was up-to-date. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 60-67.	2.4	26
58	Regional variations of private prescriptions for the non-benzodiazepine hypnotics zolpidem and zopiclone in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 1071-1077.	0.9	25
59	Trends in antidepressant prescriptions for children and adolescents in Germany from 2005 to 2012. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1268-1272.	0.9	25
60	An observational study found large methodological heterogeneity in systematic reviews addressing prevalence and cumulative incidence. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 92-99.	2.4	25
61	Eight-year prescription trends of memantine and cholinesterase inhibitors among persons 65 years and older in Germany. <i>International Clinical Psychopharmacology</i> , 2010, 25, 29-36.	0.9	22
62	Pain medication in German nursing homes: a whole lot of metamizole. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 646-651.	0.9	22
63	Complementary and alternative medicine use in adults with autism spectrum disorder in Germany: results from a multi-center survey. <i>BMC Psychiatry</i> , 2019, 19, 53.	1.1	22
64	Disease-specific risk for an osteonecrosis of the jaw under bisphosphonate therapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 363-370.	1.2	21
65	Institutionalization in incident dementia cases in comparison to age- and sex- matched controls: a 5-year follow-up from Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 143-151.	1.6	21
66	Variations over time in the effects of age and sex on hospitalization rates before and after admission to a nursing home: A German cohort study. <i>Maturitas</i> , 2017, 102, 50-55.	1.0	21
67	Comorbidity of chronic back pain and depression in Germany: Results from the GEDA study, 2009 and 2010. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2018, 137-138, 62-68.	0.7	21
68	Incidence of renal replacement therapy (RRT) in the diabetic compared with the non-diabetic population in a German region, 2002-08. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 264-269.	0.4	20
69	Prescriptions as a proxy for asthma in children: a good choice?. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 307-313.	0.8	18
70	Antipsychotic drug use in nursing home residents with and without dementia. <i>International Clinical Psychopharmacology</i> , 2017, 32, 213-218.	0.9	18
71	Comparison of non-Cochrane systematic reviews and their published protocols: differences occurred frequently but were seldom explained. <i>Journal of Clinical Epidemiology</i> , 2019, 110, 34-41.	2.4	18
72	Paramedics' Perspectives on the Hospital Transfers of Nursing Home Residents' A Qualitative Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3778.	1.2	18

#	ARTICLE	IF	CITATIONS
73	Waiting times in primary care depending on insurance scheme in Germany. BMC Health Services Research, 2018, 18, 191.	0.9	17
74	Nursing home staff's perspective on end-of-life care of German nursing home residents: a cross-sectional survey. BMC Palliative Care, 2020, 19, 2.	0.8	17
75	The impact of extra-musculoskeletal manifestations on disease activity, functional status, and treatment patterns in patients with axial spondyloarthritis: results from a nationwide population-based study. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2097261.	1.2	17
76	The Association of Low Income with Functional Status and Disease Burden in German Patients with Rheumatoid Arthritis: Results of a Cross-sectional Questionnaire Survey Based on Claims Data. Journal of Rheumatology, 2017, 44, 766-772.	1.0	16
77	The prevalence and impact of comorbidities on patients with axial spondyloarthritis: results from a nationwide population-based study. Arthritis Research and Therapy, 2020, 22, 210.	1.6	16
78	High use of tramadol in Germany: an analysis of statutory health insurance data. Pharmacoepidemiology and Drug Safety, 2012, 21, 1013-1021.	0.9	15
79	Incidence Rates of and Mortality after Hip Fracture among German Nursing Home Residents. International Journal of Environmental Research and Public Health, 2018, 15, 289.	1.2	15
80	Dying in hospital among nursing home residents with and without dementia in Germany. Archives of Gerontology and Geriatrics, 2019, 82, 293-298.	1.4	15
81	Acute health care services use among nursing home residents in Germany: a comparative analysis of out-of-hours medical care, emergency department visits and acute hospital admissions. Aging Clinical and Experimental Research, 2020, 32, 1359-1368.	1.4	15
82	Pro Re Nata Drug Use in Nursing Home Residents: A Systematic Review. Journal of the American Medical Directors Association, 2019, 20, 287-293.e7.	1.2	14
83	Drug interactions with oral anticoagulants in German nursing home residents: comparison between vitamin K antagonists and non-vitamin K antagonist oral anticoagulants based on two nested case-control studies. Clinical Research in Cardiology, 2020, 109, 465-475.	1.5	14
84	End-of-life care of nursing home residents: A survey among general practitioners in northwestern Germany. Geriatrics and Gerontology International, 2020, 20, 25-30.	0.7	14
85	Needs and availability of medical specialists' and allied health professionals' visits in German nursing homes: a cross-sectional study of nursing home staff. BMC Health Services Research, 2020, 20, 332.	0.9	13
86	Home care recipients have poorer oral health than nursing home residents: Results from two German studies. Journal of Dentistry, 2021, 107, 103607.	1.7	13
87	Stroke in the diabetic and non-diabetic population in Germany: relative and attributable risks, 2005-2007. Journal of Diabetes and Its Complications, 2011, 25, 90-96.	1.2	12
88	Treatment of multiple sclerosis in Germany: an analysis based on claims data of more than 30,000 patients. International Journal of Clinical Pharmacy, 2013, 35, 1229-1235.	1.0	12
89	Influence of age and sex on hospitalization of nursing home residents: A cross-sectional study from Germany. BMC Health Services Research, 2017, 17, 55.	0.9	12
90	A descriptive analysis of the characteristics and the peer review process of systematic review protocols published in an open peer review journal from 2012 to 2017. BMC Medical Research Methodology, 2019, 19, 57.	1.4	12

#	ARTICLE	IF	CITATIONS
91	Use of Physical Therapy in Patients With Osteoarthritis in Germany: An Analysis of a Linkage of Claims and Survey Data. <i>Arthritis Care and Research</i> , 2021, 73, 1013-1022.	1.5	12
92	Perspectives of general practitioners and nursing staff on acute hospital transfers of nursing home residents in Germany: results of two cross-sectional studies. <i>BMC Family Practice</i> , 2020, 21, 29.	2.9	12
93	Prevalence of Asthma among German Adults: Analysis of the German National Telephone Survey. <i>Journal of Asthma</i> , 2007, 44, 433-436.	0.9	11
94	Pattern of intravenous bisphosphonate use in outpatient care in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 896-903.	0.9	11
95	Cross-border comparison of antibiotic prescriptions among children and adolescents between the north of the Netherlands and the north-west of Germany. <i>Antimicrobial Resistance and Infection Control</i> , 2016, 5, 14.	1.5	11
96	Hospitalization at the end of life among nursing home residents with dementia: a systematic review. <i>BMC Palliative Care</i> , 2019, 18, 77.	0.8	11
97	Regional Differences in Prescribing Patterns of Metamizole in Germany Based on Data from 70 Million Persons. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3892.	1.2	11
98	Sex-Specific Differences in Hospital Transfers of Nursing Home Residents: Results from the HOspitalizations and eMERgency Department Visits of Nursing Home Residents (HOMERN) Project. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3915.	1.2	11
99	Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 142.	1.1	11
100	Benefits and risks of benzodiazepines and Z-drugs: comparison of perceptions of GPs and community pharmacists in Germany. <i>GMS German Medical Science</i> , 2013, 11, Doc10.	2.7	11
101	Do Persons that Changed Health Insurance Differ From those Who did not? The Case of Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2011, 119, 569-572.	0.6	10
102	Correction factor for the analysis of the hip fracture incidenceâ€™ differences between age, sex, region, and calendar year. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 391-394.	1.0	10
103	Use of nonsteroidal anti-inflammatory drugs and renal failure in nursing home residentsâ€™ results of the study â€™Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homesâ€™. <i>Wiener Klinische Wochenschrift</i> , 2016, 128, 287-290.	1.0	10
104	Rheumatologic care of nursing home residents with rheumatoid arthritis: a comparison of the year before and after nursing home admission. <i>Rheumatology International</i> , 2017, 37, 2059-2064.	1.5	10
105	Use of oral anticoagulants in German nursing home residents: drug use patterns and predictors for treatment choice. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 590-601.	1.1	9
106	Preoperative Cognitive Impairment and Postoperative Delirium Predict Decline in Activities of Daily Living after Cardiac Surgeryâ€™ A Prospective, Observational Cohort Study. <i>Geriatrics (Switzerland)</i> , 2020, 5, 69.	0.6	9
107	Process evaluation of a complex intervention to promote advance care planning in community-dwelling older persons (the STADPLAN study)â€™ study protocol. <i>Trials</i> , 2020, 21, 653.	0.7	9
108	Good Practice Data Linkage (GPD): A Translation of the German Version. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7852.	1.2	9

#	ARTICLE	IF	CITATIONS
109	Renal Replacement Therapy in People With and Without Diabetes in Germany, 2010–2016: An Analysis of More Than 25 Million Inhabitants. <i>Diabetes Care</i> , 2021, 44, 1291-1299.	4.3	9
110	Underuse of proton-pump inhibitors in older patients newly starting NSAID treatment. <i>International Journal of Clinical Practice</i> , 2015, 69, 791-795.	0.8	8
111	Incidence of Tube Feeding in 7174 Newly Admitted Nursing Home Residents With and Without Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016, 31, 27-33.	0.9	8
112	Contacts with general practitioners, dentists, and medical specialists among nursing home residents: a cross-sectional study in 44 German nursing homes. <i>BMC Health Services Research</i> , 2022, 22, 35.	0.9	8
113	Immortal time bias and survival in patients who self-monitor blood glucose in the Retrolective Study: Self-monitoring of Blood Glucose and Outcome in Patients with Type 2 Diabetes (ROSSO). <i>Diabetologia</i> , 2011, 54, 308-311.	2.9	7
114	Incidence of pneumonia in nursing home residents in Germany: results of a claims data analysis. <i>Epidemiology and Infection</i> , 2018, 146, 1123-1129.	1.0	7
115	Assessing and Explaining Geographic Variations in Mammography Screening Participation and Breast Cancer Incidence. <i>Frontiers in Oncology</i> , 2019, 9, 909.	1.3	7
116	Willingness to try and lifetime use of complementary and alternative medicine in children and adolescents with autism spectrum disorder in Germany: A survey of parents. <i>Autism</i> , 2019, 23, 1865-1870.	2.4	7
117	Cross-sectional study in an out-of-hours primary care centre in northwestern Germany – patient characteristics and the urgency of their treatment. <i>BMC Family Practice</i> , 2019, 20, 41.	2.9	7
118	Health Services Use and Costs in Individuals with Autism Spectrum Disorder in Germany: Results from a Survey in ASD Outpatient Clinics. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 540-552.	1.7	7
119	Time-dependent impact of diabetes on the mortality of patients on renal replacement therapy: A population-based study in Germany (2002–2009). <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 380-385.	1.1	6
120	Influenza vaccination rates before and after admission to nursing homes in Germany. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 609-616.	1.4	6
121	Affiliate stigma in caregivers of children and adolescents with autism spectrum disorder in Germany. <i>Psychiatry Research</i> , 2020, 284, 112483.	1.7	6
122	How Do Adults with Autism Spectrum Disorder Participate in the Labor Market? A German Multi-center Survey. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 1066-1076.	1.7	6
123	Utilisation of outpatient physiotherapy in patients following total knee arthroplasty – a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 711.	0.8	6
124	Contextual factors influencing advance care planning in home care: process evaluation of the cluster-randomised controlled trial STADPLAN. <i>BMC Geriatrics</i> , 2022, 22, 345.	1.1	6
125	Prescribing medications of questionable benefit prior to death: a retrospective study on older nursing home residents with and without dementia in Germany. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 877-885.	0.8	5
126	Ten-year trends in end-of-life hospitalizations of nursing home residents in Germany, 2006–2015. <i>Maturitas</i> , 2020, 134, 47-53.	1.0	5

#	ARTICLE	IF	CITATIONS
127	Prevalence and influencing factors of chronic post-traumatic stress disorder in patients with myocardial infarction, transient ischemic attack (TIA) and stroke – an exploratory, descriptive study. BMC Psychiatry, 2021, 21, 295.	1.1	5
128	Which treatments do children with newly diagnosed non-organic urinary incontinence receive? An analysis of 3,188 outpatient cases from Germany. Neurourology and Urodynamics, 2012, 31, 93-98.	0.8	4
129	Combined use of drugs inhibiting the renin–angiotensin system: prescribing patterns and risk of acute kidney injury in German nursing home residents. Clinical Interventions in Aging, 2018, Volume 13, 1035-1042.	1.3	4
130	Are there changes in medical specialist contacts after transition to a nursing home? an analysis of German claims data. BMC Health Services Research, 2020, 20, 716.	0.9	4
131	How Do German General Practitioners Assess Medical Specialist Care Needs of Nursing Home Residents? Results of a Postal Survey in North-Western Germany. International Journal of Environmental Research and Public Health, 2020, 17, 7126.	1.2	4
132	Characteristics of outpatient emergency department visits of nursing home residents: an analysis of discharge letters. Aging Clinical and Experimental Research, 2021, 33, 3343-3351.	1.4	4
133	Special educational support in children and adolescents with Autism Spectrum Disorder in Germany: Results from a parent survey. Research in Developmental Disabilities, 2021, 112, 103931.	1.2	4
134	Generalizability and reach of a randomized controlled trial to improve oral health among home care recipients: comparing participants and nonparticipants at baseline and during follow-up. Trials, 2022, 23, .	0.7	4
135	Did the removal of the indication of nocturnal enuresis for intranasal desmopressin change prescribing practice?. Pharmacoepidemiology and Drug Safety, 2011, 20, 105-109.	0.9	3
136	<p>Regional Differences in Opioid Prescribing in Germany – Results of an Analysis of Health Insurance Data of 57 Million Adult People</p>. Journal of Pain Research, 2020, Volume 13, 2483-2492.	0.8	3
137	Factors Associated with Survey Non-Response in a Cross-Sectional Survey of Persons with an Axial Spondyloarthritis or Osteoarthritis Claims Diagnosis. International Journal of Environmental Research and Public Health, 2020, 17, 9186.	1.2	3
138	Utilization of Outpatient Physical and Occupational Therapy in People With Spinal Cord Injury in Germany. American Journal of Physical Medicine and Rehabilitation, 2020, 99, 532-539.	0.7	3
139	Treating epistaxis – who cares for a bleeding nose? A secondary data analysis of primary and secondary care. BMC Family Practice, 2021, 22, 75.	2.9	3
140	Effectiveness of a Dental Intervention to Improve Oral Health among Home Care Recipients: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 9339.	1.2	3
141	Comparison of protocols and registry entries to published reports for systematic reviews. The Cochrane Library, 0, , .	1.5	3
142	Use of Physiotherapy Prior to Total Knee Arthroplasty – Results of the Prospective FlNGK Study. Healthcare (Switzerland), 2022, 10, 407.	1.0	3
143	Retrieving Cochrane reviews is sometimes challenging and their reporting is not always optimal. Research Synthesis Methods, 2022, 13, 554-557.	4.2	3
144	Â-Blockers for hypertension. Cmaj, 2007, 176, 971-971.	0.9	2

#	ARTICLE	IF	CITATIONS
145	Patientensicherheit ist in einem soziotechnischem System eine gemeinsame Aufgabe. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 125, 1-2.	0.7	2
146	Utilization of transdermal fentanyl in German nursing home residents from 2010 to 2014. Pharmacoepidemiology and Drug Safety, 2019, 28, 754-759.	0.9	2
147	Verbesserung der Mundgesundheit bei Pflegebedürftigen in häuslicher Pflege: Welche weiteren Schritte sind notwendig?. Gesundheits- Und Sozialpolitik, 2020, 74, 33-38.	0.2	2
148	Physical Therapy Use and Associated Factors in Adults with and without Osteoarthritis – An Analysis of the Population-Based German Health Update Study. Healthcare (Switzerland), 2021, 9, 1544.	1.0	2
149	Frequency and management of emergencies in primary care offices: A cross-sectional study in northwestern Germany. European Journal of General Practice, 2022, 28, 209-216.	0.9	2
150	Is Guideline Adherence the Key to Increased Survival in Patients with Breast Cancer?. Oncology, 2010, 79, 301-302.	0.9	1
151	Arzneimittelversorgung von Pflegeheimbewohnern in Deutschland. Public Health Forum, 2017, 25, 209-211.	0.1	1
152	<p>Pain And The Use Of Gabapentinoids In German Nursing Home Residents - Results From An Analysis Based On Statutory Health Insurance Data</p>. Journal of Pain Research, 2019, Volume 12, 3175-3184.	0.8	1
153	Outpatient costs in patients with atrial fibrillation are underestimated. Europace, 2011, 13, 1801-1801.	0.7	0
154	Determination of psychotropic use in children and adolescents from a prescription database: methodological issues. Psychopharmacology, 2014, 231, 3809-3811.	1.5	0
155	Response to “Missing pebble in the mosaic of rheumatic diseases and mental health: younger does not always mean happier” by Alunno <i>et al</i>. Annals of the Rheumatic Diseases, 2019, 78, e55-e55.	0.5	0
156	“Value” of advance care plans: health economics revisited. BMJ Supportive and Palliative Care, 2021,, bmjspcare-2021-003192.	0.8	0
157	In Reply. Deutsches Ärzteblatt International, 2014, 111, 365.	0.6	0
158	Methodological Shortcomings. Deutsches Ärzteblatt International, 2014, 111, 680-1.	0.6	0
159	In Reply. Deutsches Ärzteblatt International, 2017, 114, 428-429.	0.6	0
160	Nurse-Filled versus Pharmacy-Filled Medication Organization Devices – Survey on Current Practices and Views of Home Care Nursing Services. Healthcare (Switzerland), 2022, 10, 620.	1.0	0