

Falk Hoffmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7268005/falk-hoffmann-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

3,166
citations

30
h-index

45
g-index

216
ext. papers

4,397
ext. citations

3.4
avg, IF

5.87
L-index

#	Paper	IF	Citations
152	Contacts with general practitioners, dentists, and medical specialists among nursing home residents: a cross-sectional study in 44 German nursing homes.. <i>BMC Health Services Research</i> , 2022 , 22, 35	2.9	0
151	Contextual factors influencing advance care planning in home care: process evaluation of the cluster-randomised controlled trial STADPLAN.. <i>BMC Geriatrics</i> , 2022 , 22, 345	4.1	0
150	Use of Physical Therapy in Patients With Osteoarthritis in Germany: An Analysis of a Linkage of Claims and Survey Data. <i>Arthritis Care and Research</i> , 2021 , 73, 1013-1022	4.7	3
149	Physical Therapy Use and Associated Factors in Adults with and without Osteoarthritis-An Analysis of the Population-Based German Health Update Study. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	1
148	Health Services Use and Costs in Individuals with Autism Spectrum Disorder in Germany: Results from a Survey in ASD Outpatient Clinics. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	2
147	Home care recipients have poorer oral health than nursing home residents: Results from two German studies. <i>Journal of Dentistry</i> , 2021 , 107, 103607	4.8	2
146	Treating epistaxis - who cares for a bleeding nose? A secondary data analysis of primary and secondary care. <i>BMC Family Practice</i> , 2021 , 22, 75	2.6	1
145	How Do Adults with Autism Spectrum Disorder Participate in the Labor Market? A German Multi-center Survey. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	0
144	Renal Replacement Therapy in People With and Without Diabetes in Germany, 2010-2016: An Analysis of More Than 25 Million Inhabitants. <i>Diabetes Care</i> , 2021 , 44, 1291-1299	14.6	2
143	Characteristics of outpatient emergency department visits of nursing home residents: an analysis of discharge letters. <i>Aging Clinical and Experimental Research</i> , 2021 , 1	4.8	1
142	Special educational support in children and adolescents with Autism Spectrum Disorder in Germany: Results from a parent survey. <i>Research in Developmental Disabilities</i> , 2021 , 112, 103931	2.7	2
141	Prevalence and influencing factors of chronic post-traumatic stress disorder in patients with myocardial infarction, transient ischemic attack (TIA) and stroke - an exploratory, descriptive study. <i>BMC Psychiatry</i> , 2021 , 21, 295	4.2	1
140	Utilisation of outpatient physiotherapy in patients following total knee arthroplasty - a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 711	2.8	1
139	Nearly 80 systematic reviews were published each day: Observational study on trends in epidemiology and reporting over the years 2000-2019. <i>Journal of Clinical Epidemiology</i> , 2021 , 138, 1-11	5.7	6
138	Good Practice Data Linkage (GPD): A Translation of the German Version. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
137	How Do German General Practitioners Assess Medical Specialist Care Needs of Nursing Home Residents? Results of a Postal Survey in North-Western Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
136	Prescribing medications of questionable benefit prior to death: a retrospective study on older nursing home residents with and without dementia in Germany. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 877-885	2.8	1

135	Regional Differences in Prescribing Patterns of Metamizole in Germany Based on Data from 70 Million Persons. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
134	Paramedics Perspectives on the Hospital Transfers of Nursing Home Residents-A Qualitative Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
133	Sex-Specific Differences in Hospital Transfers of Nursing Home Residents: Results from the HOspitalizations and eMERgency Department Visits of Nursing Home Residents (HOMERN) Project. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
132	Utilization of Outpatient Physical and Occupational Therapy in People With Spinal Cord Injury in Germany: Results of the German Spinal Cord Injury Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020 , 99, 532-539	2.6	1
131	Ten-year trends in end-of-life hospitalizations of nursing home residents in Germany, 2006-2015. <i>Maturitas</i> , 2020 , 134, 47-53	5	2
130	Perspectives of general practitioners and nursing staff on acute hospital transfers of nursing home residents in Germany: results of two cross-sectional studies. <i>BMC Family Practice</i> , 2020 , 21, 29	2.6	3
129	Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. <i>BMC Geriatrics</i> , 2020 , 20, 142	4.1	5
128	More systematic reviews were registered in PROSPERO each year, but few records status was up-to-date. <i>Journal of Clinical Epidemiology</i> , 2020 , 117, 60-67	5.7	12
127	Nursing home staff's perspective on end-of-life care of German nursing home residents: a cross-sectional survey. <i>BMC Palliative Care</i> , 2020 , 19, 2	3	7
126	An observational study found large methodological heterogeneity in systematic reviews addressing prevalence and cumulative incidence. <i>Journal of Clinical Epidemiology</i> , 2020 , 119, 92-99	5.7	15
125	End-of-life care of nursing home residents: A survey among general practitioners in northwestern Germany. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 25-30	2.9	6
124	Preoperative Cognitive Impairment and Postoperative Delirium Predict Decline in Activities of Daily Living after Cardiac Surgery-A Prospective, Observational Cohort Study. <i>Geriatrics (Switzerland)</i> , 2020 , 5,	2.2	3
123	Process evaluation of a complex intervention to promote advance care planning in community-dwelling older persons (the STADPLAN study)-study protocol. <i>Trials</i> , 2020 , 21, 653	2.8	2
122	Regional Differences in Opioid Prescribing in Germany - Results of an Analysis of Health Insurance Data of 57 Million Adult People. <i>Journal of Pain Research</i> , 2020 , 13, 2483-2492	2.9	2
121	The prevalence and impact of comorbidities on patients with axial spondyloarthritis: results from a nationwide population-based study. <i>Arthritis Research and Therapy</i> , 2020 , 22, 210	5.7	9
120	Are there changes in medical specialist contacts after transition to a nursing home? an analysis of German claims data. <i>BMC Health Services Research</i> , 2020 , 20, 716	2.9	2
119	The impact of extra-musculoskeletal manifestations on disease activity, functional status, and treatment patterns in patients with axial spondyloarthritis: results from a nationwide population-based study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020 , 12, 1759720X20972610	3.8	4
118	Drug interactions with oral anticoagulants in German nursing home residents: comparison between vitamin K antagonists and non-vitamin K antagonist oral anticoagulants based on two nested case-control studies. <i>Clinical Research in Cardiology</i> , 2020 , 109, 465-475	6.1	6

117	Affiliate stigma in caregivers of children and adolescents with autism spectrum disorder in Germany. <i>Psychiatry Research</i> , 2020 , 284, 112483	9.9	3
116	Acute health care services use among nursing home residents in Germany: a comparative analysis of out-of-hours medical care, emergency department visits and acute hospital admissions. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1359-1368	4.8	6
115	Agranulocytosis attributed to metamizole: An analysis of spontaneous reports in EudraVigilance 1985-2017. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 116-125	3.1	18
114	Needs and availability of medical specialists and allied health professionals visits in German nursing homes: a cross-sectional study of nursing home staff. <i>BMC Health Services Research</i> , 2020 , 20, 332	2.9	4
113	Hospitalization at the end of life among nursing home residents with dementia: a systematic review. <i>BMC Palliative Care</i> , 2019 , 18, 77	3	7
112	Willingness to try and lifetime use of complementary and alternative medicine in children and adolescents with autism spectrum disorder in Germany: A survey of parents. <i>Autism</i> , 2019 , 23, 1865-1870	6.6	5
111	Complementary and alternative medicine use in adults with autism spectrum disorder in Germany: results from a multi-center survey. <i>BMC Psychiatry</i> , 2019 , 19, 53	4.2	13
110	Comorbidities in Patients with Rheumatoid Arthritis and Their Association with Patient-reported Outcomes: Results of Claims Data Linked to Questionnaire Survey. <i>Journal of Rheumatology</i> , 2019 , 46, 564-571	4.1	42
109	Internalised stigma in adults with autism: A German multi-center survey. <i>Psychiatry Research</i> , 2019 , 276, 94-99	9.9	12
108	Determinants of diagnostic delay in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Rheumatology</i> , 2019 , 58, 1634-1638	3.9	52
107	Comparison of non-Cochrane systematic reviews and their published protocols: differences occurred frequently but were seldom explained. <i>Journal of Clinical Epidemiology</i> , 2019 , 110, 34-41	5.7	9
106	A descriptive analysis of the characteristics and the peer review process of systematic review protocols published in an open peer review journal from 2012 to 2017. <i>BMC Medical Research Methodology</i> , 2019 , 19, 57	4.7	10
105	Cross-sectional study in an out-of-hours primary care centre in northwestern Germany - patient characteristics and the urgency of their treatment. <i>BMC Family Practice</i> , 2019 , 20, 41	2.6	3
104	Utilization of transdermal fentanyl in German nursing home residents from 2010 to 2014. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 754-759	2.6	0
103	Dying in hospital among nursing home residents with and without dementia in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 293-298	4	7
102	Pathways to a diagnosis of autism spectrum disorder in Germany: a survey of parents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2019 , 13, 16	6.8	14
101	Response to Missing pebble in the mosaic of rheumatic diseases and mental health: younger does not always mean happier by Alunno. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e55	2.4	
100	Hospitalizations of nursing home residents at the end of life: A systematic review. <i>Palliative Medicine</i> , 2019 , 33, 1282-1298	5.5	23

99	Assessing and Explaining Geographic Variations in Mammography Screening Participation and Breast Cancer Incidence. <i>Frontiers in Oncology</i> , 2019 , 9, 909	5.3	3
98	Pain And The Use Of Gabapentinoids In German Nursing Home Residents - Results From An Analysis Based On Statutory Health Insurance Data. <i>Journal of Pain Research</i> , 2019 , 12, 3175-3184	2.9	0
97	Pro Re Nata Drug Use in Nursing Home Residents: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 287-293.e7	5.9	11
96	High prevalence of diabetes in patients with rheumatoid arthritis: results from a questionnaire survey linked to claims data. <i>Rheumatology</i> , 2018 , 57, 329-336	3.9	23
95	Systematic reviews with published protocols compared to those without: more effort, older search. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 102-110	5.7	33
94	Mortality and hospitalization at the end of life in newly admitted nursing home residents with and without dementia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 833-839	4.5	28
93	Incidence of pneumonia in nursing home residents in Germany: results of a claims data analysis. <i>Epidemiology and Infection</i> , 2018 , 146, 1123-1129	4.3	4
92	Determinants of psychological well-being in axial spondyloarthritis: an analysis based on linked claims and patient-reported survey data. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1017-1024	2.4	25
91	Diagnoses of autism spectrum disorders in Germany: Time trends in administrative prevalence and diagnostic stability. <i>Autism</i> , 2018 , 22, 283-290	6.6	34
90	Influenza vaccination rates before and after admission to nursing homes in Germany. <i>Aging Clinical and Experimental Research</i> , 2018 , 30, 609-616	4.8	4
89	Age and sex differences in emergency department visits of nursing home residents: a systematic review. <i>BMC Geriatrics</i> , 2018 , 18, 151	4.1	8
88	Incidence Rates of and Mortality after Hip Fracture among German Nursing Home Residents. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	12
87	Waiting times in primary care depending on insurance scheme in Germany. <i>BMC Health Services Research</i> , 2018 , 18, 191	2.9	13
86	Use of oral anticoagulants in German nursing home residents: drug use patterns and predictors for treatment choice. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 590-601	3.8	8
85	Comorbidity of chronic back pain and depression in Germany: Results from the GEDA study, 2009 and 2010. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2018 , 137-138, 62-68	1.4	12
84	Prevalence and treatment of hip and knee osteoarthritis in people aged 60 years or older in Germany: an analysis based on health insurance claims data. <i>Clinical Interventions in Aging</i> , 2018 , 13, 2339 ⁴ -2349 ⁴²		
83	Combined use of drugs inhibiting the renin-angiotensin system: prescribing patterns and risk of acute kidney injury in German nursing home residents. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1035-1044 ⁴		4
82	Lower-extremity amputations in people with and without diabetes in Germany, 2008-2012 - an analysis of more than 30 million inhabitants. <i>Clinical Epidemiology</i> , 2018 , 10, 475-488	5.9	29

81	Use of complementary and alternative medicine in children and adolescents with autism spectrum disorder: A systematic review. <i>Autism</i> , 2017 , 21, 387-402	6.6	54
80	Inappropriate Medication in Non-Hospitalized Patients With Renal Insufficiency: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 853-862	5.6	21
79	The Association of Low Income with Functional Status and Disease Burden in German Patients with Rheumatoid Arthritis: Results of a Cross-sectional Questionnaire Survey Based on Claims Data. <i>Journal of Rheumatology</i> , 2017 , 44, 766-772	4.1	9
78	International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 37-51	6.5	120
77	Transition to adult rheumatology care is necessary to maintain DMARD therapy in young people with juvenile idiopathic arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 269-275	5.3	24
76	Variations over time in the effects of age and sex on hospitalization rates before and after admission to a nursing home: A German cohort study. <i>Maturitas</i> , 2017 , 102, 50-55	5	13
75	Antipsychotic drug use in nursing home residents with and without dementia: keep an eye on the pro re nata medication. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 213-218	2.2	15
74	Trends in ADHD medication use in children and adolescents in five western countries, 2005-2012. <i>European Neuropsychopharmacology</i> , 2017 , 27, 484-493	1.2	67
73	Pain, depressive symptoms and medication in German patients with rheumatoid arthritis-results from the linking patient-reported outcomes with claims data for health services research in rheumatology (PROCLAIR) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 766-774	2.6	27
72	A multi-national comparison of antipsychotic drug use in children and adolescents, 2005-2012. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017 , 11, 55	6.8	38
71	Rheumatologic care of nursing home residents with rheumatoid arthritis: a comparison of the year before and after nursing home admission. <i>Rheumatology International</i> , 2017 , 37, 2059-2064	3.6	6
70	International trends in antipsychotic use: A study in 16 countries, 2005-2014. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1064-1076	1.2	112
69	Arzneimittelversorgung von Pflegeheimbewohnern in Deutschland. <i>Public Health Forum</i> , 2017 , 25, 209-211		0
68	Study protocol of the ASD-Net, the German research consortium for the study of Autism Spectrum Disorder across the lifespan: from a better etiological understanding, through valid diagnosis, to more effective health care. <i>BMC Psychiatry</i> , 2017 , 17, 206	4.2	20
67	Influence of age and sex on hospitalization of nursing home residents: A cross-sectional study from Germany. <i>BMC Health Services Research</i> , 2017 , 17, 55	2.9	8
66	Use of psychotropic drugs in patients with autism spectrum disorders: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 8-28	6.5	100
65	ADHD in Germany: Trends in Diagnosis and Pharmacotherapy. <i>Deutsches A&#x0308;rztblatt International</i> , 2017 , 114, 141-148	2.5	36
64	In Reply. <i>Deutsches A&#x0308;rztblatt International</i> , 2017 , 114, 428-429	2.5	

63	Age and sex differences in hospitalisation of nursing home residents: a systematic review. <i>BMJ Open</i> , 2016 , 6, e011912	3	22
62	Cross-border comparison of antibiotic prescriptions among children and adolescents between the north of the Netherlands and the north-west of Germany. <i>Antimicrobial Resistance and Infection Control</i> , 2016 , 5, 14	6.2	7
61	Pain medication in German nursing homes: a whole lot of metamizole. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 646-51	2.6	17
60	Polypharmacy and Renal Failure in Nursing Home Residents: Results of the Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes (IMREN) Study. <i>Drugs and Aging</i> , 2016 , 33, 45-51	4.7	27
59	Incidence of Tube Feeding in 7174 Newly Admitted Nursing Home Residents With and Without Dementia. <i>American Journal of Alzheimers Disease and Other Dementias</i> , 2016 , 31, 27-33	2.5	7
58	Use of nonsteroidal anti-inflammatory drugs and renal failure in nursing home residents-results of the study "Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes". <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 287-90	2.3	9
57	Trends and patterns of antidepressant use in children and adolescents from five western countries, 2005-2012. <i>European Neuropsychopharmacology</i> , 2016 , 26, 411-9	1.2	94
56	Renal Insufficiency and Medication in Nursing Home Residents. A Cross-Sectional Study (IMREN). <i>Deutsches A&#x0308;rztblatt International</i> , 2016 , 113, 92-8	2.5	23
55	Influenza and pneumococcal vaccination in patients with rheumatoid arthritis in comparison with age- and sex-matched controls: results of a claims data analysis. <i>Rheumatology International</i> , 2016 , 36, 1255-63	3.6	18
54	Pro re nata (as needed) medication in nursing homes: the longer you stay, the more you get?. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 995-1001	2.8	26
53	Who gets dipyrone (metamizole) in Germany? Prescribing by age, sex and region. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015 , 40, 285-8	2.2	20
52	Trends in psychopharmacologic treatment of tic disorders in children and adolescents in Germany. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 199-207	5.5	22
51	Institutionalization in incident dementia cases in comparison to age- and sex- matched controls: a 5-year follow-up from Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 143-51	4.5	14
50	Underuse of proton-pump inhibitors in older patients newly starting NSAID treatment. <i>International Journal of Clinical Practice</i> , 2015 , 69, 791-5	2.9	6
49	Diagnoses indicating pain and analgesic drug prescription in patients with dementia: a comparison to age- and sex-matched controls. <i>BMC Geriatrics</i> , 2014 , 14, 20	4.1	28
48	Determination of psychotropic use in children and adolescents from a prescription database: methodological issues. <i>Psychopharmacology</i> , 2014 , 231, 3809-11	4.7	
47	Prevalence of dementia in nursing home and community-dwelling older adults in Germany. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 555-9	4.8	79
46	Trends in antidepressant prescriptions for children and adolescents in Germany from 2005 to 2012. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1268-72	2.6	18

45	Antipsychotic prescription in children and adolescents: an analysis of data from a German statutory health insurance company from 2005 to 2012. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 25-34	2.5	47
44	In reply. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 365	2.5	
43	Methodological shortcomings. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 680-1	2.5	
42	Variation in antibiotic prescriptions: is area deprivation an explanation? Analysis of 1.2 million children in Germany. <i>Infection</i> , 2013 , 41, 121-7	5.8	40
41	Impact of diabetes on costs before and after major lower extremity amputations in Germany. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 467-72	3.2	24
40	Prevalence, comorbidities and outpatient treatment of anorexia and bulimia nervosa in German children and adolescents. <i>Eating and Weight Disorders</i> , 2013 , 18, 157-65	3.6	43
39	Treatment of multiple sclerosis in Germany: an analysis based on claims data of more than 30,000 patients. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 1229-35	2.3	9
38	Psychopharmacological treatment in children and adolescents with autism spectrum disorders in Germany. <i>Research in Developmental Disabilities</i> , 2013 , 34, 2551-63	2.7	38
37	Impact of safety warnings on antipsychotic prescriptions in dementia: nothing has changed but the years and the substances. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1034-42	1.2	48
36	Prescribing of antipsychotic drugs in patients with dementia: a comparison with age-matched and sex-matched non-demented controls. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1308-16	2.6	31
35	Benefits and risks of benzodiazepines and Z-drugs: comparison of perceptions of GPs and community pharmacists in Germany. <i>GMS German Medical Science</i> , 2013 , 11, Doc10	3.2	9
34	Perceptions of German GPs on benefits and risks of benzodiazepines and Z-drugs. <i>Swiss Medical Weekly</i> , 2013 , 143, w13745	3.1	23
33	Which treatments do children with newly diagnosed non-organic urinary incontinence receive? An analysis of 3,188 outpatient cases from Germany. <i>Neurourology and Urodynamics</i> , 2012 , 31, 93-8	2.3	4
32	High use of tramadol in Germany: an analysis of statutory health insurance data. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1013-21	2.6	14
31	Outpatient treatment in German adolescents with depression: an analysis of nationwide health insurance data. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 972-9	2.6	19
30	Correction factor for the analysis of the hip fracture incidence--differences between age, sex, region, and calendar year. <i>Wiener Klinische Wochenschrift</i> , 2012 , 124, 391-4	2.3	9
29	Diabetes epidemic in Germany? A critical look at health insurance data sources. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 410-5	2.3	18
28	Time-dependent impact of diabetes on mortality in patients with stroke: survival up to 5 years in a health insurance population cohort in Germany. <i>Diabetes Care</i> , 2012 , 35, 1868-75	14.6	32

27	Survival in patients with incident dementia compared with a control group: a five-year follow-up. <i>International Psychogeriatrics</i> , 2012 , 24, 1522-30	3.4	21
26	Prevalence and comorbidities of adolescent depression in Germany. An analysis of Health Insurance Data. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2012 , 40, 399-404	1.8	24
25	Time-dependent impact of diabetes on the mortality of patients on renal replacement therapy: a population-based study in Germany (2002-2009). <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 380-5	7.4	5
24	Diabetes prevalence based on health insurance claims: large differences between companies. <i>Diabetic Medicine</i> , 2011 , 28, 919-23	3.5	39
23	Stroke in the diabetic and non-diabetic population in Germany: relative and attributable risks, 2005-2007. <i>Journal of Diabetes and Its Complications</i> , 2011 , 25, 90-6	3.2	7
22	Zytostatikarezepturen in der ambulant-ärztlichen Versorgung. <i>Onkologe</i> , 2011 , 17, 55-60	0.1	3
21	Immortal time bias and survival in patients who self-monitor blood glucose in the Retrolective Study: self-monitoring of Blood Glucose and Outcome in Patients with Type 2 Diabetes (ROSSO). <i>Diabetologia</i> , 2011 , 54, 308-11	10.3	6
20	Impact of geriatric comorbidity and polypharmacy on cholinesterase inhibitors prescribing in dementia. <i>BMC Psychiatry</i> , 2011 , 11, 190	4.2	31
19	Did the removal of the indication of nocturnal enuresis for intranasal desmopressin change prescribing practice?. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 105-9	2.6	3
18	Do persons that changed health insurance differ from those who did not? The case of diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2011 , 119, 569-72	2.3	8
17	Time-dependent impact of diabetes on mortality in patients after major lower extremity amputation: survival in a population-based 5-year cohort in Germany. <i>Diabetes Care</i> , 2011 , 34, 1350-4	14.6	64
16	Outpatient costs in patients with atrial fibrillation are underestimated. <i>Europace</i> , 2011 , 13, 1801; author reply 1801	3.9	
15	Incidence of renal replacement therapy (RRT) in the diabetic compared with the non-diabetic population in a German region, 2002-08. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 264-9	4.3	18
14	The effect of diabetes on incidence and mortality in end-stage renal disease in Germany. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1634-40	4.3	39
13	Is guideline adherence the key to increased survival in patients with breast cancer?. <i>Oncology</i> , 2010 , 79, 301-2; author reply 303-5	3.6	0
12	Eight-year prescription trends of memantine and cholinesterase inhibitors among persons 65 years and older in Germany. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 29-36	2.2	17
11	Prescriptions as a proxy for asthma in children: a good choice?. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 307-13	2.8	16
10	Disease-specific risk for an osteonecrosis of the jaw under bisphosphonate therapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 363-70	4.9	18

9	The disease management program for type 2 diabetes in Germany enhances process quality of diabetes care - a follow-up survey of patients' experiences. <i>BMC Health Services Research</i> , 2010 , 10, 55	2.9	29
8	Regional variations of private prescriptions for the non-benzodiazepine hypnotics zolpidem and zopiclone in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1071-7	2.6	18
7	Incidence of lower-limb amputations in the diabetic compared to the non-diabetic population. findings from nationwide insurance data, Germany, 2005-2007. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009 , 117, 500-4	2.3	80
6	Review on use of German health insurance medication claims data for epidemiological research. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 349-56	2.6	36
5	Pattern of intravenous bisphosphonate use in outpatient care in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 896-903	2.6	8
4	Prevalence of asthma among German adults: analysis of the German National Telephone Survey. <i>Journal of Asthma</i> , 2007 , 44, 433-6	1.9	7
3	Beta-blockers for hypertension. <i>Cmaj</i> , 2007 , 176, 971; author reply 971-2	3.5	
2	Zunehmender Hypnotikaverbrauch auf Privatrezepten in Deutschland. <i>Sucht</i> , 2006 , 52, 360-366	0.5	16
1	Comparison of protocols and registry entries to published reports for systematic reviews. <i>The Cochrane Library</i> ,	5.2	1