

Peishen Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7269223/publications.pdf>

Version: 2024-02-01

22
papers

1,538
citations

430874

18
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

1828
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamics of GLP-1R peptide agonist engagement are correlated with kinetics of G protein activation. <i>Nature Communications</i> , 2022, 13, 92.	12.8	30
2	Implications of ligand-receptor binding kinetics on GLP-1R signalling. <i>Biochemical Pharmacology</i> , 2022, 199, 114985.	4.4	5
3	Structural and functional diversity among agonist-bound states of the GLP-1 receptor. <i>Nature Chemical Biology</i> , 2022, 18, 256-263.	8.0	24
4	AM833 Is a Novel Agonist of Calcitonin Family G Protein-Coupled Receptors: Pharmacological Comparison with Six Selective and Nonselective Agonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 377, 417-440.	2.5	27
5	Chemical Synthesis and Characterization of a Nonfibrillating Glycoglucagon. <i>Bioconjugate Chemistry</i> , 2021, 32, 2148-2153.	3.6	2
6	Activation of the GLP-1 receptor by a non-peptidic agonist. <i>Nature</i> , 2020, 577, 432-436.	27.8	119
7	Differential GLP-1R Binding and Activation by Peptide and Non-peptide Agonists. <i>Molecular Cell</i> , 2020, 80, 485-500.e7.	9.7	111
8	Evaluation of biased agonism mediated by dual agonists of the GLP-1 and glucagon receptors. <i>Biochemical Pharmacology</i> , 2020, 180, 114150.	4.4	23
9	Structural basis of G _s and G _i recognition by the human glucagon receptor. <i>Science</i> , 2020, 367, 1346-1352.	12.6	117
10	Toward a Structural Understanding of Class B GPCR Peptide Binding and Activation. <i>Molecular Cell</i> , 2020, 77, 656-668.e5.	9.7	92
11	Pharmacological characterization of mono-, dual- and tri-peptidic agonists at GIP and GLP-1 receptors. <i>Biochemical Pharmacology</i> , 2020, 177, 114001.	4.4	37
12	The nature of efficacy at G protein-coupled receptors. <i>Biochemical Pharmacology</i> , 2019, 170, 113647.	4.4	23
13	Protein kinase D and G β γ mediate sustained nociceptive signaling by biased agonists of protease-activated receptor-2. <i>Journal of Biological Chemistry</i> , 2019, 294, 10649-10662.	3.4	10
14	Granzyme A in Chikungunya and Other Arboviral Infections. <i>Frontiers in Immunology</i> , 2019, 10, 3083.	4.8	30
15	Phase-plate cryo-EM structure of a biased agonist-bound human GLP-1 receptor-Gs complex. <i>Nature</i> , 2018, 555, 121-125.	27.8	263
16	Two distinct domains of the glucagon-like peptide-1 receptor control peptide-mediated biased agonism. <i>Journal of Biological Chemistry</i> , 2018, 293, 9370-9387.	3.4	43
17	Glucagon-like peptide-1 receptor internalisation controls spatiotemporal signalling mediated by biased agonists. <i>Biochemical Pharmacology</i> , 2018, 156, 406-419.	4.4	45
18	Dominant Negative G Proteins Enhance Formation and Purification of Agonist-GPCR-G Protein Complexes for Structure Determination. <i>ACS Pharmacology and Translational Science</i> , 2018, 1, 12-20.	4.9	96

#	ARTICLE	IF	CITATIONS
19	Protease-activated receptor-2 in endosomes signals persistent pain of irritable bowel syndrome. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E7438-E7447.	7.1	128
20	Protein Kinase D and G β 13 Subunits Mediate Agonist-evoked Translocation of Protease-activated Receptor-2 from the Golgi Apparatus to the Plasma Membrane. Journal of Biological Chemistry, 2016, 291, 11285-11299.	3.4	19
21	Neutrophil Elastase Activates Protease-activated Receptor-2 (PAR2) and Transient Receptor Potential Vanilloid 4 (TRPV4) to Cause Inflammation and Pain. Journal of Biological Chemistry, 2015, 290, 13875-13887.	3.4	134
22	Cathepsin S Causes Inflammatory Pain via Biased Agonism of PAR2 and TRPV4. Journal of Biological Chemistry, 2014, 289, 27215-27234.	3.4	153