

Helen-Maria Vasiliadis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7269935/helen-maria-vasiliadis-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

1,673
citations

22
h-index

36
g-index

120
ext. papers

1,994
ext. citations

3.5
avg, IF

5.23
L-index

#	Paper	IF	Citations
111	Body mass index and cognitive decline among community-living older adults: the modifying effect of physical activity.. <i>European Review of Aging and Physical Activity</i> , 2022 , 19, 3	6.5	0
110	A pragmatic randomized controlled trial of a group self-management support program versus treatment-as-usual for anxiety disorders: study protocol.. <i>BMC Psychiatry</i> , 2022 , 22, 135	4.2	0
109	Minimally Adequate Treatment for Depression and Anxiety Associated With Mortality in Primary Care Older Adults.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221082883	4.8	2
108	Health care system and patient costs associated with receipt of minimally adequate treatment for depression and anxiety disorders in older adults.. <i>BMC Psychiatry</i> , 2022 , 22, 175	4.2	
107	Psychological Distress, Cognition, and Functional Disability Trajectory Profiles of Aging in Primary Care Older Adults.. <i>Clinical Gerontologist</i> , 2022 , 1-13	2.7	1
106	Perceived Need for Mental Health Care and Associated Factors and Outcomes in Older Adults Consulting in Primary Care : Besoin en soins de santé mentale perçus et les facteurs et résultats de santé associés chez les personnes âgées qui consultent en première ligne. <i>Canadian Journal of Psychiatry</i> , 2021 , 7067437211055430	4.8	0
105	Trauma on duty: cognitive functioning in police officers with and without posttraumatic stress disorder (PTSD). <i>Høire Utbildning</i> , 2021 , 12, 1959117	5	0
104	The Factors Associated with 3-Year Mortality Stratified by Physical and Mental Multimorbidity and Area of Residence Deprivation in Primary Care Community-Living Older Adults. <i>Journal of Aging and Health</i> , 2021 , 33, 545-556	2.6	2
103	Pain, functional disability and mental disorders as potential mediators of the association between chronic physical conditions and suicidal ideation in community living older adults. <i>Aging and Mental Health</i> , 2021 , 1-12	3.5	2
102	Global cognition modifies the relationship between anemia and depression in old age: A longitudinal analysis of the IMIAS Study. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 94, 104342	4	3
101	Public Funding of Evidence-Based Psychotherapy for Common Mental Disorders: Increasing Calls for Action in Canadian Provinces. <i>Healthcare Policy</i> , 2021 , 16, 16-25	1.1	1
100	Sociodemographic factors and beliefs about medicines in the uptake of pharmacogenomic testing in older adults. <i>Pharmacogenomics</i> , 2021 , 22, 125-135	2.6	0
99	Factors associated with late-life psychosis in primary care older adults without a diagnosis of dementia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	
98	Interprofessional advanced access - a quality improvement protocol for expanding access to primary care services. <i>BMC Health Services Research</i> , 2021 , 21, 812	2.9	2
97	Protocol for a multi-phase, mixed methods study to develop and evaluate culturally adapted CBT to improve community mental health services for Canadians of south Asian origin. <i>Trials</i> , 2021 , 22, 600	2.8	1
96	Treatment adequacy and remission of depression and anxiety disorders and quality of life in primary care older adults. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 218	3	3
95	The factors associated with the presence of psychotic symptoms in the HELIAD Greek community study of older adults. <i>Aging and Mental Health</i> , 2021 , 1-10	3.5	1

94	Transdiagnostic internet cbt for mixed anxiety and depressive: Results from a feasibility study in primary care. <i>European Psychiatry</i> , 2021 , 64, S347-S347	6	1
93	445 - The factors associated with the presence of psychotic symptoms in the HELIAD Greek community study of older adults. <i>International Psychogeriatrics</i> , 2020 , 32, 163-164	3-4	
92	Group transdiagnostic cognitive-behavior therapy for anxiety disorders: a pragmatic randomized clinical trial. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	8
91	Changes in instrumental activities of daily living functioning associated with concurrent common mental disorders and physical multimorbidity in older adults. <i>Disability and Rehabilitation</i> , 2020 , 1-9	2.4	9
90	452 - Physical and Psychiatric Multimorbidity Associated with Prescription Opioid Use in Community-Dwelling Older Adults. <i>International Psychogeriatrics</i> , 2020 , 32, 172-172	3-4	
89	441 - Treatment adequacy for depression and anxiety disorders affects quality of life in older adults consulting in primary care. <i>International Psychogeriatrics</i> , 2020 , 32, 159-159	3-4	
88	Factors Associated With Prescription Opioid Use Among Community-Dwelling Older Adults. <i>Innovation in Aging</i> , 2020 , 4, 207-207	0.1	78
87	Sex differences in type of lifetime trauma and suicidal ideation mediated by post-traumatic stress and anxio-depressive disorders in older adults. <i>International Psychogeriatrics</i> , 2020 , 32, 473-483	3-4	4
86	Psychological predictors of benzodiazepine discontinuation among older adults: Results from the PASSE 60. <i>Addictive Behaviors</i> , 2020 , 102, 106195	4.2	3
85	Psychodynamic therapy in Canada in the era of evidence-based practice. <i>Psychoanalytic Psychotherapy</i> , 2020 , 34, 78-99	0.4	2
84	Family Violence Associated with Self-Rated Health, Satisfaction With Life, and Health Service Use in Primary Care Older Adults. <i>Journal of Interpersonal Violence</i> , 2020 , 886260520938513	2.2	3
83	Evaluation of the Effects of an Intervention Intended to Optimize the Sleep Environment Among the Elderly: An Exploratory Study. <i>Clinical Interventions in Aging</i> , 2020 , 15, 2117-2127	4	2
82	The influence of primary care physicians' mental health knowledge, attitudes and self-efficacy on referrals to specialised services: findings from a longitudinal pilot trial. <i>BJPsych Open</i> , 2020 , 6, e130	5	3
81	Temporal patterns of anxiety disorders and cortisol activity in older adults. <i>Journal of Affective Disorders</i> , 2020 , 277, 235-243	6.6	1
80	Mental health and satisfaction with primary care services in older adults: a study from the patient perspective on four dimensions of care. <i>Family Practice</i> , 2020 , 37, 459-464	1.9	5
79	Sex Differences in Anxiety Disorders in Older Adults. <i>Current Psychiatry Reports</i> , 2020 , 22, 75	9.1	6
78	The association between side effects and adherence to antidepressants among primary care community-dwelling older adults. <i>Aging and Mental Health</i> , 2020 , 24, 1229-1236	3.5	8
77	Off-Label Use of Antipsychotics and Health Related Quality of Life in Community Living Older Adults. <i>Applied Research in Quality of Life</i> , 2020 , 15, 991-1004	2.3	2

76	Measuring multimorbidity in older adults: comparing different data sources. <i>BMC Geriatrics</i> , 2019 , 19, 166	4.1	37
75	Assessing quality indicators related to mental health emergency room utilization. <i>BMC Emergency Medicine</i> , 2019 , 19, 8	2.4	15
74	Cognitive decline and alcohol consumption adjusting for functional status over a 3-year period in French speaking community living older adults. <i>Journal of Public Health</i> , 2019 , 41, e177-e184	3.5	2
73	Factors associated with emergency department use for mental health reasons among low, moderate and high users. <i>General Hospital Psychiatry</i> , 2019 , 60, 111-119	5.6	12
72	Cognition and drug adherence to oral hypoglycemic and antihypertensive agents in older adults. <i>Patient Preference and Adherence</i> , 2019 , 13, 891-899	2.4	1
71	Collaborative governance in the Quebec Cancer Network: a realist evaluation of emerging mechanisms of institutionalization, multi-level governance, and value creation using a longitudinal multiple case study design. <i>BMC Health Services Research</i> , 2019 , 19, 752	2.9	3
70	Off-label use of antipsychotics and associated factors in community living older adults. <i>Aging and Mental Health</i> , 2019 , 23, 158-165	3.5	5
69	Six-month prevalence and correlates of generalized anxiety disorder among primary care patients aged 70 years and above: Results from the ESA-services study. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 315-323	3.9	6
68	Effect of personalised citizen assistance for social participation (APIC) on older adults' health and social participation: study protocol for a pragmatic multicentre randomised controlled trial (RCT). <i>BMJ Open</i> , 2018 , 8, e018676	3	4
67	Validation de contenu de la version francophone du questionnaire Impact of Event Scale-Revised selon les critères du DSM-5. <i>Pratiques Psychologiques</i> , 2018 , 24, 21-34	0.3	6
66	The prospective and concurrent effect of exercise on health related quality of life in older adults over a 3 year period. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 15	3	8
65	A pragmatic randomized controlled trial of group transdiagnostic cognitive-behaviour therapy for anxiety disorders in primary care: study protocol. <i>BMC Psychiatry</i> , 2018 , 18, 320	4.2	7
64	Patient and health system factors associated with hospital readmission in older adults without cognitive impairment. <i>General Hospital Psychiatry</i> , 2018 , 53, 44-51	5.6	3
63	Gender and age group differences in suicide risk associated with co-morbid physical and psychiatric disorders in older adults. <i>International Psychogeriatrics</i> , 2017 , 29, 249-257	3.4	11
62	Temporal Trends in the Prevalence and Incidence of Diagnosed ADHD in Children and Young Adults between 1999 and 2012 in Canada: A Data Linkage Study. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 818-826	4.8	21
61	Assessing the Costs and Benefits of Insuring Psychological Services as Part of Medicare for Depression in Canada. <i>Psychiatric Services</i> , 2017 , 68, 899-906	3.3	20
60	VP190 A Review Of Best Practices In Five Mental Disorders In Youth. <i>International Journal of Technology Assessment in Health Care</i> , 2017 , 33, 237-237	1.8	
59	Lifetime traumatic events, health-related quality of life, and satisfaction with life in older adults. <i>Quality of Life Research</i> , 2017 , 26, 2683-2692	3.7	16

58	Impact of depression and anxiety disorders on adherence to oral hypoglycemics in older adults with diabetes mellitus in Canada. <i>European Journal of Ageing</i> , 2017 , 14, 111-121	3.6	2
57	Determinants of follow-up care associated with incident antidepressant use in older adults. <i>BMC Research Notes</i> , 2017 , 10, 419	2.3	3
56	Out-of-pocket costs and adherence to antihypertensive agents among older adults covered by the public drug insurance plan in Quebec. <i>Patient Preference and Adherence</i> , 2017 , 11, 1513-1522	2.4	4
55	Post-traumatic stress syndrome in a large sample of older adults: determinants and quality of life. <i>Aging and Mental Health</i> , 2016 , 20, 401-6	3.5	14
54	Healthcare costs in chronically ill community-living older adults are dependent on mental disorders. <i>Journal of Public Health</i> , 2016 , 38, e563-e570	3.5	2
53	Gender Differences in Youth Suicide and Healthcare Service Use. <i>Crisis</i> , 2016 , 37, 290-298	2.8	9
52	Benzodiazepine use associated with co-morbid post-traumatic stress syndrome and depression in older adults seeking services in general medical settings. <i>International Psychogeriatrics</i> , 2016 , 28, 913-20 ³⁻⁴	3.4	2
51	Racial-Ethnic Differences in Health Service Use in a Large Sample of Homeless Adults With Mental Illness From Five Canadian Cities. <i>Psychiatric Services</i> , 2016 , 67, 1004-11	3.3	11
50	Healthcare use and costs associated with post-traumatic stress syndrome in a community sample of older adults: results from the ESA-Services study. <i>International Psychogeriatrics</i> , 2016 , 28, 903-11	3.4	13
49	Association between perceived social stigma against mental disorders and use of health services for psychological distress symptoms in the older adult population: validity of the STIG scale. <i>Aging and Mental Health</i> , 2015 , 19, 464-74	3.5	7
48	Individual and area-level factors correlated with death by suicide in older adults. <i>Preventive Medicine</i> , 2015 , 75, 44-8	4.3	19
47	Screening instruments for a population of older adults: The 10-item Kessler Psychological Distress Scale (K10) and the 7-item Generalized Anxiety Disorder Scale (GAD-7). <i>Psychiatry Research</i> , 2015 , 228, 89-94	9.9	46
46	Sedative-hypnotic medicines and falls in community-dwelling older adults: a cost-effectiveness (decision-tree) analysis from a US Medicare perspective. <i>Drugs and Aging</i> , 2015 , 32, 305-14	4.7	36
45	Factors associated with adherence over time to antipsychotic drug treatment. <i>Clinical Epidemiology and Global Health</i> , 2015 , 3, 3-9	1.8	5
44	Nonmedical Use of Prescription Medication Among Adolescents Using Drugs in Quebec. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 556-63	4.8	11
43	Les programmes de prise en charge financière des psychothérapies en Australie et en Angleterre. <i>Sante Mentale Au Quebec</i> , 2015 , 40, 101-118	0.2	7
42	Améliorer l'accès aux psychothérapies au Québec et au Canada : réflexions et expériences de pays francophones. <i>Sante Mentale Au Quebec</i> , 2015 , 40, 15	0.2	4
41	Effect of scattered-site housing using rent supplements and intensive case management on housing stability among homeless adults with mental illness: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 905-15	27.4	158

40	Factors associated with suicide in the month following contact with different types of health services in Quebec. <i>Psychiatric Services</i> , 2015 , 66, 121-6	3.3	30
39	Adherence to Oral Antihyperglycemic Agents Among Older Adults With Mental Disorders and Its Effect on Health Care Costs, Quebec, Canada, 2005-2008. <i>Preventing Chronic Disease</i> , 2015 , 12, E230	3.7	10
38	Implementing Suicide Prevention Programs: Costs and Potential Life Years Saved in Canada. <i>Journal of Mental Health Policy and Economics</i> , 2015 , 18, 147-55	1.3	16
37	Spatial analysis of suicide mortality in Qubec: spatial clustering and area factor correlates. <i>Psychiatry Research</i> , 2014 , 220, 20-30	9.9	30
36	Gender differences in general and specialty outpatient mental health service use for depression. <i>BMC Psychiatry</i> , 2014 , 14, 135	4.2	41
35	Family violence among older adult patients consulting in primary care clinics: results from the ESA (Enquête sur la santé des aînés) services study on mental health and aging. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 426-33	4.8	16
34	The 6-month prevalence of posttraumatic stress syndrome (PTSS) among older adults: validity and reliability of the PTSS scale. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 548-55	4.8	16
33	A cluster randomized-controlled trial of a classroom-based drama workshop program to improve mental health outcomes among immigrant and refugee youth in special classes. <i>PLoS ONE</i> , 2014 , 9, e104704	3.7	42
32	Association between skin conditions and depressive disorders in community-dwelling older adults. <i>Journal of Cutaneous Medicine and Surgery</i> , 2014 , 18, 256-64	1.6	2
31	Skin conditions in community-living older adults: prevalence and characteristics of medical care service use. <i>Journal of Cutaneous Medicine and Surgery</i> , 2014 , 18, 186-94	1.6	3
30	Bereavement-related depression in the older adult population: a distinct disorder?. <i>Journal of Affective Disorders</i> , 2013 , 151, 1083-9	6.6	11
29	The excess healthcare costs associated with depression and anxiety in elderly living in the community. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 536-48	6.5	83
28	Economic impact of inappropriate benzodiazepine prescribing and related drug interactions among elderly persons. <i>Psychiatric Services</i> , 2013 , 64, 331-8	3.3	22
27	The association between self-reported daily hassles and cortisol levels in depression and anxiety in community living older adults. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 991-7	3.9	15
26	The costs associated with antidepressant use in depression and anxiety in community-living older adults. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 201-9	4.8	12
25	Gender differences in health service use for mental health reasons in community dwelling older adults with suicidal ideation. <i>International Psychogeriatrics</i> , 2013 , 25, 374-81	3.4	22
24	Comparing the rates of mental disorders among different linguistic groups in a representative Canadian population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 195-202	4.5	6
23	Correlates of potentially inappropriate prescriptions of benzodiazepines among older adults: results from the ESA study. <i>Canadian Journal on Aging</i> , 2012 , 31, 313-22	1.6	30

22	Gender differences in determinants of suicidal ideation in French-speaking community living elderly in Canada. <i>International Psychogeriatrics</i> , 2012 , 24, 2019-26	3.4	14
21	Suicidal Ideation, Death Thoughts, and Use of Benzodiazepines in the Elderly Population. <i>Canadian Journal of Community Mental Health</i> , 2011 , 30, 1-13	0.5	2
20	Reporting on the prevalence of drug and alternative health product use for mental health reasons: results from a national population survey. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2011 , 18, e33-43	3.3	4
19	Persistence and remission of psychiatric disorders in the quebec older adult population. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 514-22	4.8	14
18	Comparing mental health of francophone populations in Canada, france, and belgium: 12-month prevalence rates of common mental disorders (part 1). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 289-94	4.8	5
17	Comparing mental health of francophones in Canada, france, and belgium: 12-month and lifetime rates of mental health service use (part 2). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 295-304	4.8	8
16	One-year incidence of psychiatric disorders in Quebec's older adult population. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 449-57	4.8	17
15	Prevalence of mental disorders and service utilization in seniors: results from the Canadian community health survey cycle 1.2. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 960-7	3.9	19
14	Fetal growth and the lifetime risk of generalized anxiety disorder. <i>Depression and Anxiety</i> , 2010 , 27, 1066-72	6.7	15
13	Use of administrative data for the surveillance of mood and anxiety disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 1118-25	2.6	35
12	Use of health services for psychological distress symptoms among community-dwelling older adults. <i>Canadian Journal on Aging</i> , 2009 , 28, 51-61	1.6	12
11	Mental disorders and mental health care in Canada and Australia: comparative epidemiological findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 63-72	4.5	35
10	General practice and mental health care: determinants of outpatient service use. <i>Canadian Journal of Psychiatry</i> , 2009 , 54, 468-76	4.8	45
9	Fetal growth restriction and the development of major depression. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 306-12	6.5	30
8	Do Canada and the United States differ in prevalence of depression and utilization of services?. <i>Psychiatric Services</i> , 2007 , 58, 63-71	3.3	95
7	Health-related quality-of-life determinants in lung transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2006 , 25, 226-33	5.8	43
6	Including integrated psychological treatment as part of standard medical therapy for patients with schizophrenia: clinical outcomes. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 463-70	1.8	18
5	Health care resource use associated with integrated psychological treatment. <i>Journal of Mental Health Policy and Economics</i> , 2006 , 9, 201-7	1.3	5

4	A cost-effectiveness and cost-utility study of lung transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2005 , 24, 1275-83	5.8	32
3	Service use for mental health reasons: cross-provincial differences in rates, determinants, and equity of access. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 614-9	4.8	86
2	Predictive factors and correlates for pain in postpoliomyelitis syndrome patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1109-15	2.8	43
1	Childhood abuse/neglect and temporal patterns in late-life anxiety. <i>Aging and Mental Health</i> , 1-10	3.5	