

Daniel W O connor

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7270674/daniel-w-oconnor-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

3,096
citations

26
h-index

53
g-index

106
ext. papers

3,427
ext. citations

3.1
avg. IF

4.92
L-index

#	Paper	IF	Citations
102	BEFRIENDING for Depression, Anxiety and Social support in older adults living in Australian residential aged care facilities (BEFRIENDAS): randomised controlled trial protocol. <i>BMC Geriatrics</i> , 2021 , 21, 305	4.1	3
101	Befriending Older Adults in Nursing Homes: Volunteer Perceptions of Switching to Remote Befriending in the COVID-19 Era. <i>Clinical Gerontologist</i> , 2021 , 44, 430-438	2.7	10
100	A cluster-randomized crossover trial of Montessori activities delivered by family carers to nursing home residents with behavioral and psychological symptoms of dementia. <i>International Psychogeriatrics</i> , 2020 , 32, 347-358	3.4	10
99	Quality indicators of psychotropic prescribing to people with dementia in aged psychiatry inpatient units. <i>Aging and Mental Health</i> , 2018 , 22, 1432-1437	3.5	2
98	Survey of aged psychiatry services support of older Australians with very severe, persistent behavioural symptoms of dementia. <i>Australasian Journal on Ageing</i> , 2018 , 37, E133-E138	1.5	2
97	A pilot trial of acceptance and commitment therapy for symptoms of depression and anxiety in older adults residing in long-term care facilities. <i>Aging and Mental Health</i> , 2017 , 21, 766-773	3.5	25
96	An integrated exploration of factors associated with psychological distress among older prisoners. <i>Journal of Forensic Psychiatry and Psychology</i> , 2016 , 27, 815-834	0.9	7
95	Dubious findings concerning the prevalence of late-life depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 284-5	2.6	3
94	A personalized multimedia device to treat agitated behavior and improve mood in people with dementia: A pilot study. <i>Geriatric Nursing</i> , 2016 , 37, 25-9	2.1	26
93	Internet video chat (Skype) family conversations as a treatment of agitation in nursing home residents with dementia. <i>International Psychogeriatrics</i> , 2016 , 28, 697-8	3.4	15
92	Development and Validation of a Short Version of the Cornell Scale for Depression in Dementia for Screening Residents in Nursing Homes. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 1007-1016	6.5	8
91	Alfentanil anesthetic augmentation lengthens seizure duration in electroconvulsive therapy with older people. <i>International Psychogeriatrics</i> , 2016 , 28, 1051-2	3.4	0
90	The clinical utility of the Cornell Scale for Depression in Dementia as a routine assessment in nursing homes. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 784-93	6.5	14
89	Validity of the geriatric depression scale and the collateral source version of the geriatric depression scale in nursing homes. <i>International Psychogeriatrics</i> , 2015 , 27, 1495-504	3.4	18
88	The language needs of residents from linguistically diverse backgrounds in Victorian aged care facilities. <i>Australasian Journal on Ageing</i> , 2015 , 34, 195-8	1.5	6
87	Using Spaced Retrieval Training to Teach People With Dementia to Independently Use Their Walking Aids: Two Case Studies. <i>Clinical Gerontologist</i> , 2015 , 38, 170-178	2.7	5
86	Personalized one-to-one intervention in agitated individuals with dementia: responders versus non-responders. <i>Journal of Gerontological Nursing</i> , 2015 , 41, 22-9	1.2	2

85	Deprescribing psychotropic medications in aged care facilities: the potential role of family members. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 821, 29-43	3.6	4
84	The feasibility of volunteers facilitating personalized activities for nursing home residents with dementia and agitation. <i>Geriatric Nursing</i> , 2014 , 35, 142-6	2.1	25
83	Aged Care Assessment Service practitioners: a review of current practice for assessment of cognition of older people of culturally and linguistically diverse backgrounds in Victoria. <i>Australasian Journal on Ageing</i> , 2014 , 33, E1-6	1.5	5
82	Systemic approach to behavioural and psychological symptoms of dementia in residential aged care facilities. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 112-5	2.6	4
81	Are reports of cognitive testing among older electroconvulsive therapy recipients clinically valid?. <i>Journal of ECT</i> , 2014 , 30, 26-9	2	7
80	Is electroconvulsive therapy use among young-old and old-old adults comparable? A 10-year population-level analysis of service provision. <i>Journal of ECT</i> , 2014 , 30, 232-41	2	4
79	Methodological challenges in studies of bright light therapy to treat sleep disorders in nursing home residents with dementia. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 777-84	6.2	15
78	Memory Box: A Personalised Multimedia Device for Individuals with Dementia. <i>Lecture Notes in Computer Science</i> , 2014 , 333-341	0.9	2
77	Comparison of family satisfaction in Australian ethno-specific and mainstream aged care facilities. <i>Journal of Gerontological Nursing</i> , 2014 , 40, 54-63	1.2	10
76	Responding to the death of a resident in aged care facilities: perspectives of staff and residents. <i>Geriatric Nursing</i> , 2013 , 34, 41-46	2.1	8
75	A study protocol to investigate the management of depression and challenging behaviors associated with dementia in aged care settings. <i>BMC Geriatrics</i> , 2013 , 13, 95	4.1	4
74	A randomized, controlled cross-over trial of dermally-applied lavender (<i>Lavandula angustifolia</i>) oil as a treatment of agitated behaviour in dementia. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 315	4.7	28
73	Care planning practices for behavioural and psychological symptoms of dementia in residential aged care: a pilot of an education toolkit informed by the Aged Care Funding Instrument. <i>Contemporary Nurse</i> , 2013 , 44, 156-69	1.5	22
72	A literature review of spaced-retrieval interventions: a direct memory intervention for people with dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 1743-63	3.4	23
71	A randomized crossover trial to study the effect of personalized, one-to-one interaction using Montessori-based activities on agitation, affect, and engagement in nursing home residents with Dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 565-75	3.4	72
70	Is the frequent death of residents in aged care facilities a significant cause of grief for residents with mild dementia?. <i>Progress in Palliative Care</i> , 2013 , 21, 7-12	1	
69	Balance and gait in older electroconvulsive therapy recipients: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 805-12	3.1	1
68	The study protocol of a cluster-randomised controlled trial of family-mediated personalised activities for nursing home residents with dementia. <i>BMC Geriatrics</i> , 2012 , 12, 2	4.1	10

67	Specialist mental health consultation for depression in Australian aged care residents with dementia: a cluster randomized trial. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1163-71	3.9	18
66	The potential of volunteers to implement non-pharmacological interventions to reduce agitation associated with dementia in nursing home residents. <i>International Psychogeriatrics</i> , 2012 , 24, 1790-7	3.4	22
65	Has electroconvulsive therapy use remained stable over time? A decade of electroconvulsive therapy service provision in Victoria, Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 522-31	2.6	13
64	A comparison of verbal communication and psychiatric medication use by Greek and Italian residents with dementia in Australian ethno-specific and mainstream aged care facilities. <i>International Psychogeriatrics</i> , 2012 , 24, 733-41	3.4	24
63	Individualized guidelines for the management of aggression in dementia - Part 2: appraisal of current guidelines. <i>International Psychogeriatrics</i> , 2012 , 24, 1125-32	3.4	4
62	Individualized guidelines for the management of aggression in dementia - Part 1: key concepts. <i>International Psychogeriatrics</i> , 2012 , 24, 1112-24	3.4	11
61	The change in electrical energy delivered to aged patients over a course of moderate dose unilateral electroconvulsive therapy. <i>Psychogeriatrics</i> , 2010 , 10, 187-90	1.8	5
60	Continuation-maintenance electroconvulsive therapy: quality standards in 3 Australian aged psychiatry services. <i>Journal of ECT</i> , 2010 , 26, 95-7	2	2
59	Expanded specialist training: psychiatry supervisors' feedback. <i>Australasian Psychiatry</i> , 2010 , 18, 268-9	1.7	1
58	The safety and tolerability of clozapine in aged patients: a retrospective clinical file review. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 788-91	3.8	13
57	Australian psychiatry trainees' reports of expanded specialist training placements. <i>Australasian Psychiatry</i> , 2010 , 18, 267-8	1.7	3
56	Changes to psychotropic medications in the six months after admission to nursing homes in Melbourne, Australia. <i>International Psychogeriatrics</i> , 2010 , 22, 1149-53	3.4	26
55	The effectiveness of continuation-maintenance ECT in reducing depressed older patients' hospital re-admissions. <i>Journal of Affective Disorders</i> , 2010 , 120, 62-6	6.6	38
54	Mental health scales and psychiatric diagnoses: responses to GHQ-12, K-10 and CIDI across the lifespan. <i>Journal of Affective Disorders</i> , 2010 , 121, 263-7	6.6	27
53	Cognition in elderly patients receiving unilateral and bilateral electroconvulsive therapy: a prospective, naturalistic comparison. <i>Journal of Affective Disorders</i> , 2010 , 124, 235-40	6.6	23
52	Differences in older people's responses to CIDI's depression screening and diagnostic questions may point to age-related bias. <i>Journal of Affective Disorders</i> , 2010 , 125, 361-4	6.6	13
51	Evaluation of personalised, one-to-one interaction using Montessori-type activities as a treatment of challenging behaviours in people with dementia: the study protocol of a crossover trial. <i>BMC Geriatrics</i> , 2010 , 10, 3	4.1	14
50	The study protocol of a blinded randomised-controlled cross-over trial of lavender oil as a treatment of behavioural symptoms in dementia. <i>BMC Geriatrics</i> , 2010 , 10, 49	4.1	14

49	Efficacy and safety of risperidone long-acting injection in elderly people with schizophrenia. <i>Clinical Interventions in Aging</i> , 2009 , 4, 351-5	4	12
48	Expanding Australian psychiatry training settings beyond metropolitan public hospitals: background and issues. <i>Australasian Psychiatry</i> , 2009 , 17, 389-93	1.7	5
47	Different responses to K-10 and CIDI suggest that complex structured psychiatric interviews underestimate rates of mental disorder in old people. <i>Psychological Medicine</i> , 2009 , 39, 1527-31	6.9	23
46	Expanding psychiatry training: Australian specialists and trainees perceived gaps in experiences and settings. <i>Australasian Psychiatry</i> , 2009 , 17, 506-508	1.7	5
45	Psychosocial treatments of psychological symptoms in dementia: a systematic review of reports meeting quality standards. <i>International Psychogeriatrics</i> , 2009 , 21, 241-51	3.4	115
44	International price comparisons of Alzheimer's drugs: a way to close the affordability gap. <i>International Psychogeriatrics</i> , 2009 , 21, 1116-26	3.4	16
43	Psychosocial treatments of behavior symptoms in dementia: a systematic review of reports meeting quality standards. <i>International Psychogeriatrics</i> , 2009 , 21, 225-40	3.4	133
42	Bifrontal ECT: A Systematic Review and Meta-Analysis of Efficacy and Cognitive Impact. <i>Current Psychiatry Reviews</i> , 2009 , 5, 202-217	0.9	10
41	Depression among newly admitted Australian nursing home residents. <i>International Psychogeriatrics</i> , 2008 , 20, 724-37	3.4	29
40	What was good about admission to an aged psychiatry ward? The subjective experiences of patients with depression. <i>International Psychogeriatrics</i> , 2008 , 20, 628-40	3.4	4
39	A review of the cognitive effects of electroconvulsive therapy in older adults. <i>Journal of ECT</i> , 2008 , 24, 68-80	2	44
38	Cohort profile: the Cambridge City over-75s Cohort (CC75C). <i>International Journal of Epidemiology</i> , 2007 , 36, 40-6	7.8	43
37	Depot risperidone in elderly patients: the experience of an Australian aged psychiatry service. <i>International Psychogeriatrics</i> , 2007 , 19, 789-92	3.4	3
36	Are patients with severe depression traumatized by admission to an aged psychiatry ward?. <i>International Psychogeriatrics</i> , 2007 , 19, 115-23	3.4	5
35	A comparison of two treatments of agitated behavior in nursing home residents with dementia: simulated family presence and preferred music. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 514-21	6.5	113
34	Do older Australians truly have low rates of anxiety and depression? A critique of the 1997 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 623-31	2.6	50
33	A survey of publicly funded aged psychiatry services in Australia and New Zealand. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 368-73	2.6	15
32	Language-relevant interventions for verbally disruptive behaviors in dementia. <i>International Psychogeriatrics</i> , 2006 , 18, 181-4	3.4	5

31	Psychotic symptoms in the elderly--assessment and management. <i>Australian Family Physician</i> , 2006 , 35, 106-8		2
30	A survey of Australian and New Zealand old age psychiatristsTpreferred medications to treat behavioral and psychological symptoms of dementia (BPSD). <i>International Psychogeriatrics</i> , 2005 , 17, 195-205	3.4	33
29	Transdermal estrogen patches for aggressive behavior in male patients with dementia: a randomized, controlled trial. <i>International Psychogeriatrics</i> , 2005 , 17, 165-78	3.4	50
28	Language use of older Italian-background persons with dementia in mainstream and ethno-specific residential care. <i>International Psychogeriatrics</i> , 2005 , 17, 699-708	3.4	23
27	Language needs and service provision for older persons from culturally and linguistically diverse backgrounds in south-east Melbourne residential care facilities. <i>Australasian Journal on Ageing</i> , 2005 , 24, 157-161	1.5	23
26	How well do Australian medical schools prepare general practitioners to care for patients with mental disorders?. <i>Australasian Psychiatry</i> , 2004 , 12, 26-30	1.7	5
25	An audit of physical restraint and seclusion in five psychogeriatric admission wards in Victoria, Australia. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 797-9	3.9	9
24	Correlates of aggressive behavior in dementia. <i>International Psychogeriatrics</i> , 2004 , 16, 141-158	3.4	46
23	Family carersTresponses to behavioural and psychological symptoms of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1007-12	3.9	14
22	The impact upon extra-pyramidal side effects, clinical symptoms and quality of life of a switch from conventional to atypical antipsychotics (risperidone or olanzapine) in elderly patients with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 432-40	3.9	61
21	Existing psychological problems predict depression in primary care better than sociodemographic factors. <i>Evidence-Based Mental Health</i> , 2003 , 6, 14	11.1	
20	Challenging behaviours in nursing home residents with dementia: a randomized controlled trial of multidisciplinary interventions. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 6-13	3.9	61
19	Depression in primary care. 1: elderly patientsTdisclosure of depressive symptoms to their doctors. <i>International Psychogeriatrics</i> , 2001 , 13, 359-65	3.4	33
18	Depression in primary care. 2: general practitionersTrecognition of major depression in elderly patients. <i>International Psychogeriatrics</i> , 2001 , 13, 367-74	3.4	35
17	Epidemiology of Behavioral and Psychological Symptoms of Dementia. <i>International Psychogeriatrics</i> , 2000 , 12, 41-45	3.4	7
16	How is psychiatry taught to Australian and New Zealand medical students?. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 47-52; discussion 53-6	2.6	18
15	The efficacy of psychosocial approaches to behaviour disorders in dementia: a systematic literature review. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 789-99	2.6	119
14	Estimating the true extent of cognitive decline in the old old. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 1283-8	5.6	55

13	Vascular risks and incident dementia: results from a cohort study of the very old. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998 , 9, 175-80	2.6	115
12	Changes in self-rated health, disability and contact with services in a very elderly cohort: a 6-year follow-up study. <i>Age and Ageing</i> , 1998 , 27, 23-33	3	67
11	Cognitive impairment: a challenge for community care. A comparison of the domiciliary service receipt of cognitively impaired and equally dependent physically impaired elderly women. <i>Age and Ageing</i> , 1997 , 26, 301-8	3	18
10	Efficacy of psychosocial treatments for noisemaking in severe dementia. <i>International Psychogeriatrics</i> , 1997 , 9, 405-22	3.4	33
9	Predictors of hospital contact by very elderly people: a pilot study from a cohort of people aged 75 years and over. <i>Age and Ageing</i> , 1995 , 24, 382-8	3	15
8	Clinical issues relating to the diagnosis of mild dementia in a British community survey. <i>Archives of Neurology</i> , 1991 , 48, 530-4		13
7	The prevalence of dementia in Europe: a collaborative study of 1980-1990 findings. Eurodem Prevalence Research Group. <i>International Journal of Epidemiology</i> , 1991 , 20, 736-48	7.8	509
6	Memory complaints and impairment in normal, depressed, and demented elderly persons identified in a community survey. <i>Archives of General Psychiatry</i> , 1990 , 47, 224-7		184
5	A community survey of mental and physical infirmity in nonagenarians. <i>Age and Ageing</i> , 1989 , 18, 411-4	3	9
4	The distribution of services to demented elderly people living in the community. <i>International Journal of Geriatric Psychiatry</i> , 1989 , 4, 339-344	3.9	18
3	The reliability and validity of the Mini-Mental State in a British community survey. <i>Journal of Psychiatric Research</i> , 1989 , 23, 87-96	5.2	218
2	A Survey of Publicly Funded aged Psychiatry Services in Australia and New Zealand		1
1	Do Older Australians Truly have Low Rates of Anxiety and Depression? A Critique of the 1997 National Survey of Mental Health and Wellbeing		0