

Pablo Conesa-Zamora

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7271686/publications.pdf>

Version: 2024-02-01

68
papers

1,351
citations

361045

20
h-index

377514

34
g-index

73
all docs

73
docs citations

73
times ranked

2079
citing authors

#	ARTICLE	IF	CITATIONS
1	Potential Utility of Induced Translocation of Engineered Bacteria as a Therapeutic Agent for Mounting a Personalized Neoantigen-Based Tumor Immune Response. <i>Global Challenges</i> , 2022, 6, 2100051.	1.8	0
2	Pharmacogenetic role of vitamin D-binding protein and vitamin D receptor polymorphisms in the treatment response of dialysis patients with secondary hyperparathyroidism. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 792-795.	0.4	2
3	Antitumoral Effects of Tricyclic Antidepressants: Beyond Neuropathic Pain Treatment. <i>Cancers</i> , 2022, 14, 3248.	1.7	6
4	Circulating levels of GDF-15 and calprotectin for prediction of in-hospital mortality in COVID-19 patients: A case series. <i>Journal of Infection</i> , 2021, 82, e40-e42.	1.7	52
5	The FDA-Approved Antiviral Raltegravir Inhibits Fascin1-Dependent Invasion of Colorectal Tumor Cells In Vitro and In Vivo. <i>Cancers</i> , 2021, 13, 861.	1.7	23
6	The effect of fascin 1 inhibition on head and neck squamous cell carcinoma cells. <i>European Journal of Oral Sciences</i> , 2021, , .	0.7	2
7	Relationship between polymorphisms in the FAS/FASL death receptor system and progression of low-grade precursor lesions infected with high-risk human papilloma virus. <i>Human Immunology</i> , 2021, 82, 621-624.	1.2	0
8	Validation of GWAS-Identified Variants for Anti-TNF Drug Response in Rheumatoid Arthritis: A Meta-Analysis of Two Large Cohorts. <i>Frontiers in Immunology</i> , 2021, 12, 672255.	2.2	6
9	Global Methyome Scores Correlate with Histological Subtypes of Colorectal Carcinoma and Show Different Associations with Common Clinical and Molecular Features. <i>Cancers</i> , 2021, 13, 5165.	1.7	0
10	miR-181a-2* expression is different amongst carcinomas from the colorectal serrated route. <i>Mutagenesis</i> , 2020, 35, 233-241.	1.0	5
11	Predictive values of colon microbiota in the treatment response to colorectal cancer. <i>Pharmacogenomics</i> , 2020, 21, 1045-1059.	0.6	4
12	Biology and Therapeutic Targets of Colorectal Serrated Adenocarcinoma; Clues for a Histologically Based Treatment against an Aggressive Tumor. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1991.	1.8	6
13	New role of the antidepressant imipramine as a Fascin1 inhibitor in colorectal cancer cells. <i>Experimental and Molecular Medicine</i> , 2020, 52, 281-292.	3.2	40
14	Novel anti-invasive properties of a Fascin1 inhibitor on colorectal cancer cells. <i>Journal of Molecular Medicine</i> , 2020, 98, 383-394.	1.7	18
15	ColPortal, an integrative multiomic platform for analysing epigenetic interactions in colorectal cancer. <i>Scientific Data</i> , 2019, 6, 255.	2.4	9
16	Differences in gene expression profiling and biomarkers between histological colorectal carcinoma subsets from the serrated pathway. <i>Histopathology</i> , 2019, 75, 496-507.	1.6	6
17	Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2019, 19, 83-96.	0.9	10
18	Differences in expression profiling and biomarkers between histological colorectal carcinoma[s] subsets from the serrated pathway. <i>Annals of Oncology</i> , 2018, 29, vi23.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Two histologically colorectal carcinomas subsets from the serrated pathway show different methylome signatures and diagnostic biomarkers. <i>Clinical Epigenetics</i> , 2018, 10, 141.	1.8	12
20	Low Performance of a Clinical-Genetic Model in the Estimation of Time in Therapeutic Range in Acenocoumarol-Adherent Patients with Nonvalvular Atrial Fibrillation: The Quality of Anticoagulation Challenge. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	1
21	A <i>FCGR3A</i> Polymorphism Predicts Anti-drug Antibodies in Chronic Inflammatory Bowel Disease Patients Treated With Anti-TNF. <i>International Journal of Medical Sciences</i> , 2018, 15, 10-15.	1.1	36
22	THU0010â€¦Polymorphisms in phase i-metabolising enzyme and hormone receptor genes influence the response to anti-tnf therapy. , 2018, , .		0
23	Reasons for Discontinuation and Adverse Effects of TNF \pm Inhibitors in a Cohort of Patients With Rheumatoid Arthritis and Ankylosing Spondylitis. <i>Annals of Pharmacotherapy</i> , 2017, 51, 388-393.	0.9	14
24	Rituximab response in follicular lymphoma is associated with the rs20575 polymorphism in TRAILR1 extrinsic apoptosis trigger. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 70-77.	0.7	5
25	MiR-215-5p is a tumor suppressor in colorectal cancer targeting EGFR ligand epiregulin and its transcriptional inducer HOXB9. <i>Oncogenesis</i> , 2017, 6, 399.	2.1	74
26	BARHL1 Is Downregulated in Alzheimerâ€™s Disease and May Regulate Cognitive Functions through ESR1 and Multiple Pathways. <i>Genes</i> , 2017, 8, 245.	1.0	57
27	Genotyping of six clopidogrel-metabolizing enzyme polymorphisms has a minor role in the assessment of platelet reactivity in patients with acute coronary syndrome. <i>Anatolian Journal of Cardiology</i> , 2017, 17, 303-312.	0.5	3
28	Thrombus Aspirated from Patients with ST-Elevation Myocardial Infarction: Association between 3-Nitrotyrosine and Inflammatory Markers - Insights from ARTERIA Study. <i>International Journal of Medical Sciences</i> , 2016, 13, 477-482.	1.1	3
29	HIF-1 \pm expression and high microvessel density are characteristic features in serrated colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 395-404.	1.4	11
30	A polymorphism in FASL is associated with rituximab response in follicular lymphoma patients. <i>American Journal of Hematology</i> , 2016, 91, E305-7.	2.0	6
31	Biomarkers for the identification of precursor polyps of colorectal serrated adenocarcinomas. <i>Cellular Oncology (Dordrecht)</i> , 2016, 39, 243-252.	2.1	8
32	Methylome profiling reveals functions and genes which are differentially methylated in serrated compared to conventional colorectal carcinoma. <i>Clinical Epigenetics</i> , 2015, 7, 101.	1.8	21
33	PEG-Interferon-1 \pm ribavirin-induced HCV viral clearance: a pharmacogenetic multicenter Spanish study. <i>Farmacia Hospitalaria</i> , 2015, 39, 29-43.	0.6	1
34	Association of polymorphisms in TRAIL1 and TRAILR1 genes with susceptibility to lymphomas. <i>Annals of Hematology</i> , 2014, 93, 243-247.	0.8	13
35	Role of Genetic Polymorphisms in NFKB-Mediated Inflammatory Pathways in Response to Primary Chemoradiation Therapy for Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 595-602.	0.4	15
36	Expression profiling shows differential molecular pathways and provides potential new diagnostic biomarkers for colorectal serrated adenocarcinoma. <i>International Journal of Cancer</i> , 2013, 132, 297-307.	2.3	43

#	ARTICLE	IF	CITATIONS
37	Influence of polymorphisms and TNF and IL1 β serum concentration on the infliximab response in Crohn's disease and ulcerative colitis. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 431-438.	0.8	77
38	Evaluation of the association of NKG2C copy number variations with susceptibility to human papillomavirus-induced cervical lesions. <i>Human Immunology</i> , 2013, 74, 1352-1356.	1.2	5
39	Polymorphisms in xenobiotic metabolizing genes (EPHX1, NQO1 and PON1) in lymphoma susceptibility: a case control study. <i>BMC Cancer</i> , 2013, 13, 228.	1.1	13
40	Immune responses against virus and tumor in cervical carcinogenesis: Treatment strategies for avoiding the HPV-induced immune escape. <i>Gynecologic Oncology</i> , 2013, 131, 480-488.	0.6	42
41	Gene amplification and immunohistochemical expression of ERBB2 and EGFR in cervical carcinogenesis. Correlation with cell-cycle markers and HPV presence. <i>Experimental and Molecular Pathology</i> , 2013, 95, 151-155.	0.9	16
42	Microsatellite pathologic score does not efficiently identify high microsatellite instability in colorectal serrated adenocarcinoma. <i>Human Pathology</i> , 2013, 44, 759-765.	1.1	7
43	Pharmacotherapeutic Follow-up and Pharmacogenetics of CYP2C9 and CYP3A4 in Antihypertensive Therapy: A Pilot Study in a Community Pharmacy. <i>Therapeutic Innovation and Regulatory Science</i> , 2013, 47, 489-494.	0.8	2
44	Inflammatory markers in blood and thrombus aspirated from patients with acute myocardial infarction with st-segment elevation: ARTERIA trial study design and rationale. <i>Biomarkers</i> , 2013, 18, 369-372.	0.9	3
45	Role of Cell Cycle Biomarkers in Human Papillomavirus Related Uterine Lesions. <i>Current Pharmaceutical Design</i> , 2013, 19, 1412-1424.	0.9	7
46	Role of cell cycle biomarkers in human papillomavirus related uterine lesions. <i>Current Pharmaceutical Design</i> , 2013, 19, 1412-24.	0.9	8
47	Effects of polymorphisms in TRAILR1 and TNFR1A on the response to anti-TNF therapies in patients with rheumatoid and psoriatic arthritis. <i>Joint Bone Spine</i> , 2012, 79, 591-596.	0.8	63
48	Immunohistochemical expression profile of β -catenin, E-cadherin, P-cadherin, laminin-5 γ 2 chain, and SMAD4 in colorectal serrated adenocarcinoma. <i>Human Pathology</i> , 2012, 43, 1094-1102.	1.1	29
49	Role of GSTT1 and M1 null genotypes as risk factors for B-cell lymphoma: Influence of geographical factors and occupational exposure. <i>Molecular Carcinogenesis</i> , 2012, 51, 508-513.	1.3	9
50	Colorectal serrated adenocarcinoma shows a different profile of oncogene mutations, MSI status and DNA repair protein expression compared to conventional and sporadic MSI-H carcinomas. <i>International Journal of Cancer</i> , 2012, 131, 1790-1799.	2.3	44
51	Analysis of performance characteristics of five cell cycle-related immunohistochemical markers and human papillomavirus genotyping in the diagnosis of cervical squamous cell carcinoma precursor lesions. <i>Journal of Cellular Biochemistry</i> , 2012, 34, 49-55.		0
52	Comparison of Allelic Discrimination by dHPLC, HRM, and TaqMan in the Detection of BRAF Mutation V600E. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 467-473.	1.2	33
53	Tumour budding and other prognostic pathological features at invasive margins in serrated colorectal adenocarcinoma: a comparative study with conventional carcinoma. <i>Histopathology</i> , 2011, 59, 1046-1056.	1.6	46
54	Papel del citocromo P450 en la farmacocinética y en la farmacogenética de los fármacos antihipertensivos. <i>Farmacia Hospitalaria</i> , 2011, 35, 84-92.	0.6	18

#	ARTICLE	IF	CITATIONS
55	Increased levels of citrullinated antithrombin in plasma of patients with rheumatoid arthritis and colorectal adenocarcinoma determined by a newly developed ELISA using a specific monoclonal antibody. <i>Thrombosis and Haemostasis</i> , 2010, 104, 1143-1149.	1.8	24
56	Expression profiles of ProEx C and Ki67 in squamous cell carcinoma <i>in situ</i> of the skin and their relationship with human papillomavirus genotypes. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 730-736.	0.7	6
57	Human Papillomavirus Genotyping in Histological Sections of Precursor Lesions of Cervical Carcinoma: Its Role as a Possible Adjunct for the Evaluation of the Oncogenic Potential of Specific Human Papillomavirus Genotypes – A Study in a Coastal Region of Southeastern Spain. <i>Gynecologic and Obstetric Investigation</i> , 2010, 70, 113-119.	0.7	5
58	Association of polymorphism in FcGR3A gene and progression of low-grade precursor lesions of cervical carcinoma. <i>Human Immunology</i> , 2010, 71, 314-317.	1.2	11
59	Clinicopathologic study of 85 colorectal serrated adenocarcinomas: further insights into the full recognition of a new subset of colorectal carcinoma. <i>Human Pathology</i> , 2010, 41, 1359-1368.	1.1	89
60	Association between the FCGR3AV158F polymorphism and the clinical response to infliximab in rheumatoid arthritis and spondyloarthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 518-520.	0.6	30
61	Immunohistochemical evaluation of ProEx C in human papillomavirus-induced lesions of the cervix. <i>Journal of Clinical Pathology</i> , 2009, 62, 159-162.	1.0	19
62	Effect of Human Papillomavirus on Cell Cycle-Related Proteins p16, Ki-67, Cyclin D1, p53, and ProEx C in Precursor Lesions of Cervical Carcinoma. <i>American Journal of Clinical Pathology</i> , 2009, 132, 378-390.	0.4	86
63	Genotype distribution of human papillomavirus (HPV) and co-infections in cervical cytologic specimens from two outpatient gynecological clinics in a region of southeast Spain. <i>BMC Infectious Diseases</i> , 2009, 9, 124.	1.3	25
64	Retinoic Acid as a Modulator of the Activity of Protein Kinase C β . <i>Biochemistry</i> , 2005, 44, 11353-11360.	1.2	17
65	A comparative study of the effect of the antineoplastic ether lipid 1-O-octadecyl-2-O-methyl-glycero-3-phosphocholine and some homologous compounds on PKC β and PKC ϵ . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1687, 110-119.	1.2	6
66	Identification of the Phosphatidylserine Binding Site in the C2 Domain that Is Important for PKC β Activation and in Vivo Cell Localization. <i>Biochemistry</i> , 2001, 40, 13898-13905.	1.2	59
67	Correlation between the effect of the anti-neoplastic ether lipid 1-O-octadecyl-2-O-methyl-glycero-3-phosphocholine on the membrane and the activity of protein kinase C β . <i>FEBS Journal</i> , 2001, 268, 6369-6378.	0.2	11
68	The C2 domain of protein kinase C β is directly involved in the diacylglycerol-dependent binding of the C1 domain to the membrane. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1487, 246-254.	1.2	25